












*AgEq calculations are based on USD \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn, and assume 100% metallurgical recovery



*AgEq calculations are based on USD \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn, and assume 100% metallurgical recovery



*AgEq calculations are based on USD \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn, and assume 100% metallurgical recovery

Drill hole locations of Cordero holes C19-297 to C19-306

Hole ID	Easting	Northing	Elevation (m)	Azimuth (deg)	Dip (deg)	Depth (m)
C19-297	442,748	3,014,095	1,580	135	-50	400
C19-298	442,800	3,014,099	1,578	315	-72	428
C19-299	442,632	3,013,979	1,572	315	-50	102
C19-300	442,830	3,013,804	1,562	135	-75	222
C19-301	442,587	3,014,028	1,571	315	-65	267
C19-302	442,623	3,014,059	1,572	135	-50	501
C19-303	442,887	3,013,874	1,568	135	-70	417
C19-304	442,566	3,014,149	1,571	135	-55	464
C19-305	442,965	3,014,036	1579	135	-55	384
C19-306	442,485	3,014,148	1,560	135	-55	443

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306

*Metal Prices used for AgEQ calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-297	2.70	4.70	2.00	9	0.02	0.17	0.03	17
C19-297	4.70	6.70	2.00	10	0.01	0.23	0.06	22
C19-297	6.70	8.70	2.00	152	0.06	1.24	0.13	206
C19-297	8.70	10.70	2.00	36	0.04	0.88	0.13	75
C19-297	10.70	11.90	1.20	100	0.06	0.57	0.05	127
C19-297	11.90	13.90	2.00	66	0.11	0.90	0.08	110
C19-297	13.90	15.90	2.00	42	0.18	0.85	0.06	89
C19-297	15.90	17.90	2.00	28	0.18	0.38	0.03	57
C19-297	17.90	19.90	2.00	8	0.08	0.25	0.14	29
C19-297	19.90	21.90	2.00	2	0.03	0.01	0.13	10
C19-297	21.90	23.00	1.10	2	0.04	0.01	0.14	11
C19-297	23.00	24.10	1.10	7	0.09	0.12	0.11	23
C19-297	24.10	26.10	2.00	7	0.09	0.15	0.14	25
C19-297	26.10	28.10	2.00	2	0.01	0.04	0.27	16
C19-297	28.10	29.40	1.30	1	0.01	0.00	0.91	40
C19-297	29.40	31.40	2.00	2	0.01	0.01	0.50	24
C19-297	31.40	33.40	2.00	1	0.02	0.01	0.54	25
C19-297	33.40	35.40	2.00	1	0.01	0.00	0.51	23
C19-297	35.40	37.40	2.00	2	0.01	0.00	0.53	25
C19-297	37.40	38.50	1.10	1	0.02	0.01	0.84	38
C19-297	38.50	40.50	2.00	9	0.05	0.08	0.69	45
C19-297	40.50	42.15	1.65	11	0.14	0.13	0.87	64
C19-297	42.15	44.15	2.00	16	0.10	0.22	0.70	61
C19-297	44.15	46.15	2.00	25	0.20	0.31	0.53	74
C19-297	46.15	47.85	1.70	6	0.07	0.09	0.26	26
C19-297	47.85	49.55	1.70	18	0.13	0.25	0.39	53
C19-297	49.55	50.50	0.95	78	0.62	1.46	1.49	241
C19-297	50.50	52.50	2.00	2	0.07	0.04	0.19	17
C19-297	52.50	54.50	2.00	2	0.10	0.02	0.47	30
C19-297	54.50	55.85	1.35	2	0.07	0.01	0.19	16
C19-297	55.85	57.20	1.35	5	0.13	0.03	0.29	29
C19-297	57.20	59.20	2.00	3	0.03	0.01	0.26	16
C19-297	59.20	61.20	2.00	2	0.02	0.01	0.20	12
C19-297	61.20	63.20	2.00	2	0.03	0.01	0.22	14
C19-297	63.20	64.40	1.20	2	0.02	0.02	0.23	13
C19-297	64.40	66.40	2.00	2	0.04	0.02	0.25	16
C19-297	66.40	68.40	2.00	2	0.03	0.01	0.13	11
C19-297	68.40	70.40	2.00	2	0.05	0.01	0.14	13
C19-297	70.40	72.40	2.00	1	0.03	0.01	0.08	7
C19-297	72.40	74.40	2.00	1	0.02	0.00	0.14	8
C19-297	74.40	75.90	1.50	3	0.03	0.04	0.29	19
C19-297	75.90	77.40	1.50	2	0.04	0.02	0.27	17
C19-297	77.40	78.90	1.50	2	0.02	0.03	0.42	22
C19-297	78.90	80.40	1.50	2	0.02	0.03	0.60	29
C19-297	80.40	82.40	2.00	3	0.02	0.03	1.03	48
C19-297	82.40	83.70	1.30	2	0.01	0.03	0.46	24
C19-297	83.70	85.00	1.30	2	0.02	0.02	0.36	19
C19-297	85.00	87.00	2.00	1	0.01	0.01	0.02	3
C19-297	87.00	89.00	2.00	1	0.02	0.01	0.14	8

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306

*Metal Prices used for AgEQ calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-297	89.00	90.30	1.30	1	0.01	0.02	0.17	10
C19-297	90.30	91.60	1.30	2	0.02	0.02	0.06	6
C19-297	91.60	93.60	2.00	1	0.02	0.01	0.01	4
C19-297	93.60	95.60	2.00	6	0.02	0.08	0.07	13
C19-297	95.60	96.90	1.30	7	0.04	0.12	0.16	22
C19-297	96.90	98.30	1.40	3	0.03	0.05	0.06	10
C19-297	98.30	98.95	0.65	253	0.33	3.40	4.55	589
C19-297	98.95	100.80	1.85	11	0.03	0.15	0.07	22
C19-297	100.80	102.80	2.00	5	0.02	0.08	0.02	11
C19-297	102.80	104.80	2.00	2	0.01	0.02	0.02	4
C19-297	104.80	106.80	2.00	7	0.02	0.13	0.18	20
C19-297	106.80	108.80	2.00	1	0.01	0.01	0.02	3
C19-297	108.80	110.80	2.00	4	0.01	0.05	0.10	11
C19-297	110.80	112.80	2.00	1	0.01	0.02	0.02	3
C19-297	112.80	114.80	2.00	1	0.01	0.01	0.02	3
C19-297	114.80	116.80	2.00	3	0.01	0.04	0.07	8
C19-297	116.80	118.80	2.00	3	0.03	0.03	0.03	8
C19-297	118.80	120.80	2.00	5	0.11	0.06	0.19	23
C19-297	120.80	122.80	2.00	1	0.02	0.01	0.01	3
C19-297	122.80	124.15	1.35	11	0.04	0.15	0.26	31
C19-297	124.15	125.50	1.35	2	0.03	0.03	0.07	8
C19-297	125.50	127.50	2.00	2	0.01	0.03	0.03	5
C19-297	127.50	129.50	2.00	2	0.02	0.02	0.02	4
C19-297	129.50	130.50	1.00	1	0.01	0.01	0.01	3
C19-297	130.50	132.50	2.00	1	0.01	0.01	0.02	4
C19-297	132.50	134.50	2.00	3	0.03	0.04	0.09	10
C19-297	134.50	136.00	1.50	1	0.01	0.01	0.01	2
C19-297	136.00	137.95	1.95	3	0.02	0.05	0.07	9
C19-297	137.95	139.95	2.00	2	0.01	0.03	0.01	4
C19-297	139.95	141.95	2.00	3	0.02	0.06	0.08	10
C19-297	141.95	143.95	2.00	2	0.02	0.02	0.04	5
C19-297	143.95	145.95	2.00	2	0.02	0.02	0.04	5
C19-297	145.95	147.95	2.00	4	0.02	0.06	0.06	10
C19-297	147.95	149.55	1.60	7	0.03	0.14	0.20	22
C19-297	149.55	151.15	1.60	1	0.02	0.01	0.02	4
C19-297	151.15	153.10	1.95	2	0.02	0.04	0.04	7
C19-297	153.10	154.35	1.25	3	0.01	0.05	0.07	8
C19-297	154.35	156.35	2.00	7	0.02	0.07	0.14	16
C19-297	156.35	158.35	2.00	3	0.02	0.04	0.02	6
C19-297	158.35	160.35	2.00	1	0.02	0.01	0.03	5
C19-297	160.35	162.35	2.00	1	0.01	0.01	0.01	3
C19-297	162.35	164.35	2.00	0	0.01	0.00	0.01	2
C19-297	164.35	165.70	1.35	1	0.01	0.01	0.06	5
C19-297	165.70	167.50	1.80	1	0.01	0.01	0.01	3
C19-297	167.50	167.80	0.30	59	0.08	0.78	2.55	199
C19-297	167.80	168.90	1.10	2	0.02	0.05	0.06	8
C19-297	168.90	170.80	1.90	10	0.02	0.15	0.29	29
C19-297	170.80	171.75	0.95	2	0.18	0.05	0.06	20
C19-297	171.75	173.15	1.40	1	0.05	0.02	0.04	8

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-297	173.15	175.15	2.00	3	0.06	0.08	0.07	13
C19-297	175.15	177.15	2.00	1	0.05	0.02	0.06	9
C19-297	177.15	178.80	1.65	2	0.04	0.03	0.05	8
C19-297	178.80	180.80	2.00	2	0.10	0.03	0.04	12
C19-297	180.80	182.80	2.00	2	0.05	0.04	0.02	9
C19-297	182.80	184.80	2.00	1	0.05	0.02	0.04	8
C19-297	184.80	186.80	2.00	1	0.07	0.01	0.01	8
C19-297	186.80	188.80	2.00	2	0.10	0.01	0.01	11
C19-297	188.80	190.80	2.00	1	0.11	0.02	0.03	13
C19-297	190.80	192.80	2.00	1	0.13	0.00	0.01	12
C19-297	192.80	194.80	2.00	1	0.10	0.02	0.01	11
C19-297	194.80	196.80	2.00	1	0.05	0.01	0.01	5
C19-297	196.80	198.80	2.00	1	0.08	0.01	0.02	8
C19-297	198.80	200.80	2.00	2	0.11	0.01	0.03	13
C19-297	200.80	202.80	2.00	2	0.13	0.01	0.08	16
C19-297	202.80	204.80	2.00	3	0.08	0.01	0.02	11
C19-297	204.80	206.80	2.00	5	0.19	0.01	0.10	25
C19-297	206.80	208.80	2.00	5	0.18	0.02	0.08	23
C19-297	208.80	210.80	2.00	2	0.08	0.01	0.02	10
C19-297	210.80	212.80	2.00	2	0.12	0.02	0.08	16
C19-297	212.80	214.80	2.00	4	0.10	0.02	0.06	15
C19-297	214.80	216.80	2.00	4	0.09	0.03	0.06	15
C19-297	216.80	218.80	2.00	2	0.03	0.04	0.09	10
C19-297	218.80	220.80	2.00	2	0.03	0.07	0.08	11
C19-297	220.80	222.65	1.85	2	0.01	0.05	0.11	10
C19-297	222.65	224.05	1.40	36	0.02	0.87	2.57	175
C19-297	224.05	225.05	1.00	4	0.01	0.10	1.69	78
C19-297	225.05	226.20	1.15	2	0.01	0.05	1.01	46
C19-297	226.20	227.90	1.70	3	0.01	0.06	0.18	13
C19-297	227.90	229.55	1.65	3	0.02	0.06	0.18	14
C19-297	229.55	231.15	1.60	2	0.01	0.06	0.11	10
C19-297	231.15	232.70	1.55	2	0.01	0.04	0.07	7
C19-297	232.70	234.00	1.30	6	0.04	0.12	0.15	20
C19-297	234.00	235.70	1.70	48	0.03	0.98	0.64	111
C19-297	235.70	237.35	1.65	3	0.02	0.04	0.07	8
C19-297	237.35	238.45	1.10	29	0.02	0.66	1.73	126
C19-297	238.45	239.40	0.95	1	0.01	0.02	0.03	4
C19-297	239.40	240.60	1.20	1	0.05	0.02	0.01	7
C19-297	240.60	242.55	1.95	2	0.01	0.03	0.17	11
C19-297	242.55	243.45	0.90	12	0.02	0.30	0.80	57
C19-297	243.45	244.50	1.05	5	0.02	0.14	0.26	23
C19-297	244.50	246.35	1.85	16	0.05	0.38	0.26	43
C19-297	246.35	247.80	1.45	19	0.04	0.45	0.44	56
C19-297	247.80	248.35	0.55	24	0.05	0.66	1.23	101
C19-297	248.35	249.70	1.35	12	0.03	0.37	0.54	50
C19-297	249.70	250.20	0.50	5	0.01	0.12	0.38	26
C19-297	250.20	251.70	1.50	2	0.01	0.05	0.05	7
C19-297	251.70	253.20	1.50	2	0.02	0.04	0.04	6
C19-297	253.20	254.80	1.60	2	0.01	0.05	0.09	9

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306

*Metal Prices used for AgEQ calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-297	254.80	256.30	1.50	2	0.02	0.03	0.05	7
C19-297	256.30	257.50	1.20	2	0.01	0.06	0.07	9
C19-297	257.50	258.65	1.15	2	0.02	0.03	0.04	6
C19-297	258.65	259.65	1.00	6	0.02	0.20	0.47	33
C19-297	259.65	261.60	1.95	2	0.02	0.04	0.07	8
C19-297	261.60	262.20	0.60	18	0.04	0.54	1.17	89
C19-297	262.20	264.00	1.80	2	0.01	0.06	0.04	7
C19-297	264.00	265.90	1.90	2	0.03	0.03	0.04	7
C19-297	265.90	266.90	1.00	2	0.02	0.10	0.01	8
C19-297	266.90	268.45	1.55	78	0.06	3.23	5.70	433
C19-297	268.45	270.45	2.00	2	0.02	0.02	0.05	6
C19-297	270.45	271.45	1.00	5	0.03	0.05	0.15	15
C19-297	271.45	272.95	1.50	4	0.02	0.10	0.16	15
C19-297	272.95	273.30	0.35	11	0.02	0.31	1.71	94
C19-297	273.30	274.00	0.70	778	0.31	9.82	26.60	2,253
C19-297	274.00	275.35	1.35	3	0.01	0.04	0.11	10
C19-297	275.35	276.85	1.50	1	0.01	0.03	0.09	6
C19-297	276.85	278.35	1.50	1	0.00	0.03	0.07	5
C19-297	278.35	279.10	0.75	75	0.01	1.60	0.68	160
C19-297	279.10	279.65	0.55	3	0.01	0.10	0.19	16
C19-297	279.65	281.65	2.00	1	0.01	0.03	0.06	5
C19-297	281.65	283.65	2.00	5	0.01	0.04	0.09	11
C19-297	283.65	285.50	1.85	2	0.01	0.04	0.08	7
C19-297	285.50	286.10	0.60	931	0.09	6.00	10.10	1,569
C19-297	286.10	288.10	2.00	3	0.01	0.03	0.05	6
C19-297	288.10	290.10	2.00	2	0.00	0.02	0.05	4
C19-297	290.10	292.10	2.00	2	0.01	0.02	0.04	4
C19-297	292.10	294.10	2.00	2	0.01	0.04	0.07	6
C19-297	294.10	296.10	2.00	2	0.01	0.06	0.11	10
C19-297	296.10	298.10	2.00	1	0.01	0.03	0.08	7
C19-297	298.10	300.10	2.00	1	0.01	0.03	0.07	6
C19-297	300.10	301.55	1.45	1	0.01	0.03	0.09	7
C19-297	301.55	303.40	1.85	1	0.00	0.03	0.05	4
C19-297	303.40	303.90	0.50	1	0.01	0.04	0.03	5
C19-297	303.90	305.90	2.00	1	0.01	0.05	0.07	7
C19-297	305.90	307.90	2.00	1	0.01	0.02	0.02	3
C19-297	307.90	309.10	1.20	1	0.01	0.02	0.02	3
C19-297	309.10	310.10	1.00	4	0.02	0.13	0.47	29
C19-297	310.10	312.10	2.00	1	0.01	0.02	0.04	4
C19-297	312.10	313.35	1.25	1	0.01	0.03	0.05	5
C19-297	313.35	314.25	0.90	2	0.01	0.03	0.12	9
C19-297	314.25	314.85	0.60	35	0.02	0.32	0.29	60
C19-297	314.85	315.85	1.00	5	0.01	0.14	0.26	22
C19-297	315.85	317.15	1.30	2	0.01	0.04	0.05	6
C19-297	317.15	318.40	1.25	3	0.02	0.08	0.54	29
C19-297	318.40	320.05	1.65	3	0.02	0.04	0.08	9
C19-297	320.05	321.80	1.75	4	0.01	0.01	0.03	6
C19-297	321.80	322.35	0.55	4	0.02	0.06	0.15	14
C19-297	322.35	323.85	1.50	3	0.02	0.06	0.15	13

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-297	323.85	325.60	1.75	1	0.01	0.01	0.02	3
C19-297	325.60	326.90	1.30	1	0.02	0.01	0.01	3
C19-297	326.90	328.90	2.00	3	0.03	0.07	0.08	12
C19-297	328.90	330.30	1.40	3	0.02	0.01	0.01	6
C19-297	330.30	331.95	1.65	2	0.03	0.01	0.01	5
C19-297	331.95	333.75	1.80	1	0.03	0.01	0.01	4
C19-297	333.75	334.50	0.75	0	0.00	0.00	0.00	0
C19-297	334.50	335.70	1.20	0	0.03	0.00	0.01	3
C19-297	335.70	336.95	1.25	0	0.05	0.00	0.00	4
C19-297	336.95	338.95	2.00	0	0.03	0.00	0.00	3
C19-297	338.95	340.60	1.65	0	0.00	0.00	0.00	1
C19-297	340.60	342.60	2.00	0	0.01	0.00	0.00	1
C19-297	342.60	344.05	1.45	1	0.00	0.01	0.07	4
C19-297	344.05	346.05	2.00	0	0.00	0.00	0.01	1
C19-297	346.05	347.85	1.80	1	0.00	0.01	0.01	1
C19-297	347.85	349.85	2.00	2	0.01	0.02	0.02	4
C19-297	349.85	351.80	1.95	1	0.00	0.01	0.01	2
C19-297	351.80	352.90	1.10	68	0.03	1.75	1.76	205
C19-297	352.90	354.05	1.15	46	0.05	1.67	1.67	178
C19-297	354.05	355.30	1.25	38	0.04	1.57	1.95	177
C19-297	355.30	356.70	1.40	32	0.04	1.28	1.74	152
C19-297	356.70	357.75	1.05	22	0.04	0.82	0.94	93
C19-297	357.75	358.45	0.70	50	0.06	2.02	2.60	234
C19-297	358.45	360.30	1.85	18	0.02	0.32	0.28	43
C19-297	360.30	361.55	1.25	46	0.02	1.76	2.63	219
C19-297	361.55	363.05	1.50	22	0.02	0.36	0.48	56
C19-297	363.05	364.75	1.70	26	0.02	0.28	0.39	54
C19-297	364.75	366.75	2.00	16	0.02	0.26	0.48	46
C19-297	366.75	367.90	1.15	2	0.01	0.05	0.10	8
C19-297	367.90	369.40	1.50	7	0.01	0.11	0.29	23
C19-297	369.40	371.25	1.85	1	0.01	0.01	0.01	2
C19-297	371.25	373.25	2.00	1	0.00	0.01	0.02	2
C19-297	373.25	374.40	1.15	12	0.03	0.24	0.21	31
C19-297	374.40	375.55	1.15	16	0.01	0.36	0.52	51
C19-297	375.55	377.05	1.50	0	0.01	0.00	0.01	1
C19-297	377.05	378.35	1.30	1	0.01	0.02	0.04	4
C19-297	378.35	380.35	2.00	1	0.01	0.01	0.03	3
C19-297	380.35	382.35	2.00	1	0.00	0.01	0.01	2
C19-297	382.35	384.35	2.00	16	0.01	0.43	0.01	32
C19-297	384.35	385.35	1.00	4	0.01	0.06	0.87	43
C19-297	385.35	386.00	0.65	40	0.02	0.59	13.55	624
C19-297	386.00	386.60	0.60	3	0.01	0.06	0.57	30
C19-297	386.60	387.95	1.35	1	0.01	0.03	0.07	6
C19-297	387.95	389.10	1.15	0	0.01	0.01	0.06	4
C19-297	389.10	389.50	0.40	1	0.01	0.02	0.04	4
C19-297	389.50	390.90	1.40	4	0.01	0.14	1.38	67
C19-297	390.90	392.30	1.40	5	0.01	0.14	0.44	28
C19-297	392.30	394.30	2.00	1	0.01	0.01	0.02	2
C19-297	394.30	395.60	1.30	0	0.00	0.00	0.01	1

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306

*Metal Prices used for AgEQ calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-297	395.60	396.90	1.30	1	0.01	0.00	0.00	2
C19-297	396.90	397.40	0.50	87	0.01	0.56	1.61	174
C19-297	397.40	398.70	1.30	0	0.01	0.00	0.00	1
C19-297	398.70	400.00	1.30	0	0.00	0.00	0.00	1
C19-298	0.00	1.50	1.50	2	0.03	0.02	0.03	7
C19-298	1.50	3.20	1.70	3	0.04	0.05	0.03	9
C19-298	3.20	5.20	2.00	4	0.04	0.05	0.03	10
C19-298	5.20	7.20	2.00	5	0.09	0.04	0.06	16
C19-298	7.20	9.20	2.00	1	0.02	0.01	0.03	5
C19-298	9.20	11.20	2.00	2	0.02	0.01	0.06	6
C19-298	11.20	13.20	2.00	2	0.04	0.01	0.07	8
C19-298	13.20	15.20	2.00	1	0.01	0.00	0.06	4
C19-298	15.20	17.20	2.00	1	0.01	0.00	0.04	3
C19-298	17.20	19.20	2.00	1	0.01	0.00	0.02	2
C19-298	19.20	21.20	2.00	1	0.02	0.00	0.04	4
C19-298	21.20	22.95	1.75	1	0.01	0.00	0.04	3
C19-298	22.95	24.90	1.95	1	0.01	0.01	0.02	3
C19-298	24.90	26.90	2.00	2	0.01	0.01	0.04	5
C19-298	26.90	28.80	1.90	1	0.02	0.00	0.04	3
C19-298	28.80	30.50	1.70	1	0.01	0.00	0.05	4
C19-298	30.50	32.50	2.00	1	0.01	0.01	0.04	3
C19-298	32.50	34.50	2.00	2	0.01	0.01	0.04	4
C19-298	34.50	36.50	2.00	1	0.01	0.00	0.03	3
C19-298	36.50	38.50	2.00	1	0.01	0.00	0.03	3
C19-298	38.50	40.50	2.00	1	0.01	0.00	0.03	3
C19-298	40.50	41.60	1.10	1	0.01	0.00	0.04	4
C19-298	41.60	43.50	1.90	1	0.01	0.00	0.03	4
C19-298	43.50	45.50	2.00	1	0.01	0.01	0.04	4
C19-298	45.50	47.50	2.00	1	0.01	0.01	0.04	4
C19-298	47.50	49.50	2.00	1	0.01	0.01	0.06	4
C19-298	49.50	51.50	2.00	1	0.01	0.01	0.03	3
C19-298	51.50	53.50	2.00	1	0.01	0.01	0.06	5
C19-298	53.50	55.50	2.00	1	0.02	0.01	0.07	6
C19-298	55.50	57.50	2.00	1	0.01	0.01	0.04	4
C19-298	57.50	59.50	2.00	0	0.01	0.00	0.33	15
C19-298	59.50	61.50	2.00	0	0.01	0.00	0.05	3
C19-298	61.50	62.60	1.10	0	0.01	0.00	0.05	3
C19-298	62.60	64.10	1.50	1	0.01	0.00	0.04	3
C19-298	64.10	65.60	1.50	1	0.01	0.00	0.03	2
C19-298	65.60	67.60	2.00	1	0.01	0.00	0.03	2
C19-298	67.60	69.60	2.00	0	0.01	0.00	0.27	12
C19-298	69.60	71.60	2.00	0	0.01	0.00	0.23	11
C19-298	71.60	73.60	2.00	0	0.01	0.00	0.08	4
C19-298	73.60	75.60	2.00	0	0.01	0.00	0.02	2
C19-298	75.60	77.60	2.00	0	0.01	0.00	0.02	2
C19-298	77.60	81.20	3.60	0	0.01	0.00	0.02	2
C19-298	81.20	83.20	2.00	1	0.01	0.00	0.02	2
C19-298	83.20	85.20	2.00	0	0.01	0.00	0.01	2

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-298	85.20	87.20	2.00	0	0.01	0.00	0.01	2
C19-298	87.20	89.20	2.00	0	0.01	0.00	0.01	2
C19-298	89.20	91.20	2.00	1	0.01	0.00	0.01	2
C19-298	91.20	93.20	2.00	0	0.02	0.00	0.01	2
C19-298	93.20	95.20	2.00	0	0.02	0.00	0.01	2
C19-298	95.20	97.20	2.00	0	0.02	0.00	0.01	2
C19-298	97.20	99.20	2.00	0	0.02	0.00	0.01	2
C19-298	99.20	101.20	2.00	1	0.02	0.00	0.01	3
C19-298	101.20	103.20	2.00	1	0.02	0.00	0.01	3
C19-298	103.20	105.20	2.00	1	0.01	0.00	0.02	2
C19-298	105.20	106.05	0.85	1	0.01	0.00	0.02	3
C19-298	106.05	108.05	2.00	1	0.02	0.00	0.02	3
C19-298	108.05	110.05	2.00	1	0.02	0.00	0.01	2
C19-298	110.05	111.30	1.25	1	0.01	0.00	0.01	2
C19-298	111.30	112.45	1.15	1	0.03	0.00	0.01	3
C19-298	112.45	114.45	2.00	1	0.03	0.00	0.01	3
C19-298	114.45	116.45	2.00	1	0.04	0.00	0.01	4
C19-298	116.45	118.45	2.00	1	0.01	0.00	0.01	2
C19-298	118.45	120.00	1.55	1	0.02	0.00	0.01	3
C19-298	120.00	121.00	1.00	0	0.01	0.00	0.01	1
C19-298	121.00	123.00	2.00	0	0.01	0.00	0.01	1
C19-298	123.00	125.00	2.00	0	0.00	0.00	0.01	1
C19-298	125.00	127.00	2.00	0	0.00	0.00	0.01	1
C19-298	127.00	129.00	2.00	0	0.00	0.00	0.01	1
C19-298	129.00	131.00	2.00	0	0.00	0.00	0.00	1
C19-298	131.00	133.00	2.00	0	0.01	0.00	0.00	1
C19-298	133.00	135.00	2.00	0	0.00	0.00	0.01	1
C19-298	135.00	137.00	2.00	0	0.01	0.00	0.00	1
C19-298	137.00	139.00	2.00	0	0.01	0.00	0.01	1
C19-298	139.00	141.00	2.00	0	0.00	0.00	0.01	1
C19-298	141.00	143.00	2.00	0	0.01	0.00	0.01	1
C19-298	143.00	145.00	2.00	0	0.01	0.00	0.01	1
C19-298	145.00	147.00	2.00	0	0.01	0.00	0.01	1
C19-298	147.00	149.00	2.00	1	0.01	0.00	0.01	2
C19-298	149.00	151.00	2.00	1	0.01	0.00	0.00	1
C19-298	151.00	153.00	2.00	1	0.03	0.00	0.01	3
C19-298	153.00	155.00	2.00	1	0.01	0.00	0.01	2
C19-298	155.00	157.00	2.00	1	0.00	0.00	0.01	1
C19-298	157.00	159.00	2.00	0	0.01	0.00	0.01	1
C19-298	159.00	161.00	2.00	0	0.01	0.00	0.01	1
C19-298	161.00	163.00	2.00	0	0.01	0.00	0.01	1
C19-298	163.00	165.00	2.00	0	0.01	0.00	0.01	1
C19-298	165.00	166.20	1.20	1	0.01	0.00	0.01	1
C19-298	166.20	167.50	1.30	1	0.01	0.00	0.01	2
C19-298	167.50	169.20	1.70	5	0.04	0.09	0.33	25
C19-298	169.20	171.20	2.00	3	0.06	0.04	0.06	12
C19-298	171.20	173.20	2.00	3	0.03	0.02	0.04	8
C19-298	173.20	175.20	2.00	2	0.07	0.02	0.11	13
C19-298	175.20	177.10	1.90	2	0.11	0.01	0.01	12

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306

*Metal Prices used for AgEQ calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-298	177.10	178.90	1.80	3	0.07	0.03	0.11	14
C19-298	178.90	180.60	1.70	1	0.05	0.02	0.05	8
C19-298	180.60	182.60	2.00	4	0.19	0.04	0.08	24
C19-298	182.60	184.25	1.65	3	0.03	0.03	0.03	8
C19-298	184.25	185.50	1.25	0	0.01	0.00	0.01	2
C19-298	185.50	187.50	2.00	1	0.01	0.01	0.03	3
C19-298	187.50	189.50	2.00	0	0.01	0.00	0.01	2
C19-298	189.50	191.50	2.00	0	0.01	0.00	0.01	2
C19-298	191.50	193.50	2.00	1	0.01	0.01	0.06	5
C19-298	193.50	195.50	2.00	1	0.01	0.01	0.01	3
C19-298	195.50	196.50	1.00	1	0.03	0.01	0.01	3
C19-298	196.50	198.05	1.55	1	0.02	0.00	0.00	3
C19-298	198.05	200.00	1.95	5	0.03	0.08	0.15	16
C19-298	200.00	201.30	1.30	3	0.02	0.05	0.12	11
C19-298	201.30	203.20	1.90	3	0.02	0.04	0.10	9
C19-298	203.20	205.20	2.00	3	0.03	0.02	0.07	8
C19-298	205.20	207.20	2.00	2	0.01	0.01	0.05	5
C19-298	207.20	208.50	1.30	2	0.01	0.01	0.04	5
C19-298	208.50	209.80	1.30	3	0.02	0.01	0.03	7
C19-298	209.80	211.80	2.00	2	0.01	0.02	0.04	5
C19-298	211.80	213.80	2.00	4	0.01	0.04	0.05	8
C19-298	213.80	215.80	2.00	2	0.01	0.02	0.04	6
C19-298	215.80	217.80	2.00	2	0.01	0.02	0.05	6
C19-298	217.80	218.90	1.10	3	0.01	0.06	0.20	14
C19-298	218.90	220.55	1.65	2	0.01	0.02	0.02	4
C19-298	220.55	220.95	0.40	4	0.01	0.05	0.73	37
C19-298	220.95	222.50	1.55	2	0.01	0.01	0.04	5
C19-298	222.50	223.00	0.50	0	0.01	0.00	0.01	1
C19-298	223.00	224.35	1.35	2	0.01	0.01	0.04	5
C19-298	224.35	226.30	1.95	1	0.01	0.01	0.02	3
C19-298	226.30	228.30	2.00	1	0.01	0.01	0.03	4
C19-298	228.30	228.90	0.60	1	0.02	0.01	0.03	5
C19-298	228.90	230.80	1.90	2	0.02	0.02	0.03	5
C19-298	230.80	231.80	1.00	1	0.04	0.01	0.02	5
C19-298	231.80	233.40	1.60	2	0.01	0.02	0.06	6
C19-298	233.40	234.60	1.20	2	0.01	0.02	0.02	4
C19-298	234.60	236.35	1.75	2	0.01	0.01	0.01	3
C19-298	236.35	237.70	1.35	3	0.01	0.01	0.08	8
C19-298	237.70	239.20	1.50	19	0.01	0.01	0.13	25
C19-298	239.20	240.85	1.65	1	0.01	0.02	0.01	3
C19-298	240.85	242.45	1.60	0	0.01	0.00	0.01	2
C19-298	242.45	244.40	1.95	0	0.01	0.01	0.02	2
C19-298	244.40	246.40	2.00	0	0.01	0.00	0.01	1
C19-298	246.40	247.90	1.50	0	0.01	0.00	0.01	1
C19-298	247.90	249.40	1.50	0	0.01	0.00	0.02	2
C19-298	249.40	250.40	1.00	1	0.01	0.01	0.06	4
C19-298	250.40	252.40	2.00	0	0.01	0.00	0.01	1
C19-298	252.40	254.40	2.00	0	0.01	0.00	0.01	1
C19-298	254.40	256.40	2.00	0	0.01	0.00	0.01	1

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-298	256.40	257.40	1.00	0	0.01	0.00	0.01	1
C19-298	257.40	258.90	1.50	1	0.01	0.00	0.02	2
C19-298	258.90	260.50	1.60	1	0.01	0.01	0.05	4
C19-298	260.50	262.10	1.60	1	0.01	0.01	0.02	3
C19-298	262.10	263.25	1.15	3	0.01	0.08	0.42	24
C19-298	263.25	264.25	1.00	1	0.01	0.02	0.11	7
C19-298	264.25	265.25	1.00	0	0.01	0.00	0.01	1
C19-298	265.25	266.55	1.30	1	0.01	0.01	0.06	4
C19-298	266.55	268.55	2.00	35	0.06	0.68	0.45	82
C19-298	268.55	270.55	2.00	1	0.02	0.01	0.05	5
C19-298	270.55	271.85	1.30	1	0.01	0.01	0.03	4
C19-298	271.85	272.70	0.85	1	0.01	0.01	0.02	3
C19-298	272.70	273.95	1.25	6	0.01	0.20	1.07	58
C19-298	273.95	275.35	1.40	6	0.08	0.19	0.91	57
C19-298	275.35	276.85	1.50	10	0.01	0.31	1.34	77
C19-298	276.85	277.20	0.35	42	0.02	0.96	5.98	326
C19-298	277.20	279.00	1.80	2	0.02	0.04	0.15	11
C19-298	279.00	281.00	2.00	1	0.01	0.01	0.03	3
C19-298	281.00	283.05	2.05	0	0.01	0.00	0.01	2
C19-298	283.05	284.25	1.20	1	0.01	0.01	0.04	4
C19-298	284.25	285.40	1.15	1	0.00	0.03	0.14	8
C19-298	285.40	287.40	2.00	1	0.00	0.02	0.09	6
C19-298	287.40	289.40	2.00	1	0.00	0.00	0.02	2
C19-298	289.40	291.40	2.00	1	0.01	0.00	0.03	3
C19-298	291.40	293.40	2.00	1	0.01	0.01	0.04	3
C19-298	293.40	294.60	1.20	8	0.00	0.43	1.62	90
C19-298	294.60	294.90	0.30	6	0.01	0.15	1.33	67
C19-298	294.90	295.50	0.60	3	0.01	0.05	0.31	18
C19-298	295.50	296.15	0.65	7	0.01	0.12	0.72	42
C19-298	296.15	297.10	0.95	10	0.03	0.11	0.77	48
C19-298	297.10	299.10	2.00	0	0.03	0.00	0.02	3
C19-298	299.10	301.10	2.00	1	0.02	0.00	0.02	4
C19-298	301.10	303.10	2.00	1	0.03	0.00	0.01	4
C19-298	303.10	305.10	2.00	0	0.02	0.00	0.01	2
C19-298	305.10	307.10	2.00	1	0.00	0.00	0.00	1
C19-298	307.10	309.10	2.00	0	0.00	0.00	0.00	1
C19-298	309.10	311.10	2.00	0	0.03	0.00	0.01	3
C19-298	311.10	313.10	2.00	0	0.02	0.00	0.00	2
C19-298	313.10	315.10	2.00	0	0.01	0.00	0.00	1
C19-298	315.10	316.20	1.10	1	0.01	0.00	0.01	2
C19-298	316.20	317.30	1.10	0	0.01	0.00	0.00	1
C19-298	317.30	319.15	1.85	3	0.01	0.09	0.07	9
C19-298	319.15	321.10	1.95	1	0.00	0.01	0.01	1
C19-298	321.10	323.10	2.00	1	0.00	0.00	0.01	1
C19-298	323.10	325.10	2.00	1	0.01	0.00	0.01	2
C19-298	325.10	327.10	2.00	1	0.00	0.01	0.02	3
C19-298	327.10	329.10	2.00	5	0.00	0.03	0.01	7
C19-298	329.10	330.40	1.30	2	0.00	0.01	0.01	2
C19-298	330.40	331.70	1.30	1	0.00	0.01	0.00	1

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-298	331.70	333.10	1.40	2	0.00	0.03	0.05	5
C19-298	333.10	335.10	2.00	1	0.00	0.02	0.00	2
C19-298	335.10	337.10	2.00	2	0.01	0.02	0.01	3
C19-298	337.10	339.10	2.00	1	0.01	0.01	0.01	2
C19-298	339.10	341.10	2.00	1	0.02	0.00	0.01	3
C19-298	341.10	343.10	2.00	1	0.00	0.00	0.01	1
C19-298	343.10	345.10	2.00	0	0.00	0.00	0.01	1
C19-298	345.10	347.10	2.00	0	0.00	0.00	0.01	1
C19-298	347.10	349.10	2.00	0	0.01	0.00	0.01	1
C19-298	349.10	351.10	2.00	1	0.01	0.01	0.02	3
C19-298	351.10	353.10	2.00	3	0.00	0.03	0.06	6
C19-298	353.10	354.30	1.20	1	0.00	0.01	0.03	3
C19-298	354.30	355.50	1.20	1	0.00	0.00	0.01	1
C19-298	355.50	357.00	1.50	2	0.01	0.01	0.06	5
C19-298	357.00	358.90	1.90	3	0.00	0.01	0.02	4
C19-298	358.90	360.90	2.00	3	0.01	0.02	0.05	6
C19-298	360.90	362.90	2.00	1	0.01	0.01	0.06	5
C19-298	362.90	364.90	2.00	2	0.00	0.01	0.07	5
C19-298	364.90	366.90	2.00	2	0.00	0.01	0.04	4
C19-298	366.90	368.90	2.00	1	0.00	0.01	0.05	4
C19-298	368.90	370.90	2.00	1	0.00	0.00	0.04	3
C19-298	370.90	372.70	1.80	1	0.00	0.00	0.04	3
C19-298	372.70	374.70	2.00	1	0.00	0.00	0.04	3
C19-298	374.70	376.70	2.00	1	0.00	0.00	0.03	2
C19-298	376.70	378.50	1.80	1	0.00	0.00	0.03	3
C19-298	378.50	380.40	1.90	1	0.00	0.00	0.03	3
C19-298	380.40	382.00	1.60	1	0.00	0.01	0.05	3
C19-298	382.00	382.95	0.95	0	0.00	0.01	0.10	5
C19-298	382.95	384.90	1.95	0	0.00	0.00	0.01	1
C19-298	384.90	386.90	2.00	0	0.00	0.00	0.01	1
C19-298	386.90	388.55	1.65	0	0.00	0.00	0.01	1
C19-298	388.55	390.10	1.55	1	0.01	0.01	0.04	3
C19-298	390.10	392.00	1.90	2	0.01	0.01	0.05	4
C19-298	392.00	394.00	2.00	2	0.01	0.02	0.06	6
C19-298	394.00	396.00	2.00	1	0.00	0.01	0.05	3
C19-298	396.00	398.15	2.15	2	0.03	0.01	0.04	7
C19-298	398.15	400.00	1.85	2	0.03	0.01	0.02	5
C19-298	400.00	402.00	2.00	1	0.01	0.01	0.03	3
C19-298	402.00	404.00	2.00	1	0.01	0.02	0.08	6
C19-298	404.00	406.00	2.00	1	0.00	0.01	0.05	3
C19-298	406.00	408.00	2.00	1	0.00	0.00	0.01	1
C19-298	408.00	410.00	2.00	0	0.00	0.00	0.01	1
C19-298	410.00	412.00	2.00	1	0.00	0.00	0.01	2
C19-298	412.00	414.00	2.00	1	0.00	0.00	0.01	1
C19-298	414.00	416.00	2.00	2	0.02	0.01	0.03	5
C19-298	416.00	418.00	2.00	1	0.00	0.00	0.02	2
C19-298	418.00	420.00	2.00	1	0.00	0.01	0.07	5
C19-298	420.00	422.00	2.00	8	0.01	0.20	0.69	44
C19-298	422.00	424.00	2.00	8	0.00	0.19	0.75	46

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-298	424.00	426.00	2.00	0	0.00	0.01	0.03	2
C19-298	426.00	427.90	1.90	1	0.00	0.02	0.12	7
C19-299	0.80	2.80	2.00	1	0.00	0.00	0.09	5
C19-299	2.80	4.80	2.00	1	0.00	0.00	0.16	7
C19-299	4.80	6.80	2.00	1	0.00	0.00	0.12	6
C19-299	6.80	8.25	1.45	1	0.01	0.00	0.14	7
C19-299	8.25	8.80	0.55	1	0.02	0.00	0.09	7
C19-299	8.80	10.80	2.00	1	0.02	0.00	0.06	5
C19-299	10.80	12.80	2.00	2	0.02	0.01	0.02	5
C19-299	12.80	14.60	1.80	31	0.08	0.06	0.02	40
C19-299	14.60	16.80	2.20	6	0.02	0.04	0.03	10
C19-299	16.80	18.80	2.00	19	0.02	0.10	0.06	26
C19-299	18.80	20.80	2.00	7	0.03	0.06	0.02	12
C19-299	20.80	22.80	2.00	5	0.08	0.04	0.04	14
C19-299	22.80	24.80	2.00	11	0.06	0.06	0.15	25
C19-299	24.80	26.10	1.30	26	0.05	0.27	0.21	48
C19-299	26.10	27.95	1.85	87	0.12	1.23	1.25	192
C19-299	27.95	29.80	1.85	143	0.12	1.41	1.88	280
C19-299	29.80	31.45	1.65	16	0.05	0.19	0.26	38
C19-299	31.45	33.15	1.70	6	0.03	0.13	0.08	16
C19-299	33.15	35.15	2.00	8	0.07	0.15	0.14	25
C19-299	35.15	37.40	2.25	8	0.14	0.16	0.28	36
C19-299	37.40	39.40	2.00	6	0.03	0.17	0.22	24
C19-299	39.40	41.40	2.00	4	0.01	0.07	0.12	12
C19-299	41.40	43.40	2.00	3	0.03	0.05	0.08	10
C19-299	43.40	45.40	2.00	10	0.07	0.21	0.29	35
C19-299	45.40	46.55	1.15	31	0.21	0.32	1.11	105
C19-299	46.55	47.70	1.15	48	0.19	0.78	1.59	157
C19-299	47.70	49.70	2.00	69	0.20	0.92	0.88	155
C19-299	49.70	50.95	1.25	20	0.11	0.24	0.24	48
C19-299	50.95	52.25	1.30	12	0.14	0.05	0.05	27
C19-299	52.25	53.60	1.35	18	0.14	0.15	0.09	38
C19-299	53.60	55.20	1.60	67	0.36	0.89	0.42	145
C19-299	55.20	57.20	2.00	1	0.18	0.01	0.02	17
C19-299	57.20	59.20	2.00	1	0.18	0.00	0.02	16
C19-299	59.20	61.20	2.00	3	0.22	0.01	0.02	22
C19-299	61.20	63.20	2.00	26	0.32	0.29	0.79	95
C19-299	63.20	64.45	1.25	11	0.20	0.10	1.83	107
C19-299	64.45	65.80	1.35	14	0.09	0.21	0.28	41
C19-299	66.10	68.10	2.00	17	0.20	0.28	0.78	76
C19-299	68.10	69.80	1.70	15	0.32	0.17	2.51	151
C19-299	69.80	71.15	1.35	27	0.21	0.45	2.86	179
C19-299	71.15	72.15	1.00	56	0.16	0.83	0.65	125
C19-299	72.15	74.15	2.00	95	0.28	1.56	1.53	236
C19-299	74.15	74.50	0.35	20	0.60	0.24	2.27	172
C19-299	74.50	75.65	1.15	26	0.31	0.37	0.78	97
C19-299	75.65	76.80	1.15	48	0.31	0.80	1.57	167
C19-299	76.80	78.80	2.00	18	0.38	0.29	0.90	97

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306

*Metal Prices used for AgEQ calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-299	78.80	80.20	1.40	16	0.17	0.26	0.99	80
C19-299	80.20	81.60	1.40	51	0.33	0.81	0.66	134
C19-299	81.60	82.90	1.30	3	0.09	0.04	0.07	15
C19-299	82.90	84.20	1.30	8	0.10	0.07	0.06	21
C19-299	84.20	86.10	1.90	36	0.13	0.57	0.34	80
C19-299	86.10	88.00	1.90	6	0.15	0.09	0.17	28
C19-299	88.00	90.00	2.00	12	0.14	0.19	0.09	34
C19-299	90.00	92.00	2.00	13	0.13	0.21	0.11	36
C19-299	92.00	94.00	2.00	18	0.24	0.27	0.23	57
C19-299	94.00	95.10	1.10	12	0.21	0.20	0.14	42
C19-299	95.10	96.15	1.05	6	0.18	0.15	0.11	30
C19-299	96.15	98.15	2.00	33	0.19	0.56	0.34	82
C19-299	98.15	100.15	2.00	5	0.13	0.05	0.15	23
C19-299	100.15	101.15	1.00	9	0.38	0.15	0.31	58
C19-300	0.30	2.00	1.70	3	0.01	0.02	0.03	6
C19-300	2.00	4.00	2.00	3	0.01	0.02	0.04	6
C19-300	4.00	6.00	2.00	3	0.02	0.02	0.03	7
C19-300	6.00	7.50	1.50	3	0.02	0.01	0.03	6
C19-300	7.50	8.90	1.40	3	0.03	0.01	0.03	8
C19-300	8.90	10.45	1.55	3	0.03	0.01	0.07	9
C19-300	10.45	12.00	1.55	4	0.02	0.04	0.08	10
C19-300	12.00	14.00	2.00	7	0.02	0.04	0.20	18
C19-300	14.00	16.00	2.00	1	0.01	0.01	0.22	11
C19-300	16.00	18.00	2.00	1	0.01	0.01	0.44	20
C19-300	18.00	19.65	1.65	1	0.01	0.01	0.15	9
C19-300	19.65	21.45	1.80	3	0.02	0.04	0.31	18
C19-300	21.45	23.20	1.75	2	0.03	0.02	0.40	22
C19-300	23.20	25.00	1.80	1	0.01	0.02	0.21	11
C19-300	25.00	26.50	1.50	1	0.01	0.02	0.18	9
C19-300	26.50	28.50	2.00	1	0.01	0.01	0.13	7
C19-300	28.50	30.50	2.00	1	0.01	0.01	0.13	7
C19-300	30.50	32.50	2.00	1	0.00	0.01	0.09	5
C19-300	32.50	34.50	2.00	1	0.00	0.01	0.14	7
C19-300	34.50	36.50	2.00	1	0.00	0.01	0.19	9
C19-300	36.50	38.50	2.00	1	0.00	0.00	0.11	6
C19-300	38.50	40.50	2.00	1	0.00	0.01	0.14	8
C19-300	40.50	42.50	2.00	1	0.00	0.01	0.17	8
C19-300	42.50	44.50	2.00	1	0.00	0.01	0.12	7
C19-300	44.50	46.50	2.00	2	0.00	0.01	0.08	5
C19-300	46.50	48.50	2.00	2	0.00	0.01	0.11	7
C19-300	48.50	50.50	2.00	1	0.00	0.00	0.08	5
C19-300	50.50	52.50	2.00	1	0.00	0.00	0.06	4
C19-300	52.50	54.50	2.00	1	0.00	0.00	0.05	3
C19-300	54.50	56.50	2.00	1	0.00	0.00	0.05	3
C19-300	56.50	58.50	2.00	0	0.00	0.00	0.04	2
C19-300	58.50	60.50	2.00	0	0.00	0.00	0.06	3
C19-300	60.50	62.50	2.00	1	0.00	0.00	0.05	3
C19-300	62.50	64.50	2.00	1	0.00	0.00	0.04	3

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306

*Metal Prices used for AgEQ calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-300	64.50	66.50	2.00	0	0.00	0.00	0.04	2
C19-300	66.50	68.00	1.50	1	0.00	0.00	0.04	3
C19-300	68.00	69.50	1.50	1	0.00	0.00	0.04	3
C19-300	69.50	70.95	1.45	0	0.00	0.00	0.03	2
C19-300	70.95	72.50	1.55	0	0.00	0.00	0.03	2
C19-300	72.50	74.50	2.00	0	0.00	0.00	0.02	1
C19-300	74.50	76.50	2.00	0	0.00	0.00	0.03	2
C19-300	76.50	78.50	2.00	0	0.00	0.00	0.02	1
C19-300	78.50	80.10	1.60	1	0.00	0.00	0.02	2
C19-300	80.10	82.10	2.00	1	0.00	0.00	0.04	3
C19-300	82.10	84.10	2.00	1	0.00	0.00	0.04	3
C19-300	84.10	86.10	2.00	1	0.00	0.00	0.03	3
C19-300	86.10	88.10	2.00	1	0.00	0.00	0.06	4
C19-300	88.10	90.10	2.00	1	0.01	0.00	0.03	3
C19-300	90.10	92.10	2.00	88	0.03	0.26	0.74	130
C19-300	92.10	94.10	2.00	2	0.01	0.01	0.07	6
C19-300	94.10	96.10	2.00	1	0.00	0.00	0.04	3
C19-300	96.10	98.10	2.00	1	0.00	0.01	0.04	3
C19-300	98.10	100.10	2.00	1	0.01	0.00	0.03	3
C19-300	100.10	102.10	2.00	24	0.03	0.03	0.16	34
C19-300	102.10	104.10	2.00	31	0.04	0.09	0.16	44
C19-300	104.10	106.10	2.00	6	0.02	0.02	0.08	12
C19-300	106.10	108.10	2.00	21	0.02	0.07	0.20	33
C19-300	108.10	110.10	2.00	1	0.01	0.00	0.05	4
C19-300	110.10	112.10	2.00	1	0.03	0.00	0.04	5
C19-300	112.10	114.10	2.00	1	0.00	0.00	0.05	4
C19-300	114.10	116.10	2.00	2	0.00	0.05	0.11	8
C19-300	116.10	118.10	2.00	1	0.00	0.00	0.03	2
C19-300	118.10	120.00	1.90	12	0.01	0.03	0.09	17
C19-300	120.00	122.00	2.00	5	0.01	0.01	0.03	8
C19-300	122.00	124.00	2.00	1	0.00	0.00	0.01	2
C19-300	124.00	126.00	2.00	1	0.01	0.00	0.01	2
C19-300	126.00	128.00	2.00	2	0.01	0.00	0.01	4
C19-300	128.00	130.00	2.00	0	0.00	0.00	0.00	1
C19-300	130.00	132.00	2.00	0	0.00	0.00	0.01	1
C19-300	132.00	134.00	2.00	2	0.00	0.01	0.02	3
C19-300	134.00	136.00	2.00	1	0.00	0.00	0.01	1
C19-300	136.00	138.00	2.00	1	0.00	0.00	0.03	2
C19-300	138.00	139.80	1.80	1	0.00	0.00	0.00	1
C19-300	139.80	141.80	2.00	0	0.00	0.00	0.01	1
C19-300	141.80	143.80	2.00	0	0.00	0.00	0.01	1
C19-300	143.80	145.80	2.00	0	0.00	0.00	0.00	1
C19-300	145.80	147.80	2.00	0	0.00	0.00	0.01	1
C19-300	147.80	149.80	2.00	0	0.00	0.00	0.00	1
C19-300	149.80	151.80	2.00	0	0.00	0.00	0.01	1
C19-300	151.80	153.80	2.00	1	0.00	0.00	0.00	1
C19-300	153.80	155.80	2.00	0	0.00	0.00	0.00	1
C19-300	155.80	157.80	2.00	1	0.00	0.00	0.00	1
C19-300	157.80	159.00	1.20	1	0.00	0.00	0.00	2

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306

*Metal Prices used for AgEQ calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-300	159.00	160.20	1.20	2	0.00	0.00	0.00	2
C19-300	160.20	162.20	2.00	4	0.00	0.06	0.04	7
C19-300	162.20	164.20	2.00	1	0.00	0.00	0.01	2
C19-300	164.20	166.20	2.00	1	0.00	0.02	0.05	4
C19-300	166.20	167.45	1.25	2	0.00	0.07	0.18	12
C19-300	167.45	168.50	1.05	4	0.00	0.10	0.74	38
C19-300	168.50	170.50	2.00	3	0.00	0.04	0.21	13
C19-300	170.50	172.15	1.65	1	0.00	0.02	0.10	6
C19-300	172.15	173.10	0.95	2	0.00	0.06	0.17	12
C19-300	173.10	175.10	2.00	1	0.00	0.00	0.02	2
C19-300	175.10	177.10	2.00	3	0.00	0.04	0.16	11
C19-300	177.10	179.10	2.00	1	0.01	0.00	0.02	3
C19-300	179.10	181.10	2.00	1	0.00	0.00	0.02	2
C19-300	181.10	182.40	1.30	0	0.00	0.00	0.01	1
C19-300	182.40	183.45	1.05	1	0.00	0.00	0.01	1
C19-300	183.45	185.40	1.95	0	0.00	0.00	0.02	1
C19-300	185.40	187.00	1.60	1	0.02	0.00	0.01	3
C19-300	187.00	188.75	1.75	0	0.00	0.00	0.01	1
C19-300	188.75	190.00	1.25	2	0.00	0.03	0.10	7
C19-300	190.00	191.10	1.10	1	0.01	0.00	0.01	2
C19-300	191.10	192.35	1.25	1	0.01	0.01	0.01	2
C19-300	192.35	194.35	2.00	1	0.01	0.00	0.09	5
C19-300	194.35	196.35	2.00	8	0.00	0.19	0.17	22
C19-300	196.35	198.35	2.00	1	0.00	0.01	0.11	6
C19-300	198.35	200.35	2.00	1	0.00	0.01	0.03	3
C19-300	200.35	201.40	1.05	3	0.01	0.03	0.20	13
C19-300	201.40	202.65	1.25	1	0.00	0.04	0.02	4
C19-300	202.65	203.85	1.20	9	0.02	0.22	3.02	143
C19-300	203.85	204.90	1.05	2	0.01	0.01	0.15	10
C19-300	204.90	206.90	2.00	4	0.01	0.08	0.33	21
C19-300	206.90	208.90	2.00	1	0.00	0.01	0.05	3
C19-300	208.90	210.35	1.45	2	0.00	0.02	0.12	8
C19-300	210.35	212.35	2.00	1	0.01	0.00	0.02	3
C19-300	212.35	213.35	1.00	15	0.01	0.17	1.52	85
C19-300	213.35	214.40	1.05	3	0.00	0.02	0.23	13
C19-300	214.40	216.40	2.00	0	0.00	0.00	0.01	1
C19-300	216.40	218.40	2.00	0	0.00	0.00	0.01	1
C19-300	218.40	220.40	2.00	1	0.00	0.00	0.02	2
C19-300	220.40	221.40	1.00	1	0.00	0.00	0.02	1
C19-300	221.40	222.45	1.05	1	0.00	0.00	0.01	1
C19-301	0.90	2.90	2.00	4	0.04	0.10	0.04	12
C19-301	2.90	4.90	2.00	3	0.03	0.08	0.01	9
C19-301	4.90	6.90	2.00	3	0.05	0.02	0.01	8
C19-301	6.90	8.90	2.00	4	0.03	0.01	0.00	7
C19-301	8.90	10.90	2.00	4	0.04	0.02	0.01	8
C19-301	10.90	12.90	2.00	4	0.03	0.02	0.01	8
C19-301	12.90	14.60	1.70	2	0.03	0.02	0.03	7
C19-301	14.60	16.60	2.00	3	0.02	0.04	0.02	7

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306

*Metal Prices used for AgEQ calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-301	16.60	18.60	2.00	2	0.04	0.02	0.02	7
C19-301	18.60	20.60	2.00	2	0.05	0.01	0.02	7
C19-301	20.60	22.60	2.00	2	0.04	0.01	0.02	6
C19-301	22.60	24.60	2.00	2	0.03	0.01	0.02	5
C19-301	24.60	26.60	2.00	2	0.08	0.02	0.03	10
C19-301	26.60	28.60	2.00	3	0.03	0.04	0.06	9
C19-301	28.60	30.10	1.50	4	0.02	0.04	0.06	10
C19-301	30.10	31.60	1.50	9	0.04	0.15	0.34	32
C19-301	31.60	33.10	1.50	35	0.10	0.40	0.47	77
C19-301	33.10	35.10	2.00	29	0.22	0.46	0.82	97
C19-301	35.10	37.10	2.00	7	0.03	0.10	0.04	14
C19-301	37.10	39.10	2.00	28	0.05	0.38	0.45	64
C19-301	39.10	41.10	2.00	148	0.07	0.50	1.04	214
C19-301	41.10	43.10	2.00	5	0.03	0.06	0.06	12
C19-301	43.10	45.10	2.00	19	0.05	0.12	0.12	32
C19-301	45.10	47.10	2.00	39	0.05	0.23	0.30	63
C19-301	47.10	49.10	2.00	6	0.05	0.03	0.05	13
C19-301	49.10	51.10	2.00	8	0.07	0.11	0.16	24
C19-301	51.10	52.25	1.15	9	0.05	0.06	0.12	20
C19-301	52.25	53.40	1.15	6	0.06	0.03	0.07	15
C19-301	53.40	54.45	1.05	15	0.06	0.05	0.21	30
C19-301	54.45	56.45	2.00	24	0.06	0.13	0.17	40
C19-301	56.45	58.45	2.00	9	0.06	0.14	0.14	25
C19-301	58.45	59.95	1.50	4	0.04	0.06	0.17	16
C19-301	59.95	61.45	1.50	3	0.07	0.06	0.13	16
C19-301	61.45	63.45	2.00	3	0.08	0.03	0.09	14
C19-301	63.45	65.45	2.00	20	0.06	0.32	0.01	37
C19-301	65.45	66.80	1.35	2	0.04	0.02	0.01	6
C19-301	66.80	68.15	1.35	5	0.04	0.07	0.03	11
C19-301	68.15	70.15	2.00	13	0.05	0.18	0.08	26
C19-301	70.15	72.15	2.00	13	0.09	0.16	0.06	28
C19-301	72.15	74.15	2.00	21	0.10	0.32	0.38	56
C19-301	74.15	76.10	1.95	16	0.14	0.19	0.20	42
C19-301	76.10	78.10	2.00	7	0.18	0.11	0.23	35
C19-301	78.10	80.10	2.00	16	0.19	0.25	0.48	60
C19-301	80.10	82.10	2.00	28	0.24	0.49	0.59	89
C19-301	82.10	84.10	2.00	4	0.10	0.05	0.04	15
C19-301	84.10	85.35	1.25	6	0.09	0.09	0.04	17
C19-301	85.35	87.10	1.75	7	0.13	0.08	0.34	34
C19-301	87.10	88.85	1.75	4	0.19	0.08	0.41	39
C19-301	88.85	89.25	0.40	5	0.50	0.04	0.89	84
C19-301	89.25	91.25	2.00	10	0.37	0.20	0.94	87
C19-301	91.25	93.25	2.00	24	0.21	0.28	0.16	58
C19-301	93.25	94.30	1.05	6	0.17	0.11	0.16	30
C19-301	94.30	95.40	1.10	10	0.20	0.16	1.06	76
C19-301	95.40	97.40	2.00	72	0.86	1.27	1.42	246
C19-301	97.40	99.40	2.00	70	0.37	1.16	0.39	157
C19-301	99.40	101.40	2.00	18	0.21	0.33	0.09	51
C19-301	101.40	103.20	1.80	21	0.20	0.31	0.14	54

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306

*Metal Prices used for AgEQ calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-301	103.20	105.20	2.00	9	0.13	0.16	0.14	31
C19-301	105.20	106.50	1.30	16	0.15	0.20	0.27	46
C19-301	106.50	107.85	1.35	87	0.37	1.47	0.83	203
C19-301	107.85	109.85	2.00	60	0.32	0.53	0.43	122
C19-301	109.85	111.85	2.00	29	0.33	0.30	0.17	74
C19-301	111.85	112.95	1.10	13	0.32	0.26	0.37	64
C19-301	112.95	114.95	2.00	430	0.68	6.79	1.20	774
C19-301	114.95	116.95	2.00	47	0.43	0.46	0.18	106
C19-301	116.95	118.45	1.50	26	0.29	0.28	0.05	62
C19-301	118.45	120.00	1.55	104	0.23	1.44	0.18	181
C19-301	120.00	122.00	2.00	35	0.18	0.58	1.09	115
C19-301	122.00	124.00	2.00	38	0.20	0.53	0.31	86
C19-301	124.00	126.00	2.00	37	0.29	0.43	0.24	85
C19-301	126.00	128.00	2.00	13	0.11	0.20	0.20	36
C19-301	128.00	130.00	2.00	6	0.09	0.06	0.11	20
C19-301	130.00	132.00	2.00	5	0.09	0.07	0.08	18
C19-301	132.00	134.00	2.00	23	0.22	0.41	0.27	66
C19-301	134.00	135.30	1.30	13	0.18	0.09	0.35	46
C19-301	135.30	136.65	1.35	22	0.17	0.19	0.26	52
C19-301	136.65	138.65	2.00	11	0.18	0.05	0.02	28
C19-301	138.65	139.90	1.25	13	0.28	0.03	0.02	38
C19-301	139.90	141.15	1.25	14	0.17	0.02	0.26	39
C19-301	141.15	143.15	2.00	6	0.16	0.03	0.10	24
C19-301	143.15	145.15	2.00	7	0.14	0.07	0.10	25
C19-301	145.15	147.15	2.00	16	0.13	0.21	0.21	43
C19-301	147.15	149.15	2.00	6	0.10	0.05	0.09	20
C19-301	149.15	151.15	2.00	10	0.10	0.10	0.04	24
C19-301	151.15	152.45	1.30	10	0.12	0.05	0.04	24
C19-301	152.45	153.75	1.30	9	0.29	0.06	0.02	36
C19-301	153.75	155.75	2.00	17	0.28	0.03	0.04	42
C19-301	155.75	157.75	2.00	13	0.21	0.21	0.14	43
C19-301	157.75	159.75	2.00	2	0.07	0.00	0.01	8
C19-301	159.75	161.30	1.55	2	0.05	0.01	0.02	6
C19-301	161.30	162.50	1.20	6	0.07	0.08	0.03	16
C19-301	162.50	164.50	2.00	7	0.05	0.09	0.02	15
C19-301	164.50	166.50	2.00	5	0.03	0.02	0.02	9
C19-301	166.50	167.85	1.35	3	0.02	0.01	0.01	6
C19-301	167.85	169.85	2.00	3	0.03	0.02	0.02	7
C19-301	169.85	171.85	2.00	4	0.05	0.03	0.04	10
C19-301	171.85	173.85	2.00	3	0.09	0.01	0.02	11
C19-301	173.85	175.85	2.00	4	0.06	0.02	0.02	10
C19-301	175.85	177.10	1.25	4	0.07	0.01	0.02	10
C19-301	177.10	178.40	1.30	6	0.09	0.05	0.04	17
C19-301	178.40	180.40	2.00	5	0.07	0.10	0.37	30
C19-301	180.40	182.40	2.00	4	0.04	0.15	0.25	23
C19-301	182.40	184.40	2.00	3	0.02	0.05	0.06	9
C19-301	184.40	186.15	1.75	3	0.05	0.07	0.24	19
C19-301	186.15	187.40	1.25	7	0.03	0.27	1.60	85
C19-301	187.40	188.70	1.30	3	0.02	0.12	0.61	34

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-301	188.70	190.05	1.35	6	0.06	0.20	0.77	49
C19-301	190.05	191.30	1.25	7	0.00	0.11	0.96	50
C19-301	191.30	192.60	1.30	21	0.01	0.48	2.08	125
C19-301	192.60	194.60	2.00	15	0.01	0.53	1.79	108
C19-301	194.60	196.60	2.00	23	0.01	0.58	1.49	106
C19-301	196.60	198.60	2.00	52	0.02	1.19	2.71	207
C19-301	198.60	200.45	1.85	16	0.01	0.30	1.85	103
C19-301	200.45	202.45	2.00	2	0.01	0.03	0.20	11
C19-301	202.45	204.45	2.00	6	0.01	0.12	0.33	24
C19-301	204.45	206.45	2.00	2	0.00	0.05	0.21	12
C19-301	206.45	208.45	2.00	0	0.00	0.00	0.01	1
C19-301	208.45	210.45	2.00	0	0.01	0.01	0.03	2
C19-301	210.45	211.55	1.10	1	0.01	0.01	0.08	5
C19-301	211.55	212.65	1.10	1	0.01	0.02	0.10	6
C19-301	212.65	213.10	0.45	1	0.01	0.01	0.07	4
C19-301	213.10	215.10	2.00	1	0.03	0.00	0.01	4
C19-301	215.10	217.10	2.00	1	0.04	0.03	0.06	8
C19-301	217.10	219.10	2.00	1	0.01	0.05	0.09	7
C19-301	219.10	221.10	2.00	5	0.01	0.14	1.16	58
C19-301	221.10	223.10	2.00	2	0.01	0.03	0.55	26
C19-301	223.10	225.10	2.00	2	0.02	0.03	0.17	11
C19-301	225.10	227.10	2.00	1	0.01	0.01	0.02	2
C19-301	227.10	229.10	2.00	1	0.00	0.04	0.09	7
C19-301	229.10	230.05	0.95	6	0.00	0.24	1.49	77
C19-301	230.05	231.45	1.40	5	0.00	0.09	0.77	40
C19-301	231.45	232.90	1.45	7	0.00	0.09	0.97	51
C19-301	232.90	233.50	0.60	29	0.00	0.49	2.62	155
C19-301	233.50	234.70	1.20	4	0.00	0.16	1.19	59
C19-301	234.70	235.90	1.20	1	0.00	0.02	0.16	9
C19-301	235.90	236.35	0.45	10	0.00	0.32	1.13	69
C19-301	236.35	237.75	1.40	1	0.00	0.01	0.05	3
C19-301	237.75	239.20	1.45	8	0.00	0.26	1.71	88
C19-301	239.20	240.35	1.15	0	0.01	0.00	0.02	2
C19-301	240.35	241.45	1.10	1	0.01	0.01	0.06	4
C19-301	241.45	243.45	2.00	9	0.02	0.27	0.88	56
C19-301	243.45	244.30	0.85	5	0.01	0.17	2.07	98
C19-301	244.30	245.45	1.15	13	0.01	0.47	2.35	127
C19-301	245.45	246.65	1.20	4	0.01	0.07	0.37	23
C19-301	246.65	248.55	1.90	5	0.01	0.24	2.79	130
C19-301	248.55	248.85	0.30	5	0.00	0.04	1.16	55
C19-301	248.85	250.30	1.45	4	0.01	0.13	1.60	75
C19-301	250.30	251.75	1.45	10	0.01	0.45	2.29	121
C19-301	251.75	253.05	1.30	7	0.01	0.30	0.78	51
C19-301	253.05	254.35	1.30	2	0.02	0.04	0.17	12
C19-301	254.35	256.00	1.65	22	0.01	0.94	5.53	285
C19-301	256.00	257.20	1.20	2	0.01	0.04	0.55	26
C19-301	257.20	258.40	1.20	0	0.01	0.01	0.08	4
C19-301	258.40	259.80	1.40	0	0.05	0.01	0.03	6
C19-301	259.80	261.20	1.40	1	0.03	0.03	0.09	8

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-301	261.20	262.15	0.95	2	0.00	0.03	0.34	17
C19-301	262.15	263.20	1.05	4	0.00	0.09	0.21	16
C19-301	263.20	264.30	1.10	20	0.01	0.38	1.03	76
C19-301	264.30	264.80	0.50	1	0.00	0.01	0.09	5
C19-301	264.80	265.90	1.10	4	0.00	0.12	0.72	39
C19-301	265.90	267.00	1.10	2	0.00	0.00	0.04	3
C19-302	3.00	5.00	2.00	2	0.05	0.00	0.11	11
C19-302	5.00	7.00	2.00	3	0.04	0.01	0.02	7
C19-302	7.00	8.95	1.95	5	0.06	0.06	0.01	13
C19-302	8.95	10.95	2.00	5	0.09	0.02	0.03	15
C19-302	10.95	12.45	1.50	7	0.09	0.05	0.05	18
C19-302	12.45	13.95	1.50	11	0.07	0.01	0.09	20
C19-302	13.95	15.20	1.25	55	0.16	0.47	0.11	89
C19-302	15.20	16.35	1.15	36	0.05	0.58	0.79	93
C19-302	16.35	18.35	2.00	16	0.03	0.23	0.05	28
C19-302	18.35	19.45	1.10	11	0.02	0.20	0.13	26
C19-302	19.45	21.70	2.25	3	0.02	0.04	0.05	8
C19-302	21.70	23.65	1.95	27	0.09	0.06	0.11	41
C19-302	23.65	24.85	1.20	9	0.07	0.05	0.04	18
C19-302	24.85	26.50	1.65	13	0.02	0.19	0.18	29
C19-302	26.50	28.15	1.65	20	0.03	0.24	0.24	40
C19-302	28.15	29.45	1.30	31	0.18	0.39	0.58	83
C19-302	29.45	30.70	1.25	10	0.03	0.14	0.16	23
C19-302	30.70	31.95	1.25	6	0.02	0.05	0.07	12
C19-302	31.95	33.65	1.70	113	0.42	1.52	1.53	264
C19-302	33.65	35.35	1.70	312	0.37	4.54	1.20	552
C19-302	35.35	37.05	1.70	23	0.25	0.30	0.72	84
C19-302	37.05	38.40	1.35	92	0.80	0.95	1.42	250
C19-302	38.40	39.80	1.40	23	0.33	0.37	0.68	91
C19-302	39.80	41.20	1.40	10	0.16	0.13	0.24	37
C19-302	41.20	42.55	1.35	32	0.36	0.26	0.54	93
C19-302	42.55	43.80	1.25	24	0.20	0.24	0.78	81
C19-302	43.80	45.00	1.20	36	0.18	0.61	0.57	95
C19-302	45.00	47.00	2.00	2	0.04	0.01	0.01	6
C19-302	47.00	48.00	1.00	1	0.07	0.00	0.01	7
C19-302	48.00	49.05	1.05	8	0.16	0.00	0.01	21
C19-302	49.05	50.05	1.00	23	0.23	0.34	0.70	83
C19-302	50.05	51.05	1.00	91	0.32	1.28	1.13	209
C19-302	51.05	52.05	1.00	91	0.32	0.83	0.64	173
C19-302	52.05	53.95	1.90	25	0.17	0.39	0.43	70
C19-302	53.95	55.00	1.05	111	0.38	1.56	1.15	244
C19-302	55.00	56.00	1.00	5	0.11	0.05	0.07	18
C19-302	56.00	56.95	0.95	3	0.10	0.05	0.01	13
C19-302	56.95	58.50	1.55	3	0.13	0.03	0.01	15
C19-302	58.50	59.80	1.30	32	0.13	0.49	0.36	75
C19-302	59.80	61.80	2.00	4	0.19	0.05	0.04	23
C19-302	61.80	63.80	2.00	17	0.09	0.23	0.18	40
C19-302	63.80	65.15	1.35	31	0.15	0.45	0.07	61

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306

*Metal Prices used for AgEQ calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-302	65.15	66.45	1.30	26	0.11	0.25	0.15	50
C19-302	66.45	66.90	0.45	51	0.18	0.80	0.39	110
C19-302	66.90	67.70	0.80	31	0.24	0.44	0.09	70
C19-302	67.70	68.40	0.70	119	0.35	1.96	0.54	239
C19-302	68.40	69.40	1.00	12	0.15	0.25	0.13	39
C19-302	69.40	69.90	0.50	93	0.19	1.63	0.23	176
C19-302	69.90	71.40	1.50	5	0.14	0.08	0.20	27
C19-302	71.40	73.10	1.70	3	0.09	0.05	0.10	15
C19-302	73.10	74.60	1.50	6	0.07	0.13	0.17	24
C19-302	74.60	76.00	1.40	7	0.10	0.11	0.20	27
C19-302	76.00	77.45	1.45	9	0.10	0.12	0.33	34
C19-302	77.45	78.95	1.50	17	0.12	0.24	0.39	51
C19-302	78.95	80.50	1.55	10	0.10	0.15	0.33	37
C19-302	80.50	82.50	2.00	1	0.07	0.00	0.02	8
C19-302	82.50	84.50	2.00	1	0.02	0.00	0.02	3
C19-302	84.50	86.50	2.00	1	0.02	0.00	0.02	3
C19-302	86.50	88.50	2.00	1	0.03	0.00	0.01	4
C19-302	88.50	90.50	2.00	1	0.04	0.00	0.01	4
C19-302	90.50	92.50	2.00	0	0.03	0.00	0.01	3
C19-302	92.50	94.50	2.00	1	0.03	0.00	0.01	4
C19-302	94.50	96.50	2.00	0	0.05	0.00	0.01	5
C19-302	96.50	98.50	2.00	0	0.04	0.00	0.01	4
C19-302	98.50	100.50	2.00	0	0.11	0.00	0.01	9
C19-302	100.50	102.20	1.70	1	0.09	0.01	0.01	8
C19-302	102.20	103.20	1.00	8	0.12	0.11	0.82	56
C19-302	103.20	104.40	1.20	4	0.06	0.06	0.09	14
C19-302	104.40	105.90	1.50	11	0.06	0.20	0.09	27
C19-302	105.90	107.90	2.00	3	0.03	0.03	0.06	8
C19-302	107.90	109.90	2.00	1	0.01	0.02	0.04	5
C19-302	109.90	111.50	1.60	3	0.02	0.05	0.03	7
C19-302	111.50	113.10	1.60	1	0.01	0.02	0.02	4
C19-302	113.10	115.10	2.00	2	0.02	0.02	0.02	5
C19-302	115.10	116.65	1.55	2	0.02	0.02	0.01	5
C19-302	116.65	118.65	2.00	2	0.03	0.02	0.02	6
C19-302	118.65	120.15	1.50	2	0.02	0.02	0.02	4
C19-302	120.15	121.65	1.50	4	0.02	0.05	0.01	7
C19-302	121.65	123.25	1.60	12	0.03	0.20	0.08	25
C19-302	123.25	124.25	1.00	27	0.05	0.46	0.28	59
C19-302	124.25	125.60	1.35	4	0.03	0.05	0.03	9
C19-302	125.60	126.60	1.00	3	0.02	0.04	0.05	8
C19-302	126.60	128.60	2.00	3	0.02	0.04	0.04	8
C19-302	128.60	129.70	1.10	5	0.34	0.09	0.33	50
C19-302	129.70	131.55	1.85	32	0.08	0.49	0.15	62
C19-302	131.55	132.60	1.05	54	0.08	0.51	0.39	95
C19-302	132.60	133.60	1.00	14	0.07	0.22	0.28	38
C19-302	133.60	134.60	1.00	13	0.13	0.21	0.98	71
C19-302	134.60	135.65	1.05	25	0.03	0.40	0.16	48
C19-302	135.65	137.40	1.75	5	0.02	0.09	0.04	11
C19-302	137.40	138.40	1.00	5	0.03	0.09	0.01	12

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-302	138.40	140.25	1.85	2	0.02	0.03	0.06	7
C19-302	140.25	141.70	1.45	12	0.02	0.22	0.10	25
C19-302	141.70	143.10	1.40	2	0.02	0.02	0.01	5
C19-302	143.10	145.10	2.00	3	0.06	0.05	0.02	10
C19-302	145.10	147.10	2.00	3	0.05	0.04	0.06	10
C19-302	147.10	148.50	1.40	3	0.03	0.05	0.05	9
C19-302	148.50	149.85	1.35	7	0.02	0.07	0.03	13
C19-302	149.85	151.15	1.30	49	0.07	0.87	1.02	127
C19-302	151.15	152.60	1.45	2	0.02	0.03	0.04	6
C19-302	152.60	153.90	1.30	6	0.04	0.10	0.06	15
C19-302	153.90	155.15	1.25	3	0.03	0.04	0.05	8
C19-302	155.15	157.10	1.95	5	0.04	0.08	0.01	11
C19-302	157.10	158.50	1.40	6	0.02	0.12	0.01	13
C19-302	158.50	160.00	1.50	6	0.09	0.07	0.09	20
C19-302	160.00	161.20	1.20	4	0.07	0.04	0.09	14
C19-302	161.20	162.45	1.25	4	0.05	0.07	0.06	14
C19-302	162.45	164.40	1.95	4	0.02	0.01	0.02	7
C19-302	164.40	166.10	1.70	2	0.01	0.02	0.01	4
C19-302	166.10	168.10	2.00	1	0.02	0.02	0.02	4
C19-302	168.10	169.10	1.00	4	0.02	0.05	0.03	8
C19-302	169.10	171.15	2.05	3	0.03	0.07	0.02	9
C19-302	171.15	172.55	1.40	13	0.05	0.14	0.11	26
C19-302	172.55	173.95	1.40	9	0.04	0.15	0.03	18
C19-302	173.95	175.60	1.65	5	0.04	0.03	0.02	10
C19-302	175.60	177.10	1.50	3	0.05	0.01	0.00	7
C19-302	177.10	178.65	1.55	2	0.05	0.01	0.01	6
C19-302	178.65	179.75	1.10	5	0.04	0.06	0.25	21
C19-302	179.75	181.10	1.35	2	0.05	0.03	0.06	9
C19-302	181.10	183.10	2.00	6	0.01	0.09	0.08	13
C19-302	183.10	185.10	2.00	2	0.01	0.03	0.05	6
C19-302	185.10	187.10	2.00	1	0.01	0.01	0.02	3
C19-302	187.10	189.10	2.00	1	0.01	0.01	0.02	3
C19-302	189.10	191.10	2.00	1	0.01	0.01	0.01	2
C19-302	191.10	192.60	1.50	1	0.01	0.01	0.06	5
C19-302	192.60	194.15	1.55	3	0.01	0.02	0.04	6
C19-302	194.15	195.15	1.00	1	0.01	0.01	0.03	4
C19-302	195.15	196.65	1.50	1	0.01	0.02	0.02	4
C19-302	196.65	198.15	1.50	1	0.01	0.01	0.00	2
C19-302	198.15	199.70	1.55	1	0.02	0.01	0.00	3
C19-302	199.70	201.70	2.00	1	0.01	0.01	0.01	2
C19-302	201.70	203.70	2.00	1	0.01	0.00	0.00	2
C19-302	203.70	204.90	1.20	1	0.02	0.01	0.01	2
C19-302	204.90	206.05	1.15	1	0.04	0.01	0.01	4
C19-302	206.05	207.55	1.50	4	0.03	0.11	0.18	17
C19-302	207.55	208.95	1.40	1	0.06	0.02	0.04	8
C19-302	208.95	210.35	1.40	1	0.01	0.03	0.07	6
C19-302	210.35	212.30	1.95	1	0.01	0.02	0.03	4
C19-302	212.30	214.30	2.00	1	0.01	0.01	0.01	2
C19-302	214.30	216.05	1.75	1	0.01	0.01	0.05	4

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-302	216.05	217.65	1.60	1	0.01	0.02	0.06	5
C19-302	217.65	218.95	1.30	1	0.01	0.01	0.05	5
C19-302	218.95	220.25	1.30	1	0.02	0.01	0.02	4
C19-302	220.25	221.95	1.70	3	0.02	0.09	0.14	13
C19-302	221.95	223.15	1.20	1	0.01	0.01	0.04	4
C19-302	223.15	224.30	1.15	1	0.01	0.02	0.08	6
C19-302	224.30	225.60	1.30	24	0.05	0.62	1.15	97
C19-302	225.60	227.60	2.00	2	0.01	0.02	0.08	7
C19-302	227.60	229.60	2.00	2	0.01	0.04	0.10	9
C19-302	229.60	231.60	2.00	1	0.01	0.02	0.04	5
C19-302	231.60	232.60	1.00	2	0.02	0.06	0.01	7
C19-302	232.60	233.65	1.05	3	0.03	0.02	0.01	6
C19-302	233.65	235.15	1.50	4	0.03	0.08	0.19	17
C19-302	235.15	236.65	1.50	1	0.02	0.01	0.03	4
C19-302	236.65	238.10	1.45	1	0.01	0.00	0.01	2
C19-302	238.10	239.35	1.25	2	0.03	0.04	0.18	13
C19-302	239.35	240.35	1.00	2	0.04	0.03	0.11	10
C19-302	240.35	242.35	2.00	1	0.03	0.00	0.01	4
C19-302	242.35	244.35	2.00	1	0.06	0.00	0.01	6
C19-302	244.35	246.15	1.80	1	0.05	0.00	0.02	6
C19-302	246.15	247.90	1.75	1	0.03	0.00	0.02	4
C19-302	247.90	249.15	1.25	1	0.03	0.01	0.04	5
C19-302	249.15	250.65	1.50	1	0.04	0.01	0.02	6
C19-302	250.65	252.15	1.50	1	0.03	0.02	0.09	8
C19-302	252.15	254.15	2.00	1	0.04	0.01	0.02	5
C19-302	254.15	256.00	1.85	1	0.06	0.01	0.01	6
C19-302	256.00	257.95	1.95	1	0.04	0.03	0.06	8
C19-302	257.95	259.35	1.40	1	0.05	0.01	0.03	6
C19-302	259.35	259.70	0.35	1	0.06	0.01	0.05	7
C19-302	259.70	261.70	2.00	1	0.09	0.02	0.03	11
C19-302	261.70	263.70	2.00	1	0.07	0.01	0.02	7
C19-302	263.70	265.35	1.65	1	0.02	0.01	0.03	4
C19-302	265.35	267.00	1.65	1	0.02	0.01	0.02	4
C19-302	267.00	267.80	0.80	1	0.06	0.02	0.05	8
C19-302	267.80	269.40	1.60	1	0.01	0.03	0.08	7
C19-302	269.40	269.80	0.40	7	0.01	0.10	0.69	40
C19-302	269.80	271.40	1.60	19	0.11	0.67	1.25	104
C19-302	271.40	272.90	1.50	3	0.05	0.07	0.13	14
C19-302	272.90	273.20	0.30	45	0.03	1.44	1.20	148
C19-302	273.20	274.55	1.35	3	0.04	0.09	0.11	13
C19-302	274.55	275.95	1.40	3	0.04	0.05	0.20	16
C19-302	275.95	277.65	1.70	6	0.01	0.14	0.82	47
C19-302	277.65	279.60	1.95	1	0.05	0.00	0.01	5
C19-302	279.60	281.60	2.00	1	0.01	0.01	0.02	2
C19-302	281.60	283.60	2.00	1	0.01	0.01	0.01	2
C19-302	283.60	285.60	2.00	1	0.02	0.00	0.01	2
C19-302	285.60	286.70	1.10	1	0.05	0.01	0.01	6
C19-302	286.70	288.20	1.50	2	0.05	0.02	0.06	9
C19-302	288.20	289.85	1.65	3	0.02	0.09	0.26	18

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-302	289.85	291.10	1.25	5	0.01	0.14	0.47	31
C19-302	291.10	292.00	0.90	3	0.03	0.04	0.22	16
C19-302	292.00	293.75	1.75	1	0.01	0.01	0.02	3
C19-302	293.75	294.95	1.20	1	0.01	0.00	0.00	2
C19-302	294.95	296.15	1.20	2	0.01	0.04	0.52	26
C19-302	296.15	298.10	1.95	2	0.02	0.04	0.12	10
C19-302	298.10	299.40	1.30	7	0.01	0.12	0.67	39
C19-302	299.40	300.15	0.75	1	0.01	0.02	0.07	6
C19-302	300.15	302.15	2.00	2	0.01	0.03	0.17	10
C19-302	302.15	303.65	1.50	1	0.01	0.00	0.01	2
C19-302	303.65	305.25	1.60	3	0.01	0.07	0.24	16
C19-302	305.25	306.85	1.60	4	0.01	0.06	0.23	16
C19-302	306.85	307.85	1.00	14	0.03	0.39	1.25	82
C19-302	307.85	309.85	2.00	7	0.01	0.09	0.43	28
C19-302	309.85	311.45	1.60	3	0.01	0.03	0.12	10
C19-302	311.45	313.45	2.00	5	0.01	0.06	0.22	17
C19-302	313.45	314.45	1.00	3	0.01	0.03	0.15	11
C19-302	314.45	316.10	1.65	27	0.01	0.33	1.92	119
C19-302	316.10	318.10	2.00	5	0.01	0.03	0.11	11
C19-302	318.10	320.10	2.00	1	0.01	0.01	0.07	5
C19-302	320.10	321.65	1.55	1	0.01	0.01	0.04	4
C19-302	321.65	323.40	1.75	7	0.01	0.09	0.40	28
C19-302	323.40	325.10	1.70	4	0.02	0.05	0.06	10
C19-302	325.10	326.95	1.85	15	0.04	0.17	0.31	37
C19-302	326.95	328.85	1.90	30	0.06	0.10	0.18	46
C19-302	328.85	330.15	1.30	1	0.01	0.01	0.04	3
C19-302	330.15	331.45	1.30	1	0.01	0.00	0.01	2
C19-302	331.45	331.75	0.30	1	0.01	0.00	0.01	2
C19-302	331.75	333.75	2.00	2	0.01	0.07	0.19	13
C19-302	333.75	335.20	1.45	1	0.01	0.01	0.03	4
C19-302	335.20	336.60	1.40	1	0.01	0.01	0.07	5
C19-302	336.60	338.20	1.60	3	0.01	0.02	0.06	7
C19-302	338.20	340.20	2.00	1	0.01	0.00	0.01	2
C19-302	340.20	342.20	2.00	1	0.01	0.01	0.03	4
C19-302	342.20	343.45	1.25	1	0.01	0.00	0.01	1
C19-302	343.45	344.45	1.00	2	0.01	0.06	0.39	21
C19-302	344.45	346.15	1.70	1	0.00	0.01	0.01	2
C19-302	346.15	346.70	0.55	4	0.00	0.07	0.69	35
C19-302	346.70	347.70	1.00	32	0.01	0.53	0.93	89
C19-302	347.70	349.15	1.45	1	0.00	0.01	0.06	4
C19-302	349.15	350.65	1.50	1	0.00	0.01	0.07	4
C19-302	350.65	352.35	1.70	0	0.00	0.00	0.01	1
C19-302	352.35	354.15	1.80	0	0.00	0.00	0.00	1
C19-302	354.15	356.15	2.00	0	0.01	0.00	0.01	1
C19-302	356.15	358.15	2.00	1	0.01	0.01	0.03	3
C19-302	358.15	359.85	1.70	1	0.01	0.00	0.01	2
C19-302	359.85	361.85	2.00	0	0.00	0.00	0.03	2
C19-302	361.85	363.15	1.30	1	0.00	0.00	0.01	2
C19-302	363.15	364.00	0.85	0	0.00	0.00	0.01	1

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-302	364.00	366.00	2.00	1	0.00	0.00	0.00	1
C19-302	366.00	367.10	1.10	1	0.01	0.00	0.00	2
C19-302	367.10	368.20	1.10	1	0.01	0.01	0.01	2
C19-302	368.20	368.90	0.70	1	0.00	0.01	0.02	2
C19-302	368.90	370.60	1.70	1	0.00	0.02	0.23	12
C19-302	370.60	372.50	1.90	1	0.00	0.03	0.29	14
C19-302	372.50	374.45	1.95	2	0.01	0.05	0.10	8
C19-302	374.45	376.20	1.75	2	0.01	0.05	0.08	7
C19-302	376.20	378.20	2.00	1	0.01	0.00	0.02	2
C19-302	378.20	380.20	2.00	1	0.00	0.02	0.03	3
C19-302	380.20	382.20	2.00	1	0.00	0.00	0.02	2
C19-302	382.20	384.20	2.00	1	0.01	0.01	0.04	4
C19-302	384.20	386.20	2.00	2	0.00	0.04	0.09	8
C19-302	386.20	388.20	2.00	1	0.00	0.00	0.02	2
C19-302	388.20	390.00	1.80	1	0.00	0.02	0.06	4
C19-302	390.00	391.30	1.30	1	0.00	0.00	0.00	1
C19-302	391.30	392.55	1.25	1	0.01	0.00	0.01	2
C19-302	392.55	393.55	1.00	4	0.00	0.15	0.35	24
C19-302	393.55	394.55	1.00	4	0.00	0.16	1.11	56
C19-302	394.55	395.65	1.10	2	0.00	0.08	0.49	26
C19-302	395.65	396.65	1.00	7	0.00	0.19	0.44	32
C19-302	396.65	397.65	1.00	2	0.00	0.04	0.18	11
C19-302	397.65	399.65	2.00	1	0.00	0.01	0.04	3
C19-302	399.65	401.60	1.95	1	0.01	0.01	0.02	2
C19-302	401.60	402.50	0.90	1	0.00	0.00	0.02	2
C19-302	402.50	404.15	1.65	1	0.00	0.01	0.14	7
C19-302	404.15	406.15	2.00	1	0.00	0.01	0.02	2
C19-302	406.15	407.70	1.55	4	0.01	0.03	0.42	23
C19-302	407.70	409.40	1.70	0	0.00	0.01	0.01	1
C19-302	409.40	411.30	1.90	0	0.00	0.01	0.01	1
C19-302	411.30	412.30	1.00	32	0.00	0.46	1.26	101
C19-302	412.30	414.30	2.00	0	0.00	0.00	0.01	1
C19-302	414.30	416.30	2.00	0	0.01	0.00	0.00	1
C19-302	416.30	418.30	2.00	0	0.01	0.00	0.01	1
C19-302	418.30	420.30	2.00	0	0.00	0.02	0.04	3
C19-302	420.30	422.30	2.00	1	0.02	0.07	0.12	11
C19-302	422.30	423.80	1.50	3	0.00	0.04	0.04	6
C19-302	423.80	425.30	1.50	0	0.00	0.01	0.01	1
C19-302	425.30	426.05	0.75	57	0.01	0.29	7.34	373
C19-302	426.05	427.20	1.15	2	0.01	0.06	0.32	18
C19-302	427.20	428.40	1.20	1	0.01	0.01	0.05	4
C19-302	428.40	429.50	1.10	98	0.02	0.41	14.45	714
C19-302	429.50	429.85	0.35	47	0.03	0.48	3.87	227
C19-302	429.85	431.20	1.35	5	0.01	0.09	0.29	21
C19-302	431.20	432.40	1.20	4	0.01	0.03	0.24	15
C19-302	432.40	432.75	0.35	6	0.01	0.08	0.38	25
C19-302	432.75	434.25	1.50	7	0.01	0.04	0.07	12
C19-302	434.25	434.55	0.30	46	0.02	0.32	3.54	206
C19-302	434.55	434.95	0.40	51	0.12	0.37	1.21	124

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-302	434.95	435.35	0.40	49	0.16	0.47	5.63	312
C19-302	435.35	436.25	0.90	4	0.02	0.06	0.15	14
C19-302	436.25	437.25	1.00	6	0.01	0.13	0.19	20
C19-302	437.25	438.80	1.55	2	0.00	0.02	0.05	5
C19-302	438.80	439.80	1.00	2	0.01	0.04	0.12	9
C19-302	439.80	440.80	1.00	8	0.01	0.11	0.65	40
C19-302	440.80	441.80	1.00	2	0.00	0.02	0.17	11
C19-302	441.80	442.80	1.00	4	0.01	0.03	0.41	22
C19-302	442.80	444.80	2.00	1	0.02	0.03	0.06	6
C19-302	444.80	446.80	2.00	1	0.00	0.01	0.01	2
C19-302	446.80	448.80	2.00	1	0.00	0.01	0.01	2
C19-302	448.80	450.80	2.00	7	0.01	0.06	0.04	13
C19-302	450.80	452.80	2.00	1	0.00	0.01	0.02	2
C19-302	452.80	454.80	2.00	8	0.01	0.09	0.21	20
C19-302	454.80	456.80	2.00	1	0.01	0.00	0.00	2
C19-302	456.80	458.80	2.00	0	0.00	0.00	0.00	1
C19-302	458.80	460.30	1.50	2	0.00	0.02	0.29	14
C19-302	460.30	462.30	2.00	1	0.00	0.00	0.04	2
C19-302	462.30	464.30	2.00	2	0.00	0.01	0.26	13
C19-302	464.30	466.30	2.00	2	0.00	0.02	0.02	4
C19-302	466.30	467.45	1.15	2	0.01	0.02	0.01	4
C19-302	467.45	468.85	1.40	2	0.00	0.02	0.04	4
C19-302	468.85	470.05	1.20	4	0.01	0.00	0.01	5
C19-302	470.05	471.25	1.20	4	0.01	0.00	0.01	6
C19-302	471.25	473.25	2.00	22	0.01	0.15	0.29	39
C19-302	473.25	475.25	2.00	6	0.01	0.00	0.00	7
C19-302	475.25	477.25	2.00	18	0.00	0.01	0.00	19
C19-302	477.25	479.25	2.00	1	0.00	0.00	0.00	1
C19-302	479.25	481.25	2.00	2	0.00	0.01	0.01	2
C19-302	481.25	483.25	2.00	3	0.01	0.00	0.00	3
C19-302	483.25	485.25	2.00	3	0.01	0.01	0.03	5
C19-302	485.25	487.25	2.00	1	0.00	0.00	0.00	1
C19-302	487.25	489.25	2.00	0	0.00	0.00	0.00	1
C19-302	489.25	491.25	2.00	1	0.00	0.00	0.00	1
C19-302	491.25	492.35	1.10	1	0.00	0.00	0.00	1
C19-302	492.35	493.40	1.05	11	0.01	0.01	0.00	13
C19-302	493.40	495.40	2.00	1	0.02	0.00	0.03	4
C19-302	495.40	497.40	2.00	1	0.00	0.00	0.02	2
C19-302	497.40	499.40	2.00	1	0.02	0.00	0.01	2
C19-302	499.40	501.40	2.00	1	0.03	0.00	0.01	3
C19-303	5.90	7.90	2.00	2	0.01	0.01	0.11	7
C19-303	7.90	9.90	2.00	1	0.01	0.01	0.10	6
C19-303	9.90	11.90	2.00	1	0.00	0.00	0.14	7
C19-303	11.90	13.90	2.00	1	0.01	0.01	0.11	6
C19-303	13.90	15.25	1.35	1	0.01	0.00	0.08	5
C19-303	15.25	16.90	1.65	2	0.01	0.02	0.11	8
C19-303	16.90	18.75	1.85	2	0.01	0.01	0.10	6
C19-303	18.75	20.75	2.00	3	0.01	0.01	0.07	7

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306

*Metal Prices used for AgEQ calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-303	20.75	22.75	2.00	18	0.01	0.14	0.91	61
C19-303	22.75	24.75	2.00	9	0.01	0.03	0.15	17
C19-303	24.75	26.75	2.00	1	0.02	0.00	0.05	5
C19-303	26.75	28.75	2.00	1	0.00	0.00	0.05	3
C19-303	28.75	30.75	2.00	1	0.01	0.00	0.06	4
C19-303	30.75	32.75	2.00	1	0.01	0.00	0.04	3
C19-303	32.75	34.75	2.00	1	0.00	0.00	0.05	3
C19-303	34.75	36.75	2.00	1	0.01	0.01	0.07	5
C19-303	36.75	38.75	2.00	0	0.01	0.00	0.08	4
C19-303	38.75	40.75	2.00	1	0.01	0.00	0.07	5
C19-303	40.75	42.75	2.00	1	0.01	0.01	0.08	6
C19-303	42.75	44.75	2.00	1	0.00	0.00	0.04	2
C19-303	44.75	46.75	2.00	1	0.00	0.00	0.04	3
C19-303	46.75	48.75	2.00	0	0.00	0.00	0.04	2
C19-303	48.75	50.75	2.00	0	0.00	0.00	0.04	2
C19-303	50.75	52.75	2.00	0	0.01	0.00	0.04	3
C19-303	52.75	54.75	2.00	0	0.01	0.00	0.03	3
C19-303	54.75	56.75	2.00	0	0.00	0.00	0.04	2
C19-303	56.75	58.75	2.00	0	0.01	0.00	0.04	3
C19-303	58.75	60.75	2.00	0	0.00	0.00	0.03	2
C19-303	60.75	62.75	2.00	0	0.01	0.00	0.02	2
C19-303	62.75	64.75	2.00	0	0.01	0.00	0.04	2
C19-303	64.75	66.75	2.00	0	0.00	0.00	0.04	2
C19-303	66.75	68.75	2.00	0	0.00	0.00	0.05	3
C19-303	68.75	70.75	2.00	0	0.01	0.00	0.04	3
C19-303	70.75	72.75	2.00	0	0.00	0.00	0.03	2
C19-303	72.75	74.75	2.00	0	0.01	0.00	0.05	3
C19-303	74.75	76.75	2.00	1	0.01	0.00	0.05	3
C19-303	76.75	78.75	2.00	1	0.01	0.00	0.03	3
C19-303	78.75	80.75	2.00	1	0.01	0.01	0.04	3
C19-303	80.75	82.75	2.00	1	0.01	0.01	0.03	3
C19-303	82.75	84.75	2.00	1	0.01	0.01	0.03	3
C19-303	84.75	85.90	1.15	2	0.01	0.00	0.05	4
C19-303	85.90	87.55	1.65	1	0.01	0.01	0.02	3
C19-303	87.55	89.55	2.00	2	0.01	0.01	0.09	6
C19-303	89.55	91.55	2.00	1	0.00	0.01	0.02	2
C19-303	91.55	93.55	2.00	1	0.01	0.01	0.01	3
C19-303	93.55	94.65	1.10	1	0.01	0.01	0.01	3
C19-303	94.65	95.70	1.05	1	0.01	0.01	0.02	3
C19-303	95.70	97.70	2.00	1	0.01	0.01	0.02	3
C19-303	97.70	98.45	0.75	1	0.00	0.00	0.02	2
C19-303	98.45	100.15	1.70	1	0.01	0.01	0.01	2
C19-303	100.15	101.70	1.55	1	0.01	0.01	0.01	3
C19-303	101.70	103.70	2.00	1	0.00	0.01	0.01	2
C19-303	103.70	104.45	0.75	2	0.00	0.01	0.01	3
C19-303	104.45	105.70	1.25	2	0.01	0.00	0.01	3
C19-303	105.70	107.10	1.40	2	0.01	0.00	0.00	2
C19-303	107.10	108.25	1.15	2	0.01	0.03	0.03	5
C19-303	108.25	109.40	1.15	2	0.01	0.02	0.04	5

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-303	109.40	110.90	1.50	2	0.01	0.01	0.02	4
C19-303	110.90	111.20	0.30	1	0.01	0.01	0.01	2
C19-303	111.20	113.20	2.00	1	0.01	0.00	0.02	3
C19-303	113.20	114.60	1.40	4	0.02	0.03	0.08	10
C19-303	114.60	114.90	0.30	38	0.06	0.26	0.84	87
C19-303	114.90	115.90	1.00	4	0.02	0.01	0.01	6
C19-303	115.90	117.90	2.00	3	0.02	0.01	0.02	5
C19-303	117.90	119.30	1.40	3	0.01	0.01	0.01	4
C19-303	119.30	120.75	1.45	2	0.01	0.00	0.01	4
C19-303	120.75	121.65	0.90	2	0.01	0.01	0.01	3
C19-303	121.65	123.55	1.90	2	0.01	0.01	0.01	3
C19-303	123.55	125.45	1.90	3	0.02	0.03	0.03	7
C19-303	125.45	125.90	0.45	1035	0.11	5.07	12.55	1,743
C19-303	125.90	127.30	1.40	6	0.01	0.04	0.07	11
C19-303	127.30	128.70	1.40	7	0.01	0.05	0.04	10
C19-303	128.70	129.70	1.00	5	0.01	0.01	0.04	7
C19-303	129.70	130.90	1.20	2	0.01	0.02	0.02	3
C19-303	130.90	132.00	1.10	3	0.01	0.01	0.02	5
C19-303	132.00	133.10	1.10	8	0.02	0.04	0.18	18
C19-303	133.10	134.25	1.15	2	0.01	0.01	0.01	3
C19-303	134.25	135.25	1.00	1	0.00	0.01	0.01	2
C19-303	135.25	136.55	1.30	1	0.00	0.01	0.01	1
C19-303	136.55	137.85	1.30	1	0.01	0.00	0.01	2
C19-303	137.85	139.05	1.20	4	0.01	0.03	0.20	14
C19-303	139.05	139.45	0.40	2	0.01	0.01	0.01	3
C19-303	139.45	140.45	1.00	2	0.01	0.00	0.01	3
C19-303	140.45	142.25	1.80	1	0.01	0.00	0.01	2
C19-303	142.25	144.00	1.75	2	0.01	0.00	0.02	4
C19-303	144.00	145.00	1.00	0	0.00	0.00	0.00	1
C19-303	145.00	146.80	1.80	0	0.00	0.00	0.00	1
C19-303	146.80	148.80	2.00	0	0.00	0.00	0.01	1
C19-303	148.80	150.80	2.00	0	0.00	0.00	0.01	1
C19-303	150.80	152.70	1.90	0	0.00	0.00	0.01	1
C19-303	152.70	154.10	1.40	0	0.01	0.00	0.00	1
C19-303	154.10	155.55	1.45	1	0.00	0.00	0.00	1
C19-303	155.55	157.00	1.45	1	0.00	0.00	0.01	1
C19-303	157.00	158.00	1.00	2	0.01	0.01	0.02	4
C19-303	158.00	159.00	1.00	2	0.01	0.00	0.01	4
C19-303	159.00	160.00	1.00	3	0.02	0.00	0.02	5
C19-303	160.00	161.00	1.00	2	0.02	0.00	0.01	4
C19-303	161.00	162.00	1.00	1	0.02	0.00	0.03	5
C19-303	162.00	163.00	1.00	2	0.02	0.01	0.08	7
C19-303	163.00	164.00	1.00	1	0.01	0.00	0.01	2
C19-303	164.00	165.00	1.00	25	0.02	0.10	0.39	46
C19-303	165.00	165.80	0.80	2	0.01	0.01	0.02	4
C19-303	165.80	167.60	1.80	59	0.03	0.27	0.58	95
C19-303	167.60	168.50	0.90	1	0.01	0.00	0.00	2
C19-303	168.50	169.35	0.85	1	0.01	0.00	0.01	2
C19-303	169.35	170.35	1.00	1	0.01	0.00	0.01	1

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-303	170.35	171.35	1.00	2	0.01	0.01	0.03	4
C19-303	171.35	172.35	1.00	2	0.01	0.00	0.01	3
C19-303	172.35	173.35	1.00	1	0.01	0.00	0.00	2
C19-303	173.35	173.90	0.55	1	0.01	0.00	0.00	2
C19-303	173.90	174.40	0.50	1	0.01	0.00	0.00	2
C19-303	174.40	175.65	1.25	1	0.00	0.00	0.00	1
C19-303	175.65	176.65	1.00	8	0.00	0.01	0.03	9
C19-303	176.65	177.70	1.05	1	0.01	0.00	0.00	2
C19-303	177.70	178.70	1.00	1	0.01	0.00	0.01	2
C19-303	178.70	179.50	0.80	1	0.02	0.00	0.02	3
C19-303	179.50	180.50	1.00	2	0.02	0.00	0.01	3
C19-303	180.50	181.40	0.90	2	0.01	0.00	0.00	2
C19-303	181.40	182.85	1.45	1	0.01	0.00	0.01	2
C19-303	182.85	183.15	0.30	0	0.00	0.00	0.02	1
C19-303	183.15	184.15	1.00	1	0.01	0.00	0.03	2
C19-303	184.15	185.15	1.00	1	0.01	0.00	0.01	2
C19-303	185.15	187.10	1.95	1	0.01	0.00	0.01	2
C19-303	187.10	188.10	1.00	1	0.01	0.00	0.02	2
C19-303	188.10	189.20	1.10	1	0.02	0.00	0.02	3
C19-303	189.20	190.25	1.05	0	0.01	0.00	0.01	1
C19-303	190.25	191.85	1.60	0	0.01	0.00	0.01	1
C19-303	191.85	193.15	1.30	0	0.00	0.00	0.02	1
C19-303	193.15	195.15	2.00	0	0.00	0.00	0.01	1
C19-303	195.15	197.15	2.00	1	0.03	0.00	0.02	4
C19-303	197.15	198.15	1.00	1	0.02	0.00	0.02	4
C19-303	198.15	198.80	0.65	1	0.01	0.02	0.02	3
C19-303	198.80	200.10	1.30	2	0.01	0.01	0.14	8
C19-303	200.10	201.25	1.15	2	0.01	0.01	0.03	3
C19-303	201.25	203.25	2.00	1	0.00	0.00	0.01	2
C19-303	203.25	205.25	2.00	1	0.00	0.00	0.01	1
C19-303	205.25	206.25	1.00	1	0.01	0.00	0.01	2
C19-303	206.25	207.25	1.00	1	0.01	0.00	0.13	7
C19-303	207.25	208.15	0.90	4	0.01	0.07	0.43	25
C19-303	208.15	210.15	2.00	1	0.01	0.02	0.01	3
C19-303	210.15	211.45	1.30	1	0.00	0.01	0.02	2
C19-303	211.45	212.40	0.95	1	0.00	0.01	0.08	5
C19-303	212.40	213.40	1.00	4	0.01	0.13	0.65	36
C19-303	213.40	214.40	1.00	2	0.00	0.03	0.23	13
C19-303	214.40	215.40	1.00	9	0.00	0.22	0.69	46
C19-303	215.40	216.05	0.65	11	0.00	0.26	1.00	62
C19-303	216.05	217.45	1.40	2	0.00	0.02	0.39	19
C19-303	217.45	218.00	0.55	1	0.00	0.02	0.04	4
C19-303	218.00	218.50	0.50	6	0.00	0.13	0.35	25
C19-303	218.50	220.05	1.55	6	0.01	0.17	0.59	37
C19-303	220.05	220.35	0.30	8	0.01	0.30	1.79	94
C19-303	220.35	222.05	1.70	2	0.01	0.04	0.13	9
C19-303	222.05	223.00	0.95	87	0.01	2.34	5.53	399
C19-303	223.00	224.35	1.35	16	0.02	0.39	2.74	145
C19-303	224.35	226.15	1.80	4	0.01	0.09	0.44	27

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-303	226.15	227.35	1.20	8	0.01	0.12	1.77	86
C19-303	227.35	229.15	1.80	1	0.01	0.01	0.04	4
C19-303	229.15	229.65	0.50	1	0.00	0.00	0.01	1
C19-303	229.65	230.90	1.25	1	0.00	0.00	0.01	1
C19-303	230.90	231.65	0.75	0	0.00	0.00	0.01	1
C19-303	231.65	232.70	1.05	0	0.00	0.00	0.02	1
C19-303	232.70	233.75	1.05	0	0.00	0.00	0.01	1
C19-303	233.75	235.15	1.40	1	0.01	0.00	0.03	3
C19-303	235.15	236.25	1.10	1	0.00	0.00	0.04	2
C19-303	236.25	236.65	0.40	0	0.00	0.00	0.01	1
C19-303	236.65	237.50	0.85	6	0.00	0.20	0.49	34
C19-303	237.50	238.85	1.35	1	0.00	0.00	0.05	3
C19-303	238.85	240.85	2.00	1	0.00	0.00	0.02	2
C19-303	240.85	242.80	1.95	1	0.00	0.00	0.03	3
C19-303	242.80	243.90	1.10	1	0.00	0.00	0.03	3
C19-303	243.90	245.20	1.30	1	0.00	0.00	0.06	4
C19-303	245.20	246.55	1.35	2	0.00	0.04	0.10	8
C19-303	246.55	247.10	0.55	18	0.01	0.38	1.21	82
C19-303	247.10	248.40	1.30	3	0.04	0.05	0.03	9
C19-303	248.40	249.95	1.55	185	0.14	0.89	3.54	374
C19-303	249.95	250.85	0.90	7	0.03	0.17	0.20	23
C19-303	250.85	252.10	1.25	1	0.01	0.01	0.01	2
C19-303	252.10	252.45	0.35	1	0.00	0.01	0.36	17
C19-303	252.45	254.00	1.55	15	0.03	0.05	0.12	24
C19-303	254.00	254.45	0.45	620	1.04	1.06	0.57	766
C19-303	254.45	255.00	0.55	154	0.39	0.30	0.46	215
C19-303	255.00	255.40	0.40	8	0.03	0.02	0.07	14
C19-303	255.40	255.70	0.30	1190	1.81	1.18	1.18	1,428
C19-303	255.70	257.70	2.00	3	0.02	0.01	0.01	5
C19-303	257.70	259.70	2.00	3	0.03	0.01	0.01	6
C19-303	259.70	260.40	0.70	13	0.04	0.03	0.04	19
C19-303	260.40	260.70	0.30	12	0.00	0.15	1.11	64
C19-303	260.70	261.85	1.15	86	0.22	0.03	0.03	107
C19-303	261.85	262.85	1.00	5	0.03	0.02	0.03	10
C19-303	262.85	263.45	0.60	16	0.01	0.33	0.78	61
C19-303	263.45	264.00	0.55	2	0.01	0.03	0.05	6
C19-303	264.00	265.15	1.15	3	0.02	0.01	0.01	5
C19-303	265.15	266.35	1.20	4	0.01	0.04	0.06	9
C19-303	266.35	267.60	1.25	51	0.05	0.56	0.92	112
C19-303	267.60	269.30	1.70	4	0.03	0.02	0.02	7
C19-303	269.30	269.80	0.50	1	0.05	0.01	0.00	5
C19-303	269.80	271.55	1.75	1	0.02	0.00	0.00	3
C19-303	271.55	272.90	1.35	2	0.03	0.02	0.06	7
C19-303	272.90	274.30	1.40	3	0.04	0.02	0.04	8
C19-303	274.30	275.65	1.35	1	0.04	0.01	0.01	4
C19-303	275.65	276.65	1.00	2	0.01	0.06	0.15	11
C19-303	276.65	278.20	1.55	2	0.01	0.02	0.06	5
C19-303	278.20	279.20	1.00	10	0.03	0.17	1.02	60
C19-303	279.20	280.20	1.00	8	0.04	0.10	0.64	41

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-303	280.20	281.10	0.90	17	0.02	0.40	0.84	68
C19-303	281.10	282.10	1.00	4	0.01	0.06	0.13	12
C19-303	282.10	282.40	0.30	2	0.02	0.03	0.13	10
C19-303	282.40	283.30	0.90	1	0.01	0.02	0.07	5
C19-303	283.30	284.20	0.90	7	0.01	0.11	0.83	45
C19-303	284.20	285.20	1.00	1	0.02	0.01	0.02	4
C19-303	285.20	287.10	1.90	1	0.01	0.00	0.01	2
C19-303	287.10	288.10	1.00	3	0.02	0.09	1.29	60
C19-303	288.10	289.10	1.00	7	0.01	0.23	1.11	61
C19-303	289.10	290.50	1.40	2	0.01	0.05	0.18	13
C19-303	290.50	291.50	1.00	1	0.01	0.01	0.02	3
C19-303	291.50	292.00	0.50	1	0.01	0.00	0.04	4
C19-303	292.00	293.30	1.30	2	0.01	0.04	0.25	14
C19-303	293.30	294.50	1.20	1	0.01	0.00	0.02	2
C19-303	294.50	295.70	1.20	3	0.02	0.02	0.03	6
C19-303	295.70	296.90	1.20	3	0.02	0.02	0.12	10
C19-303	296.90	298.90	2.00	1	0.00	0.00	0.02	2
C19-303	298.90	300.90	2.00	1	0.00	0.00	0.01	2
C19-303	300.90	302.45	1.55	1	0.01	0.01	0.01	2
C19-303	302.45	303.95	1.50	1	0.00	0.01	0.06	4
C19-303	303.95	305.95	2.00	1	0.00	0.00	0.02	2
C19-303	305.95	307.70	1.75	3	0.00	0.05	0.22	14
C19-303	307.70	308.65	0.95	3	0.01	0.07	0.23	15
C19-303	308.65	309.70	1.05	1	0.01	0.03	0.08	6
C19-303	309.70	310.90	1.20	1	0.00	0.02	0.14	8
C19-303	310.90	311.50	0.60	1	0.01	0.01	0.14	7
C19-303	311.50	312.00	0.50	8	0.01	0.15	1.94	94
C19-303	312.00	313.10	1.10	1	0.01	0.01	0.04	3
C19-303	313.10	314.15	1.05	1	0.01	0.01	0.04	4
C19-303	314.15	315.60	1.45	2	0.01	0.06	0.54	27
C19-303	315.60	316.60	1.00	4	0.01	0.10	0.38	24
C19-303	316.60	317.70	1.10	9	0.02	0.13	1.44	74
C19-303	317.70	319.70	2.00	2	0.00	0.01	0.05	4
C19-303	319.70	321.30	1.60	1	0.00	0.00	0.02	2
C19-303	321.30	322.45	1.15	1	0.00	0.00	0.02	2
C19-303	322.45	324.45	2.00	1	0.00	0.00	0.02	2
C19-303	324.45	326.45	2.00	1	0.00	0.00	0.01	2
C19-303	326.45	328.00	1.55	1	0.00	0.00	0.02	2
C19-303	328.00	329.50	1.50	2	0.01	0.00	0.01	3
C19-303	329.50	330.55	1.05	2	0.01	0.00	0.00	2
C19-303	330.55	331.65	1.10	3	0.02	0.01	0.03	7
C19-303	331.65	333.65	2.00	1	0.01	0.00	0.01	3
C19-303	333.65	334.95	1.30	1	0.00	0.00	0.02	2
C19-303	334.95	336.00	1.05	1	0.00	0.00	0.02	2
C19-303	336.00	338.00	2.00	1	0.00	0.00	0.01	2
C19-303	338.00	340.00	2.00	2	0.00	0.00	0.02	3
C19-303	340.00	342.00	2.00	2	0.00	0.00	0.02	3
C19-303	342.00	344.00	2.00	2	0.01	0.00	0.02	3
C19-303	344.00	346.00	2.00	2	0.00	0.00	0.02	4

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-303	346.00	347.05	1.05	2	0.01	0.00	0.04	5
C19-303	347.05	348.10	1.05	1	0.01	0.00	0.02	3
C19-303	348.10	349.40	1.30	1	0.01	0.00	0.02	2
C19-303	349.40	351.40	2.00	1	0.00	0.00	0.02	2
C19-303	351.40	352.90	1.50	1	0.00	0.00	0.01	2
C19-303	352.90	353.90	1.00	2	0.01	0.00	0.01	3
C19-303	353.90	355.85	1.95	2	0.01	0.00	0.00	3
C19-303	355.85	357.65	1.80	1	0.00	0.00	0.01	2
C19-303	357.65	358.85	1.20	2	0.02	0.00	0.00	3
C19-303	358.85	360.15	1.30	2	0.02	0.00	0.02	4
C19-303	360.15	362.15	2.00	2	0.01	0.01	0.00	3
C19-303	362.15	364.15	2.00	1	0.00	0.00	0.01	2
C19-303	364.15	366.15	2.00	1	0.00	0.00	0.03	3
C19-303	366.15	368.15	2.00	1	0.00	0.00	0.01	2
C19-303	368.15	369.25	1.10	1	0.00	0.00	0.01	2
C19-303	369.25	370.75	1.50	1	0.01	0.00	0.02	2
C19-303	370.75	371.90	1.15	1	0.02	0.00	0.01	4
C19-303	371.90	373.25	1.35	1	0.00	0.00	0.00	1
C19-303	373.25	373.70	0.45	1	0.03	0.00	0.02	4
C19-303	373.70	374.10	0.40	1	0.03	0.00	0.00	4
C19-303	374.10	375.70	1.60	1	0.02	0.00	0.00	2
C19-303	375.70	376.85	1.15	2	0.02	0.00	0.01	4
C19-303	376.85	378.85	2.00	1	0.01	0.00	0.00	2
C19-303	378.85	379.90	1.05	1	0.01	0.00	0.01	3
C19-303	379.90	381.80	1.90	1	0.01	0.00	0.00	2
C19-303	381.80	383.80	2.00	1	0.02	0.00	0.02	4
C19-303	383.80	385.70	1.90	2	0.03	0.00	0.01	4
C19-303	385.70	387.70	2.00	1	0.00	0.00	0.02	2
C19-303	387.70	389.70	2.00	2	0.00	0.00	0.04	3
C19-303	389.70	391.70	2.00	2	0.01	0.00	0.03	4
C19-303	391.70	393.70	2.00	1	0.02	0.00	0.00	2
C19-303	393.70	395.70	2.00	1	0.00	0.00	0.01	1
C19-303	395.70	397.70	2.00	0	0.00	0.00	0.02	1
C19-303	397.70	399.70	2.00	0	0.00	0.00	0.01	1
C19-303	399.70	401.70	2.00	1	0.00	0.00	0.02	2
C19-303	401.70	403.15	1.45	0	0.00	0.00	0.01	1
C19-303	403.15	404.55	1.40	1	0.00	0.00	0.01	1
C19-303	404.55	406.35	1.80	0	0.00	0.00	0.02	1
C19-303	406.35	408.35	2.00	0	0.00	0.00	0.01	1
C19-303	408.35	410.35	2.00	0	0.00	0.00	0.01	1
C19-303	410.35	412.35	2.00	0	0.00	0.00	0.01	1
C19-303	412.35	413.90	1.55	1	0.00	0.00	0.02	2
C19-303	413.90	415.55	1.65	0	0.00	0.00	0.01	1
C19-303	415.55	416.90	1.35	0	0.00	0.00	0.01	1
C19-304	3.00	5.00	2.00	9	0.01	0.10	0.19	21
C19-304	5.00	6.15	1.15	7	0.02	0.13	0.03	14
C19-304	6.15	7.60	1.45	15	0.01	0.18	0.01	23
C19-304	7.60	9.60	2.00	4	0.02	0.06	0.02	8

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306

*Metal Prices used for AgEQ calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-304	9.60	10.60	1.00	5	0.01	0.08	0.02	9
C19-304	10.60	11.80	1.20	7	0.01	0.30	0.05	21
C19-304	11.80	13.45	1.65	8	0.02	0.11	0.03	15
C19-304	13.45	15.45	2.00	29	0.03	0.30	0.03	43
C19-304	15.45	16.45	1.00	3	0.02	0.03	0.02	7
C19-304	16.45	17.90	1.45	8	0.03	0.06	0.06	15
C19-304	17.90	22.60	4.70	9	0.02	0.13	0.16	21
C19-304	22.60	26.70	4.10	15	0.03	0.22	0.22	34
C19-304	26.70	28.80	2.10	12	0.03	0.09	0.16	25
C19-304	28.80	29.80	1.00	13	0.04	0.06	0.17	25
C19-304	29.80	32.70	2.90	7	0.03	0.07	0.18	20
C19-304	32.70	34.70	2.00	3	0.01	0.02	0.08	8
C19-304	34.70	36.70	2.00	15	0.03	0.16	0.20	31
C19-304	36.70	38.70	2.00	37	0.04	0.67	0.73	94
C19-304	38.70	40.40	1.70	20	0.03	0.24	0.36	46
C19-304	40.40	42.15	1.75	5	0.02	0.08	0.15	16
C19-304	42.15	43.15	1.00	78	0.13	1.04	1.29	179
C19-304	43.15	44.35	1.20	9	0.02	0.08	0.08	16
C19-304	44.35	45.90	1.55	6	0.03	0.08	0.11	16
C19-304	45.90	47.60	1.70	3	0.01	0.05	0.07	8
C19-304	47.60	49.00	1.40	3	0.02	0.06	0.04	9
C19-304	49.00	50.80	1.80	3	0.02	0.01	0.09	9
C19-304	50.80	52.65	1.85	9	0.03	0.08	0.09	18
C19-304	52.65	53.65	1.00	16	0.05	0.12	0.38	40
C19-304	53.65	55.35	1.70	86	0.12	1.43	1.08	191
C19-304	55.35	56.45	1.10	25	0.10	0.31	0.66	71
C19-304	56.45	57.55	1.10	20	0.07	0.24	0.44	52
C19-304	57.55	58.55	1.00	8	0.12	0.06	0.10	24
C19-304	58.55	59.60	1.05	16	0.05	0.17	0.28	37
C19-304	59.60	59.90	0.30	535	0.48	5.69	0.36	790
C19-304	59.90	61.70	1.80	9	0.09	0.12	0.18	27
C19-304	61.70	63.70	2.00	1	0.03	0.01	0.10	8
C19-304	63.70	65.70	2.00	1	0.00	0.01	0.15	7
C19-304	65.70	67.75	2.05	0	0.00	0.00	0.16	7
C19-304	67.75	69.75	2.00	0	0.00	0.00	0.15	7
C19-304	69.75	71.75	2.00	0	0.00	0.01	0.16	7
C19-304	71.75	73.40	1.65	1	0.02	0.00	0.07	5
C19-304	73.40	75.40	2.00	0	0.01	0.00	0.05	3
C19-304	75.40	76.80	1.40	0	0.01	0.00	0.02	2
C19-304	76.80	78.35	1.55	29	0.25	0.31	0.11	64
C19-304	78.35	80.30	1.95	71	0.23	0.95	1.11	169
C19-304	80.30	81.30	1.00	97	0.14	1.50	0.55	184
C19-304	81.30	82.30	1.00	98	0.18	1.26	1.32	212
C19-304	82.30	83.30	1.00	5	0.08	0.07	0.27	25
C19-304	83.30	84.30	1.00	90	0.42	1.16	1.51	228
C19-304	84.30	85.30	1.00	105	0.14	1.48	0.69	197
C19-304	85.30	86.30	1.00	16	0.16	0.24	0.91	75
C19-304	86.30	87.30	1.00	78	0.19	0.77	0.55	143
C19-304	87.30	88.30	1.00	87	0.17	1.36	0.30	161

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306

*Metal Prices used for AgEQ calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-304	88.30	89.30	1.00	70	0.16	0.90	0.61	140
C19-304	89.30	90.35	1.05	97	0.36	1.42	2.12	265
C19-304	90.35	91.35	1.00	91	0.30	0.90	1.11	194
C19-304	91.35	92.35	1.00	277	0.53	3.71	1.57	516
C19-304	92.35	93.55	1.20	263	0.96	3.73	5.12	686
C19-304	93.55	95.05	1.50	57	0.95	0.98	0.94	208
C19-304	95.05	96.55	1.50	187	1.04	2.63	2.76	479
C19-304	96.55	97.55	1.00	119	0.68	1.83	1.00	281
C19-304	97.55	98.45	0.90	12	0.17	0.17	0.19	40
C19-304	98.45	99.45	1.00	214	0.62	3.16	3.06	503
C19-304	99.45	100.45	1.00	324	0.64	5.49	1.22	620
C19-304	100.45	101.45	1.00	30	0.45	0.41	3.55	228
C19-304	101.45	102.75	1.30	26	0.16	0.48	1.91	135
C19-304	102.75	104.20	1.45	9	0.18	0.15	0.16	36
C19-304	104.20	105.60	1.40	5	0.14	0.08	0.38	35
C19-304	105.60	106.90	1.30	31	0.31	0.44	0.68	99
C19-304	106.90	108.15	1.25	70	0.22	1.08	0.36	140
C19-304	108.15	109.50	1.35	23	0.17	0.34	0.67	76
C19-304	109.50	110.80	1.30	4	0.13	0.03	0.06	18
C19-304	110.80	111.70	0.90	2	0.17	0.01	0.01	16
C19-304	111.70	113.40	1.70	12	0.34	0.18	0.22	56
C19-304	113.40	115.10	1.70	16	0.11	0.27	0.15	41
C19-304	115.10	115.75	0.65	76	0.47	1.36	0.53	184
C19-304	115.75	117.00	1.25	76	0.35	1.24	0.20	157
C19-304	117.00	118.25	1.25	24	0.19	0.35	0.17	58
C19-304	118.25	119.45	1.20	5	0.12	0.03	0.07	18
C19-304	119.45	120.60	1.15	6	0.19	0.11	0.04	27
C19-304	120.60	122.55	1.95	75	0.41	1.29	1.37	211
C19-304	122.55	124.10	1.55	197	0.57	2.98	1.70	419
C19-304	124.10	125.20	1.10	62	0.34	0.54	0.84	144
C19-304	125.20	126.70	1.50	23	0.32	0.39	0.37	78
C19-304	126.70	128.15	1.45	44	0.32	0.65	0.53	115
C19-304	128.15	129.15	1.00	123	0.38	1.57	0.61	235
C19-304	129.15	130.65	1.50	318	1.08	2.79	2.72	617
C19-304	130.65	131.85	1.20	80	0.64	1.13	0.78	205
C19-304	131.85	133.00	1.15	73	0.43	0.74	1.16	181
C19-304	133.00	134.05	1.05	54	0.27	0.95	0.63	136
C19-304	134.05	135.05	1.00	28	0.16	0.57	0.66	89
C19-304	135.05	136.05	1.00	30	0.30	0.54	0.41	90
C19-304	136.05	137.90	1.85	24	0.27	0.39	0.29	71
C19-304	137.90	139.30	1.40	214	0.91	2.26	1.02	410
C19-304	139.30	140.30	1.00	22	0.21	0.40	0.32	67
C19-304	140.30	141.35	1.05	52	0.28	0.75	0.52	123
C19-304	141.35	142.35	1.00	63	0.24	1.10	0.79	153
C19-304	142.35	143.35	1.00	99	0.71	1.75	2.58	326
C19-304	143.35	144.35	1.00	52	0.78	0.75	1.65	211
C19-304	144.35	145.65	1.30	47	0.28	0.97	1.00	145
C19-304	145.65	147.65	2.00	3	0.15	0.01	0.02	17
C19-304	147.65	149.65	2.00	2	0.22	0.01	0.01	21

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-304	149.65	151.65	2.00	6	0.51	0.01	0.01	48
C19-304	151.65	152.90	1.25	5	0.38	0.02	0.03	38
C19-304	152.90	153.90	1.00	5	0.45	0.07	0.09	48
C19-304	153.90	154.85	0.95	80	0.58	1.54	1.59	248
C19-304	154.85	155.90	1.05	9	0.21	0.19	0.26	44
C19-304	155.90	157.00	1.10	64	2.09	0.92	1.74	339
C19-304	157.00	158.00	1.00	76	1.51	1.02	2.32	331
C19-304	158.00	159.15	1.15	112	0.57	1.71	2.41	318
C19-304	159.15	160.75	1.60	88	0.40	1.46	2.61	280
C19-304	160.75	161.75	1.00	183	0.47	3.03	2.90	449
C19-304	161.75	162.75	1.00	86	0.48	1.54	2.50	283
C19-304	162.75	163.75	1.00	169	0.80	3.28	3.67	503
C19-304	163.75	165.15	1.40	36	0.29	0.63	0.73	112
C19-304	165.15	166.35	1.20	173	0.50	2.85	2.86	433
C19-304	166.35	167.35	1.00	260	0.43	3.61	4.05	591
C19-304	167.35	168.30	0.95	234	0.36	3.28	4.06	547
C19-304	168.30	169.30	1.00	131	0.24	2.16	2.17	316
C19-304	169.30	171.20	1.90	41	0.13	0.66	0.51	96
C19-304	171.20	172.35	1.15	172	0.25	2.83	2.29	387
C19-304	172.35	173.50	1.15	150	0.55	2.29	3.37	416
C19-304	173.50	175.00	1.50	44	0.08	0.65	0.35	89
C19-304	175.00	176.50	1.50	6	0.04	0.10	0.14	18
C19-304	176.50	177.90	1.40	4	0.03	0.07	0.03	11
C19-304	177.90	179.15	1.25	5	0.04	0.08	0.26	22
C19-304	179.15	179.90	0.75	12	0.03	0.19	0.29	34
C19-304	179.90	181.70	1.80	15	0.06	0.27	0.22	39
C19-304	181.70	182.70	1.00	93	0.25	1.53	2.42	267
C19-304	182.70	184.70	2.00	4	0.05	0.06	0.05	12
C19-304	184.70	186.70	2.00	2	0.04	0.02	0.02	6
C19-304	186.70	188.70	2.00	4	0.06	0.04	0.04	12
C19-304	188.70	190.70	2.00	3	0.06	0.05	0.02	11
C19-304	190.70	192.00	1.30	1	0.05	0.00	0.01	5
C19-304	192.00	193.30	1.30	1	0.04	0.01	0.01	5
C19-304	193.30	195.30	2.00	2	0.05	0.03	0.03	8
C19-304	195.30	197.30	2.00	2	0.05	0.02	0.03	8
C19-304	197.30	198.30	1.00	6	0.07	0.10	0.01	16
C19-304	198.30	199.45	1.15	2	0.07	0.01	0.02	9
C19-304	199.45	201.45	2.00	3	0.13	0.01	0.03	15
C19-304	201.45	202.65	1.20	3	0.09	0.01	0.01	11
C19-304	202.65	203.65	1.00	3	0.11	0.07	0.26	25
C19-304	203.65	205.15	1.50	6	0.11	0.19	0.36	37
C19-304	205.15	206.70	1.55	8	0.19	0.26	0.27	43
C19-304	206.70	208.50	1.80	12	0.07	0.24	0.13	32
C19-304	208.50	210.30	1.80	14	0.15	0.17	0.06	34
C19-304	210.30	212.30	2.00	3	0.09	0.02	0.03	12
C19-304	212.30	214.25	1.95	4	0.02	0.05	0.07	11
C19-304	214.25	215.25	1.00	3	0.02	0.04	0.10	10
C19-304	215.25	216.60	1.35	2	0.02	0.01	0.01	4
C19-304	216.60	217.60	1.00	4	0.03	0.01	0.03	8

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-304	217.60	219.60	2.00	11	0.03	0.13	0.20	27
C19-304	219.60	221.15	1.55	4	0.02	0.05	0.06	9
C19-304	221.15	223.10	1.95	10	0.04	0.08	0.17	23
C19-304	223.10	224.10	1.00	4	0.04	0.03	0.07	12
C19-304	224.10	226.10	2.00	4	0.07	0.03	0.09	14
C19-304	226.10	227.15	1.05	3	0.05	0.03	0.07	11
C19-304	227.15	229.00	1.85	3	0.05	0.03	0.03	8
C19-304	229.00	231.00	2.00	1	0.02	0.00	0.01	3
C19-304	231.00	233.00	2.00	1	0.01	0.00	0.01	2
C19-304	233.00	234.95	1.95	8	0.01	0.24	0.77	49
C19-304	234.95	236.50	1.55	7	0.01	0.18	0.70	43
C19-304	236.50	238.10	1.60	4	0.01	0.13	0.18	17
C19-304	238.10	239.50	1.40	13	0.00	0.11	1.00	58
C19-304	239.50	240.60	1.10	1	0.02	0.02	0.04	5
C19-304	240.60	241.90	1.30	1	0.02	0.04	0.06	7
C19-304	241.90	243.45	1.55	1	0.04	0.01	0.06	7
C19-304	243.45	245.15	1.70	5	0.07	0.17	0.54	39
C19-304	245.15	246.00	0.85	5	0.04	0.20	0.55	38
C19-304	246.00	247.20	1.20	5	0.02	0.11	0.61	35
C19-304	247.20	248.25	1.05	2	0.03	0.04	0.43	24
C19-304	248.25	250.05	1.80	1	0.02	0.01	0.01	3
C19-304	250.05	251.15	1.10	1	0.02	0.00	0.01	3
C19-304	251.15	252.75	1.60	1	0.01	0.01	0.11	7
C19-304	252.75	253.60	0.85	1	0.01	0.00	0.01	2
C19-304	253.60	254.85	1.25	2	0.01	0.03	0.09	7
C19-304	254.85	256.85	2.00	1	0.01	0.00	0.04	4
C19-304	256.85	258.55	1.70	1	0.01	0.00	0.02	2
C19-304	258.55	260.55	2.00	1	0.00	0.01	0.02	2
C19-304	260.55	262.55	2.00	1	0.00	0.01	0.08	5
C19-304	262.55	264.55	2.00	2	0.01	0.04	0.13	9
C19-304	264.55	266.55	2.00	1	0.00	0.01	0.09	6
C19-304	266.55	268.55	2.00	1	0.00	0.00	0.01	2
C19-304	268.55	270.55	2.00	1	0.00	0.00	0.02	2
C19-304	270.55	272.55	2.00	1	0.00	0.01	0.04	3
C19-304	272.55	274.55	2.00	1	0.00	0.01	0.02	2
C19-304	274.55	276.15	1.60	2	0.01	0.04	0.05	6
C19-304	276.15	277.45	1.30	1	0.01	0.01	0.05	3
C19-304	277.45	278.75	1.30	1	0.00	0.01	0.07	5
C19-304	278.75	280.75	2.00	1	0.01	0.00	0.02	3
C19-304	280.75	282.75	2.00	2	0.01	0.00	0.03	3
C19-304	282.75	283.75	1.00	2	0.03	0.00	0.01	4
C19-304	283.75	284.90	1.15	2	0.02	0.00	0.01	3
C19-304	284.90	286.00	1.10	2	0.02	0.03	0.06	6
C19-304	286.00	288.00	2.00	1	0.02	0.01	0.02	4
C19-304	288.00	290.00	2.00	1	0.04	0.01	0.02	6
C19-304	290.00	292.00	2.00	1	0.05	0.01	0.03	6
C19-304	292.00	293.45	1.45	1	0.15	0.01	0.10	18
C19-304	293.45	294.90	1.45	1	0.17	0.01	0.06	18
C19-304	294.90	295.90	1.00	5	0.05	0.16	1.27	67

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-304	295.90	296.90	1.00	1	0.07	0.02	0.42	25
C19-304	296.90	297.70	0.80	1	0.08	0.01	0.19	15
C19-304	297.70	298.95	1.25	4	0.05	0.10	0.38	27
C19-304	298.95	299.95	1.00	1	0.10	0.00	0.13	14
C19-304	299.95	301.95	2.00	1	0.23	0.01	0.10	24
C19-304	301.95	303.85	1.90	3	0.25	0.01	0.02	24
C19-304	303.85	305.25	1.40	3	0.11	0.04	0.08	16
C19-304	305.25	306.15	0.90	7	0.04	0.37	0.81	57
C19-304	306.15	307.15	1.00	1	0.02	0.06	0.12	10
C19-304	307.15	308.95	1.80	1	0.01	0.06	0.14	10
C19-304	308.95	309.95	1.00	6	0.01	0.13	0.30	23
C19-304	309.95	310.95	1.00	2	0.01	0.02	0.02	4
C19-304	310.95	312.20	1.25	1	0.01	0.02	0.11	6
C19-304	312.20	313.45	1.25	5	0.00	0.09	0.35	23
C19-304	313.45	315.45	2.00	1	0.01	0.00	0.03	3
C19-304	315.45	317.45	2.00	5	0.01	0.01	0.02	7
C19-304	317.45	319.45	2.00	6	0.02	0.01	0.02	8
C19-304	319.45	321.45	2.00	9	0.03	0.03	0.12	17
C19-304	321.45	322.75	1.30	8	0.03	0.08	0.38	30
C19-304	322.75	324.35	1.60	4	0.01	0.04	0.27	17
C19-304	324.35	326.35	2.00	4	0.01	0.02	0.12	10
C19-304	326.35	328.35	2.00	4	0.01	0.05	0.08	10
C19-304	328.35	329.80	1.45	5	0.01	0.17	0.30	23
C19-304	329.80	331.35	1.55	3	0.01	0.06	0.12	10
C19-304	331.35	333.20	1.85	2	0.01	0.07	0.13	10
C19-304	333.20	334.75	1.55	2	0.01	0.02	0.07	7
C19-304	334.75	336.05	1.30	1	0.01	0.01	0.03	3
C19-304	336.05	337.75	1.70	4	0.04	0.03	0.07	12
C19-304	337.75	339.15	1.40	1	0.03	0.01	0.04	5
C19-304	339.15	340.00	0.85	1	0.02	0.01	0.03	4
C19-304	340.00	341.55	1.55	1	0.04	0.01	0.02	5
C19-304	341.55	342.15	0.60	0	0.01	0.00	0.00	2
C19-304	342.15	344.15	2.00	1	0.04	0.01	0.02	4
C19-304	344.15	346.15	2.00	1	0.02	0.02	0.04	5
C19-304	346.15	348.15	2.00	0	0.01	0.01	0.01	2
C19-304	348.15	350.15	2.00	2	0.04	0.02	0.13	11
C19-304	350.15	352.10	1.95	1	0.02	0.01	0.01	3
C19-304	352.10	353.10	1.00	1	0.01	0.01	0.01	2
C19-304	353.10	353.45	0.35	6	0.01	0.34	0.54	41
C19-304	353.45	355.45	2.00	1	0.01	0.02	0.00	2
C19-304	355.45	357.45	2.00	1	0.01	0.01	0.01	2
C19-304	357.45	358.75	1.30	1	0.02	0.01	0.00	3
C19-304	358.75	360.05	1.30	7	0.06	0.08	0.29	26
C19-304	360.05	361.70	1.65	1	0.02	0.01	0.00	3
C19-304	361.70	362.70	1.00	1	0.02	0.01	0.07	6
C19-304	362.70	364.70	2.00	1	0.02	0.00	0.00	2
C19-304	364.70	365.95	1.25	1	0.03	0.00	0.00	4
C19-304	365.95	367.35	1.40	1	0.02	0.01	0.01	3
C19-304	367.35	369.05	1.70	3	0.03	0.08	0.06	11

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-304	369.05	370.55	1.50	2	0.03	0.10	0.14	14
C19-304	370.55	372.10	1.55	2	0.02	0.07	0.12	11
C19-304	372.10	373.60	1.50	2	0.02	0.06	0.15	12
C19-304	373.60	374.50	0.90	3	0.03	0.07	0.14	14
C19-304	374.50	376.00	1.50	2	0.02	0.08	0.06	9
C19-304	376.00	377.50	1.50	3	0.02	0.07	0.07	9
C19-304	377.50	378.65	1.15	2	0.01	0.03	0.03	5
C19-304	378.65	380.00	1.35	4	0.02	0.13	0.14	17
C19-304	380.00	381.20	1.20	2	0.02	0.03	0.08	8
C19-304	381.20	383.20	2.00	4	0.02	0.08	0.16	15
C19-304	383.20	384.75	1.55	4	0.02	0.09	0.13	14
C19-304	384.75	386.20	1.45	4	0.02	0.09	0.15	15
C19-304	386.20	387.75	1.55	5	0.02	0.08	0.08	12
C19-304	387.75	388.75	1.00	12	0.02	0.14	0.22	28
C19-304	388.75	390.65	1.90	6	0.01	0.09	0.12	15
C19-304	390.65	392.10	1.45	3	0.02	0.05	0.08	9
C19-304	392.10	392.55	0.45	86	0.56	1.18	1.86	250
C19-304	392.55	393.70	1.15	29	0.11	0.41	0.66	80
C19-304	393.70	395.60	1.90	6	0.05	0.05	0.23	21
C19-304	395.60	397.55	1.95	1	0.06	0.01	0.06	9
C19-304	397.55	399.55	2.00	0	0.01	0.00	0.00	1
C19-304	399.55	401.55	2.00	1	0.02	0.01	0.02	4
C19-304	401.55	402.85	1.30	1	0.01	0.01	0.02	3
C19-304	402.85	404.20	1.35	1	0.02	0.00	0.01	3
C19-304	404.20	406.20	2.00	1	0.02	0.02	0.03	5
C19-304	406.20	408.20	2.00	1	0.02	0.01	0.05	6
C19-304	408.20	410.00	1.80	1	0.01	0.01	0.01	2
C19-304	410.00	411.00	1.00	1	0.02	0.01	0.01	2
C19-304	411.00	412.10	1.10	1	0.01	0.00	0.01	2
C19-304	412.10	413.10	1.00	1	0.01	0.00	0.01	2
C19-304	413.10	414.20	1.10	1	0.01	0.00	0.01	2
C19-304	414.20	415.20	1.00	2	0.02	0.03	0.08	7
C19-304	415.20	416.50	1.30	1	0.02	0.00	0.01	3
C19-304	416.50	417.55	1.05	1	0.03	0.01	0.03	4
C19-304	417.55	418.70	1.15	19	0.03	0.30	0.42	49
C19-304	418.70	420.70	2.00	1	0.01	0.00	0.00	1
C19-304	420.70	422.35	1.65	1	0.01	0.00	0.00	1
C19-304	422.35	423.75	1.40	2	0.01	0.01	0.01	3
C19-304	423.75	424.60	0.85	1	0.01	0.00	0.00	1
C19-304	424.60	425.40	0.80	1	0.01	0.01	0.00	2
C19-304	425.40	427.25	1.85	2	0.01	0.01	0.00	3
C19-304	427.25	428.45	1.20	168	0.04	0.75	1.55	262
C19-304	428.45	429.65	1.20	42	0.04	0.19	0.30	64
C19-304	429.65	430.95	1.30	1	0.03	0.01	0.01	4
C19-304	430.95	431.60	0.65	20	0.02	0.46	0.92	76
C19-304	431.60	431.95	0.35	82	0.05	2.00	6.63	431
C19-304	431.95	433.00	1.05	2	0.02	0.03	0.07	7
C19-304	433.00	435.00	2.00	1	0.05	0.01	0.01	5
C19-304	435.00	437.00	2.00	1	0.02	0.01	0.01	3

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-304	437.00	439.00	2.00	1	0.01	0.00	0.01	2
C19-304	439.00	440.80	1.80	1	0.01	0.00	0.00	2
C19-304	440.80	442.30	1.50	1	0.01	0.02	0.03	4
C19-304	442.30	443.80	1.50	1	0.03	0.02	0.16	11
C19-304	443.80	445.40	1.60	15	0.02	0.35	0.74	59
C19-304	445.40	446.65	1.25	12	0.01	0.21	0.57	44
C19-304	446.65	448.00	1.35	5	0.02	0.07	0.23	19
C19-304	448.00	448.55	0.55	7	0.01	0.11	1.49	74
C19-304	448.55	449.90	1.35	11	0.03	0.14	1.17	67
C19-304	449.90	451.40	1.50	3	0.01	0.01	0.73	34
C19-304	451.40	453.40	2.00	1	0.02	0.02	0.05	5
C19-304	453.40	454.55	1.15	3	0.02	0.08	0.27	19
C19-304	454.55	456.40	1.85	2	0.01	0.07	0.09	9
C19-304	456.40	458.10	1.70	1	0.01	0.03	0.04	5
C19-304	458.10	459.05	0.95	3	0.01	0.10	0.27	19
C19-304	459.05	461.05	2.00	1	0.01	0.01	0.01	2
C19-304	461.05	462.45	1.40	1	0.01	0.01	0.01	2
C19-304	462.45	463.90	1.45	1	0.02	0.03	0.02	4
C19-305	0.60	2.50	1.90	88	0.02	0.04	0.07	94
C19-305	2.50	4.50	2.00	27	0.02	0.07	0.10	35
C19-305	4.50	6.50	2.00	38	0.02	0.04	0.10	45
C19-305	6.50	8.50	2.00	96	0.02	0.04	0.09	103
C19-305	8.50	10.50	2.00	59	0.01	0.05	0.07	64
C19-305	10.50	12.50	2.00	54	0.01	0.03	0.10	60
C19-305	12.50	14.50	2.00	76	0.01	0.03	0.09	82
C19-305	14.50	16.50	2.00	33	0.04	0.13	0.12	46
C19-305	16.50	18.50	2.00	33	0.03	0.12	0.10	44
C19-305	18.50	20.50	2.00	52	0.01	0.03	0.05	56
C19-305	20.50	22.50	2.00	106	0.02	0.04	0.08	112
C19-305	22.50	24.50	2.00	72	0.01	0.03	0.04	75
C19-305	24.50	26.50	2.00	58	0.02	0.09	0.04	64
C19-305	26.50	28.50	2.00	24	0.01	0.04	0.03	28
C19-305	28.50	30.50	2.00	57	0.05	0.04	0.12	68
C19-305	30.50	32.50	2.00	77	0.05	0.06	0.11	88
C19-305	32.50	34.50	2.00	114	0.04	0.07	0.10	124
C19-305	34.50	36.50	2.00	47	0.02	0.06	0.09	54
C19-305	36.50	38.50	2.00	71	0.04	0.12	0.16	86
C19-305	38.50	39.60	1.10	92	0.02	0.11	0.15	104
C19-305	39.60	40.70	1.10	174	0.02	0.04	0.13	182
C19-305	40.70	42.00	1.30	44	0.02	0.07	0.12	53
C19-305	42.00	42.90	0.90	11	0.03	0.09	0.10	21
C19-305	42.90	43.90	1.00	6	0.02	0.08	0.09	13
C19-305	43.90	45.90	2.00	38	0.11	0.76	0.88	110
C19-305	45.90	47.85	1.95	10	0.08	0.13	0.18	28
C19-305	47.85	49.55	1.70	12	0.07	0.13	0.10	26
C19-305	49.55	50.85	1.30	45	0.13	0.61	0.72	106
C19-305	50.85	51.80	0.95	29	0.06	0.20	0.18	49
C19-305	51.80	53.20	1.40	30	0.08	0.34	0.30	60

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306

*Metal Prices used for AgEQ calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-305	53.20	55.20	2.00	112	0.18	2.74	1.36	280
C19-305	55.20	57.20	2.00	114	0.15	2.22	1.36	261
C19-305	57.20	59.20	2.00	173	0.14	3.14	2.06	381
C19-305	59.20	60.70	1.50	124	0.24	2.50	0.87	268
C19-305	60.70	61.55	0.85	157	0.03	0.43	0.54	197
C19-305	61.55	63.55	2.00	59	0.05	0.38	2.08	163
C19-305	63.55	65.55	2.00	292	0.07	1.16	3.55	486
C19-305	65.55	67.55	2.00	11	0.05	0.05	0.15	23
C19-305	67.55	69.55	2.00	7	0.04	0.02	0.06	13
C19-305	69.55	71.20	1.65	4	0.05	0.02	0.06	11
C19-305	71.20	72.90	1.70	2	0.01	0.01	0.04	4
C19-305	72.90	74.50	1.60	3	0.03	0.02	0.05	8
C19-305	74.50	75.80	1.30	2	0.03	0.01	0.04	6
C19-305	75.80	77.10	1.30	7	0.02	0.09	0.08	14
C19-305	77.10	78.00	0.90	2	0.02	0.01	0.04	5
C19-305	78.00	79.20	1.20	3	0.01	0.04	0.19	13
C19-305	79.20	80.70	1.50	9	0.02	0.09	0.28	26
C19-305	80.70	82.50	1.80	1	0.01	0.01	0.05	4
C19-305	82.50	83.60	1.10	1	0.01	0.01	0.04	4
C19-305	83.60	85.60	2.00	1	0.00	0.00	0.03	2
C19-305	85.60	87.60	2.00	2	0.01	0.01	0.05	4
C19-305	87.60	88.85	1.25	2	0.01	0.01	0.05	5
C19-305	88.85	90.25	1.40	4	0.02	0.03	0.05	8
C19-305	90.25	91.80	1.55	4	0.01	0.02	0.03	7
C19-305	91.80	92.40	0.60	9	0.04	0.11	0.18	23
C19-305	92.40	94.40	2.00	4	0.01	0.02	0.04	7
C19-305	94.40	96.30	1.90	27	0.02	0.04	0.20	38
C19-305	96.30	98.30	2.00	7	0.01	0.04	0.07	12
C19-305	98.30	99.40	1.10	5	0.01	0.02	0.03	7
C19-305	99.40	100.20	0.80	10	0.03	0.19	0.17	26
C19-305	100.20	101.45	1.25	9	0.01	0.05	0.12	17
C19-305	101.45	102.55	1.10	6	0.02	0.05	0.10	14
C19-305	102.55	103.80	1.25	5	0.01	0.05	0.03	9
C19-305	103.80	105.80	2.00	10	0.02	0.07	0.18	22
C19-305	105.80	107.80	2.00	3	0.01	0.01	0.03	5
C19-305	107.80	109.80	2.00	3	0.01	0.02	0.02	5
C19-305	109.80	111.80	2.00	1	0.00	0.00	0.01	2
C19-305	111.80	113.80	2.00	1	0.00	0.01	0.04	3
C19-305	113.80	115.80	2.00	1	0.00	0.01	0.03	2
C19-305	115.80	117.80	2.00	1	0.00	0.01	0.03	2
C19-305	117.80	119.80	2.00	1	0.00	0.01	0.02	2
C19-305	119.80	121.80	2.00	1	0.00	0.01	0.02	2
C19-305	121.80	123.45	1.65	1	0.00	0.01	0.02	2
C19-305	123.45	125.40	1.95	2	0.00	0.02	0.06	5
C19-305	125.40	126.75	1.35	3	0.01	0.04	0.12	10
C19-305	126.75	128.05	1.30	2	0.00	0.02	0.01	3
C19-305	128.05	129.60	1.55	4	0.01	0.04	0.06	8
C19-305	129.60	131.60	2.00	1	0.00	0.01	0.04	4
C19-305	131.60	133.60	2.00	1	0.00	0.02	0.06	4

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306

*Metal Prices used for AgEQ calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-305	133.60	135.60	2.00	2	0.00	0.02	0.07	6
C19-305	135.60	137.50	1.90	17	0.01	0.40	0.28	44
C19-305	137.50	139.10	1.60	6	0.01	0.06	0.19	17
C19-305	139.10	140.40	1.30	6	0.01	0.08	0.13	16
C19-305	140.40	142.40	2.00	3	0.01	0.02	0.03	5
C19-305	142.40	143.50	1.10	4	0.02	0.05	0.14	13
C19-305	143.50	143.90	0.40	2	0.00	0.03	0.18	11
C19-305	143.90	144.75	0.85	3	0.00	0.04	0.07	7
C19-305	144.75	146.15	1.40	3	0.01	0.03	0.07	8
C19-305	146.15	147.00	0.85	1	0.00	0.01	0.05	3
C19-305	147.00	149.00	2.00	1	0.00	0.00	0.02	2
C19-305	149.00	151.00	2.00	1	0.00	0.02	0.03	3
C19-305	151.00	152.85	1.85	1	0.00	0.01	0.02	2
C19-305	152.85	153.80	0.95	1	0.00	0.00	0.13	7
C19-305	153.80	155.35	1.55	2	0.01	0.02	0.04	5
C19-305	155.35	156.40	1.05	2	0.00	0.00	0.02	3
C19-305	156.40	157.75	1.35	3	0.00	0.03	0.09	7
C19-305	157.75	159.05	1.30	1	0.01	0.00	0.03	3
C19-305	159.05	160.55	1.50	1	0.01	0.00	0.01	2
C19-305	160.55	162.10	1.55	2	0.01	0.00	0.03	4
C19-305	162.10	163.00	0.90	2	0.02	0.01	0.03	5
C19-305	163.00	163.65	0.65	1	0.01	0.03	0.05	5
C19-305	163.65	165.60	1.95	4	0.01	0.07	0.47	27
C19-305	165.60	167.05	1.45	1	0.00	0.03	0.07	5
C19-305	167.05	168.80	1.75	2	0.01	0.03	0.15	10
C19-305	168.80	170.15	1.35	1	0.02	0.01	0.05	5
C19-305	170.15	171.50	1.35	0	0.00	0.01	0.02	1
C19-305	171.50	172.20	0.70	40	0.02	0.85	2.04	155
C19-305	172.20	173.90	1.70	23	0.00	0.31	1.55	99
C19-305	173.90	175.30	1.40	7	0.01	0.14	0.73	43
C19-305	175.30	176.10	0.80	3	0.02	0.04	0.08	9
C19-305	176.10	177.60	1.50	79	0.03	0.96	0.93	154
C19-305	177.60	178.50	0.90	28	0.03	0.74	5.13	270
C19-305	178.50	179.50	1.00	29	0.01	0.72	3.33	193
C19-305	179.50	181.50	2.00	2	0.01	0.02	0.05	6
C19-305	181.50	183.50	2.00	2	0.00	0.03	0.11	7
C19-305	183.50	185.50	2.00	1	0.00	0.01	0.03	3
C19-305	185.50	187.30	1.80	1	0.00	0.00	0.03	2
C19-305	187.30	188.05	0.75	1	0.00	0.00	0.03	2
C19-305	188.05	190.05	2.00	1	0.00	0.00	0.03	2
C19-305	190.05	192.05	2.00	1	0.00	0.00	0.02	2
C19-305	192.05	194.05	2.00	1	0.00	0.00	0.03	2
C19-305	194.05	196.05	2.00	1	0.00	0.01	0.02	2
C19-305	196.05	197.40	1.35	3	0.00	0.00	0.03	4
C19-305	197.40	199.30	1.90	15	0.01	0.08	0.20	27
C19-305	199.30	201.30	2.00	1	0.00	0.00	0.02	2
C19-305	201.30	203.30	2.00	1	0.00	0.00	0.03	3
C19-305	203.30	205.30	2.00	1	0.00	0.00	0.03	2
C19-305	205.30	207.30	2.00	0	0.00	0.00	0.02	1

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-305	207.30	209.15	1.85	1	0.00	0.00	0.02	2
C19-305	209.15	210.60	1.45	1	0.00	0.02	0.01	3
C19-305	210.60	212.60	2.00	1	0.00	0.02	0.09	6
C19-305	212.60	213.70	1.10	1	0.00	0.02	0.03	3
C19-305	213.70	215.05	1.35	4	0.00	0.08	0.03	8
C19-305	215.05	216.10	1.05	3	0.00	0.04	0.19	12
C19-305	216.10	217.50	1.40	3	0.01	0.02	0.07	7
C19-305	217.50	218.45	0.95	9	0.02	0.18	0.45	36
C19-305	218.45	220.05	1.60	2	0.01	0.01	0.02	3
C19-305	220.05	221.25	1.20	1	0.00	0.00	0.01	2
C19-305	221.25	223.25	2.00	1	0.00	0.00	0.01	2
C19-305	223.25	225.20	1.95	1	0.00	0.00	0.01	1
C19-305	225.20	226.75	1.55	1	0.00	0.01	0.04	3
C19-305	226.75	227.75	1.00	3	0.00	0.10	0.39	23
C19-305	227.75	228.45	0.70	6	0.01	0.16	1.03	54
C19-305	228.45	229.45	1.00	2	0.00	0.03	0.05	5
C19-305	229.45	231.00	1.55	1	0.00	0.01	0.03	3
C19-305	231.00	232.95	1.95	19	0.00	0.59	2.55	145
C19-305	232.95	234.20	1.25	2	0.20	0.01	0.06	21
C19-305	234.20	235.05	0.85	2	0.02	0.00	0.02	4
C19-305	235.05	237.05	2.00	1	0.00	0.00	0.02	3
C19-305	237.05	239.05	2.00	1	0.00	0.00	0.02	2
C19-305	239.05	241.00	1.95	1	0.00	0.00	0.02	2
C19-305	241.00	242.50	1.50	1	0.00	0.00	0.25	11
C19-305	242.50	243.55	1.05	1	0.00	0.00	1.22	52
C19-305	243.55	244.15	0.60	1	0.00	0.00	0.02	2
C19-305	244.15	244.65	0.50	1	0.00	0.00	0.06	3
C19-305	244.65	246.65	2.00	1	0.00	0.00	0.02	2
C19-305	246.65	248.30	1.65	2	0.00	0.01	0.02	3
C19-305	248.30	250.30	2.00	1	0.00	0.00	0.03	3
C19-305	250.30	252.30	2.00	1	0.00	0.00	0.02	2
C19-305	252.30	254.30	2.00	1	0.00	0.00	0.01	1
C19-305	254.30	256.30	2.00	1	0.00	0.00	0.01	1
C19-305	256.30	258.30	2.00	1	0.01	0.00	0.01	2
C19-305	258.30	260.30	2.00	1	0.00	0.00	0.02	2
C19-305	260.30	261.40	1.10	1	0.00	0.00	0.03	2
C19-305	261.40	262.05	0.65	1	0.00	0.00	0.03	2
C19-305	262.05	263.40	1.35	0	0.00	0.00	0.02	1
C19-305	263.40	265.40	2.00	0	0.00	0.00	0.02	1
C19-305	265.40	267.40	2.00	0	0.00	0.00	0.02	1
C19-305	267.40	269.40	2.00	1	0.00	0.00	0.04	3
C19-305	269.40	271.40	2.00	0	0.00	0.00	0.02	1
C19-305	271.40	273.30	1.90	0	0.00	0.00	0.01	1
C19-305	273.30	274.90	1.60	1	0.01	0.01	0.02	3
C19-305	274.90	275.50	0.60	5	0.01	0.09	0.05	10
C19-305	275.50	277.50	2.00	1	0.01	0.02	0.02	3
C19-305	277.50	279.50	2.00	1	0.00	0.02	0.02	3
C19-305	279.50	281.50	2.00	1	0.01	0.01	0.03	3
C19-305	281.50	282.90	1.40	1	0.00	0.00	0.03	3

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-305	282.90	284.35	1.45	1	0.00	0.01	0.03	3
C19-305	284.35	284.90	0.55	1	0.04	0.01	0.03	5
C19-305	284.90	286.70	1.80	1	0.05	0.01	0.04	7
C19-305	286.70	287.80	1.10	1	0.01	0.00	0.02	2
C19-305	287.80	288.15	0.35	0	0.00	0.00	0.01	1
C19-305	288.15	290.15	2.00	1	0.00	0.00	0.01	1
C19-305	290.15	292.15	2.00	1	0.00	0.00	0.02	1
C19-305	292.15	293.20	1.05	1	0.00	0.00	0.02	2
C19-305	293.20	294.75	1.55	1	0.01	0.00	0.04	3
C19-305	294.75	295.80	1.05	0	0.00	0.00	0.00	1
C19-305	295.80	297.80	2.00	1	0.02	0.00	0.01	2
C19-305	297.80	299.80	2.00	1	0.00	0.00	0.01	2
C19-305	299.80	301.80	2.00	1	0.01	0.00	0.01	2
C19-305	301.80	303.80	2.00	1	0.00	0.00	0.02	2
C19-305	303.80	305.80	2.00	1	0.01	0.00	0.02	2
C19-305	305.80	307.80	2.00	0	0.00	0.00	0.01	1
C19-305	307.80	309.15	1.35	1	0.00	0.00	0.01	2
C19-305	309.15	310.45	1.30	2	0.01	0.00	0.02	3
C19-305	310.45	312.30	1.85	1	0.01	0.00	0.01	2
C19-305	312.30	314.30	2.00	1	0.00	0.00	0.01	2
C19-305	314.30	315.45	1.15	1	0.00	0.00	0.01	2
C19-305	315.45	316.50	1.05	1	0.01	0.01	0.01	2
C19-305	316.50	316.90	0.40	4	0.01	0.11	0.62	35
C19-305	316.90	318.90	2.00	1	0.00	0.00	0.11	6
C19-305	318.90	320.90	2.00	1	0.00	0.00	0.02	2
C19-305	320.90	322.90	2.00	2	0.00	0.02	0.03	4
C19-305	322.90	324.90	2.00	1	0.00	0.00	0.02	2
C19-305	324.90	326.90	2.00	1	0.00	0.00	0.02	2
C19-305	326.90	328.90	2.00	1	0.00	0.00	0.03	2
C19-305	328.90	330.90	2.00	1	0.00	0.00	0.03	3
C19-305	330.90	332.60	1.70	1	0.00	0.01	0.03	3
C19-305	332.60	334.45	1.85	1	0.00	0.01	0.02	3
C19-305	334.45	335.75	1.30	2	0.01	0.04	0.09	8
C19-305	335.75	337.75	2.00	2	0.01	0.02	0.05	5
C19-305	337.75	339.95	2.20	1	0.01	0.00	0.04	4
C19-305	339.95	340.40	0.45	2	0.01	0.00	0.02	3
C19-305	340.40	340.95	0.55	2	0.01	0.00	0.02	3
C19-305	340.95	342.95	2.00	1	0.01	0.00	0.02	2
C19-305	342.95	344.95	2.00	1	0.01	0.00	0.04	4
C19-305	344.95	346.95	2.00	1	0.00	0.00	0.03	2
C19-305	346.95	348.95	2.00	1	0.01	0.00	0.03	3
C19-305	348.95	350.60	1.65	1	0.00	0.00	0.03	3
C19-305	350.60	352.60	2.00	1	0.01	0.00	0.01	2
C19-305	352.60	354.60	2.00	1	0.00	0.00	0.01	1
C19-305	354.60	356.60	2.00	1	0.00	0.00	0.02	2
C19-305	356.60	358.60	2.00	1	0.00	0.00	0.01	2
C19-305	358.60	360.60	2.00	1	0.00	0.00	0.02	2
C19-305	360.60	362.60	2.00	1	0.02	0.00	0.02	3
C19-305	362.60	364.25	1.65	1	0.01	0.00	0.02	3

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-305	364.25	366.15	1.90	2	0.01	0.00	0.02	4
C19-305	366.15	366.50	0.35	1	0.01	0.10	0.02	6
C19-305	366.50	367.70	1.20	1	0.01	0.01	0.02	2
C19-305	367.70	369.15	1.45	1	0.01	0.00	0.02	3
C19-305	369.15	371.15	2.00	1	0.02	0.00	0.01	3
C19-305	371.15	373.15	2.00	1	0.02	0.00	0.01	3
C19-305	373.15	375.15	2.00	0	0.02	0.01	0.02	3
C19-305	375.15	375.75	0.60	1	0.02	0.08	0.12	10
C19-305	375.75	377.15	1.40	0	0.01	0.00	0.03	2
C19-305	377.15	378.30	1.15	1	0.01	0.01	0.03	3
C19-305	378.30	379.65	1.35	0	0.01	0.01	0.02	2
C19-305	379.65	381.00	1.35	2	0.01	0.07	0.04	7
C19-305	381.00	381.35	0.35	0	0.00	0.01	0.07	4
C19-305	381.35	382.35	1.00	0	0.01	0.01	0.02	2
C19-305	382.35	383.50	1.15	0	0.01	0.00	0.00	1
C19-306	3.00	5.00	2.00	1	0.01	0.01	0.03	4
C19-306	5.00	7.00	2.00	1	0.01	0.01	0.03	3
C19-306	7.00	9.00	2.00	1	0.01	0.00	0.04	3
C19-306	9.00	10.70	1.70	1	0.36	0.01	0.07	34
C19-306	10.70	12.45	1.75	2	0.01	0.02	0.09	7
C19-306	12.45	14.45	2.00	1	0.00	0.01	0.05	4
C19-306	14.45	16.45	2.00	1	0.01	0.01	0.04	4
C19-306	16.45	18.45	2.00	2	0.01	0.04	0.09	8
C19-306	18.45	20.15	1.70	1	0.01	0.01	0.05	5
C19-306	20.15	21.85	1.70	1	0.01	0.01	0.04	3
C19-306	21.85	23.85	2.00	1	0.01	0.01	0.04	4
C19-306	23.85	25.85	2.00	1	0.01	0.01	0.04	4
C19-306	25.85	27.85	2.00	2	0.01	0.02	0.05	5
C19-306	27.85	29.25	1.40	1	0.01	0.01	0.03	3
C19-306	29.25	30.70	1.45	2	0.01	0.03	0.07	6
C19-306	30.70	32.70	2.00	2	0.01	0.02	0.03	4
C19-306	32.70	34.70	2.00	5	0.01	0.08	0.13	14
C19-306	34.70	36.70	2.00	2	0.01	0.01	0.02	4
C19-306	36.70	38.70	2.00	8	0.02	0.13	0.19	22
C19-306	38.70	40.70	2.00	42	0.05	0.49	0.34	77
C19-306	40.70	42.20	1.50	2	0.01	0.01	0.01	4
C19-306	42.20	43.75	1.55	3	0.01	0.02	0.02	6
C19-306	43.75	45.75	2.00	3	0.02	0.03	0.05	7
C19-306	45.75	47.75	2.00	7	0.01	0.09	0.12	16
C19-306	47.75	49.75	2.00	6	0.02	0.09	0.16	18
C19-306	49.75	51.75	2.00	6	0.01	0.09	0.16	17
C19-306	51.75	52.60	0.85	2	0.02	0.02	0.03	6
C19-306	52.60	54.60	2.00	2	0.04	0.02	0.03	7
C19-306	54.60	56.60	2.00	2	0.02	0.02	0.04	6
C19-306	56.60	58.35	1.75	6	0.02	0.09	0.16	18
C19-306	58.35	60.35	2.00	30	0.06	0.35	0.30	60
C19-306	60.35	61.45	1.10	4	0.03	0.05	0.07	11
C19-306	61.45	62.50	1.05	5	0.05	0.04	0.04	11

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-306	62.50	64.50	2.00	69	0.08	1.22	1.08	163
C19-306	64.50	66.50	2.00	2	0.03	0.02	0.03	6
C19-306	66.50	68.50	2.00	50	0.11	0.79	0.90	124
C19-306	68.50	69.65	1.15	16	0.81	0.14	0.21	96
C19-306	69.65	70.80	1.15	6	0.12	0.08	0.16	25
C19-306	70.80	72.80	2.00	85	0.39	1.40	1.25	218
C19-306	72.80	74.80	2.00	7	0.18	0.09	0.19	33
C19-306	74.80	76.80	2.00	33	0.12	0.53	0.63	88
C19-306	76.80	78.80	2.00	103	0.19	1.64	0.46	195
C19-306	78.80	80.80	2.00	1	0.00	0.01	0.02	2
C19-306	80.80	82.80	2.00	0	0.00	0.01	0.01	1
C19-306	82.80	84.80	2.00	0	0.00	0.00	0.01	1
C19-306	84.80	86.80	2.00	0	0.00	0.00	0.01	1
C19-306	86.80	88.80	2.00	0	0.00	0.00	0.01	1
C19-306	88.80	90.80	2.00	0	0.00	0.00	0.01	1
C19-306	90.80	92.80	2.00	0	0.01	0.00	0.01	2
C19-306	92.80	94.80	2.00	0	0.01	0.00	0.01	1
C19-306	94.80	96.80	2.00	0	0.01	0.00	0.01	1
C19-306	96.80	98.80	2.00	0	0.01	0.00	0.01	2
C19-306	98.80	99.90	1.10	1	0.03	0.00	0.02	4
C19-306	99.90	101.00	1.10	0	0.02	0.00	0.02	3
C19-306	101.00	103.00	2.00	6	0.13	0.02	0.01	17
C19-306	103.00	105.00	2.00	29	0.15	0.18	0.07	51
C19-306	105.00	106.70	1.70	7	0.18	0.09	0.10	29
C19-306	106.70	108.00	1.30	160	0.57	2.47	2.04	379
C19-306	108.00	109.00	1.00	18	0.31	0.37	0.07	60
C19-306	109.00	110.35	1.35	28	0.36	0.32	0.03	70
C19-306	110.35	111.75	1.40	5	0.08	0.06	0.04	16
C19-306	111.75	113.75	2.00	10	0.17	0.12	0.22	37
C19-306	113.75	115.75	2.00	50	0.19	0.44	0.12	86
C19-306	115.75	117.75	2.00	18	0.23	0.03	0.05	40
C19-306	117.75	119.35	1.60	6	0.24	0.02	0.02	27
C19-306	119.35	121.35	2.00	17	0.11	0.21	0.19	41
C19-306	121.35	123.00	1.65	24	0.14	0.38	0.35	63
C19-306	123.00	124.70	1.70	8	0.08	0.07	0.18	24
C19-306	124.70	126.70	2.00	22	0.22	0.38	0.31	66
C19-306	126.70	128.70	2.00	12	0.17	0.16	0.27	43
C19-306	128.70	130.70	2.00	18	0.10	0.25	0.17	43
C19-306	130.70	132.70	2.00	36	0.17	0.60	0.23	81
C19-306	132.70	134.65	1.95	96	0.87	1.22	4.20	384
C19-306	134.65	136.65	2.00	77	0.20	1.24	0.28	148
C19-306	136.65	137.75	1.10	7	0.16	0.10	0.16	30
C19-306	137.75	138.85	1.10	9	0.10	0.15	0.06	24
C19-306	138.85	139.90	1.05	395	0.87	5.73	0.83	703
C19-306	139.90	141.00	1.10	119	0.28	1.60	0.47	217
C19-306	141.00	143.00	2.00	28	0.12	0.40	0.16	58
C19-306	143.00	145.00	2.00	24	0.13	0.36	0.23	56
C19-306	145.00	147.00	2.00	41	0.18	0.63	0.23	87
C19-306	147.00	149.00	2.00	37	0.32	0.43	0.44	97

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-306	149.00	151.00	2.00	13	0.17	0.07	0.08	32
C19-306	151.00	152.85	1.85	7	0.17	0.14	0.18	33
C19-306	152.85	154.85	2.00	2	0.08	0.01	0.00	8
C19-306	154.85	156.25	1.40	4	0.11	0.01	0.00	13
C19-306	156.25	157.70	1.45	42	0.23	0.64	1.27	135
C19-306	157.70	159.70	2.00	9	0.17	0.10	0.27	38
C19-306	159.70	161.70	2.00	15	0.10	0.21	0.25	41
C19-306	161.70	163.05	1.35	23	0.12	0.28	0.33	57
C19-306	163.05	165.05	2.00	15	0.16	0.09	0.17	38
C19-306	165.05	167.05	2.00	5	0.15	0.02	0.02	18
C19-306	167.05	169.05	2.00	2	0.24	0.01	0.06	24
C19-306	169.05	171.05	2.00	3	0.09	0.03	0.09	15
C19-306	171.05	172.10	1.05	3	0.07	0.03	0.05	11
C19-306	172.10	173.15	1.05	4	0.54	0.01	0.08	51
C19-306	173.15	175.15	2.00	1	0.23	0.01	0.05	22
C19-306	175.15	177.15	2.00	1	0.08	0.00	0.01	8
C19-306	177.15	178.35	1.20	0	0.04	0.00	0.01	4
C19-306	178.35	179.55	1.20	0	0.03	0.00	0.01	3
C19-306	179.55	181.55	2.00	3	0.16	0.02	0.07	20
C19-306	181.55	183.55	2.00	5	0.09	0.03	0.04	14
C19-306	183.55	185.00	1.45	10	0.12	0.13	0.12	30
C19-306	185.00	186.45	1.45	67	0.18	1.04	1.35	174
C19-306	186.45	188.45	2.00	16	0.05	0.24	0.29	40
C19-306	188.45	190.45	2.00	13	0.05	0.20	0.26	35
C19-306	190.45	192.45	2.00	13	0.04	0.20	0.13	29
C19-306	192.45	193.45	1.00	7	0.03	0.11	0.34	27
C19-306	193.45	194.50	1.05	7	0.04	0.09	0.19	22
C19-306	194.50	196.50	2.00	7	0.07	0.03	0.09	17
C19-306	196.50	198.50	2.00	6	0.07	0.08	0.33	27
C19-306	198.50	200.50	2.00	11	0.08	0.19	0.93	62
C19-306	200.50	201.00	0.50	16	0.23	0.02	0.02	36
C19-306	201.00	202.75	1.75	6	0.15	0.04	0.04	21
C19-306	202.75	203.75	1.00	8	0.13	0.02	0.03	20
C19-306	203.75	204.85	1.10	3	0.07	0.03	0.04	12
C19-306	204.85	206.85	2.00	19	0.10	0.33	0.37	53
C19-306	206.85	208.85	2.00	24	0.07	0.45	0.35	59
C19-306	208.85	209.95	1.10	10	0.06	0.21	0.35	36
C19-306	209.95	211.00	1.05	13	0.07	0.25	0.84	63
C19-306	211.00	213.00	2.00	9	0.06	0.15	0.23	28
C19-306	213.00	215.00	2.00	12	0.05	0.21	0.32	36
C19-306	215.00	217.00	2.00	8	0.03	0.13	0.11	20
C19-306	217.00	218.00	1.00	5	0.04	0.07	0.13	16
C19-306	218.00	219.85	1.85	20	0.14	0.30	1.85	119
C19-306	219.85	221.85	2.00	14	0.08	0.26	0.15	35
C19-306	221.85	223.85	2.00	5	0.08	0.07	0.13	19
C19-306	223.85	225.85	2.00	7	0.13	0.17	0.22	33
C19-306	225.85	227.85	2.00	8	0.10	0.19	0.29	35
C19-306	227.85	229.85	2.00	15	0.08	0.35	0.21	43
C19-306	229.85	231.85	2.00	7	0.05	0.15	0.09	20

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306

*Metal Prices used for AgEQ calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-306	231.85	233.40	1.55	3	0.05	0.06	0.06	12
C19-306	233.40	234.95	1.55	2	0.05	0.04	0.14	14
C19-306	234.95	236.95	2.00	5	0.09	0.08	0.12	20
C19-306	236.95	238.95	2.00	4	0.03	0.07	0.24	19
C19-306	238.95	240.95	2.00	40	0.08	0.86	0.74	107
C19-306	240.95	242.95	2.00	9	0.09	0.18	0.08	26
C19-306	242.95	244.95	2.00	4	0.06	0.06	0.09	14
C19-306	244.95	246.95	2.00	3	0.05	0.07	0.22	18
C19-306	246.95	248.95	2.00	1	0.02	0.06	0.28	16
C19-306	248.95	250.95	2.00	0	0.01	0.00	0.01	1
C19-306	250.95	252.95	2.00	0	0.01	0.00	0.01	1
C19-306	252.95	254.95	2.00	1	0.01	0.01	0.13	7
C19-306	254.95	256.95	2.00	0	0.02	0.00	0.01	2
C19-306	256.95	258.95	2.00	0	0.02	0.00	0.01	2
C19-306	258.95	260.95	2.00	0	0.01	0.00	0.00	1
C19-306	260.95	262.95	2.00	1	0.01	0.03	0.09	6
C19-306	262.95	264.95	2.00	0	0.01	0.00	0.00	1
C19-306	264.95	266.95	2.00	1	0.01	0.01	0.05	4
C19-306	266.95	267.90	0.95	1	0.04	0.03	0.15	11
C19-306	267.90	269.90	2.00	2	0.06	0.05	0.04	11
C19-306	269.90	271.90	2.00	11	0.04	0.28	0.18	31
C19-306	271.90	273.90	2.00	3	0.03	0.06	0.15	14
C19-306	273.90	275.90	2.00	7	0.05	0.15	0.32	30
C19-306	275.90	277.90	2.00	5	0.03	0.09	0.32	23
C19-306	277.90	279.10	1.20	2	0.04	0.02	0.10	9
C19-306	279.10	281.10	2.00	1	0.02	0.01	0.01	3
C19-306	281.10	283.10	2.00	1	0.02	0.01	0.04	5
C19-306	283.10	285.10	2.00	1	0.02	0.01	0.02	4
C19-306	285.10	287.10	2.00	2	0.03	0.07	0.25	17
C19-306	287.10	289.10	2.00	7	0.05	0.17	0.25	27
C19-306	289.10	291.00	1.90	13	0.03	0.29	0.34	39
C19-306	291.00	293.00	2.00	47	0.06	1.00	1.05	131
C19-306	293.00	295.00	2.00	16	0.07	0.38	1.58	100
C19-306	295.00	297.00	2.00	25	0.05	0.46	0.83	80
C19-306	297.00	299.00	2.00	5	0.00	0.09	0.07	11
C19-306	299.00	301.00	2.00	9	0.05	0.32	0.57	49
C19-306	301.00	302.80	1.80	11	0.06	0.26	0.63	51
C19-306	302.80	304.80	2.00	1	0.01	0.01	0.03	4
C19-306	304.80	306.80	2.00	1	0.01	0.00	0.02	3
C19-306	306.80	308.80	2.00	1	0.01	0.01	0.03	3
C19-306	308.80	310.10	1.30	1	0.02	0.01	0.03	4
C19-306	310.10	311.50	1.40	1	0.01	0.01	0.08	5
C19-306	311.50	313.05	1.55	2	0.01	0.07	0.42	23
C19-306	313.05	314.60	1.55	4	0.01	0.19	1.09	57
C19-306	314.60	315.45	0.85	23	0.04	0.74	2.27	146
C19-306	315.45	317.25	1.80	6	0.01	0.30	1.41	75
C19-306	317.25	319.25	2.00	9	0.01	0.26	3.35	158
C19-306	319.25	321.25	2.00	5	0.01	0.11	2.00	92
C19-306	321.25	322.30	1.05	11	0.01	0.30	1.74	94

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-306	322.30	323.40	1.10	4	0.01	0.16	1.56	75
C19-306	323.40	325.05	1.65	27	0.01	1.15	10.55	505
C19-306	325.05	326.45	1.40	10	0.01	0.45	3.02	152
C19-306	326.45	327.85	1.40	5	0.01	0.17	1.25	64
C19-306	327.85	329.85	2.00	2	0.02	0.03	0.10	9
C19-306	329.85	331.85	2.00	2	0.01	0.04	0.15	11
C19-306	331.85	333.85	2.00	2	0.02	0.02	0.03	6
C19-306	333.85	335.50	1.65	3	0.02	0.02	0.13	11
C19-306	335.50	336.90	1.40	9	0.01	0.28	1.46	80
C19-306	336.90	338.35	1.45	2	0.00	0.05	1.05	48
C19-306	338.35	339.95	1.60	10	0.01	0.43	2.34	123
C19-306	339.95	341.60	1.65	3	0.01	0.09	1.07	51
C19-306	341.60	343.60	2.00	7	0.01	0.01	0.03	9
C19-306	343.60	345.60	2.00	4	0.01	0.09	0.24	18
C19-306	345.60	347.20	1.60	4	0.00	0.12	0.14	14
C19-306	347.20	349.20	2.00	4	0.00	0.15	0.39	26
C19-306	349.20	350.80	1.60	8	0.02	0.23	1.25	69
C19-306	350.80	352.80	2.00	24	0.01	0.35	1.41	96
C19-306	352.80	354.00	1.20	4	0.00	0.09	0.50	28
C19-306	354.00	355.10	1.10	11	0.00	0.25	3.73	174
C19-306	355.10	356.20	1.10	29	0.01	1.27	4.89	277
C19-306	356.20	357.60	1.40	3	0.01	0.04	0.16	11
C19-306	357.60	358.80	1.20	7	0.01	0.23	1.50	78
C19-306	358.80	360.20	1.40	3	0.01	0.07	0.56	30
C19-306	360.20	361.70	1.50	5	0.01	0.20	1.25	65
C19-306	361.70	362.45	0.75	17	0.01	0.68	5.04	251
C19-306	362.45	363.75	1.30	3	0.01	0.11	0.51	29
C19-306	363.75	365.00	1.25	4	0.01	0.12	0.41	26
C19-306	365.00	367.00	2.00	17	0.01	0.66	2.17	132
C19-306	367.00	368.15	1.15	24	0.03	1.12	9.88	475
C19-306	368.15	370.30	2.15	11	0.00	0.27	2.32	117
C19-306	370.30	371.00	0.70	28	0.01	0.62	4.19	224
C19-306	371.00	373.00	2.00	21	0.01	0.61	3.92	206
C19-306	373.00	375.00	2.00	8	0.01	0.24	1.56	82
C19-306	375.00	376.30	1.30	12	0.01	0.52	3.37	171
C19-306	376.30	377.60	1.30	10	0.01	0.45	1.72	98
C19-306	377.60	378.40	0.80	8	0.03	0.37	1.55	87
C19-306	378.40	380.40	2.00	3	0.00	0.11	1.19	56
C19-306	380.40	382.40	2.00	5	0.00	0.16	0.71	40
C19-306	382.40	384.40	2.00	8	0.01	0.27	0.91	56
C19-306	384.40	386.40	2.00	8	0.00	0.24	0.77	49
C19-306	386.40	388.25	1.85	13	0.00	0.46	1.06	73
C19-306	388.25	389.60	1.35	21	0.00	0.49	2.75	153
C19-306	389.60	390.70	1.10	61	0.01	0.76	7.40	396
C19-306	390.70	392.70	2.00	23	0.01	0.73	5.28	269
C19-306	392.70	394.00	1.30	22	0.00	0.39	1.89	114
C19-306	394.00	395.30	1.30	22	0.01	0.45	2.46	140
C19-306	395.30	397.30	2.00	25	0.01	0.10	2.53	134
C19-306	397.30	399.30	2.00	97	0.01	0.23	2.37	204

Complete Assay Results For Cordero Project : Drill Holes C19-297 to C19-306**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C19-306	399.30	401.30	2.00	53	0.01	0.09	1.31	111
C19-306	401.30	403.30	2.00	37	0.01	0.12	0.81	76
C19-306	403.30	405.30	2.00	26	0.01	0.06	0.58	53
C19-306	405.30	407.30	2.00	7	0.00	0.03	0.42	26
C19-306	407.30	409.30	2.00	88	0.03	0.21	1.40	156
C19-306	409.30	411.30	2.00	81	0.01	0.17	1.06	132
C19-306	411.30	413.30	2.00	1	0.00	0.00	0.14	7
C19-306	413.30	415.30	2.00	78	0.01	0.24	2.99	211
C19-306	415.30	416.40	1.10	69	0.02	0.26	3.91	242
C19-306	416.40	417.50	1.10	64	0.03	0.37	2.84	198
C19-306	417.50	419.50	2.00	4	0.00	0.07	0.35	21
C19-306	419.50	421.00	1.50	7	0.01	0.14	0.32	26
C19-306	421.00	422.50	1.50	28	0.02	0.49	0.92	85
C19-306	422.50	424.50	2.00	1	0.00	0.01	0.09	6
C19-306	424.50	426.50	2.00	1	0.00	0.01	0.09	5
C19-306	426.50	428.30	1.80	1	0.00	0.00	0.09	5
C19-306	428.30	430.30	2.00	8	0.00	0.09	0.60	36
C19-306	430.30	432.30	2.00	9	0.01	0.12	0.59	38
C19-306	432.30	434.30	2.00	11	0.02	0.19	0.61	45
C19-306	434.30	436.30	2.00	2	0.00	0.02	0.12	8
C19-306	436.30	438.30	2.00	6	0.01	0.07	0.30	22
C19-306	438.30	439.60	1.30	19	0.01	0.19	1.61	93
C19-306	439.60	440.90	1.30	7	0.02	0.10	0.69	40