











Camp









Drill hole locations of Cordero holes - April 20, 2021 Press Release

Hole ID	Easting	Northing	Elevation (m)	Azimuth (deg)	Dip (deg)	Depth (m)
C20-393	442,970	3,014,129	1,614	135	-65	293
C20-398	442,896	3,014,213	1,595	135	-65	407
C20-399	443,387	3,014,709	1,597	135	-65	487
C20-400	443,466	3,014,561	1,614	135	-65	410
C20-402	442,828	3,014,278	1,585	135	-65	324
C20-403	443,336	3,014,617	1,602	135	-67	455
C20-405	442,949	3,014,299	1,598	135	-65	460
C20-406	443,539	3,014,494	1,603	135	-65	411
C20-407	443,331	3,014,558	1,604	135	-65	449
C21-410	443,532	3,014,427	1,603	135	-65	415
C21-411	442,887	3,014,279	1,592	135	-65	380
C21-412	443,213	3,014,455	1,616	135	-65	452
C21-414	442,897	3,014,137	1,586	135	-65	522

Complete Assay Results For Cordero Drill Holes - Apri 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-393	0.00	1.50	1.50	12	0.03	0.18	0.17	28
C20-393	1.50	3.00	1.50	14	0.03	0.15	0.15	28
C20-393	3.00	4.50	1.50	26	0.02	0.11	0.11	36
C20-393	4.50	6.00	1.50	32	0.06	0.09	0.16	47
C20-393	6.00	7.50	1.50	13	0.04	0.06	0.13	23
C20-393	7.50	9.00	1.50	10	0.02	0.09	0.17	22
C20-393	9.00	10.65	1.65	12	0.01	0.08	0.25	26
C20-393	10.65	12.00	1.35	32	0.02	0.05	0.15	41
C20-393	12.00	13.50	1.50	7	0.01	0.05	0.18	16
C20-393	13.50	14.30	0.80	9	0.02	0.03	0.14	17
C20-393	14.30	16.10	1.80	21	0.02	0.04	0.06	26
C20-393	16.10	17.40	1.30	18	0.04	0.02	0.12	27
C20-393	17.40	19.50	2.10	16	0.03	0.02	0.17	25
C20-393	19.50	21.20	1.70	10	0.01	0.01	0.15	18
C20-393	21.20	23.10	1.90	7	0.01	0.01	0.18	16
C20-393	23.10	24.90	1.80	5	0.04	0.01	0.19	17
C20-393	24.90	26.00	1.10	9	0.04	0.04	0.12	18
C20-393	26.00	27.30	1.30	6	0.03	0.13	0.13	19
C20-393	27.30	28.40	1.10	4	0.03	0.03	0.08	11
C20-393	28.40	30.00	1.60	4	0.02	0.02	0.11	11
C20-393	30.00	31.00	1.00	9	0.08	0.09	0.14	25
C20-393	31.00	31.80	0.80	25	0.07	0.14	0.39	52
C20-393	31.80	33.00	1.20	8	0.08	0.04	0.12	21
C20-393	33.00	35.00	2.00	4	0.05	0.02	0.10	13
C20-393	35.00	37.00	2.00	5	0.03	0.03	0.14	14
C20-393	37.00	38.05	1.05	5	0.06	0.07	0.07	15
C20-393	38.05	40.05	2.00	44	0.18	0.54	0.07	80
C20-393	40.05	40.70	0.65	45	0.14	0.46	0.06	75
C20-393	40.70	41.45	0.75	48	0.23	0.42	0.02	82
C20-393	41.45	42.95	1.50	23	0.10	0.27	0.05	43
C20-393	42.95	44.85	1.90	47	0.10	0.65	0.24	87
C20-393	44.85	45.80	0.95	246	0.16	6.17	3.86	637
C20-393	45.80	46.75	0.95	366	0.10	5.60	5.47	798
C20-393	46.75	47.35	0.60	11	0.04	0.13	0.29	31
C20-393	47.35	48.15	0.80	12	0.06	0.16	0.46	41
C20-393	48.15	49.50	1.35	15	0.08	0.22	0.24	39
C20-393	49.50	50.45	0.95	5	0.05	0.05	0.32	24
C20-393	50.45	53.55	3.10	38	0.11	0.10	0.70	79
C20-393	53.55	54.90	1.35	6	0.03	0.06	0.18	17
C20-393	54.90	55.30	0.40	13	0.03	0.11	0.11	24
C20-393	55.30	57.30	2.00	3	0.03	0.04	0.09	11
C20-393	57.30	59.30	2.00	3	0.02	0.03	0.05	7
C20-393	59.30	61.10	1.80	4	0.02	0.06	0.11	13
C20-393	61.10	62.15	1.05	6	0.02	0.06	0.06	13
C20-393	62.15	63.50	1.35	18	0.02	0.21	0.15	33
C20-393	63.50	63.80	0.30	223	0.20	1.62	1.39	354
C20-393	63.80	64.40	0.60	15	0.03	0.26	0.34	40
C20-393	64.40	66.00	1.60	8	0.02	0.10	0.13	19
C20-393	66.00	66.60	0.60	7	0.02	0.08	0.11	16
C20-393	66.60	68.60	2.00	6	0.05	0.08	0.15	18
C20-393	68.60	70.60	2.00	5	0.06	0.07	0.16	19
C20-393	70.60	71.30	0.70	10	0.05	0.10	0.35	31
C20-393	71.30	71.60	0.30	6	0.04	0.07	0.30	24
C20-393	71.60	73.00	1.40	10	0.03	0.12	0.24	26

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-393	73.00	74.15	1.15	12	0.04	0.14	0.24	30
C20-393	74.15	74.45	0.30	111	0.41	1.09	1.32	237
C20-393	74.45	75.30	0.85	15	0.30	0.18	0.28	57
C20-393	75.30	76.80	1.50	14	0.15	0.21	0.20	42
C20-393	76.80	77.70	0.90	9	0.04	0.12	0.25	26
C20-393	77.70	78.55	0.85	6	0.05	0.05	0.14	17
C20-393	78.55	79.20	0.65	6	0.03	0.03	0.19	17
C20-393	79.20	81.20	2.00	11	0.04	0.05	0.38	31
C20-393	81.20	83.20	2.00	10	0.03	0.08	0.11	20
C20-393	83.20	84.50	1.30	6	0.04	0.04	0.07	13
C20-393	84.50	84.85	0.35	7	0.05	0.02	0.15	18
C20-393	84.85	85.15	0.30	5	0.03	0.03	0.09	12
C20-393	85.15	87.10	1.95	3	0.02	0.01	0.05	7
C20-393	87.10	88.20	1.10	3	0.02	0.04	0.06	9
C20-393	88.20	88.50	0.30	3	0.02	0.02	0.05	7
C20-393	88.50	90.50	2.00	4	0.04	0.02	0.06	11
C20-393	90.50	92.15	1.65	6	0.02	0.03	0.09	12
C20-393	92.15	92.45	0.30	3	0.02	0.03	0.10	9
C20-393	92.45	93.05	0.60	5	0.04	0.04	0.06	12
C20-393	93.05	93.50	0.45	4	0.08	0.04	0.28	24
C20-393	93.50	93.90	0.40	44	0.86	0.58	4.42	318
C20-393	93.90	94.45	0.55	14	0.14	0.13	1.19	80
C20-393	94.45	95.20	0.75	44	0.08	0.60	0.32	86
C20-393	95.20	97.20	2.00	4	0.02	0.05	0.12	12
C20-393	97.20	99.20	2.00	2	0.01	0.01	0.13	8
C20-393	99.20	100.50	1.30	3	0.02	0.03	0.07	8
C20-393	100.50	101.15	0.65	6	0.03	0.04	0.19	17
C20-393	101.15	103.15	2.00	41	0.04	0.65	0.28	79
C20-393	103.15	105.15	2.00	12	0.03	0.17	0.22	29
C20-393	105.15	107.15	2.00	1	0.01	0.00	0.01	2
C20-393	107.15	109.15	2.00	1	0.00	0.00	0.02	2
C20-393	109.15	110.10	0.95	1	0.01	0.01	0.05	4
C20-393	110.10	112.10	2.00	1	0.01	0.01	0.01	2
C20-393	112.10	114.10	2.00	1	0.01	0.01	0.01	3
C20-393	114.10	115.90	1.80	5	0.02	0.07	0.04	10
C20-393	115.90	117.55	1.65	9	0.02	0.05	0.13	17
C20-393	117.55	118.60	1.05	14	0.02	0.08	0.17	26
C20-393	118.60	119.30	0.70	5	0.02	0.04	0.07	11
C20-393	119.30	120.90	1.60	8	0.03	0.05	0.10	17
C20-393	120.90	121.65	0.75	141	0.74	2.05	2.23	366
C20-393	121.65	123.65	2.00	5	0.01	0.05	0.15	13
C20-393	123.65	125.65	2.00	2	0.00	0.02	0.03	4
C20-393	125.65	127.65	2.00	7	0.00	0.18	0.07	17
C20-393	127.65	128.45	0.80	1	0.00	0.01	0.03	3
C20-393	128.45	129.70	1.25	1	0.00	0.01	0.03	3
C20-393	129.70	131.35	1.65	5	0.00	0.07	0.03	9
C20-393	131.35	132.90	1.55	13	0.01	0.20	0.13	26
C20-393	132.90	133.50	0.60	3	0.00	0.03	0.04	6
C20-393	133.50	134.50	1.00	2	0.00	0.02	0.01	4
C20-393	134.50	135.00	0.50	25	0.01	0.33	0.98	78
C20-393	135.00	136.30	1.30	49	0.01	0.71	0.69	104
C20-393	136.30	136.65	0.35	132	0.02	1.94	1.35	258
C20-393	136.65	137.00	0.35	3	0.00	0.02	0.02	4
C20-393	137.00	138.85	1.85	5	0.00	0.07	0.09	11
C20-393	138.85	140.00	1.15	5	0.01	0.06	0.07	10

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-393	140.00	141.30	1.30	14	0.00	0.22	0.52	43
C20-393	141.30	143.20	1.90	5	0.01	0.04	0.05	9
C20-393	143.20	144.30	1.10	27	0.01	0.29	0.11	42
C20-393	144.30	145.55	1.25	4	0.00	0.05	0.05	8
C20-393	145.55	147.15	1.60	30	0.02	0.51	0.39	66
C20-393	147.15	148.75	1.60	12	0.06	0.19	0.05	25
C20-393	148.75	149.55	0.80	2	0.04	0.02	0.01	7
C20-393	149.55	150.65	1.10	73	0.28	1.20	3.38	278
C20-393	150.65	151.35	0.70	4	0.01	0.06	0.07	10
C20-393	151.35	152.30	0.95	5	0.01	0.07	0.10	12
C20-393	152.30	152.65	0.35	1,040	0.06	15.70	23.00	2,552
C20-393	152.65	153.05	0.40	66	0.01	1.06	1.82	179
C20-393	153.05	154.50	1.45	35	0.02	0.68	1.07	105
C20-393	154.50	155.50	1.00	36	0.02	0.63	1.46	120
C20-393	155.50	156.45	0.95	42	0.01	0.50	2.36	158
C20-393	156.45	157.70	1.25	33	0.02	0.63	1.02	99
C20-393	157.70	159.60	1.90	4	0.01	0.07	0.05	9
C20-393	159.60	160.10	0.50	60	0.10	1.46	1.91	199
C20-393	160.10	161.80	1.70	9	0.02	0.24	0.23	29
C20-393	161.80	162.55	0.75	4	0.02	0.11	0.09	13
C20-393	162.55	163.10	0.55	18	0.01	0.34	1.24	82
C20-393	163.10	164.10	1.00	51	0.05	0.96	1.65	157
C20-393	164.10	165.25	1.15	12	0.00	0.20	1.48	80
C20-393	165.25	166.35	1.10	18	0.02	0.56	0.71	69
C20-393	166.35	167.30	0.95	52	0.02	0.84	3.15	214
C20-393	167.30	168.40	1.10	21	0.01	0.26	1.90	109
C20-393	168.40	169.60	1.20	32	0.01	0.52	2.43	152
C20-393	169.60	169.90	0.30	29	0.02	0.65	1.73	125
C20-393	169.90	170.80	0.90	29	0.01	0.58	1.40	109
C20-393	170.80	171.85	1.05	69	0.03	1.68	4.97	336
C20-393	171.85	173.05	1.20	4	0.01	0.07	0.08	11
C20-393	173.05	173.45	0.40	16	0.01	0.29	1.88	105
C20-393	173.45	174.60	1.15	18	0.00	0.25	2.44	129
C20-393	174.60	176.55	1.95	3	0.00	0.06	0.30	18
C20-393	176.55	177.00	0.45	22	0.01	0.31	1.72	105
C20-393	177.00	178.20	1.20	4	0.02	0.10	0.16	16
C20-393	178.20	178.50	0.30	74	0.04	1.88	9.97	557
C20-393	178.50	179.20	0.70	11	0.03	0.25	0.54	45
C20-393	179.20	180.60	1.40	14	0.02	0.34	0.55	50
C20-393	180.60	181.10	0.50	2	0.03	0.03	0.06	9
C20-393	181.10	182.50	1.40	1	0.01	0.01	0.01	3
C20-393	182.50	184.15	1.65	2	0.01	0.01	0.01	4
C20-393	184.15	184.50	0.35	55	0.08	1.28	6.07	359
C20-393	184.50	185.55	1.05	4	0.03	0.08	0.02	10
C20-393	185.55	186.00	0.45	65	0.11	1.47	1.59	192
C20-393	186.00	186.85	0.85	16	0.05	0.44	0.79	68
C20-393	186.85	187.60	0.75	72	0.12	1.67	3.41	282
C20-393	187.60	189.20	1.60	1	0.02	0.01	0.02	4
C20-393	189.20	191.05	1.85	2	0.01	0.05	0.03	6
C20-393	191.05	191.35	0.30	7	0.02	0.28	0.09	22
C20-393	191.35	192.45	1.10	1	0.01	0.03	0.01	3
C20-393	192.45	192.75	0.30	39	0.04	1.04	2.00	162
C20-393	192.75	193.10	0.35	10	0.02	0.44	0.26	38
C20-393	193.10	195.10	2.00	2	0.01	0.04	0.04	6
C20-393	195.10	196.50	1.40	3	0.01	0.03	0.05	6

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-393	196.50	197.50	1.00	3	0.01	0.02	0.09	8
C20-393	197.50	198.05	0.55	5	0.02	0.02	0.04	9
C20-393	198.05	198.35	0.30	4	0.02	0.04	0.14	13
C20-393	198.35	199.75	1.40	5	0.03	0.03	0.03	10
C20-393	199.75	200.55	0.80	3	0.02	0.02	0.04	6
C20-393	200.55	200.95	0.40	1	0.01	0.00	0.01	3
C20-393	200.95	201.65	0.70	2	0.02	0.01	0.02	4
C20-393	201.65	202.50	0.85	1	0.01	0.00	0.02	2
C20-393	202.50	203.45	0.95	2	0.02	0.01	0.03	5
C20-393	203.45	204.05	0.60	1	0.01	0.00	0.01	3
C20-393	204.05	205.55	1.50	4	0.02	0.01	0.01	6
C20-393	205.55	206.70	1.15	2	0.03	0.03	0.06	7
C20-393	206.70	207.65	0.95	3	0.02	0.01	0.03	6
C20-393	207.65	208.50	0.85	4	0.02	0.01	0.01	7
C20-393	208.50	209.05	0.55	3	0.01	0.01	0.01	4
C20-393	209.05	210.45	1.40	3	0.03	0.01	0.01	6
C20-393	210.45	211.25	0.80	9	0.03	0.12	0.70	45
C20-393	211.25	212.45	1.20	4	0.03	0.06	0.23	18
C20-393	212.45	213.00	0.55	1	0.01	0.01	0.02	3
C20-393	213.00	213.95	0.95	3	0.02	0.03	0.07	8
C20-393	213.95	214.85	0.90	4	0.02	0.01	0.01	7
C20-393	214.85	216.40	1.55	3	0.01	0.00	0.01	3
C20-393	216.40	217.15	0.75	3	0.01	0.00	0.02	4
C20-393	217.15	219.15	2.00	4	0.01	0.02	0.01	6
C20-393	219.15	219.80	0.65	6	0.02	0.08	0.04	12
C20-393	219.80	220.45	0.65	4	0.01	0.01	0.01	5
C20-393	220.45	221.05	0.60	7	0.02	0.07	0.05	12
C20-393	221.05	222.50	1.45	2	0.01	0.01	0.00	3
C20-393	222.50	223.65	1.15	2	0.01	0.02	0.01	3
C20-393	223.65	225.25	1.60	1	0.00	0.00	0.00	2
C20-393	225.25	225.80	0.55	1	0.00	0.00	0.00	1
C20-393	225.80	227.10	1.30	3	0.01	0.05	0.04	7
C20-393	227.10	227.40	0.30	6	0.00	0.00	0.01	7
C20-393	227.40	228.50	1.10	1	0.00	0.00	0.01	1
C20-393	228.50	229.50	1.00	1	0.00	0.01	0.02	2
C20-393	229.50	230.40	0.90	2	0.00	0.00	0.00	3
C20-393	230.40	230.70	0.30	3	0.00	0.00	0.01	4
C20-393	230.70	231.70	1.00	2	0.00	0.00	0.01	2
C20-393	231.70	233.15	1.45	4	0.01	0.04	0.06	9
C20-393	233.15	233.45	0.30	29	0.02	0.16	0.01	37
C20-393	233.45	235.45	2.00	4	0.01	0.01	0.02	5
C20-393	235.45	236.35	0.90	3	0.01	0.01	0.03	5
C20-393	236.35	236.65	0.30	3	0.01	0.01	0.03	5
C20-393	236.65	238.40	1.75	4	0.01	0.01	0.04	6
C20-393	238.40	239.60	1.20	3	0.00	0.02	0.02	4
C20-393	239.60	239.90	0.30	2	0.00	0.01	0.03	4
C20-393	239.90	240.50	0.60	2	0.00	0.01	0.02	4
C20-393	240.50	241.00	0.50	1	0.01	0.01	0.02	3
C20-393	241.00	241.80	0.80	2	0.01	0.00	0.02	4
C20-393	241.80	242.40	0.60	2	0.01	0.00	0.01	3
C20-393	242.40	244.40	2.00	1	0.00	0.00	0.02	2
C20-393	244.40	246.40	2.00	30	0.03	0.66	0.68	84
C20-393	246.40	248.20	1.80	5	0.01	0.11	0.23	19
C20-393	248.20	248.50	0.30	4	0.00	0.08	0.16	13
C20-393	248.50	250.45	1.95	13	0.02	0.13	0.27	30

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-393	250.45	251.50	1.05	46	0.04	0.92	1.82	156
C20-393	251.50	252.50	1.00	5	0.02	0.05	0.06	11
C20-393	252.50	253.95	1.45	2	0.00	0.01	0.04	4
C20-393	253.95	254.30	0.35	4	0.03	0.05	0.16	15
C20-393	254.30	254.75	0.45	4	0.01	0.06	0.64	33
C20-393	254.75	255.10	0.35	4	0.00	0.06	0.29	18
C20-393	255.10	255.75	0.65	10	0.01	0.10	0.87	50
C20-393	255.75	256.30	0.55	5	0.01	0.08	0.73	39
C20-393	256.30	256.80	0.50	11	0.00	0.31	3.98	187
C20-393	256.80	257.20	0.40	12	0.01	0.30	2.11	111
C20-393	257.20	257.70	0.50	2	0.00	0.06	0.49	25
C20-393	257.70	258.45	0.75	1	0.00	0.03	0.14	8
C20-393	258.45	259.65	1.20	3	0.02	0.06	0.47	27
C20-393	259.65	260.55	0.90	1	0.01	0.02	0.02	3
C20-393	260.55	262.45	1.90	2	0.01	0.08	0.11	10
C20-393	262.45	263.45	1.00	2	0.00	0.02	0.14	8
C20-393	263.45	264.25	0.80	9	0.03	0.29	0.47	41
C20-393	264.25	264.60	0.35	82	0.12	2.33	2.48	277
C20-393	264.60	265.30	0.70	1	0.01	0.02	0.01	3
C20-393	265.30	267.00	1.70	2	0.01	0.01	0.03	4
C20-393	267.00	267.30	0.30	1,830	0.01	0.01	0.05	1,833
C20-393	267.30	269.05	1.75	5	0.00	0.03	0.02	7
C20-393	269.05	269.85	0.80	1	0.00	0.01	0.03	3
C20-393	269.85	270.30	0.45	14	0.00	0.01	0.04	16
C20-393	270.30	272.30	2.00	1	0.00	0.00	0.02	2
C20-393	272.30	274.30	2.00	0	0.00	0.00	0.01	1
C20-393	274.30	276.30	2.00	3	0.00	0.01	0.02	4
C20-393	276.30	278.30	2.00	2	0.01	0.03	0.13	9
C20-393	278.30	280.30	2.00	2	0.00	0.01	0.04	4
C20-393	280.30	282.10	1.80	2	0.01	0.01	0.04	4
C20-393	282.10	282.40	0.30	325	0.35	6.16	9.12	949
C20-393	282.40	282.70	0.30	360	0.27	4.51	5.41	765
C20-393	282.70	283.30	0.60	124	0.18	2.35	4.38	403
C20-393	283.30	283.60	0.30	155	0.33	2.75	12.25	787
C20-393	283.60	285.60	2.00	4	0.00	0.03	0.07	8
C20-393	285.60	287.60	2.00	2	0.00	0.01	0.02	3
C20-393	287.60	289.60	2.00	1	0.02	0.01	0.04	5
C20-393	289.60	291.60	2.00	0	0.00	0.01	0.03	2
C20-393	291.60	292.40	0.80	1	0.00	0.01	0.03	3
C20-393	292.40	294.40	2.00	0	0.00	0.01	0.02	2
C20-393	294.40	296.00	1.60	2	0.00	0.01	0.02	3
C20-393	296.00	297.90	1.90	2	0.00	0.01	0.03	3
C20-393	297.90	298.75	0.85	3	0.00	0.01	0.02	4
C20-393	298.75	300.40	1.65	2	0.00	0.02	0.14	8
C20-393	300.40	300.80	0.40	1	0.00	0.00	0.03	3
C20-393	300.80	302.80	2.00	1	0.00	0.00	0.06	4
C20-393	302.80	303.40	0.60	1	0.00	0.00	0.03	2
C20-393	303.40	305.40	2.00	1	0.00	0.00	0.05	3
C20-393	305.40	307.40	2.00	2	0.00	0.02	0.09	7
C20-393	307.40	307.75	0.35	2	0.01	0.02	0.05	6
C20-393	307.75	308.15	0.40	2	0.01	0.01	0.02	4
C20-393	308.15	309.20	1.05	1	0.00	0.01	0.02	2
C20-393	309.20	311.20	2.00	2	0.01	0.02	0.08	7
C20-393	311.20	313.05	1.85	2	0.01	0.01	0.05	5
C20-393	313.05	315.00	1.95	1	0.00	0.01	0.05	3

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-393	315.00	315.60	0.60	3	0.00	0.03	0.44	23
C20-393	315.60	316.00	0.40	9	0.04	0.14	0.83	51
C20-393	316.00	316.40	0.40	29	0.13	0.64	1.71	133
C20-393	316.40	317.00	0.60	4	0.01	0.09	0.49	29
C20-393	317.00	318.40	1.40	1	0.00	0.02	0.23	11
C20-393	318.40	320.40	2.00	2	0.02	0.05	0.09	9
C20-393	320.40	322.40	2.00	3	0.01	0.02	0.28	16
C20-393	322.40	324.30	1.90	2	0.02	0.01	0.04	5
C20-393	324.30	325.00	0.70	1	0.00	0.02	0.09	5
C20-393	325.00	325.60	0.60	10	0.20	0.34	0.38	54
C20-393	325.60	325.90	0.30	26	0.14	0.88	4.91	272
C20-393	325.90	327.90	2.00	2	0.02	0.03	0.10	9
C20-393	327.90	329.70	1.80	1	0.00	0.03	0.06	5
C20-393	329.70	331.10	1.40	2	0.01	0.04	0.10	8
C20-393	331.10	333.10	2.00	2	0.01	0.02	0.05	5
C20-393	333.10	334.10	1.00	3	0.01	0.01	0.05	6
C20-393	334.10	335.00	0.90	10	0.03	0.39	0.61	51
C20-393	335.00	335.30	0.30	32	0.05	1.18	1.79	151
C20-393	335.30	335.85	0.55	2	0.00	0.06	0.29	17
C20-393	335.85	336.90	1.05	2	0.01	0.03	0.15	10
C20-393	336.90	338.35	1.45	2	0.01	0.03	0.05	6
C20-393	338.35	340.35	2.00	3	0.01	0.07	0.14	12
C20-393	340.35	340.65	0.30	46	0.08	1.46	1.31	158
C20-393	340.65	340.95	0.30	25	0.08	0.73	0.80	91
C20-393	340.95	341.35	0.40	3	0.02	0.04	0.25	16
C20-393	341.35	342.55	1.20	5	0.01	0.13	0.13	16
C20-393	342.55	342.85	0.30	6	0.01	0.29	0.52	38
C20-393	342.85	343.35	0.50	1	0.01	0.00	0.03	3
C20-393	343.35	343.70	0.35	7	0.00	0.30	0.26	29
C20-393	343.70	345.00	1.30	1	0.00	0.01	0.06	4
C20-393	345.00	346.70	1.70	1	0.00	0.01	0.04	3
C20-393	346.70	347.70	1.00	1	0.01	0.01	0.06	4
C20-393	347.70	349.50	1.80	1	0.00	0.01	0.03	2
C20-393	349.50	351.50	2.00	2	0.02	0.01	0.02	5
C20-393	351.50	352.00	0.50	2	0.01	0.06	0.41	22
C20-393	352.00	352.70	0.70	2	0.00	0.07	0.47	24
C20-393	352.70	353.30	0.60	4	0.01	0.06	1.54	70
C20-393	353.30	354.25	0.95	1	0.01	0.02	0.08	6
C20-393	354.25	354.90	0.65	2	0.01	0.04	0.10	8
C20-393	354.90	355.75	0.85	1	0.01	0.03	0.22	12
C20-393	355.75	356.25	0.50	1	0.01	0.01	0.10	7
C20-393	356.25	358.25	2.00	1	0.00	0.02	0.07	5
C20-393	358.25	360.25	2.00	1	0.01	0.01	0.03	3
C20-393	360.25	362.25	2.00	1	0.01	0.01	0.14	8
C20-393	362.25	363.75	1.50	2	0.01	0.01	0.02	4
C20-393	363.75	365.15	1.40	4	0.02	0.21	0.27	24
C20-393	365.15	367.15	2.00	2	0.02	0.02	0.04	6
C20-393	367.15	367.70	0.55	4	0.02	0.05	0.17	15
C20-393	367.70	368.00	0.30	14	0.02	0.28	1.84	101
C20-393	368.00	368.30	0.30	12	0.04	0.23	2.25	116
C20-393	368.30	370.25	1.95	3	0.03	0.07	0.32	21
C20-393	370.25	370.80	0.55	10	0.09	0.23	1.48	87
C20-393	370.80	371.45	0.65	10	0.15	0.25	0.51	52
C20-393	371.45	371.95	0.50	3	0.09	0.04	0.12	17
C20-393	371.95	372.45	0.50	162	0.16	4.33	3.73	482

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-393	372.45	374.45	2.00	8	0.01	0.20	0.15	22
C20-393	374.45	374.75	0.30	12	0.02	0.30	0.22	33
C20-393	374.75	375.05	0.30	13	0.04	0.36	0.68	57
C20-393	375.05	375.35	0.30	231	0.23	5.10	8.05	763
C20-393	375.35	376.25	0.90	15	0.02	0.38	0.52	51
C20-393	376.25	376.55	0.30	23	0.03	0.56	0.91	83
C20-393	376.55	378.55	2.00	2	0.02	0.03	0.05	6
C20-393	378.55	380.00	1.45	1	0.01	0.03	0.05	6
C20-393	380.00	380.80	0.80	2	0.01	0.05	0.07	7
C20-393	380.80	382.80	2.00	1	0.01	0.01	0.03	3
C20-393	382.80	384.45	1.65	1	0.01	0.02	0.05	4
C20-393	384.45	385.50	1.05	1	0.01	0.01	0.01	2
C20-393	385.50	387.50	2.00	1	0.01	0.01	0.01	2
C20-393	387.50	387.90	0.40	4	0.02	0.10	0.22	19
C20-393	387.90	389.90	2.00	1	0.01	0.01	0.04	3
C20-393	389.90	391.20	1.30	1	0.01	0.02	0.05	4
C20-393	391.20	392.25	1.05	1	0.01	0.02	0.05	5
C20-393	392.25	393.60	1.35	1	0.01	0.01	0.03	3
C20-393	393.60	395.60	2.00	1	0.01	0.02	0.05	4
C20-393	395.60	397.60	2.00	1	0.01	0.01	0.04	3
C20-393	397.60	399.60	2.00	2	0.01	0.05	0.14	10
C20-393	399.60	401.20	1.60	1	0.01	0.03	0.06	5
C20-393	401.20	402.40	1.20	1	0.01	0.02	0.02	4
C20-393	402.40	404.40	2.00	1	0.01	0.01	0.11	7
C20-393	404.40	406.40	2.00	1	0.00	0.01	0.03	2
C20-393	406.40	406.90	0.50	0	0.01	0.00	0.01	1
C20-393	406.90	408.90	2.00	1	0.01	0.01	0.04	4
C20-393	408.90	410.90	2.00	0	0.00	0.00	0.01	1
C20-393	410.90	412.90	2.00	1	0.00	0.00	0.03	2
C20-393	412.90	414.90	2.00	0	0.01	0.00	0.02	2
C20-393	414.90	416.30	1.40	1	0.01	0.01	0.05	4
C20-398	0.00	3.00	3.00	8	0.02	0.01	0.04	11
C20-398	3.00	4.50	1.50	9	0.02	0.01	0.03	12
C20-398	4.50	6.20	1.70	8	0.05	0.03	0.04	15
C20-398	6.20	7.70	1.50	18	0.06	0.04	0.07	26
C20-398	7.70	9.00	1.30	10	0.06	0.07	0.13	22
C20-398	9.00	12.00	3.00	12	0.02	0.04	0.07	17
C20-398	12.00	14.00	2.00	5	0.01	0.01	0.07	9
C20-398	14.00	16.00	2.00	1	0.02	0.01	0.04	5
C20-398	16.00	18.00	2.00	5	0.04	0.02	0.05	11
C20-398	18.00	21.00	3.00	5	0.01	0.02	0.05	8
C20-398	21.00	24.00	3.00	3	0.01	0.03	0.07	8
C20-398	24.00	25.40	1.40	3	0.03	0.03	0.07	9
C20-398	25.40	27.00	1.60	3	0.05	0.04	0.06	11
C20-398	27.00	29.00	2.00	1	0.01	0.02	0.03	4
C20-398	29.00	31.00	2.00	4	0.02	0.01	0.08	8
C20-398	31.00	33.00	2.00	2	0.01	0.01	0.06	5
C20-398	33.00	34.25	1.25	2	0.02	0.01	0.07	6
C20-398	34.25	35.30	1.05	4	0.05	0.02	0.08	13
C20-398	35.30	37.30	2.00	8	0.04	0.01	0.06	15
C20-398	37.30	39.30	2.00	2	0.03	0.02	0.04	7
C20-398	39.30	41.30	2.00	2	0.02	0.01	0.02	4
C20-398	41.30	43.30	2.00	1	0.02	0.01	0.01	3
C20-398	43.30	45.30	2.00	2	0.02	0.01	0.01	5
C20-398	45.30	47.30	2.00	1	0.02	0.01	0.02	4

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-398	47.30	49.30	2.00	1	0.03	0.01	0.02	4
C20-398	49.30	50.00	0.70	0	0.02	0.01	0.03	4
C20-398	50.00	50.65	0.65	2	0.03	0.02	0.05	7
C20-398	50.65	51.70	1.05	12	0.03	0.03	0.14	22
C20-398	51.70	52.00	0.30	3	0.02	0.02	0.10	9
C20-398	52.00	52.80	0.80	1	0.01	0.01	0.04	4
C20-398	52.80	53.30	0.50	2	0.02	0.02	0.05	6
C20-398	53.30	53.80	0.50	4	0.02	0.04	0.10	11
C20-398	53.80	55.20	1.40	1	0.02	0.01	0.04	5
C20-398	55.20	56.65	1.45	1	0.01	0.00	0.04	4
C20-398	56.65	58.65	2.00	1	0.01	0.00	0.03	3
C20-398	58.65	59.80	1.15	1	0.00	0.00	0.03	2
C20-398	59.80	60.40	0.60	1	0.01	0.00	0.06	4
C20-398	60.40	61.65	1.25	1	0.01	0.00	0.05	3
C20-398	61.65	62.65	1.00	1	0.01	0.00	0.06	5
C20-398	62.65	64.50	1.85	1	0.01	0.00	0.05	4
C20-398	64.50	67.70	3.20	1	0.01	0.00	0.09	5
C20-398	67.70	68.10	0.40	0	0.01	0.00	0.05	3
C20-398	68.10	69.00	0.90	1	0.02	0.00	0.04	4
C20-398	69.00	71.40	2.40	1	0.01	0.00	0.05	3
C20-398	71.40	72.00	0.60	1	0.01	0.00	0.11	5
C20-398	72.00	72.80	0.80	1	0.00	0.00	0.04	3
C20-398	72.80	75.00	2.20	1	0.01	0.00	0.04	3
C20-398	75.00	77.55	2.55	1	0.01	0.01	0.07	5
C20-398	77.55	78.50	0.95	1	0.01	0.01	0.04	4
C20-398	78.50	79.15	0.65	3	0.02	0.03	0.08	9
C20-398	79.15	81.00	1.85	1	0.01	0.01	0.04	4
C20-398	81.00	82.55	1.55	1	0.03	0.01	0.04	6
C20-398	82.55	84.00	1.45	2	0.02	0.03	0.07	8
C20-398	84.00	85.10	1.10	2	0.01	0.03	0.08	7
C20-398	85.10	87.10	2.00	5	0.01	0.01	0.19	14
C20-398	87.10	87.50	0.40	4	0.01	0.01	0.26	16
C20-398	87.50	88.35	0.85	3	0.01	0.01	0.09	8
C20-398	88.35	88.65	0.30	2	0.00	0.02	0.02	3
C20-398	88.65	89.80	1.15	1	0.00	0.01	0.02	3
C20-398	89.80	90.50	0.70	17	0.00	0.07	0.78	52
C20-398	90.50	92.00	1.50	2	0.00	0.01	0.08	6
C20-398	92.00	92.70	0.70	1	0.00	0.01	0.08	5
C20-398	92.70	93.00	0.30	3	0.00	0.03	0.11	9
C20-398	93.00	93.30	0.30	4	0.00	0.03	0.19	13
C20-398	93.30	94.25	0.95	2	0.00	0.01	0.08	6
C20-398	94.25	95.00	0.75	10	0.00	0.06	0.30	24
C20-398	95.00	95.45	0.45	3	0.00	0.01	0.12	9
C20-398	95.45	96.35	0.90	3	0.01	0.02	0.10	8
C20-398	96.35	97.00	0.65	4	0.00	0.02	0.38	20
C20-398	97.00	97.30	0.30	10	0.00	0.06	2.06	98
C20-398	97.30	98.15	0.85	4	0.01	0.01	0.27	16
C20-398	98.15	100.15	2.00	3	0.00	0.01	0.16	11
C20-398	100.15	102.15	2.00	3	0.00	0.02	0.17	11
C20-398	102.15	104.15	2.00	3	0.01	0.02	0.10	8
C20-398	104.15	105.40	1.25	2	0.00	0.01	0.03	3
C20-398	105.40	106.50	1.10	4	0.00	0.03	0.09	9
C20-398	106.50	107.20	0.70	20	0.00	0.18	1.42	85
C20-398	107.20	107.90	0.70	60	0.01	0.38	2.57	180
C20-398	107.90	109.30	1.40	3	0.00	0.01	0.05	5

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-398	109.30	109.60	0.30	4	0.01	0.01	0.07	7
C20-398	109.60	111.10	1.50	2	0.00	0.01	0.02	3
C20-398	111.10	111.45	0.35	1	0.00	0.01	0.03	3
C20-398	111.45	112.45	1.00	6	0.00	0.04	0.13	13
C20-398	112.45	114.25	1.80	23	0.01	0.26	1.18	82
C20-398	114.25	115.65	1.40	1	0.00	0.01	0.04	4
C20-398	115.65	117.65	2.00	3	0.01	0.01	0.03	5
C20-398	117.65	118.20	0.55	4	0.04	0.02	0.03	9
C20-398	118.20	119.00	0.80	3	0.04	0.04	0.04	10
C20-398	119.00	119.45	0.45	3	0.01	0.06	0.20	14
C20-398	119.45	120.30	0.85	5	0.01	0.05	0.18	16
C20-398	120.30	121.70	1.40	0	0.00	0.00	0.06	3
C20-398	121.70	123.70	2.00	2	0.00	0.01	0.05	4
C20-398	123.70	125.70	2.00	2	0.00	0.01	0.03	4
C20-398	125.70	126.35	0.65	2	0.01	0.01	0.02	3
C20-398	126.35	127.40	1.05	1	0.00	0.00	0.01	1
C20-398	127.40	127.85	0.45	4	0.03	0.06	0.07	11
C20-398	127.85	129.85	2.00	3	0.03	0.02	0.03	7
C20-398	129.85	131.85	2.00	3	0.04	0.02	0.05	8
C20-398	131.85	132.15	0.30	2	0.01	0.01	0.02	4
C20-398	132.15	134.15	2.00	1	0.01	0.00	0.04	3
C20-398	134.15	134.45	0.30	1	0.01	0.01	0.07	5
C20-398	134.45	135.15	0.70	2	0.00	0.02	0.05	6
C20-398	135.15	136.95	1.80	2	0.00	0.01	0.04	4
C20-398	136.95	137.25	0.30	2	0.00	0.02	0.09	6
C20-398	137.25	138.00	0.75	1	0.00	0.01	0.07	5
C20-398	138.00	138.50	0.50	1	0.00	0.00	0.03	2
C20-398	138.50	139.15	0.65	1	0.00	0.01	0.02	2
C20-398	139.15	139.60	0.45	28	0.01	0.41	2.00	125
C20-398	139.60	139.90	0.30	1	0.00	0.02	0.01	3
C20-398	139.90	140.20	0.30	3	0.00	0.05	0.04	6
C20-398	140.20	141.85	1.65	1	0.00	0.01	0.02	2
C20-398	141.85	142.15	0.30	0	0.00	0.00	0.01	1
C20-398	142.15	143.10	0.95	11	0.00	0.17	1.35	74
C20-398	143.10	143.50	0.40	1	0.01	0.02	0.06	5
C20-398	143.50	143.80	0.30	11	0.01	0.19	1.43	78
C20-398	143.80	144.65	0.85	1	0.01	0.01	0.03	4
C20-398	144.65	145.15	0.50	12	0.01	0.21	1.31	74
C20-398	145.15	145.50	0.35	14	0.01	0.31	0.86	62
C20-398	145.50	145.80	0.30	9	0.01	0.18	1.60	83
C20-398	145.80	146.50	0.70	2	0.01	0.03	0.05	5
C20-398	146.50	148.05	1.55	3	0.01	0.06	0.14	12
C20-398	148.05	148.85	0.80	3	0.00	0.03	0.31	18
C20-398	148.85	150.60	1.75	1	0.00	0.01	0.03	3
C20-398	150.60	152.20	1.60	10	0.01	0.11	0.84	50
C20-398	152.20	152.75	0.55	4	0.01	0.04	0.29	18
C20-398	152.75	153.20	0.45	19	0.19	0.25	1.34	98
C20-398	153.20	153.50	0.30	25	0.78	0.44	0.38	120
C20-398	153.50	153.85	0.35	43	0.23	0.87	2.66	203
C20-398	153.85	154.20	0.35	25	0.09	0.56	0.82	86
C20-398	154.20	154.50	0.30	26	0.02	0.45	2.33	140
C20-398	154.50	154.90	0.40	25	0.02	0.45	1.80	117
C20-398	154.90	155.20	0.30	27	0.01	0.41	1.65	111
C20-398	155.20	156.50	1.30	40	0.01	0.57	3.26	196
C20-398	156.50	157.00	0.50	44	0.01	0.36	2.53	162

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-398	157.00	157.50	0.50	4	0.01	0.05	0.31	19
C20-398	157.50	158.25	0.75	34	0.06	0.39	2.02	136
C20-398	158.25	160.25	2.00	1	0.02	0.02	0.03	5
C20-398	160.25	162.25	2.00	3	0.04	0.04	0.06	10
C20-398	162.25	164.25	2.00	2	0.05	0.02	0.02	8
C20-398	164.25	166.25	2.00	3	0.14	0.02	0.03	16
C20-398	166.25	168.25	2.00	2	0.18	0.03	0.03	19
C20-398	168.25	170.25	2.00	4	0.09	0.08	0.10	19
C20-398	170.25	171.50	1.25	3	0.17	0.06	0.10	23
C20-398	171.50	172.75	1.25	8	0.12	0.15	0.32	36
C20-398	172.75	173.30	0.55	3	0.06	0.04	0.26	20
C20-398	173.30	174.00	0.70	22	0.17	0.52	0.93	93
C20-398	174.00	174.85	0.85	5	0.09	0.12	0.09	20
C20-398	174.85	175.15	0.30	9	0.23	0.22	0.27	47
C20-398	175.15	176.65	1.50	10	0.06	0.23	0.44	41
C20-398	176.65	177.00	0.35	14	0.07	0.24	0.39	44
C20-398	177.00	178.00	1.00	4	0.06	0.08	0.09	16
C20-398	178.00	180.00	2.00	6	0.06	0.13	0.28	27
C20-398	180.00	180.30	0.30	4	0.06	0.08	0.35	26
C20-398	180.30	182.00	1.70	9	0.05	0.18	0.31	32
C20-398	182.00	183.00	1.00	80	0.08	1.43	0.85	172
C20-398	183.00	183.30	0.30	8	0.05	0.17	0.18	26
C20-398	183.30	184.50	1.20	3	0.05	0.07	0.12	15
C20-398	184.50	186.50	2.00	4	0.05	0.06	0.08	13
C20-398	186.50	187.00	0.50	9	0.08	0.15	0.22	30
C20-398	187.00	187.60	0.60	3	0.20	0.05	0.06	24
C20-398	187.60	189.40	1.80	6	0.08	0.11	0.15	23
C20-398	189.40	190.50	1.10	3	0.04	0.06	0.08	12
C20-398	190.50	192.50	2.00	5	0.07	0.02	0.04	13
C20-398	192.50	194.30	1.80	2	0.06	0.03	0.05	10
C20-398	194.30	195.55	1.25	3	0.08	0.06	0.09	15
C20-398	195.55	195.95	0.40	4	0.03	0.14	0.19	20
C20-398	195.95	196.90	0.95	2	0.07	0.02	0.06	11
C20-398	196.90	197.90	1.00	3	0.03	0.06	0.04	9
C20-398	197.90	198.65	0.75	2	0.03	0.07	0.05	9
C20-398	198.65	200.30	1.65	2	0.04	0.04	0.08	10
C20-398	200.30	201.55	1.25	4	0.07	0.09	0.12	18
C20-398	201.55	202.35	0.80	2	0.06	0.05	0.04	11
C20-398	202.35	204.00	1.65	3	0.05	0.04	0.05	11
C20-398	204.00	204.55	0.55	9	0.09	0.20	0.20	31
C20-398	204.55	205.30	0.75	23	0.13	0.57	0.48	73
C20-398	205.30	206.15	0.85	3	0.06	0.05	0.03	11
C20-398	206.15	207.80	1.65	2	0.11	0.04	0.04	14
C20-398	207.80	209.05	1.25	2	0.09	0.02	0.02	11
C20-398	209.05	210.35	1.30	4	0.04	0.08	0.15	16
C20-398	210.35	210.75	0.40	95	0.31	2.62	2.42	313
C20-398	210.75	211.05	0.30	6	0.02	0.18	0.39	30
C20-398	211.05	211.60	0.55	11	0.05	0.33	0.58	50
C20-398	211.60	213.00	1.40	7	0.02	0.18	0.17	22
C20-398	213.00	213.80	0.80	16	0.05	0.39	0.45	52
C20-398	213.80	214.30	0.50	10	0.07	0.19	0.53	44
C20-398	214.30	215.30	1.00	2	0.04	0.02	0.01	6
C20-398	215.30	216.00	0.70	5	0.05	0.11	0.14	19
C20-398	216.00	216.65	0.65	1	0.03	0.03	0.05	6
C20-398	216.65	217.40	0.75	2	0.02	0.06	0.06	8

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-398	217.40	218.25	0.85	1	0.02	0.02	0.01	4
C20-398	218.25	219.90	1.65	2	0.01	0.05	0.07	8
C20-398	219.90	221.65	1.75	1	0.02	0.04	0.09	7
C20-398	221.65	223.30	1.65	1	0.03	0.02	0.06	6
C20-398	223.30	224.80	1.50	0	0.03	0.01	0.01	3
C20-398	224.80	226.25	1.45	1	0.05	0.01	0.01	5
C20-398	226.25	228.00	1.75	1	0.02	0.01	0.02	3
C20-398	228.00	228.60	0.60	3	0.08	0.06	0.18	19
C20-398	228.60	229.60	1.00	2	0.01	0.05	0.02	5
C20-398	229.60	231.00	1.40	1	0.01	0.03	0.04	4
C20-398	231.00	232.20	1.20	1	0.01	0.02	0.04	4
C20-398	232.20	233.40	1.20	1	0.01	0.01	0.01	2
C20-398	233.40	234.45	1.05	1	0.02	0.01	0.01	3
C20-398	234.45	236.10	1.65	1	0.02	0.01	0.03	4
C20-398	236.10	237.65	1.55	3	0.01	0.08	0.10	11
C20-398	237.65	239.30	1.65	1	0.01	0.02	0.02	3
C20-398	239.30	240.45	1.15	2	0.01	0.03	0.02	4
C20-398	240.45	242.10	1.65	2	0.01	0.02	0.02	4
C20-398	242.10	243.25	1.15	1	0.01	0.03	0.02	4
C20-398	243.25	243.95	0.70	1	0.01	0.02	0.03	3
C20-398	243.95	244.55	0.60	18	0.01	0.34	3.16	162
C20-398	244.55	245.55	1.00	1	0.02	0.03	0.05	5
C20-398	245.55	246.85	1.30	0	0.02	0.01	0.01	3
C20-398	246.85	247.90	1.05	23	0.01	0.87	1.15	102
C20-398	247.90	249.00	1.10	6	0.02	0.28	0.45	36
C20-398	249.00	249.50	0.50	5	0.02	0.27	0.50	36
C20-398	249.50	250.60	1.10	11	0.02	0.51	0.85	65
C20-398	250.60	252.00	1.40	3	0.02	0.10	0.13	13
C20-398	252.00	253.30	1.30	12	0.03	0.52	0.79	66
C20-398	253.30	253.65	0.35	5	0.04	0.26	0.48	37
C20-398	253.65	254.10	0.45	18	0.03	0.94	1.06	98
C20-398	254.10	254.85	0.75	27	0.04	1.14	1.39	128
C20-398	254.85	255.85	1.00	7	0.04	0.33	0.42	40
C20-398	255.85	256.45	0.60	3	0.16	0.13	0.27	32
C20-398	256.45	256.80	0.35	32	5.94	1.78	4.85	782
C20-398	256.80	257.65	0.85	10	0.07	0.42	1.08	75
C20-398	257.65	258.00	0.35	77	0.04	2.10	8.08	490
C20-398	258.00	258.45	0.45	28	0.03	1.09	1.45	129
C20-398	258.45	259.60	1.15	1	0.01	0.02	0.03	4
C20-398	259.60	260.50	0.90	1	0.01	0.02	0.13	8
C20-398	260.50	261.00	0.50	71	0.04	2.16	1.64	218
C20-398	261.00	261.80	0.80	0	0.01	0.01	0.01	2
C20-398	261.80	263.00	1.20	1	0.01	0.04	0.03	5
C20-398	263.00	263.90	0.90	2	0.01	0.08	0.09	9
C20-398	263.90	264.60	0.70	2	0.01	0.11	0.19	15
C20-398	264.60	265.75	1.15	3	0.01	0.12	0.26	19
C20-398	265.75	266.60	0.85	1	0.00	0.01	0.01	1
C20-398	266.60	267.35	0.75	1	0.01	0.02	0.02	2
C20-398	267.35	268.10	0.75	2	0.00	0.06	0.15	10
C20-398	268.10	269.70	1.60	2	0.01	0.05	0.05	6
C20-398	269.70	270.70	1.00	8	0.02	0.31	0.38	35
C20-398	270.70	271.80	1.10	1	0.01	0.05	0.06	6
C20-398	271.80	273.30	1.50	1	0.01	0.01	0.01	2
C20-398	273.30	274.55	1.25	1	0.01	0.02	0.02	3
C20-398	274.55	275.40	0.85	1	0.01	0.03	0.03	4

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-398	275.40	276.25	0.85	1	0.01	0.05	0.04	5
C20-398	276.25	277.20	0.95	1	0.01	0.05	0.02	4
C20-398	277.20	277.95	0.75	1	0.01	0.05	0.04	5
C20-398	277.95	278.70	0.75	1	0.01	0.03	0.03	4
C20-398	278.70	280.30	1.60	3	0.01	0.11	0.08	10
C20-398	280.30	281.90	1.60	3	0.01	0.08	0.10	10
C20-398	281.90	283.60	1.70	1	0.01	0.03	0.04	4
C20-398	283.60	284.20	0.60	7	0.02	0.21	0.22	25
C20-398	284.20	284.90	0.70	4	0.02	0.17	0.11	16
C20-398	284.90	285.20	0.30	14	0.03	0.37	0.49	49
C20-398	285.20	285.50	0.30	2	0.02	0.09	0.12	12
C20-398	285.50	285.85	0.35	5	0.04	0.13	0.40	29
C20-398	285.85	287.30	1.45	2	0.02	0.07	0.10	10
C20-398	287.30	288.50	1.20	3	0.02	0.14	0.07	12
C20-398	288.50	288.85	0.35	18	0.05	0.56	1.19	91
C20-398	288.85	289.70	0.85	1	0.02	0.04	0.05	6
C20-398	289.70	290.00	0.30	11	0.02	0.36	0.26	36
C20-398	290.00	291.00	1.00	1	0.01	0.04	0.05	5
C20-398	291.00	292.30	1.30	1	0.01	0.04	0.05	6
C20-398	292.30	293.15	0.85	1	0.02	0.03	0.02	4
C20-398	293.15	293.45	0.30	17	0.05	0.46	0.53	58
C20-398	293.45	294.65	1.20	3	0.02	0.08	0.16	13
C20-398	294.65	294.95	0.30	5	0.02	0.22	0.76	46
C20-398	294.95	296.05	1.10	1	0.01	0.03	0.05	5
C20-398	296.05	297.15	1.10	1	0.01	0.06	0.12	9
C20-398	297.15	298.30	1.15	17	0.10	1.01	0.81	94
C20-398	298.30	299.30	1.00	1	0.01	0.04	0.03	5
C20-398	299.30	300.35	1.05	7	0.05	0.18	0.12	22
C20-398	300.35	300.65	0.30	22	0.08	0.81	0.64	84
C20-398	300.65	301.80	1.15	6	0.01	0.24	0.23	25
C20-398	301.80	303.35	1.55	3	0.01	0.10	0.17	14
C20-398	303.35	304.20	0.85	3	0.01	0.10	0.11	12
C20-398	304.20	305.10	0.90	4	0.02	0.13	0.23	19
C20-398	305.10	306.45	1.35	3	0.01	0.11	0.14	13
C20-398	306.45	306.90	0.45	3	0.01	0.12	0.25	18
C20-398	306.90	308.90	2.00	2	0.01	0.06	0.05	7
C20-398	308.90	310.85	1.95	2	0.01	0.08	0.06	9
C20-398	310.85	311.15	0.30	30	0.02	0.96	1.53	129
C20-398	311.15	312.60	1.45	12	0.02	0.33	0.33	39
C20-398	312.60	312.90	0.30	2	0.01	0.03	0.06	6
C20-398	312.90	313.20	0.30	42	0.07	0.66	1.82	146
C20-398	313.20	314.20	1.00	14	0.03	0.25	0.36	39
C20-398	314.20	315.30	1.10	3	0.02	0.07	0.10	10
C20-398	315.30	315.75	0.45	94	0.04	2.61	3.09	318
C20-398	315.75	316.75	1.00	8	0.02	0.19	0.30	29
C20-398	316.75	317.90	1.15	4	0.01	0.10	0.18	16
C20-398	317.90	319.15	1.25	3	0.01	0.07	0.10	11
C20-398	319.15	320.45	1.30	3	0.01	0.06	0.06	8
C20-398	320.45	320.90	0.45	17	0.01	0.53	0.32	50
C20-398	320.90	321.20	0.30	2	0.01	0.05	0.02	6
C20-398	321.20	321.50	0.30	9	0.03	0.18	1.47	79
C20-398	321.50	322.50	1.00	2	0.01	0.03	0.06	6
C20-398	322.50	323.45	0.95	6	0.02	0.16	0.23	23
C20-398	323.45	323.90	0.45	7	0.07	0.16	0.22	27
C20-398	323.90	324.20	0.30	4	0.01	0.07	0.40	24

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-398	324.20	325.20	1.00	4	0.02	0.06	0.11	12
C20-398	325.20	326.20	1.00	10	0.02	0.17	0.17	24
C20-398	326.20	327.40	1.20	4	0.01	0.07	0.08	11
C20-398	327.40	327.95	0.55	373	0.19	6.67	6.54	895
C20-398	327.95	328.50	0.55	55	0.07	1.08	1.52	162
C20-398	328.50	329.30	0.80	37	0.05	1.00	1.27	129
C20-398	329.30	330.45	1.15	16	0.02	0.66	0.43	60
C20-398	330.45	330.95	0.50	29	0.04	1.33	1.60	145
C20-398	330.95	332.20	1.25	11	0.03	0.41	0.74	58
C20-398	332.20	332.50	0.30	10	0.06	0.11	0.15	25
C20-398	332.50	332.80	0.30	44	0.12	1.84	2.63	228
C20-398	332.80	333.80	1.00	7	0.03	0.29	0.24	29
C20-398	333.80	334.50	0.70	9	0.02	0.39	0.49	44
C20-398	334.50	335.50	1.00	4	0.01	0.15	0.18	18
C20-398	335.50	336.45	0.95	8	0.01	0.32	0.73	50
C20-398	336.45	337.50	1.05	7	0.02	0.23	0.57	40
C20-398	337.50	338.50	1.00	14	0.01	0.56	0.79	68
C20-398	338.50	339.50	1.00	41	0.04	1.19	0.90	123
C20-398	339.50	341.10	1.60	10	0.02	0.45	0.60	52
C20-398	341.10	342.65	1.55	7	0.02	0.25	0.29	29
C20-398	342.65	343.50	0.85	11	0.01	0.38	0.53	47
C20-398	343.50	344.30	0.80	19	0.02	0.84	0.99	91
C20-398	344.30	344.85	0.55	20	0.04	0.91	0.96	95
C20-398	344.85	345.35	0.50	4	0.01	0.16	0.19	18
C20-398	345.35	346.15	0.80	5	0.02	0.19	0.27	24
C20-398	346.15	346.90	0.75	6	0.02	0.22	0.29	28
C20-398	346.90	347.80	0.90	8	0.02	0.23	0.39	34
C20-398	347.80	348.80	1.00	3	0.04	0.03	0.16	14
C20-398	348.80	349.50	0.70	14	0.24	0.10	0.67	65
C20-398	349.50	349.80	0.30	7	0.22	0.08	0.32	41
C20-398	349.80	352.50	2.70	5	0.06	0.08	0.24	22
C20-398	352.50	353.00	0.50	5	0.05	0.03	0.12	14
C20-398	353.00	354.00	1.00	6	0.05	0.12	0.12	19
C20-398	354.00	354.70	0.70	5	0.09	0.08	0.32	28
C20-398	354.70	355.50	0.80	3	0.19	0.06	0.23	31
C20-398	355.50	356.50	1.00	2	0.07	0.03	0.11	13
C20-398	356.50	357.40	0.90	1	0.03	0.02	0.07	7
C20-398	357.40	358.15	0.75	1	0.01	0.01	0.03	3
C20-398	358.15	358.50	0.35	1	0.02	0.02	0.06	6
C20-398	358.50	359.15	0.65	1	0.02	0.02	0.07	7
C20-398	359.15	361.15	2.00	2	0.04	0.03	0.10	11
C20-398	361.15	362.00	0.85	2	0.05	0.03	0.08	11
C20-398	362.00	362.55	0.55	2	0.08	0.02	0.11	14
C20-398	362.55	363.00	0.45	1	0.06	0.02	0.09	11
C20-398	363.00	363.45	0.45	2	0.06	0.02	0.13	13
C20-398	363.45	363.90	0.45	2	0.07	0.02	0.09	13
C20-398	363.90	364.35	0.45	1	0.02	0.03	0.10	8
C20-398	364.35	365.25	0.90	4	0.11	0.08	0.30	28
C20-398	365.25	365.80	0.55	5	0.09	0.12	0.41	33
C20-398	365.80	366.30	0.50	3	0.12	0.07	0.31	28
C20-398	366.30	367.05	0.75	2	0.10	0.06	0.23	22
C20-398	367.05	368.40	1.35	2	0.07	0.08	0.27	22
C20-398	368.40	369.10	0.70	2	0.01	0.04	0.19	12
C20-398	369.10	369.65	0.55	1	0.01	0.03	0.14	8
C20-398	369.65	370.25	0.60	3	0.03	0.09	0.30	21

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-398	370.25	371.55	1.30	1	0.02	0.04	0.09	8
C20-398	371.55	372.50	0.95	2	0.03	0.06	0.16	13
C20-398	372.50	373.25	0.75	0	0.01	0.01	0.03	3
C20-398	373.25	373.90	0.65	0	0.01	0.01	0.02	2
C20-398	373.90	374.40	0.50	0	0.01	0.01	0.04	3
C20-398	374.40	374.90	0.50	1	0.02	0.06	0.18	13
C20-398	374.90	375.35	0.45	0	0.01	0.01	0.04	3
C20-398	375.35	375.95	0.60	1	0.01	0.05	0.14	9
C20-398	375.95	376.65	0.70	0	0.01	0.00	0.01	1
C20-398	376.65	377.25	0.60	1	0.02	0.03	0.10	7
C20-398	377.25	378.00	0.75	4	0.04	0.06	0.22	18
C20-398	378.00	378.80	0.80	3	0.03	0.05	0.23	17
C20-398	378.80	379.10	0.30	4	0.03	0.06	0.16	15
C20-398	379.10	379.60	0.50	1	0.01	0.01	0.03	3
C20-398	379.60	380.30	0.70	2	0.02	0.03	0.09	8
C20-398	380.30	381.10	0.80	1	0.01	0.01	0.22	11
C20-398	381.10	382.50	1.40	1	0.01	0.01	0.11	6
C20-398	382.50	384.00	1.50	1	0.01	0.02	0.02	2
C20-398	384.00	385.50	1.50	1	0.01	0.02	0.03	3
C20-398	385.50	386.80	1.30	1	0.00	0.04	0.07	6
C20-398	386.80	387.55	0.75	18	0.01	0.49	1.99	118
C20-398	387.55	388.40	0.85	1	0.00	0.03	0.07	5
C20-398	388.40	388.80	0.40	0	0.00	0.02	0.02	2
C20-398	388.80	390.20	1.40	1	0.01	0.04	0.10	7
C20-398	390.20	391.30	1.10	1	0.01	0.01	0.05	4
C20-398	391.30	391.80	0.50	0	0.00	0.01	0.02	2
C20-398	391.80	393.00	1.20	0	0.01	0.01	0.05	3
C20-398	393.00	394.55	1.55	1	0.00	0.01	0.04	3
C20-398	394.55	395.40	0.85	8	0.01	0.26	0.36	33
C20-398	395.40	397.35	1.95	2	0.00	0.05	0.07	6
C20-398	397.35	399.20	1.85	43	0.03	1.15	1.41	144
C20-398	399.20	399.50	0.30	170	0.05	5.34	6.41	628
C20-398	399.50	401.00	1.50	65	0.05	2.15	2.44	247
C20-398	401.00	402.00	1.00	1	0.00	0.03	0.07	6
C20-398	402.00	403.25	1.25	2	0.01	0.06	0.10	8
C20-398	403.25	404.70	1.45	1	0.01	0.03	0.05	5
C20-398	404.70	406.50	1.80	1	0.01	0.01	0.02	2
C20-399	0.00	2.60	2.60	5	0.03	0.02	0.05	10
C20-399	2.60	4.80	2.20	5	0.02	0.01	0.04	8
C20-399	4.80	5.60	0.80	5	0.04	0.01	0.08	12
C20-399	5.60	7.10	1.50	9	0.04	0.03	0.05	15
C20-399	7.10	8.60	1.50	7	0.02	0.03	0.04	11
C20-399	8.60	10.60	2.00	8	0.02	0.02	0.04	12
C20-399	10.60	11.75	1.15	11	0.02	0.04	0.05	16
C20-399	11.75	12.40	0.65	9	0.05	0.26	0.03	24
C20-399	12.40	13.60	1.20	8	0.10	0.09	0.02	21
C20-399	13.60	14.95	1.35	5	0.08	0.06	0.04	15
C20-399	14.95	16.30	1.35	8	0.14	0.11	0.05	25
C20-399	16.30	17.60	1.30	7	0.03	0.14	0.05	16
C20-399	17.60	19.60	2.00	9	0.05	0.04	0.06	17
C20-399	19.60	21.60	2.00	7	0.04	0.04	0.12	17
C20-399	21.60	23.60	2.00	6	0.08	0.07	0.06	17
C20-399	23.60	25.60	2.00	7	0.05	0.08	0.05	16
C20-399	25.60	27.60	2.00	7	0.11	0.08	0.03	20
C20-399	27.60	29.60	2.00	10	0.05	0.05	0.05	18

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-399	29.60	31.60	2.00	9	0.08	0.04	0.04	18
C20-399	31.60	33.60	2.00	9	0.05	0.03	0.04	15
C20-399	33.60	35.60	2.00	25	0.04	0.04	0.05	32
C20-399	35.60	37.60	2.00	27	0.03	0.04	0.06	33
C20-399	37.60	38.95	1.35	7	0.02	0.05	0.04	12
C20-399	38.95	40.20	1.25	27	0.07	0.10	0.05	39
C20-399	40.20	42.20	2.00	27	0.06	0.04	0.05	35
C20-399	42.20	44.20	2.00	11	0.06	0.05	0.04	20
C20-399	44.20	46.20	2.00	35	0.11	0.08	0.03	48
C20-399	46.20	47.30	1.10	21	0.05	0.28	0.03	36
C20-399	47.30	48.40	1.10	30	0.04	0.16	0.03	40
C20-399	48.40	49.45	1.05	25	0.02	0.25	0.04	37
C20-399	49.45	50.60	1.15	12	0.02	0.16	0.09	23
C20-399	50.60	52.35	1.75	21	0.03	0.51	0.05	43
C20-399	52.35	54.10	1.75	11	0.05	0.32	0.04	28
C20-399	54.10	56.10	2.00	2	0.01	0.17	0.13	13
C20-399	56.10	58.10	2.00	3	0.01	0.14	0.09	12
C20-399	58.10	59.45	1.35	8	0.02	0.15	0.08	18
C20-399	59.45	60.35	0.90	9	0.02	0.17	0.09	21
C20-399	60.35	62.00	1.65	3	0.02	0.05	0.13	12
C20-399	62.00	62.90	0.90	11	0.01	0.13	0.04	18
C20-399	62.90	64.25	1.35	19	0.02	0.09	0.05	25
C20-399	64.25	64.75	0.50	3	0.03	0.17	0.05	13
C20-399	64.75	65.60	0.85	4	0.01	0.07	0.02	8
C20-399	65.60	67.60	2.00	5	0.02	0.07	0.03	10
C20-399	67.60	69.60	2.00	8	0.02	0.14	0.03	15
C20-399	69.60	71.60	2.00	9	0.01	0.15	0.06	18
C20-399	71.60	73.60	2.00	11	0.02	0.07	0.05	17
C20-399	73.60	75.60	2.00	10	0.01	0.04	0.05	14
C20-399	75.60	77.60	2.00	8	0.01	0.05	0.06	13
C20-399	77.60	79.60	2.00	13	0.02	0.08	0.05	19
C20-399	79.60	80.40	0.80	12	0.02	0.07	0.06	18
C20-399	80.40	81.45	1.05	9	0.02	0.21	0.06	20
C20-399	81.45	83.45	2.00	10	0.01	0.06	0.04	14
C20-399	83.45	84.70	1.25	8	0.02	0.04	0.07	14
C20-399	84.70	85.80	1.10	9	0.03	0.11	0.07	18
C20-399	85.80	87.00	1.20	11	0.01	0.33	0.07	26
C20-399	87.00	88.25	1.25	15	0.01	0.15	0.07	25
C20-399	88.25	89.65	1.40	14	0.02	0.08	0.07	21
C20-399	89.65	91.05	1.40	17	0.01	0.06	0.05	22
C20-399	91.05	91.35	0.30	13	0.05	0.07	0.08	23
C20-399	91.35	92.50	1.15	14	0.02	0.05	0.07	20
C20-399	92.50	93.65	1.15	13	0.02	0.04	0.09	19
C20-399	93.65	95.50	1.85	9	0.02	0.04	0.09	15
C20-399	95.50	97.50	2.00	7	0.01	0.03	0.08	12
C20-399	97.50	98.80	1.30	10	0.01	0.05	0.07	16
C20-399	98.80	100.25	1.45	20	0.01	0.04	0.08	26
C20-399	100.25	100.80	0.55	97	0.02	0.11	0.10	107
C20-399	100.80	101.80	1.00	2	0.02	0.14	0.09	12
C20-399	101.80	102.25	0.45	55	0.03	0.18	0.09	67
C20-399	102.25	104.25	2.00	10	0.02	0.07	0.09	18
C20-399	104.25	106.35	2.10	13	0.02	0.18	0.14	27
C20-399	106.35	107.60	1.25	6	0.02	0.02	0.08	12
C20-399	107.60	108.30	0.70	4	0.02	0.05	0.12	12
C20-399	108.30	108.80	0.50	21	0.03	0.49	0.18	48

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-399	108.80	109.90	1.10	65	0.02	0.33	1.78	152
C20-399	109.90	111.50	1.60	7	0.01	0.04	0.37	25
C20-399	111.50	112.50	1.00	12	0.02	0.07	0.15	21
C20-399	112.50	113.15	0.65	11	0.02	0.12	0.33	30
C20-399	113.15	114.50	1.35	16	0.02	0.17	0.13	29
C20-399	114.50	115.20	0.70	17	0.01	0.09	0.23	30
C20-399	115.20	116.60	1.40	29	0.01	0.13	0.57	59
C20-399	116.60	117.95	1.35	27	0.01	0.24	1.56	101
C20-399	117.95	119.20	1.25	31	0.01	0.04	0.17	40
C20-399	119.20	119.95	0.75	7	0.01	0.07	0.16	17
C20-399	119.95	120.85	0.90	21	0.02	0.10	0.09	30
C20-399	120.85	121.15	0.30	10	0.02	0.08	0.09	18
C20-399	121.15	121.45	0.30	14	0.02	0.21	0.32	36
C20-399	121.45	122.55	1.10	8	0.03	0.10	0.13	19
C20-399	122.55	123.05	0.50	3	0.02	0.04	0.05	8
C20-399	123.05	124.30	1.25	8	0.02	0.09	0.19	20
C20-399	124.30	125.10	0.80	10	0.02	0.11	0.15	22
C20-399	125.10	125.95	0.85	5	0.01	0.11	0.13	15
C20-399	125.95	126.50	0.55	8	0.03	0.03	0.04	13
C20-399	126.50	127.00	0.50	9	0.03	0.03	0.04	15
C20-399	127.00	127.95	0.95	1	0.01	0.00	0.02	3
C20-399	127.95	129.85	1.90	2	0.01	0.01	0.02	4
C20-399	129.85	131.85	2.00	0	0.01	0.00	0.01	2
C20-399	131.85	133.85	2.00	1	0.01	0.01	0.02	2
C20-399	133.85	135.85	2.00	0	0.01	0.00	0.01	1
C20-399	135.85	137.85	2.00	0	0.01	0.00	0.02	1
C20-399	137.85	139.85	2.00	0	0.01	0.00	0.03	2
C20-399	139.85	141.85	2.00	1	0.00	0.01	0.02	2
C20-399	141.85	143.85	2.00	1	0.01	0.02	0.03	3
C20-399	143.85	145.00	1.15	0	0.01	0.00	0.04	2
C20-399	145.00	145.30	0.30	1	0.01	0.00	0.02	2
C20-399	145.30	146.95	1.65	0	0.01	0.00	0.01	1
C20-399	146.95	148.65	1.70	3	0.01	0.03	0.04	6
C20-399	148.65	149.55	0.90	20	0.01	0.21	0.59	53
C20-399	149.55	151.55	2.00	1	0.01	0.01	0.03	3
C20-399	151.55	153.55	2.00	1	0.01	0.00	0.02	2
C20-399	153.55	155.55	2.00	1	0.01	0.01	0.10	6
C20-399	155.55	157.30	1.75	1	0.01	0.00	0.02	2
C20-399	157.30	158.25	0.95	1	0.02	0.01	0.02	4
C20-399	158.25	158.55	0.30	37	0.07	0.37	3.95	220
C20-399	158.55	159.20	0.65	4	0.01	0.02	0.07	8
C20-399	159.20	160.30	1.10	4	0.01	0.02	0.13	11
C20-399	160.30	161.80	1.50	2	0.01	0.02	0.07	6
C20-399	161.80	163.05	1.25	5	0.01	0.02	0.05	9
C20-399	163.05	164.75	1.70	1	0.01	0.02	0.05	4
C20-399	164.75	165.30	0.55	2	0.01	0.01	0.04	5
C20-399	165.30	166.40	1.10	1	0.01	0.01	0.02	3
C20-399	166.40	167.90	1.50	2	0.01	0.04	0.20	13
C20-399	167.90	168.45	0.55	14	0.02	0.11	0.26	30
C20-399	168.45	169.05	0.60	3	0.01	0.06	0.14	11
C20-399	169.05	169.50	0.45	1	0.01	0.01	0.03	3
C20-399	169.50	171.10	1.60	4	0.03	0.09	1.05	53
C20-399	171.10	171.80	0.70	4	0.02	0.11	0.50	30
C20-399	171.80	172.70	0.90	5	0.03	0.09	0.53	32
C20-399	172.70	173.10	0.40	4	0.02	0.07	0.35	22

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-399	173.10	173.75	0.65	1	0.01	0.04	0.05	6
C20-399	173.75	175.25	1.50	4	0.03	0.08	1.71	80
C20-399	175.25	175.80	0.55	15	0.02	0.04	2.99	142
C20-399	175.80	176.80	1.00	2	0.02	0.03	0.84	40
C20-399	176.80	177.60	0.80	4	0.01	0.04	0.12	11
C20-399	177.60	178.35	0.75	2	0.02	0.02	0.19	12
C20-399	178.35	179.00	0.65	5	0.02	0.03	0.56	31
C20-399	179.00	179.40	0.40	9	0.04	0.05	2.08	100
C20-399	179.40	180.20	0.80	5	0.02	0.02	0.63	33
C20-399	180.20	180.70	0.50	7	0.02	0.05	1.18	59
C20-399	180.70	182.70	2.00	6	0.02	0.03	0.69	37
C20-399	182.70	183.40	0.70	5	0.02	0.05	0.25	18
C20-399	183.40	183.95	0.55	8	0.02	0.02	0.57	34
C20-399	183.95	185.00	1.05	14	0.03	0.04	1.52	81
C20-399	185.00	185.55	0.55	16	0.04	0.04	2.20	112
C20-399	185.55	186.35	0.80	16	0.03	0.04	1.42	79
C20-399	186.35	187.60	1.25	17	0.04	0.06	2.00	105
C20-399	187.60	189.00	1.40	6	0.02	0.03	1.40	67
C20-399	189.00	190.50	1.50	4	0.04	0.06	0.73	40
C20-399	190.50	191.55	1.05	5	0.03	0.09	0.72	41
C20-399	191.55	192.15	0.60	12	0.04	0.16	0.47	40
C20-399	192.15	193.60	1.45	8	0.03	0.05	0.74	43
C20-399	193.60	195.00	1.40	8	0.05	0.14	1.07	61
C20-399	195.00	195.50	0.50	14	0.05	0.43	1.32	88
C20-399	195.50	197.50	2.00	5	0.03	0.08	0.32	24
C20-399	197.50	198.10	0.60	4	0.01	0.17	0.41	27
C20-399	198.10	198.95	0.85	6	0.01	0.17	0.56	35
C20-399	198.95	200.05	1.10	6	0.01	0.09	0.67	38
C20-399	200.05	200.75	0.70	8	0.01	0.15	0.62	40
C20-399	200.75	201.05	0.30	5	0.01	0.05	0.36	22
C20-399	201.05	201.40	0.35	19	0.04	0.12	2.65	136
C20-399	201.40	201.75	0.35	10	0.01	0.25	0.83	54
C20-399	201.75	202.65	0.90	18	0.07	0.25	0.92	71
C20-399	202.65	204.15	1.50	5	0.01	0.14	0.36	26
C20-399	204.15	204.60	0.45	10	0.01	0.34	0.99	63
C20-399	204.60	205.10	0.50	15	0.01	0.34	1.60	94
C20-399	205.10	205.60	0.50	27	0.03	0.63	2.59	159
C20-399	205.60	207.10	1.50	15	0.02	0.36	1.65	98
C20-399	207.10	208.70	1.60	5	0.02	0.09	0.71	40
C20-399	208.70	210.50	1.80	10	0.02	0.28	0.75	52
C20-399	210.50	211.60	1.10	29	0.08	0.42	1.08	95
C20-399	211.60	213.10	1.50	23	0.06	0.31	1.40	97
C20-399	213.10	214.60	1.50	1	0.02	0.01	0.38	19
C20-399	214.60	216.60	2.00	3	0.08	0.01	0.40	27
C20-399	216.60	218.60	2.00	4	0.09	0.01	0.39	28
C20-399	218.60	219.80	1.20	4	0.06	0.01	1.46	70
C20-399	219.80	220.95	1.15	5	0.03	0.02	0.92	46
C20-399	220.95	221.40	0.45	10	0.07	0.11	1.37	76
C20-399	221.40	222.75	1.35	6	0.06	0.02	0.93	50
C20-399	222.75	224.10	1.35	5	0.03	0.02	1.38	65
C20-399	224.10	224.45	0.35	16	0.04	0.13	2.65	134
C20-399	224.45	225.50	1.05	18	0.03	0.24	1.11	75
C20-399	225.50	226.60	1.10	32	0.04	0.39	3.19	181
C20-399	226.60	228.15	1.55	15	0.02	0.23	0.87	61
C20-399	228.15	229.20	1.05	32	0.03	0.50	1.69	122

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-399	229.20	230.05	0.85	12	0.02	0.17	0.45	38
C20-399	230.05	232.05	2.00	17	0.04	0.18	0.94	66
C20-399	232.05	234.05	2.00	7	0.02	0.02	0.41	27
C20-399	234.05	236.05	2.00	23	0.02	0.08	0.86	63
C20-399	236.05	238.05	2.00	14	0.02	0.05	0.46	36
C20-399	238.05	240.05	2.00	9	0.02	0.06	0.71	41
C20-399	240.05	240.80	0.75	2	0.01	0.02	0.07	6
C20-399	240.80	241.65	0.85	3	0.01	0.02	0.32	17
C20-399	241.65	243.00	1.35	1	0.01	0.01	0.06	5
C20-399	243.00	244.15	1.15	8	0.01	0.16	0.70	43
C20-399	244.15	244.70	0.55	2	0.00	0.03	0.33	17
C20-399	244.70	245.05	0.35	4	0.01	0.05	0.17	13
C20-399	245.05	246.30	1.25	3	0.01	0.04	0.14	11
C20-399	246.30	246.60	0.30	28	0.02	0.21	2.73	150
C20-399	246.60	248.20	1.60	6	0.02	0.10	0.27	21
C20-399	248.20	249.70	1.50	2	0.01	0.07	0.15	11
C20-399	249.70	250.60	0.90	15	0.02	0.20	0.59	48
C20-399	250.60	251.70	1.10	13	0.07	0.08	0.17	29
C20-399	251.70	253.70	2.00	2	0.01	0.04	0.10	8
C20-399	253.70	255.70	2.00	6	0.01	0.06	0.25	19
C20-399	255.70	257.70	2.00	3	0.01	0.03	0.24	14
C20-399	257.70	259.70	2.00	2	0.00	0.01	0.09	6
C20-399	259.70	261.70	2.00	5	0.01	0.07	0.15	15
C20-399	261.70	262.15	0.45	2	0.01	0.03	0.05	6
C20-399	262.15	262.95	0.80	5	0.01	0.07	0.07	12
C20-399	262.95	264.90	1.95	1	0.00	0.01	0.04	3
C20-399	264.90	266.85	1.95	2	0.00	0.01	0.26	13
C20-399	266.85	268.60	1.75	5	0.01	0.11	0.23	19
C20-399	268.60	270.25	1.65	7	0.01	0.15	0.43	31
C20-399	270.25	272.05	1.80	6	0.01	0.05	0.24	19
C20-399	272.05	273.80	1.75	3	0.00	0.05	0.20	13
C20-399	273.80	275.80	2.00	5	0.01	0.08	0.39	25
C20-399	275.80	277.80	2.00	8	0.01	0.11	0.50	33
C20-399	277.80	279.80	2.00	6	0.01	0.08	0.30	22
C20-399	279.80	281.80	2.00	8	0.02	0.08	0.38	28
C20-399	281.80	283.80	2.00	8	0.06	0.03	0.07	17
C20-399	283.80	285.80	2.00	6	0.03	0.03	0.03	10
C20-399	285.80	286.10	0.30	12	0.04	0.03	0.02	17
C20-399	286.10	287.25	1.15	11	0.22	0.03	0.03	31
C20-399	287.25	288.50	1.25	67	0.59	0.12	0.06	121
C20-399	288.50	289.50	1.00	7	0.01	0.02	0.02	9
C20-399	289.50	290.55	1.05	5	0.02	0.03	0.03	8
C20-399	290.55	291.70	1.15	3	0.02	0.02	0.03	7
C20-399	291.70	293.70	2.00	4	0.02	0.04	0.04	8
C20-399	293.70	295.70	2.00	4	0.02	0.02	0.02	7
C20-399	295.70	297.70	2.00	27	0.03	0.02	0.02	31
C20-399	297.70	298.85	1.15	3	0.02	0.02	0.04	7
C20-399	298.85	299.75	0.90	11	0.10	0.03	0.02	21
C20-399	299.75	301.75	2.00	7	0.02	0.07	0.13	16
C20-399	301.75	303.70	1.95	4	0.01	0.07	0.33	21
C20-399	303.70	305.40	1.70	3	0.01	0.06	0.21	15
C20-399	305.40	307.15	1.75	6	0.01	0.19	0.79	46
C20-399	307.15	307.60	0.45	8	0.02	0.05	0.04	13
C20-399	307.60	308.95	1.35	4	0.01	0.06	0.08	10
C20-399	308.95	310.35	1.40	1	0.00	0.03	0.17	9

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-399	310.35	311.75	1.40	0	0.00	0.01	0.09	5
C20-399	311.75	313.15	1.40	0	0.01	0.00	0.03	2
C20-399	313.15	315.15	2.00	2	0.01	0.01	0.02	5
C20-399	315.15	317.15	2.00	5	0.01	0.10	0.17	16
C20-399	317.15	318.70	1.55	3	0.02	0.02	0.02	6
C20-399	318.70	319.65	0.95	8	0.04	0.03	0.02	13
C20-399	319.65	321.40	1.75	13	0.09	0.07	0.08	26
C20-399	321.40	322.30	0.90	46	0.41	0.10	0.02	84
C20-399	322.30	323.90	1.60	38	0.11	0.12	0.03	52
C20-399	323.90	325.45	1.55	134	0.54	0.32	0.04	191
C20-399	325.45	326.00	0.55	34	0.10	0.11	0.02	47
C20-399	326.00	326.30	0.30	7	0.04	0.03	0.02	12
C20-399	326.30	328.20	1.90	10	0.03	0.06	0.07	17
C20-399	328.20	329.50	1.30	7	0.01	0.10	0.27	23
C20-399	329.50	330.65	1.15	4	0.01	0.05	0.12	11
C20-399	330.65	332.10	1.45	2	0.02	0.02	0.05	6
C20-399	332.10	334.00	1.90	3	0.02	0.05	0.11	11
C20-399	334.00	335.80	1.80	4	0.02	0.05	0.16	13
C20-399	335.80	336.10	0.30	79	0.03	0.25	0.31	104
C20-399	336.10	338.00	1.90	4	0.01	0.05	0.16	13
C20-399	338.00	339.75	1.75	3	0.01	0.03	0.07	8
C20-399	339.75	340.05	0.30	11	0.09	0.06	0.04	21
C20-399	340.05	342.05	2.00	4	0.01	0.04	0.11	11
C20-399	342.05	344.05	2.00	9	0.02	0.11	0.18	22
C20-399	344.05	345.90	1.85	4	0.01	0.03	0.08	9
C20-399	345.90	346.35	0.45	7	0.03	0.03	0.05	13
C20-399	346.35	347.00	0.65	4	0.01	0.04	0.09	10
C20-399	347.00	347.90	0.90	10	0.02	0.19	0.44	36
C20-399	347.90	348.50	0.60	4	0.01	0.04	0.10	10
C20-399	348.50	350.80	2.30	6	0.03	0.03	0.07	13
C20-399	350.80	352.50	1.70	14	0.02	0.10	0.15	25
C20-399	352.50	354.10	1.60	32	0.02	0.21	0.37	56
C20-399	354.10	355.85	1.75	2	0.04	0.02	0.02	7
C20-399	355.85	356.70	0.85	2	0.02	0.02	0.01	5
C20-399	356.70	357.35	0.65	2	0.02	0.02	0.02	4
C20-399	357.35	358.70	1.35	11	0.02	0.06	0.86	51
C20-399	358.70	359.50	0.80	16	0.02	0.06	0.56	43
C20-399	359.50	360.50	1.00	11	0.02	0.08	0.29	27
C20-399	360.50	361.60	1.10	2	0.01	0.02	0.15	9
C20-399	361.60	362.70	1.10	1	0.01	0.00	0.02	2
C20-399	362.70	363.80	1.10	1	0.01	0.01	0.05	4
C20-399	363.80	365.30	1.50	1	0.01	0.01	0.02	3
C20-399	365.30	366.80	1.50	3	0.01	0.06	0.31	19
C20-399	366.80	368.70	1.90	1	0.01	0.01	0.03	3
C20-399	368.70	369.85	1.15	1	0.01	0.01	0.11	7
C20-399	369.85	371.00	1.15	2	0.01	0.04	0.31	17
C20-399	371.00	372.20	1.20	3	0.01	0.04	0.60	30
C20-399	372.20	374.15	1.95	0	0.01	0.00	0.02	2
C20-399	374.15	375.70	1.55	0	0.01	0.00	0.02	1
C20-399	375.70	377.70	2.00	0	0.01	0.00	0.03	2
C20-399	377.70	379.70	2.00	1	0.01	0.00	0.01	2
C20-399	379.70	381.70	2.00	0	0.01	0.00	0.01	1
C20-399	381.70	383.70	2.00	1	0.01	0.01	0.01	2
C20-399	383.70	385.70	2.00	1	0.01	0.02	0.04	4
C20-399	385.70	387.70	2.00	3	0.01	0.04	0.06	7

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-399	387.70	389.10	1.40	1	0.01	0.01	0.01	2
C20-399	389.10	390.70	1.60	7	0.01	0.06	0.07	13
C20-399	390.70	392.70	2.00	1	0.01	0.02	0.04	4
C20-399	392.70	394.70	2.00	4	0.01	0.04	0.10	10
C20-399	394.70	396.70	2.00	2	0.01	0.04	0.04	6
C20-399	396.70	398.70	2.00	1	0.01	0.01	0.02	2
C20-399	398.70	400.70	2.00	0	0.00	0.00	0.01	1
C20-399	400.70	402.70	2.00	0	0.01	0.00	0.01	1
C20-399	402.70	404.70	2.00	1	0.01	0.02	0.04	4
C20-399	404.70	406.55	1.85	1	0.02	0.01	0.02	3
C20-399	406.55	408.55	2.00	2	0.02	0.02	0.03	6
C20-399	408.55	410.50	1.95	4	0.01	0.03	0.09	10
C20-399	410.50	412.25	1.75	5	0.02	0.04	0.23	18
C20-399	412.25	412.80	0.55	16	0.08	0.09	0.25	35
C20-399	412.80	413.70	0.90	10	0.04	0.07	0.44	34
C20-399	413.70	414.55	0.85	9	0.02	0.01	1.30	66
C20-399	414.55	416.55	2.00	5	0.03	0.01	0.22	17
C20-399	416.55	418.55	2.00	3	0.02	0.04	0.24	16
C20-399	418.55	419.40	0.85	6	0.03	0.12	0.32	26
C20-399	419.40	420.30	0.90	3	0.02	0.06	0.12	12
C20-399	420.30	421.55	1.25	5	0.03	0.04	0.09	13
C20-399	421.55	422.70	1.15	6	0.05	0.03	0.06	14
C20-399	422.70	424.60	1.90	6	0.05	0.03	0.10	14
C20-399	424.60	426.20	1.60	4	0.05	0.04	0.08	13
C20-399	426.20	427.60	1.40	3	0.06	0.02	0.04	11
C20-399	427.60	429.20	1.60	4	0.10	0.01	0.02	13
C20-399	429.20	430.20	1.00	5	0.06	0.01	0.18	17
C20-399	430.20	431.50	1.30	6	0.05	0.01	0.12	16
C20-399	431.50	433.50	2.00	2	0.04	0.01	0.04	7
C20-399	433.50	434.00	0.50	2	0.04	0.01	0.05	7
C20-399	434.00	434.40	0.40	3	0.04	0.01	0.09	10
C20-399	434.40	436.40	2.00	2	0.06	0.01	0.05	10
C20-399	436.40	438.40	2.00	4	0.05	0.11	0.34	26
C20-399	438.40	440.40	2.00	3	0.04	0.01	0.47	27
C20-399	440.40	442.40	2.00	5	0.06	0.01	0.08	13
C20-399	442.40	443.40	1.00	9	0.12	0.03	0.08	23
C20-399	443.40	445.05	1.65	5	0.06	0.03	0.23	21
C20-399	445.05	446.30	1.25	6	0.07	0.02	0.54	34
C20-399	446.30	447.30	1.00	5	0.05	0.02	0.08	13
C20-399	447.30	448.70	1.40	3	0.04	0.01	0.33	21
C20-399	448.70	450.40	1.70	2	0.03	0.00	1.12	51
C20-399	450.40	451.70	1.30	3	0.03	0.01	0.73	35
C20-399	451.70	453.20	1.50	7	0.07	0.05	0.87	50
C20-399	453.20	454.70	1.50	10	0.06	0.04	1.71	87
C20-399	454.70	456.00	1.30	15	0.10	0.08	0.87	62
C20-399	456.00	457.00	1.00	1	0.01	0.01	0.03	3
C20-399	457.00	458.00	1.00	3	0.01	0.06	0.07	8
C20-399	458.00	459.50	1.50	4	0.02	0.10	0.09	12
C20-399	459.50	460.70	1.20	0	0.01	0.00	0.02	2
C20-399	460.70	462.20	1.50	1	0.01	0.03	0.14	9
C20-399	462.20	463.70	1.50	0	0.01	0.00	0.02	2
C20-399	463.70	465.20	1.50	1	0.01	0.01	0.04	4
C20-399	465.20	466.70	1.50	0	0.01	0.00	0.01	2
C20-399	466.70	467.30	0.60	1	0.01	0.02	0.05	4
C20-399	467.30	469.15	1.85	7	0.01	0.12	1.31	67

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-399	469.15	469.70	0.55	1	0.01	0.02	0.13	8
C20-399	469.70	470.50	0.80	0	0.01	0.01	0.05	3
C20-399	470.50	471.90	1.40	1	0.02	0.03	0.01	4
C20-399	471.90	473.35	1.45	1	0.01	0.06	0.01	5
C20-399	473.35	474.35	1.00	6	0.02	0.16	0.11	18
C20-399	474.35	475.70	1.35	8	0.02	0.17	0.23	25
C20-399	475.70	476.70	1.00	7	0.03	0.15	0.32	28
C20-399	476.70	478.40	1.70	9	0.03	0.16	0.15	23
C20-399	478.40	479.70	1.30	0	0.01	0.00	0.02	2
C20-399	479.70	480.50	0.80	5	0.03	0.07	0.06	13
C20-399	480.50	482.20	1.70	3	0.02	0.04	0.08	9
C20-399	482.20	483.00	0.80	7	0.02	0.12	0.26	23
C20-399	483.00	484.10	1.10	12	0.05	0.19	0.32	36
C20-399	484.10	485.45	1.35	7	0.07	0.07	0.09	18
C20-399	485.45	486.30	0.85	0	0.01	0.01	0.02	2
C20-399	486.30	487.70	1.40	2	0.01	0.03	0.05	6
C20-400	1.20	3.20	2.00	6	0.02	0.15	0.02	13
C20-400	3.20	5.10	1.90	4	0.01	0.11	0.02	10
C20-400	5.10	6.60	1.50	4	0.02	0.11	0.05	11
C20-400	6.60	8.60	2.00	5	0.03	0.09	0.02	12
C20-400	8.60	10.00	1.40	6	0.02	0.10	0.03	12
C20-400	10.00	11.40	1.40	6	0.07	0.16	0.03	18
C20-400	11.40	12.30	0.90	9	0.05	0.09	0.02	17
C20-400	12.30	14.60	2.30	21	0.10	0.11	0.02	34
C20-400	14.60	16.40	1.80	53	0.17	0.09	0.02	71
C20-400	16.40	17.85	1.45	13	0.09	0.07	0.02	24
C20-400	17.85	19.60	1.75	14	0.04	0.07	0.01	20
C20-400	19.60	21.45	1.85	9	0.05	0.06	0.02	16
C20-400	21.45	22.60	1.15	8	0.07	0.06	0.01	17
C20-400	22.60	23.90	1.30	12	0.09	0.05	0.02	21
C20-400	23.90	25.60	1.70	11	0.11	0.08	0.02	24
C20-400	25.60	27.25	1.65	7	0.08	0.08	0.04	17
C20-400	27.25	29.00	1.75	9	0.06	0.11	0.03	19
C20-400	29.00	30.70	1.70	12	0.04	0.10	0.02	20
C20-400	30.70	32.00	1.30	8	0.09	0.09	0.01	19
C20-400	32.00	32.95	0.95	8	0.10	0.08	0.01	19
C20-400	32.95	33.95	1.00	13	0.14	0.10	0.02	29
C20-400	33.95	35.50	1.55	13	0.13	0.26	0.02	34
C20-400	35.50	37.50	2.00	14	0.10	0.29	0.02	33
C20-400	37.50	39.15	1.65	12	0.08	0.31	0.04	31
C20-400	39.15	40.60	1.45	33	0.13	0.22	0.03	52
C20-400	40.60	41.75	1.15	114	0.11	0.30	0.02	134
C20-400	41.75	43.00	1.25	44	0.18	0.29	0.05	71
C20-400	43.00	43.85	0.85	49	0.12	0.25	0.06	69
C20-400	43.85	44.30	0.45	167	0.15	0.31	0.04	192
C20-400	44.30	45.65	1.35	69	0.13	0.27	0.04	91
C20-400	45.65	46.75	1.10	73	0.13	0.27	0.06	95
C20-400	46.75	47.90	1.15	82	0.13	0.15	0.04	99
C20-400	47.90	49.50	1.60	125	0.13	0.21	0.04	144
C20-400	49.50	50.25	0.75	56	0.09	0.19	0.05	72
C20-400	50.25	51.80	1.55	54	0.07	0.16	0.04	68
C20-400	51.80	53.80	2.00	55	0.12	0.13	0.04	71
C20-400	53.80	55.60	1.80	121	0.20	0.32	0.05	151
C20-400	55.60	57.60	2.00	120	0.10	0.48	0.04	147
C20-400	57.60	59.10	1.50	162	0.23	0.40	0.03	196

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-400	59.10	61.10	2.00	104	0.06	0.43	0.02	125
C20-400	61.10	62.15	1.05	60	0.06	0.60	0.04	87
C20-400	62.15	63.35	1.20	19	0.02	0.28	0.03	31
C20-400	63.35	72.10	8.75	84	0.07	0.27	0.04	100
C20-400	72.10	75.70	3.60	28	0.09	0.56	0.14	60
C20-400	75.70	76.50	0.80	21	0.03	0.29	0.47	53
C20-400	76.50	77.15	0.65	13	0.03	0.20	0.50	43
C20-400	77.15	78.50	1.35	18	0.06	0.23	0.47	49
C20-400	78.50	79.35	0.85	6	0.03	0.31	0.24	29
C20-400	79.35	81.35	2.00	4	0.02	0.25	0.23	24
C20-400	81.35	83.35	2.00	8	0.03	0.34	0.23	32
C20-400	83.35	84.50	1.15	5	0.01	0.17	0.18	19
C20-400	84.50	84.95	0.45	1	0.00	0.09	0.19	12
C20-400	84.95	85.75	0.80	3	0.01	0.05	0.15	12
C20-400	85.75	87.30	1.55	2	0.01	0.02	0.05	5
C20-400	87.30	89.05	1.75	3	0.01	0.04	0.39	21
C20-400	89.05	90.15	1.10	2	0.01	0.06	0.25	15
C20-400	90.15	91.20	1.05	2	0.02	0.03	0.26	15
C20-400	91.20	92.25	1.05	2	0.01	0.03	0.19	11
C20-400	92.25	93.80	1.55	6	0.03	0.08	0.62	37
C20-400	93.80	94.95	1.15	7	0.01	0.07	0.44	27
C20-400	94.95	95.80	0.85	4	0.01	0.03	0.14	12
C20-400	95.80	97.50	1.70	3	0.01	0.03	0.16	11
C20-400	97.50	98.70	1.20	3	0.01	0.02	0.16	11
C20-400	98.70	100.10	1.40	6	0	0	0	21
C20-400	100.10	101.85	1.75	11	0.01	0.08	0.42	32
C20-400	101.85	102.80	0.95	7	0.01	0.13	0.19	19
C20-400	102.80	103.70	0.90	12	0.01	0.08	0.37	31
C20-400	103.70	104.35	0.65	19	0.02	0.13	0.32	38
C20-400	104.35	104.95	0.60	20	0.01	0.10	0.80	57
C20-400	104.95	105.60	0.65	24	0.03	0.12	0.37	46
C20-400	105.60	106.00	0.40	15	0.04	0.04	0.12	24
C20-400	106.00	106.60	0.60	11	0.03	0.09	0.43	34
C20-400	106.60	107.25	0.65	25	0.03	0.23	0.95	75
C20-400	107.25	107.90	0.65	3	0.00	0.04	0.11	9
C20-400	107.90	108.25	0.35	9	0.00	0.14	0.75	45
C20-400	108.25	109.00	0.75	32	0.05	0.26	1.60	112
C20-400	109.00	109.65	0.65	23	0.02	0.11	0.82	63
C20-400	109.65	110.25	0.60	30	0.03	0.16	1.21	88
C20-400	110.25	111.15	0.90	26	0.01	0.18	0.91	71
C20-400	111.15	111.85	0.70	3	0.02	0.02	0.14	12
C20-400	111.85	112.50	0.65	5	0.00	0.03	0.14	12
C20-400	112.50	113.45	0.95	17	0.00	0.09	0.49	41
C20-400	113.45	114.45	1.00	75	0.00	0.24	1.40	141
C20-400	114.45	115.60	1.15	17	0.00	0.08	0.45	38
C20-400	115.60	116.70	1.10	6	0.00	0.05	0.38	24
C20-400	116.70	118.15	1.45	4	0.01	0.05	0.43	24
C20-400	118.15	119.40	1.25	17	0.01	0.07	1.28	73
C20-400	119.40	120.05	0.65	19	0.01	0.10	0.67	51
C20-400	120.05	120.65	0.60	11	0.01	0.07	0.70	43
C20-400	120.65	121.25	0.60	7	0.00	0.04	0.25	19
C20-400	121.25	122.25	1.00	12	0.01	0.07	0.38	31
C20-400	122.25	123.10	0.85	37	0.00	0.20	1.66	114
C20-400	123.10	124.15	1.05	37	0.00	0.23	2.79	161
C20-400	124.15	125.15	1.00	49	0.01	0.42	4.06	232

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-400	125.15	126.10	0.95	10	0.01	0.10	0.98	55
C20-400	126.10	126.90	0.80	21	0.01	0.14	1.45	87
C20-400	126.90	127.65	0.75	13	0.01	0.19	1.20	70
C20-400	127.65	128.35	0.70	13	0.01	0.16	1.16	67
C20-400	128.35	129.35	1.00	99	0.01	0.85	5.42	354
C20-400	129.35	130.05	0.70	58	0.01	0.29	2.93	190
C20-400	130.05	130.40	0.35	31	0.01	0.25	2.00	123
C20-400	130.40	131.55	1.15	47	0.01	1.60	2.75	218
C20-400	131.55	132.45	0.90	6	0.01	0.14	0.85	47
C20-400	132.45	133.65	1.20	8	0.01	0.04	2.19	101
C20-400	133.65	134.55	0.90	13	0.01	0.06	1.31	70
C20-400	134.55	135.45	0.90	17	0.02	0.08	1.53	85
C20-400	135.45	136.60	1.15	9	0.01	0.03	1.08	56
C20-400	136.60	137.05	0.45	95	0.18	0.44	4.18	298
C20-400	137.05	137.90	0.85	10	0.03	0.06	1.10	60
C20-400	137.90	138.20	0.30	10	0.09	0.08	0.53	42
C20-400	138.20	139.60	1.40	6	0.03	0.07	0.30	23
C20-400	139.60	140.00	0.40	13	0.02	0.14	0.28	31
C20-400	140.00	141.00	1.00	5	0.02	0.08	0.33	22
C20-400	141.00	142.25	1.25	2	0.01	0.03	0.15	10
C20-400	142.25	143.40	1.15	5	0.01	0.08	0.32	22
C20-400	143.40	144.00	0.60	17	0.03	0.44	1.49	97
C20-400	144.00	145.00	1.00	4	0.01	0.06	0.19	15
C20-400	145.00	145.90	0.90	4	0.01	0.04	0.21	15
C20-400	145.90	147.10	1.20	8	0.01	0.10	0.66	39
C20-400	147.10	147.85	0.75	8	0.02	0.12	1.08	58
C20-400	147.85	148.60	0.75	6	0.03	0.07	0.37	26
C20-400	148.60	149.70	1.10	8	0.03	0.07	0.14	19
C20-400	149.70	150.45	0.75	11	0.01	0.14	0.53	38
C20-400	150.45	151.60	1.15	7	0.01	0.14	0.31	26
C20-400	151.60	152.80	1.20	4	0.02	0.06	0.32	21
C20-400	152.80	154.00	1.20	6	0.00	0.08	0.53	31
C20-400	154.00	155.30	1.30	6	0.01	0.05	0.70	37
C20-400	155.30	157.30	2.00	11	0.02	0.14	0.41	34
C20-400	157.30	159.30	2.00	3	0.01	0.04	0.50	26
C20-400	159.30	161.15	1.85	6	0.01	0.03	0.64	34
C20-400	161.15	162.00	0.85	12	0.01	0.24	0.64	47
C20-400	162.00	162.70	0.70	8	0.01	0.15	1.51	76
C20-400	162.70	163.10	0.40	46	0.03	0.35	1.32	116
C20-400	163.10	163.95	0.85	10	0.01	0.23	2.68	130
C20-400	163.95	164.15	0.20	36	0.04	0.35	2.53	157
C20-400	164.15	164.85	0.70	25	0.03	0.39	2.13	129
C20-400	164.85	165.55	0.70	12	0.02	0.12	1.67	86
C20-400	165.55	165.90	0.35	15	0.04	0.20	2.44	127
C20-400	165.90	166.35	0.45	390	0.85	3.97	6.60	873
C20-400	166.35	167.30	0.95	14	0.06	0.11	2.60	131
C20-400	167.30	167.70	0.40	273	0.72	0.40	11.65	829
C20-400	167.70	168.45	0.75	18	0.10	0.17	3.26	167
C20-400	168.45	168.75	0.30	88	0.05	0.23	0.51	122
C20-400	168.75	169.90	1.15	1	0.01	0.02	0.10	6
C20-400	169.90	170.40	0.50	22	0.34	0.22	0.39	73
C20-400	170.40	170.95	0.55	24	0.01	0.22	0.71	62
C20-400	170.95	171.25	0.30	0	0.01	0.00	0.01	1
C20-400	171.25	172.50	1.25	24	0.01	0.24	1.15	81
C20-400	172.50	173.45	0.95	4	0.00	0.05	0.38	21

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-400	173.45	174.45	1.00	6	0.02	0.04	0.22	18
C20-400	174.45	176.40	1.95	4	0.01	0.03	0.50	26
C20-400	176.40	177.45	1.05	4	0.01	0.06	0.40	23
C20-400	177.45	177.95	0.50	4	0.00	0.03	0.40	22
C20-400	177.95	179.45	1.50	1	0.00	0.01	0.11	6
C20-400	179.45	180.95	1.50	1	0.00	0.03	0.12	7
C20-400	180.95	182.45	1.50	1	0.01	0.01	0.07	5
C20-400	182.45	183.45	1.00	3	0.01	0.03	0.21	13
C20-400	183.45	185.25	1.80	4	0.02	0.03	0.33	21
C20-400	185.25	185.80	0.55	4	0.02	0.03	0.28	19
C20-400	185.80	187.60	1.80	8	0.02	0.07	0.51	34
C20-400	187.60	188.25	0.65	5	0.01	0.03	0.66	34
C20-400	188.25	189.05	0.80	10	0.02	0.03	0.33	27
C20-400	189.05	189.80	0.75	12	0.03	0.03	0.04	17
C20-400	189.80	191.30	1.50	8	0.01	0.04	0.62	36
C20-400	191.30	191.85	0.55	3	0.01	0.03	0.21	14
C20-400	191.85	192.55	0.70	4	0.01	0.08	0.19	15
C20-400	192.55	193.80	1.25	3	0.01	0.05	0.25	16
C20-400	193.80	194.35	0.55	7	0.02	0.11	0.31	25
C20-400	194.35	195.05	0.70	8	0.01	0.04	0.69	39
C20-400	195.05	196.10	1.05	2	0.01	0.02	0.15	10
C20-400	196.10	196.40	0.30	6	0.01	0.05	0.46	27
C20-400	196.40	197.95	1.55	5	0.01	0.05	0.28	19
C20-400	197.95	199.60	1.65	6	0.01	0.09	0.35	24
C20-400	199.60	200.80	1.20	7	0.02	0.07	0.27	22
C20-400	200.80	202.05	1.25	6	0.01	0.07	0.27	21
C20-400	202.05	203.45	1.40	2	0.01	0.01	0.24	12
C20-400	203.45	204.00	0.55	2	0.02	0.01	0.20	12
C20-400	204.00	204.70	0.70	3	0.01	0.03	0.12	9
C20-400	204.70	205.60	0.90	1	0.01	0.01	0.04	4
C20-400	205.60	206.60	1.00	9	0.03	0.08	0.15	21
C20-400	206.60	206.90	0.30	8	0.04	0.10	0.26	26
C20-400	206.90	208.00	1.10	218	0.67	1.36	0.58	344
C20-400	208.00	208.95	0.95	22	0.25	0.09	0.05	48
C20-400	208.95	210.40	1.45	24	0.05	0.18	0.18	42
C20-400	210.40	211.35	0.95	119	0.30	0.47	0.09	164
C20-400	211.35	212.70	1.35	15	0.02	0.06	0.08	22
C20-400	212.70	214.10	1.40	5	0.01	0.02	0.19	14
C20-400	214.10	214.60	0.50	16	0.06	0.07	0.06	26
C20-400	214.60	215.40	0.80	6	0.01	0.06	0.23	18
C20-400	215.40	216.45	1.05	7	0.01	0.03	0.26	19
C20-400	216.45	217.45	1.00	14	0.06	0.12	0.25	33
C20-400	217.45	218.45	1.00	7	0.01	0.14	0.28	24
C20-400	218.45	218.95	0.50	11	0.12	0.07	0.10	27
C20-400	218.95	220.60	1.65	2	0.01	0.02	0.12	8
C20-400	220.60	222.30	1.70	1	0.02	0.01	0.02	4
C20-400	222.30	223.70	1.40	6	0.01	0.08	0.11	14
C20-400	223.70	224.70	1.00	3	0.00	0.04	0.17	12
C20-400	224.70	225.40	0.70	36	0.11	0.22	0.40	69
C20-400	225.40	226.85	1.45	4	0.01	0.02	0.03	7
C20-400	226.85	228.35	1.50	1	0.01	0.01	0.02	3
C20-400	228.35	229.85	1.50	12	0.03	0.10	0.16	25
C20-400	229.85	230.95	1.10	4	0.01	0.04	0.18	14
C20-400	230.95	232.60	1.65	4	0.01	0.04	0.12	12
C20-400	232.60	233.95	1.35	9	0.01	0.15	0.21	23

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-400	233.95	234.75	0.80	14	0.01	0.26	0.63	49
C20-400	234.75	235.80	1.05	45	0.01	0.85	1.91	155
C20-400	235.80	236.90	1.10	82	0.01	1.74	8.42	493
C20-400	236.90	237.95	1.05	8	0.01	0.11	1.20	61
C20-400	237.95	238.90	0.95	15	0.01	0.26	3.00	149
C20-400	238.90	239.90	1.00	7	0.01	0.13	1.56	77
C20-400	239.90	240.75	0.85	1	0.01	0.03	0.12	8
C20-400	240.75	242.30	1.55	3	0.01	0.05	0.07	8
C20-400	242.30	243.70	1.40	6	0.02	0.03	0.03	10
C20-400	243.70	244.80	1.10	13	0.02	0.08	0.24	27
C20-400	244.80	246.10	1.30	9	0.02	0.12	0.04	17
C20-400	246.10	246.75	0.65	7	0.01	0.09	0.34	25
C20-400	246.75	247.75	1.00	5	0.01	0.07	0.38	24
C20-400	247.75	248.55	0.80	10	0.10	0.04	0.03	21
C20-400	248.55	249.05	0.50	8	0.02	0.02	0.05	13
C20-400	249.05	249.70	0.65	4	0.01	0.07	0.21	15
C20-400	249.70	251.20	1.50	1	0.01	0.01	0.09	6
C20-400	251.20	252.75	1.55	4	0.04	0.02	0.10	12
C20-400	252.75	253.65	0.90	14	0.08	0.07	0.06	25
C20-400	253.65	255.10	1.45	3	0.02	0.02	0.07	8
C20-400	255.10	256.55	1.45	3	0.01	0.01	0.09	8
C20-400	256.55	258.10	1.55	6	0.04	0.03	0.05	12
C20-400	258.10	259.45	1.35	4	0.02	0.04	0.30	20
C20-400	259.45	260.90	1.45	3	0.01	0.03	0.16	12
C20-400	260.90	261.35	0.45	1	0.01	0.01	0.02	3
C20-400	261.35	262.55	1.20	2	0.02	0.02	0.03	5
C20-400	262.55	263.75	1.20	1	0.01	0.00	0.01	2
C20-400	263.75	265.10	1.35	2	0.01	0.01	0.02	4
C20-400	265.10	267.10	2.00	2	0.01	0.03	0.05	6
C20-400	267.10	268.70	1.60	1	0.00	0.02	0.02	2
C20-400	268.70	270.15	1.45	1	0.01	0.01	0.03	3
C20-400	270.15	271.45	1.30	2	0.01	0.02	0.04	5
C20-400	271.45	272.55	1.10	3	0.01	0.07	0.08	9
C20-400	272.55	274.00	1.45	5	0.01	0.07	0.13	13
C20-400	274.00	275.05	1.05	6	0.01	0.08	0.24	19
C20-400	275.05	276.60	1.55	2	0.01	0.02	0.11	8
C20-400	276.60	277.85	1.25	5	0.01	0.03	0.05	9
C20-400	277.85	278.55	0.70	10	0.02	0.04	0.14	18
C20-400	278.55	280.05	1.50	13	0.01	0.12	0.35	33
C20-400	280.05	280.65	0.60	5	0.01	0.04	0.15	13
C20-400	280.65	281.10	0.45	5	0.01	0.01	0.05	8
C20-400	281.10	281.95	0.85	4	0.01	0.02	0.04	7
C20-400	281.95	283.25	1.30	14	0.01	0.24	0.33	36
C20-400	283.25	283.55	0.30	4	0.01	0.05	0.30	19
C20-400	283.55	284.50	0.95	9	0.01	0.10	0.53	35
C20-400	284.50	285.40	0.90	4	0.01	0.02	0.25	16
C20-400	285.40	286.40	1.00	18	0.01	0.12	0.18	30
C20-400	286.40	287.40	1.00	33	0.20	0.23	0.35	73
C20-400	287.40	287.95	0.55	15	0.03	0.13	0.33	35
C20-400	287.95	288.65	0.70	5	0.01	0.04	0.30	20
C20-400	288.65	289.40	0.75	4	0.01	0.04	0.13	11
C20-400	289.40	290.45	1.05	2	0.01	0.04	0.04	6
C20-400	290.45	290.90	0.45	5	0.01	0.06	0.12	12
C20-400	290.90	292.60	1.70	3	0.01	0.07	0.17	13
C20-400	292.60	294.40	1.80	4	0.01	0.06	0.21	15

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-400	294.40	295.15	0.75	4	0.02	0.05	0.11	12
C20-400	295.15	296.45	1.30	5	0.01	0.08	0.18	16
C20-400	296.45	297.10	0.65	24	0.01	0.13	0.19	38
C20-400	297.10	297.40	0.30	31	0.17	0.16	0.74	81
C20-400	297.40	298.40	1.00	21	0.01	0.08	0.04	27
C20-400	298.40	298.80	0.40	58	0.39	0.22	0.23	107
C20-400	298.80	299.95	1.15	22	0.02	0.07	0.11	30
C20-400	299.95	301.00	1.05	8	0.02	0.08	0.20	21
C20-400	301.00	302.50	1.50	5	0.01	0.04	0.20	15
C20-400	302.50	304.50	2.00	8	0.04	0.05	0.11	18
C20-400	304.50	306.00	1.50	3	0.01	0.02	0.08	8
C20-400	306.00	306.70	0.70	4	0.01	0.01	0.10	9
C20-400	306.70	307.40	0.70	6	0.01	0.04	0.10	11
C20-400	307.40	309.00	1.60	4	0.01	0.05	0.14	12
C20-400	309.00	310.90	1.90	3	0.01	0.04	0.19	13
C20-400	310.90	312.35	1.45	3	0.01	0.02	0.07	6
C20-400	312.35	314.10	1.75	2	0.00	0.02	0.14	9
C20-400	314.10	315.95	1.85	6	0.01	0.03	0.21	17
C20-400	315.95	316.75	0.80	12	0.03	0.06	0.31	29
C20-400	316.75	318.00	1.25	15	0.02	0.04	0.09	22
C20-400	318.00	318.95	0.95	6	0.03	0.04	0.08	13
C20-400	318.95	320.10	1.15	4	0.02	0.02	0.03	8
C20-400	320.10	321.00	0.90	47	0.05	0.03	0.10	56
C20-400	321.00	322.20	1.20	11	0.01	0.05	0.07	17
C20-400	322.20	323.05	0.85	9	0.01	0.06	0.09	15
C20-400	323.05	323.70	0.65	11	0.01	0.10	0.15	21
C20-400	323.70	324.80	1.10	49	0.06	0.95	1.57	152
C20-400	324.80	325.45	0.65	58	0.15	1.01	3.04	231
C20-400	325.45	326.10	0.65	79	0.36	0.91	0.41	157
C20-400	326.10	326.75	0.65	10	0.02	0.04	0.03	15
C20-400	326.75	327.60	0.85	11	0.01	0.07	0.16	20
C20-400	327.60	328.30	0.70	19	0.01	0.18	0.53	49
C20-400	328.30	329.30	1.00	46	0.02	0.39	0.71	90
C20-400	329.30	330.00	0.70	16	0.01	0.14	0.21	30
C20-400	330.00	331.55	1.55	18	0.03	0.17	0.24	36
C20-400	331.55	332.20	0.65	4	0.01	0.09	0.24	18
C20-400	332.20	333.55	1.35	4	0.01	0.03	0.04	8
C20-400	333.55	334.65	1.10	3	0.02	0.02	0.02	6
C20-400	334.65	335.85	1.20	15	0.19	0.08	0.10	38
C20-400	335.85	336.65	0.80	4	0.02	0.05	0.08	11
C20-400	336.65	337.45	0.80	7	0.01	0.05	0.09	14
C20-400	337.45	338.00	0.55	5	0.02	0.07	0.23	19
C20-400	338.00	338.70	0.70	11	0.02	0.13	0.23	26
C20-400	338.70	339.80	1.10	41	0.75	0.06	0.09	108
C20-400	339.80	340.75	0.95	6	0.04	0.07	0.12	17
C20-400	340.75	341.70	0.95	8	0.04	0.05	0.03	14
C20-400	341.70	342.50	0.80	12	0.02	0.09	0.08	20
C20-400	342.50	343.65	1.15	27	0.02	0.17	0.21	43
C20-400	343.65	344.65	1.00	42	0.04	0.41	0.17	67
C20-400	344.65	345.10	0.45	67	0.06	0.81	0.14	106
C20-400	345.10	346.45	1.35	49	0.17	0.30	0.98	114
C20-400	346.45	346.75	0.30	28	0.31	0.22	0.35	76
C20-400	346.75	347.25	0.50	31	0.13	0.10	0.22	54
C20-400	347.25	348.00	0.75	39	0.04	0.05	0.10	48
C20-400	348.00	348.90	0.90	34	0.04	0.04	0.06	40

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-400	348.90	350.10	1.20	44	0.07	0.10	0.06	56
C20-400	350.10	350.90	0.80	35	0.06	0.08	0.09	46
C20-400	350.90	351.90	1.00	23	0.04	0.11	0.06	33
C20-400	351.90	352.90	1.00	55	0.04	0.17	0.23	73
C20-400	352.90	353.50	0.60	35	0.04	0.08	0.14	47
C20-400	353.50	354.50	1.00	32	0.04	0.09	0.08	42
C20-400	354.50	355.45	0.95	33	0.07	0.07	0.14	46
C20-400	355.45	356.35	0.90	29	0.05	0.03	0.03	35
C20-400	356.35	358.05	1.70	16	0.02	0.03	0.05	20
C20-400	358.05	358.90	0.85	19	0.04	0.04	0.07	27
C20-400	358.90	360.40	1.50	8	0.06	0.02	0.06	16
C20-400	360.40	361.40	1.00	7	0.07	0.02	0.04	16
C20-400	361.40	362.50	1.10	17	0.11	0.02	0.04	28
C20-400	362.50	363.75	1.25	23	0.04	0.11	0.40	46
C20-400	363.75	364.45	0.70	38	0.04	0.13	0.30	58
C20-400	364.45	364.95	0.50	23	0.05	0.32	0.90	75
C20-400	364.95	365.80	0.85	57	0.13	0.75	1.72	165
C20-400	365.80	366.60	0.80	16	0.03	0.19	0.33	38
C20-400	366.60	368.00	1.40	49	0.11	0.87	3.32	226
C20-400	368.00	368.50	0.50	24	0.02	0.24	0.33	48
C20-400	368.50	369.65	1.15	6	0.01	0.05	0.14	14
C20-400	369.65	371.50	1.85	1	0.01	0.01	0.11	7
C20-400	371.50	372.35	0.85	3	0.01	0.01	0.04	6
C20-400	372.35	373.40	1.05	1	0.01	0.01	0.09	6
C20-400	373.40	375.20	1.80	1	0.01	0.01	0.06	5
C20-400	375.20	376.95	1.75	9	0.02	0.02	0.10	15
C20-400	376.95	378.90	1.95	3	0.02	0.01	0.05	6
C20-400	378.90	380.60	1.70	54	0.09	0.11	0.22	74
C20-400	380.60	381.50	0.90	46	0.03	0.36	0.34	76
C20-400	381.50	383.00	1.50	3	0.01	0.02	0.03	6
C20-400	383.00	383.50	0.50	9	0.01	0.04	0.04	13
C20-400	383.50	384.80	1.30	2	0.01	0.03	0.09	7
C20-400	384.80	385.75	0.95	1	0.01	0.01	0.03	4
C20-400	385.75	386.40	0.65	1	0.01	0.01	0.03	3
C20-400	386.40	387.45	1.05	1	0.01	0.01	0.04	4
C20-400	387.45	388.65	1.20	1	0.01	0.01	0.05	4
C20-400	388.65	390.35	1.70	3	0.01	0.02	0.13	10
C20-400	390.35	391.70	1.35	1	0.00	0.00	0.02	2
C20-400	391.70	392.45	0.75	14	0.01	0.03	0.07	19
C20-400	392.45	393.50	1.05	1	0.00	0.01	0.07	4
C20-400	393.50	394.05	0.55	1	0.00	0.01	0.17	8
C20-400	394.05	395.45	1.40	1	0.01	0.01	0.05	4
C20-400	395.45	396.50	1.05	2	0.02	0.01	0.06	7
C20-400	396.50	397.50	1.00	1	0.01	0.01	0.07	5
C20-400	397.50	398.65	1.15	2	0.00	0.02	0.20	12
C20-400	398.65	400.10	1.45	3	0.01	0.01	0.09	8
C20-400	400.10	401.95	1.85	1	0.01	0.01	0.17	10
C20-400	401.95	403.25	1.30	28	0.02	0.06	0.19	39
C20-400	403.25	405.25	2.00	3	0.01	0.03	0.21	13
C20-400	405.25	406.75	1.50	1	0.01	0.01	0.07	4
C20-400	406.75	408.45	1.70	2	0.01	0.01	0.14	9
C20-400	408.45	409.75	1.30	7	0.02	0.02	0.15	15
C20-402	0.00	3.00	3.00	8	0.06	0.12	0.05	19
C20-402	3.00	4.50	1.50	15	0.12	0.34	0.05	39
C20-402	4.50	6.50	2.00	15	0.09	0.32	0.07	37

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-402	6.50	7.20	0.70	10	0.12	0.18	0.05	28
C20-402	7.20	8.50	1.30	17	0.11	0.52	0.06	47
C20-402	8.50	9.50	1.00	33	0.10	0.34	0.05	55
C20-402	9.50	10.50	1.00	17	0.13	0.82	0.07	60
C20-402	10.50	11.10	0.60	49	0.10	0.27	0.04	68
C20-402	11.10	11.40	0.30	7	0.03	0.18	0.06	18
C20-402	11.40	13.00	1.60	28	0.18	0.44	0.05	60
C20-402	13.00	15.00	2.00	10	0.10	0.18	0.03	26
C20-402	15.00	16.75	1.75	8	0.11	0.32	0.01	28
C20-402	16.75	18.75	2.00	11	0.07	0.19	0.00	23
C20-402	18.75	20.75	2.00	13	0.08	0.24	0.08	31
C20-402	20.75	22.55	1.80	20	0.10	0.15	0.06	36
C20-402	22.55	23.20	0.65	19	0.14	0.08	0.06	36
C20-402	23.20	23.70	0.50	10	0.10	0.12	0.06	25
C20-402	23.70	25.70	2.00	40	0.07	0.15	0.05	53
C20-402	25.70	27.05	1.35	4	0.05	0.06	0.03	11
C20-402	27.05	28.30	1.25	47	0.09	0.36	0.49	88
C20-402	28.30	28.90	0.60	81	0.20	0.85	0.04	129
C20-402	28.90	29.80	0.90	26	0.08	0.22	0.15	46
C20-402	29.80	31.35	1.55	14	0.06	0.29	0.02	30
C20-402	31.35	33.35	2.00	6	0.03	0.10	0.03	13
C20-402	33.35	35.35	2.00	3	0.07	0.04	0.04	12
C20-402	35.35	36.70	1.35	7	0.07	0.06	0.14	21
C20-402	36.70	37.50	0.80	3	0.05	0.03	0.39	24
C20-402	37.50	38.15	0.65	8	0.09	0.03	0.14	22
C20-402	38.15	40.15	2.00	3	0.02	0.01	0.09	9
C20-402	40.15	42.15	2.00	2	0.10	0.03	0.04	13
C20-402	42.15	42.90	0.75	4	0.14	0.05	0.05	19
C20-402	42.90	44.40	1.50	7	0.05	0.03	0.07	15
C20-402	44.40	45.55	1.15	2	0.03	0.01	0.03	7
C20-402	45.55	47.55	2.00	2	0.03	0.01	0.02	5
C20-402	47.55	48.55	1.00	2	0.07	0.01	0.03	9
C20-402	48.55	49.55	1.00	2	0.08	0.02	0.01	9
C20-402	49.55	50.80	1.25	1	0.05	0.01	0.02	7
C20-402	50.80	52.25	1.45	3	0.07	0.03	0.15	16
C20-402	52.25	53.20	0.95	1	0.02	0.01	0.10	7
C20-402	53.20	54.35	1.15	0	0.01	0.00	0.11	6
C20-402	54.35	55.80	1.45	0	0.00	0.00	0.07	3
C20-402	55.80	57.15	1.35	0	0.00	0.00	0.09	4
C20-402	57.15	58.50	1.35	0	0.00	0.00	0.07	4
C20-402	58.50	61.50	3.00	0	0.01	0.00	0.19	9
C20-402	61.50	63.00	1.50	3	0.02	0.00	0.10	9
C20-402	63.00	64.50	1.50	1	0.01	0.00	0.08	5
C20-402	64.50	67.50	3.00	0	0.01	0.00	0.05	3
C20-402	67.50	68.80	1.30	0	0.01	0.00	0.04	3
C20-402	68.80	70.00	1.20	0	0.02	0.00	0.04	3
C20-402	70.00	70.30	0.30	1	0.03	0.00	0.02	4
C20-402	70.30	71.60	1.30	0	0.01	0.00	0.01	2
C20-402	71.60	73.50	1.90	1	0.01	0.01	0.03	3
C20-402	73.50	74.45	0.95	1	0.03	0.01	0.03	5
C20-402	74.45	75.10	0.65	1	0.03	0.00	0.01	3
C20-402	75.10	75.55	0.45	3	0.02	0.01	0.02	6
C20-402	75.55	77.55	2.00	1	0.01	0.01	0.02	3
C20-402	77.55	79.50	1.95	1	0.01	0.00	0.02	3
C20-402	79.50	81.40	1.90	1	0.01	0.00	0.05	4

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-402	81.40	81.85	0.45	1	0.01	0.00	0.06	4
C20-402	81.85	83.00	1.15	2	0.02	0.02	0.04	6
C20-402	83.00	83.40	0.40	34	0.40	0.80	0.59	119
C20-402	83.40	85.20	1.80	9	0.06	0.08	0.13	22
C20-402	85.20	85.85	0.65	6	0.06	0.03	0.07	14
C20-402	85.85	86.65	0.80	5	0.05	0.01	0.03	10
C20-402	86.65	88.05	1.40	1	0.02	0.00	0.01	3
C20-402	88.05	88.55	0.50	6	0.03	0.04	0.08	13
C20-402	88.55	90.00	1.45	1	0.02	0.02	0.03	5
C20-402	90.00	93.00	3.00	3	0.06	0.02	0.11	13
C20-402	93.00	94.50	1.50	1	0.03	0.01	0.06	6
C20-402	94.50	96.85	2.35	1	0.01	0.01	0.06	4
C20-402	96.85	97.20	0.35	2	0.02	0.01	0.03	5
C20-402	97.20	98.40	1.20	1	0.02	0.02	0.03	4
C20-402	98.40	99.00	0.60	0	0.01	0.00	0.03	3
C20-402	99.00	99.95	0.95	1	0.05	0.01	0.02	6
C20-402	99.95	102.00	2.05	1	0.01	0.01	0.02	3
C20-402	102.00	103.50	1.50	1	0.01	0.01	0.01	2
C20-402	103.50	105.00	1.50	0	0.01	0.00	0.01	1
C20-402	105.00	106.90	1.90	1	0.02	0.00	0.01	3
C20-402	106.90	107.20	0.30	1	0.04	0.01	0.02	6
C20-402	107.20	108.30	1.10	2	0.04	0.02	0.05	7
C20-402	108.30	109.60	1.30	3	0.03	0.02	0.06	9
C20-402	109.60	111.70	2.10	4	0.10	0.03	0.10	17
C20-402	111.70	112.50	0.80	3	0.11	0.03	0.15	19
C20-402	112.50	114.50	2.00	1	0.01	0.01	0.03	4
C20-402	114.50	114.85	0.35	2	0.01	0.02	0.07	6
C20-402	114.85	115.15	0.30	5	0.06	0.09	0.19	21
C20-402	115.15	115.60	0.45	18	0.18	0.40	0.79	80
C20-402	115.60	117.60	2.00	6	0.04	0.13	0.14	19
C20-402	117.60	119.60	2.00	1	0.01	0.01	0.04	4
C20-402	119.60	121.60	2.00	1	0.02	0.03	0.08	7
C20-402	121.60	123.60	2.00	1	0.01	0.02	0.05	5
C20-402	123.60	124.45	0.85	4	0.01	0.07	0.12	11
C20-402	124.45	126.10	1.65	2	0.02	0.04	0.05	7
C20-402	126.10	128.05	1.95	2	0.01	0.01	0.03	4
C20-402	128.05	128.35	0.30	2	0.00	0.03	0.03	5
C20-402	128.35	129.75	1.40	3	0.01	0.02	0.06	7
C20-402	129.75	130.05	0.30	2	0.02	0.03	0.05	6
C20-402	130.05	130.85	0.80	1	0.02	0.01	0.02	4
C20-402	130.85	131.40	0.55	3	0.01	0.01	0.02	4
C20-402	131.40	132.00	0.60	5	0.01	0.12	0.32	23
C20-402	132.00	132.35	0.35	7	0.01	0.23	1.07	60
C20-402	132.35	134.15	1.80	3	0.01	0.04	0.23	13
C20-402	134.15	135.30	1.15	2	0.00	0.03	0.27	14
C20-402	135.30	137.30	2.00	4	0.00	0.02	0.19	12
C20-402	137.30	138.15	0.85	4	0.00	0.02	0.12	10
C20-402	138.15	139.15	1.00	5	0.00	0.12	0.49	29
C20-402	139.15	140.30	1.15	4	0.00	0.07	0.25	17
C20-402	140.30	141.00	0.70	3	0.00	0.02	0.05	6
C20-402	141.00	141.80	0.80	3	0.01	0.03	0.39	20
C20-402	141.80	142.10	0.30	2	0.00	0.03	0.15	9
C20-402	142.10	144.10	2.00	2	0.01	0.01	0.03	4
C20-402	144.10	146.10	2.00	3	0.01	0.01	0.04	6
C20-402	146.10	148.10	2.00	3	0.01	0.01	0.04	5

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-402	148.10	150.10	2.00	3	0.01	0.01	0.04	6
C20-402	150.10	151.20	1.10	4	0.00	0.02	0.21	14
C20-402	151.20	152.40	1.20	0	0.01	0.01	0.13	6
C20-402	152.40	154.25	1.85	0	0.00	0.00	0.03	2
C20-402	154.25	156.25	2.00	0	0.00	0.00	0.01	1
C20-402	156.25	156.75	0.50	0	0.01	0.00	0.01	1
C20-402	156.75	158.60	1.85	0	0.01	0.00	0.01	1
C20-402	158.60	159.80	1.20	0	0.01	0.00	0.00	1
C20-402	159.80	160.80	1.00	0	0.00	0.00	0.00	1
C20-402	160.80	162.00	1.20	0	0.00	0.00	0.00	1
C20-402	162.00	163.35	1.35	0	0.00	0.00	0.00	1
C20-402	163.35	165.00	1.65	0	0.01	0.00	0.00	1
C20-402	165.00	165.30	0.30	0	0.01	0.00	0.02	2
C20-402	165.30	165.90	0.60	1	0.01	0.00	0.01	2
C20-402	165.90	167.10	1.20	1	0.01	0.00	0.01	1
C20-402	167.10	167.80	0.70	0	0.01	0.00	0.01	1
C20-402	167.80	168.80	1.00	1	0.01	0.00	0.01	1
C20-402	168.80	170.80	2.00	0	0.01	0.00	0.01	1
C20-402	170.80	171.40	0.60	0	0.01	0.00	0.01	1
C20-402	171.40	172.50	1.10	0	0.01	0.01	0.01	2
C20-402	172.50	173.90	1.40	1	0.01	0.00	0.01	2
C20-402	173.90	174.20	0.30	40	0.02	0.94	0.40	91
C20-402	174.20	175.45	1.25	1	0.01	0.01	0.01	2
C20-402	175.45	176.80	1.35	1	0.02	0.01	0.01	2
C20-402	176.80	178.70	1.90	1	0.02	0.01	0.02	3
C20-402	178.70	179.70	1.00	1	0.01	0.01	0.02	3
C20-402	179.70	180.75	1.05	1	0.01	0.01	0.03	3
C20-402	180.75	182.75	2.00	1	0.01	0.01	0.02	2
C20-402	182.75	184.50	1.75	1	0.01	0.00	0.03	3
C20-402	184.50	185.85	1.35	1	0.01	0.01	0.02	3
C20-402	185.85	186.50	0.65	1	0.01	0.01	0.06	4
C20-402	186.50	188.50	2.00	1	0.01	0.01	0.05	4
C20-402	188.50	190.50	2.00	1	0.01	0.01	0.02	2
C20-402	190.50	192.35	1.85	1	0.01	0.01	0.03	3
C20-402	192.35	193.85	1.50	2	0.01	0.02	0.04	5
C20-402	193.85	194.55	0.70	2	0.01	0.01	0.05	6
C20-402	194.55	195.50	0.95	1	0.01	0.02	0.04	4
C20-402	195.50	196.90	1.40	9	0.01	0.09	0.23	22
C20-402	196.90	197.20	0.30	3	0.01	0.04	0.75	36
C20-402	197.20	197.60	0.40	21	0.04	0.21	0.70	61
C20-402	197.60	198.35	0.75	2	0.02	0.02	0.04	6
C20-402	198.35	198.85	0.50	4	0.01	0.05	0.34	21
C20-402	198.85	200.85	2.00	0	0.01	0.01	0.04	3
C20-402	200.85	202.85	2.00	0	0.01	0.01	0.02	2
C20-402	202.85	204.85	2.00	1	0.01	0.01	0.08	5
C20-402	204.85	205.35	0.50	2	0.02	0.02	0.25	15
C20-402	205.35	206.35	1.00	1	0.01	0.01	0.06	5
C20-402	206.35	207.35	1.00	1	0.00	0.01	0.05	3
C20-402	207.35	209.35	2.00	1	0.01	0.01	0.02	3
C20-402	209.35	211.35	2.00	2	0.01	0.01	0.05	5
C20-402	211.35	213.35	2.00	1	0.01	0.00	0.03	3
C20-402	213.35	215.35	2.00	1	0.00	0.00	0.03	2
C20-402	215.35	217.35	2.00	1	0.00	0.00	0.03	2
C20-402	217.35	218.35	1.00	1	0.00	0.00	0.04	3
C20-402	218.35	220.20	1.85	1	0.00	0.00	0.05	3

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-402	220.20	222.20	2.00	1	0.01	0.00	0.02	3
C20-402	222.20	223.80	1.60	2	0.01	0.00	0.01	3
C20-402	223.80	224.90	1.10	0	0.00	0.00	0.01	1
C20-402	224.90	226.40	1.50	1	0.01	0.00	0.01	2
C20-402	226.40	227.75	1.35	1	0.01	0.00	0.01	3
C20-402	227.75	228.55	0.80	1	0.02	0.01	0.02	4
C20-402	228.55	229.55	1.00	2	0.01	0.07	0.31	18
C20-402	229.55	230.55	1.00	0	0.00	0.00	0.02	1
C20-402	230.55	231.55	1.00	1	0.01	0.01	0.08	5
C20-402	231.55	232.55	1.00	0	0.00	0.00	0.01	1
C20-402	232.55	233.55	1.00	1	0.01	0.00	0.01	2
C20-402	233.55	234.55	1.00	1	0.01	0.00	0.01	2
C20-402	234.55	235.55	1.00	0	0.01	0.00	0.02	2
C20-402	235.55	236.55	1.00	0	0.01	0.00	0.01	2
C20-402	236.55	237.55	1.00	0	0.03	0.00	0.02	3
C20-402	237.55	238.55	1.00	0	0.01	0.00	0.01	1
C20-402	238.55	240.55	2.00	1	0.01	0.00	0.01	2
C20-402	240.55	241.40	0.85	0	0.01	0.01	0.01	1
C20-402	241.40	242.40	1.00	12	0.02	0.66	1.80	111
C20-402	242.40	244.40	2.00	1	0.01	0.01	0.03	3
C20-402	244.40	245.40	1.00	0	0.01	0.01	0.03	3
C20-402	245.40	246.00	0.60	12	0.01	0.45	1.58	94
C20-402	246.00	246.35	0.35	3	0.02	0.14	0.38	24
C20-402	246.35	246.85	0.50	6	0.01	0.26	1.12	62
C20-402	246.85	247.40	0.55	6	0.01	0.32	0.81	52
C20-402	247.40	248.30	0.90	0	0.02	0.01	0.03	3
C20-402	248.30	248.60	0.30	1	0.03	0.05	0.11	10
C20-402	248.60	249.50	0.90	1	0.03	0.01	0.03	5
C20-402	249.50	249.85	0.35	5	0.03	0.16	0.34	27
C20-402	249.85	250.85	1.00	1	0.02	0.00	0.02	3
C20-402	250.85	252.10	1.25	2	0.03	0.04	0.10	10
C20-402	252.10	252.50	0.40	10	0.02	0.45	1.34	82
C20-402	252.50	252.80	0.30	5	0.01	0.18	1.43	71
C20-402	252.80	254.60	1.80	2	0.01	0.07	0.35	19
C20-402	254.60	255.15	0.55	5	0.01	0.25	2.01	98
C20-402	255.15	255.45	0.30	1	0.03	0.04	0.11	9
C20-402	255.45	255.90	0.45	4	0.06	0.08	0.57	35
C20-402	255.90	257.85	1.95	0	0.01	0.01	0.03	3
C20-402	257.85	259.85	2.00	0	0.01	0.00	0.01	1
C20-402	259.85	261.85	2.00	0	0.01	0.00	0.01	1
C20-402	261.85	263.85	2.00	0	0.01	0.00	0.01	1
C20-402	263.85	265.55	1.70	1	0.01	0.01	0.03	3
C20-402	265.55	265.85	0.30	0	0.01	0.01	0.01	2
C20-402	265.85	267.85	2.00	0	0.01	0.01	0.01	1
C20-402	267.85	269.80	1.95	0	0.01	0.01	0.01	1
C20-402	269.80	270.50	0.70	0	0.01	0.01	0.02	2
C20-402	270.50	272.50	2.00	1	0.01	0.06	0.07	7
C20-402	272.50	274.50	2.00	0	0.01	0.00	0.01	1
C20-402	274.50	276.50	2.00	0	0.01	0.00	0.01	1
C20-402	276.50	278.50	2.00	0	0.01	0.00	0.01	1
C20-402	278.50	280.50	2.00	0	0.01	0.00	0.01	1
C20-402	280.50	282.50	2.00	0	0.01	0.00	0.01	1
C20-402	282.50	284.50	2.00	2	0.01	0.05	0.04	6
C20-402	284.50	284.90	0.40	0	0.01	0.01	0.01	2
C20-402	284.90	285.20	0.30	0	0.01	0.00	0.00	1

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-402	285.20	287.20	2.00	2	0.02	0.08	0.05	9
C20-402	287.20	289.20	2.00	2	0.01	0.06	0.04	6
C20-402	289.20	290.90	1.70	0	0.01	0.00	0.01	1
C20-402	290.90	291.25	0.35	0	0.01	0.01	0.02	2
C20-402	291.25	292.20	0.95	0	0.01	0.00	0.01	1
C20-402	292.20	293.10	0.90	1	0.01	0.01	0.01	2
C20-402	293.10	294.35	1.25	0	0.02	0.00	0.01	2
C20-402	294.35	294.65	0.30	0	0.02	0.01	0.01	3
C20-402	294.65	296.45	1.80	0	0.02	0.01	0.02	3
C20-402	296.45	298.45	2.00	0	0.02	0.00	0.01	2
C20-402	298.45	300.45	2.00	0	0.01	0.00	0.01	2
C20-402	300.45	301.35	0.90	0	0.01	0.00	0.02	2
C20-402	301.35	302.15	0.80	0	0.01	0.00	0.01	1
C20-402	302.15	302.60	0.45	0	0.01	0.00	0.01	1
C20-402	302.60	304.60	2.00	4	0.02	0.07	0.17	14
C20-402	304.60	305.60	1.00	1	0.02	0.01	0.02	4
C20-402	305.60	306.95	1.35	1	0.01	0.02	0.03	4
C20-402	306.95	307.25	0.30	1	0.01	0.01	0.01	2
C20-402	307.25	307.90	0.65	0	0.00	0.00	0.01	1
C20-402	307.90	309.10	1.20	0	0.01	0.01	0.01	2
C20-402	309.10	310.40	1.30	1	0.02	0.03	0.01	4
C20-402	310.40	312.00	1.60	3	0.03	0.07	0.08	11
C20-402	312.00	314.00	2.00	0	0.01	0.02	0.02	3
C20-402	314.00	316.00	2.00	0	0.01	0.01	0.02	2
C20-402	316.00	316.70	0.70	0	0.01	0.01	0.01	2
C20-402	316.70	317.00	0.30	38	0.13	0.85	0.87	115
C20-402	317.00	318.00	1.00	0	0.01	0.01	0.01	1
C20-402	318.00	319.25	1.25	0	0.01	0.00	0.01	1
C20-402	319.25	319.90	0.65	1	0.02	0.01	0.01	2
C20-402	319.90	321.60	1.70	0	0.01	0.00	0.01	2
C20-402	321.60	323.00	1.40	1	0.01	0.06	0.02	5
C20-402	323.00	324.10	1.10	1	0.02	0.04	0.03	5
C20-403	0.00	8.50	8.50	13	0.01	0.14	0.04	20
C20-403	8.50	10.00	1.50	7	0.02	0.10	0.04	14
C20-403	10.00	11.50	1.50	7	0.04	0.11	0.06	16
C20-403	11.50	12.75	1.25	12	0.07	0.14	0.09	26
C20-403	12.75	14.00	1.25	8	0.03	0.07	0.05	15
C20-403	14.00	14.50	0.50	8	0.01	0.09	0.05	15
C20-403	14.50	15.40	0.90	10	0.10	0.06	0.05	22
C20-403	15.40	17.40	2.00	9	0.11	0.05	0.06	22
C20-403	17.40	19.40	2.00	9	0.17	0.10	0.07	29
C20-403	19.40	21.40	2.00	12	0.07	0.11	0.05	23
C20-403	21.40	21.90	0.50	12	0.02	0.14	0.02	19
C20-403	21.90	23.55	1.65	7	0.05	0.07	0.05	16
C20-403	23.55	25.55	2.00	6	0.03	0.05	0.04	12
C20-403	25.55	26.50	0.95	6	0.15	0.03	0.05	21
C20-403	26.50	27.10	0.60	5	0.06	0.04	0.08	15
C20-403	27.10	28.10	1.00	6	0.17	0.05	0.05	24
C20-403	28.10	28.70	0.60	9	0.07	0.05	0.06	19
C20-403	28.70	30.70	2.00	11	0.07	0.05	0.07	21
C20-403	30.70	32.70	2.00	10	0.15	0.04	0.06	26
C20-403	32.70	34.70	2.00	16	0.22	0.08	0.07	39
C20-403	34.70	36.70	2.00	14	0.30	0.07	0.12	46
C20-403	36.70	37.80	1.10	28	0.26	0.05	0.06	54
C20-403	37.80	38.95	1.15	24	0.13	0.06	0.08	40

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-403	38.95	40.40	1.45	16	0.28	0.11	0.07	45
C20-403	40.40	41.85	1.45	17	0.43	0.21	0.23	69
C20-403	41.85	42.90	1.05	44	0.13	0.20	0.07	64
C20-403	42.90	44.05	1.15	13	0.11	0.12	0.21	35
C20-403	44.05	45.50	1.45	11	0.11	0.12	0.11	29
C20-403	45.50	46.40	0.90	16	0.04	0.06	0.13	27
C20-403	46.40	48.40	2.00	13	0.01	0.04	0.08	18
C20-403	48.40	49.30	0.90	12	0.04	0.07	0.20	25
C20-403	49.30	50.40	1.10	12	0.04	0.02	0.20	24
C20-403	50.40	51.35	0.95	12	0.02	0.02	0.22	23
C20-403	51.35	52.55	1.20	9	0.04	0.03	0.38	29
C20-403	52.55	53.55	1.00	13	0.02	0.05	0.33	30
C20-403	53.55	54.90	1.35	11	0.02	0.02	0.43	31
C20-403	54.90	55.40	0.50	0	0.01	0.01	0.30	13
C20-403	55.40	56.60	1.20	0	0.01	0.00	0.16	7
C20-403	56.60	58.00	1.40	0	0.01	0.00	0.10	5
C20-403	58.00	59.50	1.50	5	0.01	0.00	0.17	12
C20-403	59.50	61.50	2.00	3	0.00	0.00	0.27	14
C20-403	61.50	62.85	1.35	1	0.00	0.00	0.40	18
C20-403	62.85	64.00	1.15	0	0.00	0.00	0.39	17
C20-403	64.00	65.50	1.50	0	0.00	0.00	0.33	14
C20-403	65.50	67.00	1.50	0	0.00	0.00	0.54	23
C20-403	67.00	68.50	1.50	0	0.00	0.00	1.14	48
C20-403	68.50	70.00	1.50	0	0.00	0.00	1.77	74
C20-403	70.00	71.55	1.55	1	0.00	0.00	1.97	83
C20-403	71.55	73.50	1.95	3	0.01	0.01	0.30	16
C20-403	73.50	75.50	2.00	1	0.01	0.01	0.11	6
C20-403	75.50	77.50	2.00	1	0.01	0.02	0.08	6
C20-403	77.50	79.50	2.00	1	0.02	0.01	0.08	7
C20-403	79.50	81.50	2.00	1	0.01	0.01	0.06	4
C20-403	81.50	83.50	2.00	7	0.02	0.01	0.09	13
C20-403	83.50	83.80	0.30	7	0.02	0.05	0.24	20
C20-403	83.80	85.00	1.20	3	0.01	0.02	0.35	18
C20-403	85.00	87.00	2.00	2	0.02	0.03	0.25	15
C20-403	87.00	89.00	2.00	2	0.02	0.01	0.18	11
C20-403	89.00	90.70	1.70	2	0.01	0.01	0.18	11
C20-403	90.70	91.00	0.30	12	0.01	0.05	0.19	22
C20-403	91.00	92.10	1.10	7	0.02	0.10	0.30	25
C20-403	92.10	93.70	1.60	7	0.01	0.10	0.58	35
C20-403	93.70	95.05	1.35	11	0.01	0.13	0.90	54
C20-403	95.05	96.60	1.55	10	0.03	0.17	0.44	37
C20-403	96.60	97.10	0.50	13	0.04	0.08	0.51	40
C20-403	97.10	98.40	1.30	10	0.04	0.09	0.25	27
C20-403	98.40	99.70	1.30	19	0.03	0.20	0.97	68
C20-403	99.70	101.00	1.30	2	0.00	0.05	0.23	14
C20-403	101.00	102.25	1.25	9	0.00	0.04	0.23	20
C20-403	102.25	102.95	0.70	12	0.01	0.09	0.56	39
C20-403	102.95	104.50	1.55	15	0.05	0.17	1.00	67
C20-403	104.50	105.00	0.50	27	0.05	0.15	0.51	58
C20-403	105.00	105.70	0.70	15	0.07	0.19	0.30	39
C20-403	105.70	107.20	1.50	8	0.04	0.13	0.49	36
C20-403	107.20	109.20	2.00	29	0.02	0.49	0.87	84
C20-403	109.20	111.20	2.00	30	0.03	0.57	1.08	97
C20-403	111.20	112.35	1.15	31	0.02	0.52	1.75	123
C20-403	112.35	114.35	2.00	23	0.02	0.48	1.47	103

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-403	114.35	116.35	2.00	10	0.01	0.14	0.94	55
C20-403	116.35	116.65	0.30	10	0.01	0.18	0.88	53
C20-403	116.65	118.50	1.85	3	0.01	0.05	0.23	14
C20-403	118.50	118.90	0.40	8	0.01	0.04	0.21	18
C20-403	118.90	120.25	1.35	1	0.01	0.01	0.04	4
C20-403	120.25	120.80	0.55	7	0.02	0.08	0.18	19
C20-403	120.80	122.80	2.00	2	0.01	0.04	0.11	9
C20-403	122.80	123.10	0.30	9	0.01	0.20	0.28	29
C20-403	123.10	125.10	2.00	5	0.01	0.12	0.24	20
C20-403	125.10	125.95	0.85	3	0.01	0.06	0.09	9
C20-403	125.95	127.60	1.65	6	0.01	0.13	0.21	19
C20-403	127.60	128.95	1.35	11	0.01	0.19	1.09	64
C20-403	128.95	130.80	1.85	14	0.02	0.25	0.83	58
C20-403	130.80	131.80	1.00	7	0.02	0.11	0.53	34
C20-403	131.80	132.80	1.00	6	0.01	0.11	0.42	28
C20-403	132.80	133.80	1.00	16	0.02	0.21	0.76	57
C20-403	133.80	134.80	1.00	39	0.03	0.82	1.18	119
C20-403	134.80	135.80	1.00	21	0.01	0.45	1.73	109
C20-403	135.80	136.80	1.00	26	0.02	0.46	2.22	135
C20-403	136.80	137.80	1.00	10	0.03	0.17	0.47	38
C20-403	137.80	139.30	1.50	13	0.01	0.27	0.65	51
C20-403	139.30	140.50	1.20	18	0.02	0.14	0.21	33
C20-403	140.50	141.55	1.05	16	0.03	0.18	0.60	49
C20-403	141.55	142.95	1.40	8	0.02	0.12	0.41	31
C20-403	142.95	143.85	0.90	12	0.02	0.23	0.59	45
C20-403	143.85	144.80	0.95	5	0.01	0.11	0.47	29
C20-403	144.80	145.15	0.35	40	0.02	0.65	2.00	147
C20-403	145.15	147.15	2.00	18	0.02	0.40	0.94	73
C20-403	147.15	149.15	2.00	3	0.01	0.04	0.12	10
C20-403	149.15	151.15	2.00	3	0.01	0.03	0.09	8
C20-403	151.15	152.80	1.65	13	0.02	0.26	0.76	56
C20-403	152.80	153.15	0.35	43	0.11	0.75	3.09	207
C20-403	153.15	155.05	1.90	21	0.03	0.38	1.34	92
C20-403	155.05	155.60	0.55	27	0.03	0.50	1.56	112
C20-403	155.60	156.95	1.35	20	0.02	0.40	0.83	70
C20-403	156.95	158.30	1.35	7	0.01	0.14	0.41	29
C20-403	158.30	159.00	0.70	14	0.01	0.25	0.61	48
C20-403	159.00	160.95	1.95	9	0.01	0.15	0.32	28
C20-403	160.95	162.35	1.40	2	0.01	0.13	0.32	21
C20-403	162.35	163.55	1.20	8	0.01	0.16	0.67	42
C20-403	163.55	164.10	0.55	12	0.01	0.20	0.42	37
C20-403	164.10	165.10	1.00	9	0.01	0.18	0.46	35
C20-403	165.10	166.10	1.00	4	0.02	0.05	0.83	42
C20-403	166.10	167.10	1.00	11	0.01	0.25	0.75	51
C20-403	167.10	168.00	0.90	5	0.01	0.15	0.41	28
C20-403	168.00	170.00	2.00	2	0.01	0.05	0.11	8
C20-403	170.00	172.00	2.00	7	0.01	0.15	0.50	33
C20-403	172.00	174.00	2.00	3	0.02	0.05	0.10	11
C20-403	174.00	176.00	2.00	10	0.01	0.23	0.54	41
C20-403	176.00	178.00	2.00	9	0.02	0.23	0.41	35
C20-403	178.00	179.50	1.50	11	0.02	0.23	0.45	39
C20-403	179.50	181.00	1.50	9	0.01	0.22	0.42	35
C20-403	181.00	182.50	1.50	12	0.03	0.25	0.40	40
C20-403	182.50	183.75	1.25	4	0.03	0.07	0.03	10
C20-403	183.75	184.70	0.95	10	0.02	0.17	0.55	40

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-403	184.70	186.20	1.50	11	0.02	0.21	0.52	42
C20-403	186.20	187.05	0.85	15	0.06	0.40	0.82	68
C20-403	187.05	189.05	2.00	0	0.01	0.01	0.02	2
C20-403	189.05	191.05	2.00	0	0.01	0.01	0.01	2
C20-403	191.05	193.05	2.00	2	0.02	0.06	0.06	8
C20-403	193.05	195.00	1.95	0	0.01	0.01	0.01	2
C20-403	195.00	195.75	0.75	36	0.03	0.48	0.61	80
C20-403	195.75	197.60	1.85	9	0.01	0.20	0.50	38
C20-403	197.60	199.60	2.00	4	0.01	0.09	0.19	15
C20-403	199.60	201.50	1.90	9	0.03	0.15	0.52	38
C20-403	201.50	202.50	1.00	9	0.01	0.18	0.75	47
C20-403	202.50	203.50	1.00	14	0.06	0.17	0.60	50
C20-403	203.50	204.50	1.00	11	0.07	0.19	0.51	45
C20-403	204.50	205.50	1.00	12	0.04	0.09	1.38	75
C20-403	205.50	206.50	1.00	7	0.03	0.09	1.37	69
C20-403	206.50	207.50	1.00	13	0.01	0.30	0.99	65
C20-403	207.50	208.05	0.55	1	0.00	0.03	0.07	5
C20-403	208.05	210.05	2.00	4	0.01	0.12	0.40	26
C20-403	210.05	212.05	2.00	2	0.00	0.05	0.23	14
C20-403	212.05	213.75	1.70	3	0.01	0.08	0.21	15
C20-403	213.75	215.40	1.65	3	0.01	0.07	0.31	19
C20-403	215.40	216.70	1.30	11	0.01	0.23	0.46	39
C20-403	216.70	218.50	1.80	22	0.02	0.23	0.25	42
C20-403	218.50	220.50	2.00	23	0.02	0.42	0.57	63
C20-403	220.50	221.80	1.30	10	0.01	0.23	0.30	31
C20-403	221.80	222.80	1.00	22	0.02	0.47	0.63	66
C20-403	222.80	223.85	1.05	14	0.03	0.20	0.27	34
C20-403	223.85	225.85	2.00	3	0.02	0.03	0.06	8
C20-403	225.85	227.75	1.90	0	0.01	0.01	0.01	2
C20-403	227.75	228.10	0.35	1	0.02	0.05	0.13	10
C20-403	228.10	230.10	2.00	1	0.01	0.03	0.04	5
C20-403	230.10	232.10	2.00	1	0.02	0.01	0.01	3
C20-403	232.10	234.10	2.00	2	0.02	0.02	0.01	5
C20-403	234.10	236.10	2.00	0	0.01	0.00	0.01	2
C20-403	236.10	238.10	2.00	0	0.01	0.01	0.02	2
C20-403	238.10	240.10	2.00	1	0.02	0.04	0.18	11
C20-403	240.10	241.85	1.75	1	0.02	0.02	0.03	5
C20-403	241.85	243.85	2.00	6	0.02	0.08	0.49	31
C20-403	243.85	245.50	1.65	3	0.01	0.07	0.13	11
C20-403	245.50	246.30	0.80	16	0.02	0.23	0.50	45
C20-403	246.30	246.60	0.30	15	0.03	0.19	0.37	40
C20-403	246.60	247.60	1.00	7	0.01	0.12	0.40	28
C20-403	247.60	249.40	1.80	4	0.02	0.07	0.39	24
C20-403	249.40	251.40	2.00	4	0.01	0.04	0.14	11
C20-403	251.40	252.55	1.15	5	0.01	0.04	0.04	9
C20-403	252.55	253.70	1.15	4	0.01	0.08	0.25	18
C20-403	253.70	254.50	0.80	8	0.01	0.13	0.54	35
C20-403	254.50	256.40	1.90	11	0.01	0.24	0.41	37
C20-403	256.40	258.40	2.00	9	0.01	0.12	0.32	27
C20-403	258.40	260.40	2.00	5	0.01	0.10	0.40	26
C20-403	260.40	261.40	1.00	12	0.01	0.17	0.32	32
C20-403	261.40	262.15	0.75	45	0.02	0.59	0.20	76
C20-403	262.15	263.50	1.35	5	0.01	0.06	0.30	20
C20-403	263.50	264.65	1.15	4	0.01	0.08	0.29	20
C20-403	264.65	266.65	2.00	0	0.01	0.01	0.01	1

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-403	266.65	268.65	2.00	0	0.01	0.00	0.01	1
C20-403	268.65	270.65	2.00	0	0.00	0.00	0.01	1
C20-403	270.65	272.65	2.00	1	0.01	0.01	0.01	2
C20-403	272.65	274.65	2.00	1	0.01	0.01	0.01	2
C20-403	274.65	276.45	1.80	0	0.00	0.01	0.01	1
C20-403	276.45	276.90	0.45	3	0.01	0.05	0.11	10
C20-403	276.90	277.90	1.00	1	0.02	0.02	0.05	5
C20-403	277.90	278.20	0.30	6	0.03	0.09	0.11	17
C20-403	278.20	279.50	1.30	4	0.02	0.06	0.23	17
C20-403	279.50	280.50	1.00	4	0.02	0.05	0.16	14
C20-403	280.50	282.20	1.70	9	0.01	0.09	0.24	23
C20-403	282.20	283.35	1.15	17	0.02	0.15	0.08	27
C20-403	283.35	284.70	1.35	16	0.03	0.17	0.11	30
C20-403	284.70	285.60	0.90	17	0.04	0.17	0.10	30
C20-403	285.60	286.50	0.90	7	0.03	0.07	0.15	18
C20-403	286.50	287.80	1.30	3	0.01	0.04	0.12	10
C20-403	287.80	288.95	1.15	2	0.01	0.02	0.07	6
C20-403	288.95	290.10	1.15	9	0.02	0.15	0.28	27
C20-403	290.10	291.50	1.40	5	0.02	0.08	0.12	14
C20-403	291.50	292.00	0.50	26	0.06	0.16	0.04	38
C20-403	292.00	292.40	0.40	5	0.02	0.13	0.08	14
C20-403	292.40	294.40	2.00	6	0.01	0.13	0.23	21
C20-403	294.40	295.50	1.10	5	0.01	0.08	0.16	15
C20-403	295.50	297.25	1.75	13	0.03	0.21	0.62	48
C20-403	297.25	298.50	1.25	10	0.02	0.21	0.59	43
C20-403	298.50	300.25	1.75	40	0.02	0.65	0.33	78
C20-403	300.25	301.50	1.25	4	0.01	0.07	0.21	15
C20-403	301.50	303.45	1.95	5	0.02	0.09	0.26	20
C20-403	303.45	304.85	1.40	3	0.03	0.02	0.10	10
C20-403	304.85	306.25	1.40	17	0.04	0.18	0.38	42
C20-403	306.25	307.65	1.40	4	0.02	0.04	0.20	15
C20-403	307.65	308.30	0.65	4	0.01	0.05	0.15	12
C20-403	308.30	310.00	1.70	1	0.02	0.01	0.10	7
C20-403	310.00	311.35	1.35	2	0.01	0.05	0.11	9
C20-403	311.35	312.40	1.05	1	0.01	0.01	0.10	7
C20-403	312.40	314.25	1.85	0	0.00	0.01	0.06	3
C20-403	314.25	316.25	2.00	2	0.00	0.03	0.04	5
C20-403	316.25	317.75	1.50	1	0.01	0.01	0.02	2
C20-403	317.75	319.30	1.55	2	0.01	0.03	0.06	6
C20-403	319.30	319.95	0.65	7	0.01	0.14	0.34	27
C20-403	319.95	320.55	0.60	10	0.02	0.12	0.33	29
C20-403	320.55	322.55	2.00	2	0.01	0.01	0.08	6
C20-403	322.55	324.55	2.00	3	0.02	0.03	0.11	10
C20-403	324.55	325.50	0.95	1	0.01	0.01	0.20	11
C20-403	325.50	325.95	0.45	5	0.01	0.02	0.83	41
C20-403	325.95	326.80	0.85	3	0.02	0.04	0.21	14
C20-403	326.80	327.60	0.80	6	0.02	0.09	0.23	20
C20-403	327.60	329.60	2.00	1	0.01	0.01	0.01	3
C20-403	329.60	331.60	2.00	0	0.01	0.00	0.02	2
C20-403	331.60	333.60	2.00	0	0.01	0.00	0.01	1
C20-403	333.60	334.65	1.05	0	0.01	0.00	0.01	1
C20-403	334.65	336.30	1.65	1	0.01	0.02	0.05	4
C20-403	336.30	337.65	1.35	6	0.01	0.03	0.13	14
C20-403	337.65	339.00	1.35	7	0.01	0.03	0.42	26
C20-403	339.00	339.90	0.90	14	0.04	0.01	1.16	66

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-403	339.90	340.80	0.90	8	0.05	0.01	0.40	28
C20-403	340.80	342.55	1.75	12	0.02	0.02	1.12	61
C20-403	342.55	344.25	1.70	15	0.02	0.06	1.72	90
C20-403	344.25	345.80	1.55	23	0.04	0.17	2.70	144
C20-403	345.80	347.80	2.00	9	0.02	0.06	0.90	50
C20-403	347.80	349.80	2.00	8	0.01	0.07	1.28	64
C20-403	349.80	351.80	2.00	5	0.02	0.02	0.27	18
C20-403	351.80	352.90	1.10	9	0.01	0.07	0.71	42
C20-403	352.90	354.05	1.15	6	0.02	0.07	0.47	30
C20-403	354.05	356.05	2.00	1	0.01	0.02	0.02	3
C20-403	356.05	358.05	2.00	0	0.00	0.00	0.01	1
C20-403	358.05	360.05	2.00	1	0.01	0.01	0.04	3
C20-403	360.05	362.05	2.00	51	0.08	0.23	0.07	68
C20-403	362.05	364.05	2.00	4	0.02	0.06	0.11	13
C20-403	364.05	364.80	0.75	2	0.01	0.04	0.09	7
C20-403	364.80	365.95	1.15	29	0.04	0.43	1.17	95
C20-403	365.95	366.25	0.30	97	0.07	1.45	11.90	647
C20-403	366.25	367.80	1.55	30	0.04	0.38	0.84	81
C20-403	367.80	368.40	0.60	149	0.07	1.32	0.76	233
C20-403	368.40	369.50	1.10	12	0.04	0.10	0.07	22
C20-403	369.50	369.90	0.40	272	0.20	2.06	0.68	389
C20-403	369.90	370.05	0.15	108	0.10	1.27	0.64	187
C20-403	370.05	371.95	1.90	140	0.11	1.41	1.70	269
C20-403	371.95	372.25	0.30	82	0.06	0.99	5.63	355
C20-403	372.25	373.80	1.55	10	0.02	0.13	0.54	39
C20-403	373.80	375.60	1.80	7	0.02	0.10	0.17	19
C20-403	375.60	376.15	0.55	19	0.02	0.30	0.72	61
C20-403	376.15	377.20	1.05	17	0.02	0.23	0.24	37
C20-403	377.20	377.80	0.60	3	0.01	0.06	0.04	8
C20-403	377.80	378.35	0.55	195	0.08	3.09	2.23	403
C20-403	378.35	379.50	1.15	1	0.01	0.01	0.01	2
C20-403	379.50	380.65	1.15	17	0.02	0.16	0.09	28
C20-403	380.65	381.65	1.00	30	0.02	0.39	0.35	60
C20-403	381.65	382.65	1.00	46	0.11	0.79	2.46	184
C20-403	382.65	383.65	1.00	103	0.06	1.86	7.10	468
C20-403	383.65	385.65	2.00	56	0.14	0.52	1.27	139
C20-403	385.65	386.95	1.30	40	0.07	0.42	1.33	116
C20-403	386.95	387.65	0.70	267	0.17	3.05	2.63	498
C20-403	387.65	389.60	1.95	79	0.10	0.82	1.66	185
C20-403	389.60	391.60	2.00	85	0.08	1.05	1.00	170
C20-403	391.60	393.60	2.00	62	0.20	0.33	2.27	184
C20-403	393.60	394.65	1.05	96	0.16	1.47	4.38	342
C20-403	394.65	395.95	1.30	25	0.04	0.51	1.07	90
C20-403	395.95	396.75	0.80	40	0.08	0.52	2.20	157
C20-403	396.75	398.75	2.00	36	0.02	0.50	0.57	79
C20-403	398.75	400.50	1.75	15	0.02	0.25	0.41	42
C20-403	400.50	402.00	1.50	5	0.02	0.10	0.26	20
C20-403	402.00	403.85	1.85	3	0.01	0.04	0.09	8
C20-403	403.85	405.90	2.05	5	0.01	0.08	0.20	17
C20-403	405.90	406.50	0.60	4	0.02	0.05	0.16	14
C20-403	406.50	408.00	1.50	6	0.02	0.07	0.32	24
C20-403	408.00	410.60	2.60	5	0.01	0.03	0.44	25
C20-403	410.60	412.50	1.90	3	0.02	0.04	0.15	12
C20-403	412.50	414.10	1.60	4	0.01	0.05	0.20	15
C20-403	414.10	414.80	0.70	1	0.00	0.01	0.04	3

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-403	414.80	416.80	2.00	1	0.01	0.01	0.04	4
C20-403	416.80	418.80	2.00	1	0.02	0.01	0.02	4
C20-403	418.80	420.80	2.00	0	0.00	0.01	0.03	2
C20-403	420.80	422.80	2.00	3	0.01	0.08	0.12	12
C20-403	422.80	424.50	1.70	7	0.05	0.13	0.61	41
C20-403	424.50	425.90	1.40	4	0.06	0.03	0.58	34
C20-403	425.90	427.50	1.60	8	0.05	0.07	0.84	50
C20-403	427.50	428.75	1.25	9	0.03	0.12	0.61	41
C20-403	428.75	430.50	1.75	10	0.05	0.08	0.64	44
C20-403	430.50	432.30	1.80	19	0.06	0.24	1.42	91
C20-403	432.30	433.30	1.00	24	0.06	0.35	1.83	117
C20-403	433.30	435.10	1.80	20	0.02	0.17	1.30	81
C20-403	435.10	436.50	1.40	7	0.02	0.10	0.58	36
C20-403	436.50	437.35	0.85	75	0.18	0.20	1.39	154
C20-403	437.35	439.10	1.75	59	0.17	0.16	0.99	120
C20-403	439.10	439.95	0.85	27	0.19	0.12	0.95	86
C20-403	439.95	441.60	1.65	19	0.06	0.28	0.76	65
C20-403	441.60	443.00	1.40	9	0.04	0.11	0.36	31
C20-403	443.00	444.25	1.25	13	0.05	0.19	0.44	42
C20-403	444.25	444.70	0.45	50	0.13	0.65	0.14	89
C20-403	444.70	445.00	0.30	8	0.06	0.05	0.02	16
C20-403	445.00	445.55	0.55	10	0.08	0.06	0.03	19
C20-403	445.55	446.90	1.35	12	0.04	0.26	0.69	53
C20-403	446.90	448.50	1.60	15	0.07	0.17	0.23	36
C20-403	448.50	448.90	0.40	6	0.04	0.05	0.11	15
C20-403	448.90	449.95	1.05	88	0.68	0.39	0.34	172
C20-403	449.95	451.05	1.10	185	0.02	0.52	0.55	228
C20-403	451.05	452.00	0.95	16	0.11	0.14	0.25	40
C20-403	452.00	452.60	0.60	30	0.07	0.31	0.93	85
C20-403	452.60	454.50	1.90	9	1.67	0.02	0.08	150
C20-405	0.00	3.00	3.00	3	0.01	0.05	0.07	9
C20-405	3.00	4.70	1.70	4	0.02	0.05	0.06	10
C20-405	4.70	6.40	1.70	10	0.11	0.13	0.16	30
C20-405	6.40	6.75	0.35	8	0.39	0.28	0.29	61
C20-405	6.75	8.70	1.95	3	0.04	0.02	0.09	11
C20-405	8.70	10.15	1.45	5	0.04	0.04	0.08	13
C20-405	10.15	11.20	1.05	3	0.03	0.03	0.07	9
C20-405	11.20	12.15	0.95	2	0.09	0.05	0.09	15
C20-405	12.15	13.85	1.70	3	0.02	0.02	0.05	8
C20-405	13.85	14.15	0.30	1	0.02	0.02	0.04	5
C20-405	14.15	15.50	1.35	3	0.05	0.06	0.06	11
C20-405	15.50	17.50	2.00	4	0.07	0.11	0.08	17
C20-405	17.50	18.50	1.00	3	0.03	0.05	0.07	10
C20-405	18.50	19.50	1.00	1	0.04	0.01	0.03	6
C20-405	19.50	20.50	1.00	3	0.04	0.01	0.03	8
C20-405	20.50	22.00	1.50	3	0.03	0.01	0.05	8
C20-405	22.00	24.00	2.00	7	0.04	0.05	0.06	14
C20-405	24.00	25.50	1.50	5	0.06	0.17	0.15	22
C20-405	25.50	27.50	2.00	3	0.05	0.07	0.11	15
C20-405	27.50	28.75	1.25	0	0.02	0.00	0.02	3
C20-405	28.75	30.75	2.00	2	0.03	0.01	0.03	6
C20-405	30.75	31.65	0.90	1	0.02	0.01	0.02	4
C20-405	31.65	32.55	0.90	4	0.04	0.04	0.04	10
C20-405	32.55	34.55	2.00	2	0.04	0.03	0.03	7
C20-405	34.55	36.55	2.00	2	0.03	0.01	0.02	5

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-405	36.55	38.20	1.65	2	0.03	0.02	0.02	6
C20-405	38.20	38.85	0.65	1	0.05	0.01	0.01	6
C20-405	38.85	40.85	2.00	2	0.03	0.01	0.04	7
C20-405	40.85	41.65	0.80	1	0.04	0.03	0.03	6
C20-405	41.65	42.65	1.00	5	0.06	0.08	0.05	14
C20-405	42.65	43.15	0.50	6	0.05	0.10	0.16	20
C20-405	43.15	44.65	1.50	1	0.04	0.00	0.01	4
C20-405	44.65	46.65	2.00	1	0.04	0.01	0.02	5
C20-405	46.65	48.25	1.60	2	0.03	0.01	0.03	6
C20-405	48.25	48.55	0.30	11	0.11	0.14	0.14	30
C20-405	48.55	49.05	0.50	18	0.15	0.14	0.10	39
C20-405	49.05	51.00	1.95	1	0.04	0.02	0.06	7
C20-405	51.00	52.95	1.95	2	0.03	0.02	0.02	5
C20-405	52.95	54.95	2.00	0	0.01	0.00	0.02	2
C20-405	54.95	56.95	2.00	1	0.01	0.01	0.02	3
C20-405	56.95	58.95	2.00	2	0.02	0.01	0.02	5
C20-405	58.95	60.95	2.00	3	0.03	0.01	0.01	6
C20-405	60.95	62.95	2.00	0	0.01	0.00	0.02	2
C20-405	62.95	64.95	2.00	2	0.04	0.01	0.02	7
C20-405	64.95	66.95	2.00	2	0.03	0.00	0.01	5
C20-405	66.95	68.95	2.00	3	0.04	0.01	0.03	8
C20-405	68.95	70.95	2.00	1	0.02	0.00	0.04	4
C20-405	70.95	72.50	1.55	0	0.02	0.00	0.01	2
C20-405	72.50	73.30	0.80	1	0.02	0.00	0.02	4
C20-405	73.30	73.70	0.40	5	0.02	0.04	0.03	10
C20-405	73.70	74.85	1.15	1	0.02	0.03	0.07	6
C20-405	74.85	75.55	0.70	3	0.02	0.01	0.02	6
C20-405	75.55	77.55	2.00	9	0.18	0.12	0.07	31
C20-405	77.55	78.95	1.40	3	0.04	0.05	0.08	11
C20-405	78.95	80.70	1.75	8	0.08	0.13	0.09	22
C20-405	80.70	81.00	0.30	10	0.34	0.06	0.07	43
C20-405	81.00	83.00	2.00	5	0.05	0.03	0.04	12
C20-405	83.00	84.00	1.00	9	0.05	0.06	0.06	17
C20-405	84.00	85.25	1.25	11	0.22	0.15	0.11	39
C20-405	85.25	87.25	2.00	8	0.02	0.05	0.09	16
C20-405	87.25	89.20	1.95	4	0.03	0.03	0.05	9
C20-405	89.20	90.70	1.50	3	0.02	0.03	0.08	9
C20-405	90.70	92.20	1.50	2	0.02	0.03	0.19	13
C20-405	92.20	94.20	2.00	1	0.02	0.02	0.05	5
C20-405	94.20	96.20	2.00	1	0.01	0.03	0.13	8
C20-405	96.20	98.20	2.00	1	0.00	0.04	0.08	5
C20-405	98.20	100.20	2.00	1	0.00	0.01	0.01	1
C20-405	100.20	102.20	2.00	1	0.00	0.01	0.01	2
C20-405	102.20	104.20	2.00	1	0.01	0.01	0.02	2
C20-405	104.20	106.20	2.00	1	0.01	0.01	0.04	4
C20-405	106.20	108.20	2.00	2	0.07	0.04	0.09	13
C20-405	108.20	110.20	2.00	1	0.01	0.01	0.03	2
C20-405	110.20	112.20	2.00	1	0.01	0.01	0.04	3
C20-405	112.20	114.20	2.00	1	0.01	0.01	0.02	2
C20-405	114.20	116.20	2.00	1	0.00	0.01	0.02	2
C20-405	116.20	118.20	2.00	1	0.00	0.01	0.03	3
C20-405	118.20	118.70	0.50	2	0.00	0.02	0.04	4
C20-405	118.70	120.70	2.00	1	0.00	0.01	0.02	2
C20-405	120.70	122.60	1.90	1	0.00	0.02	0.04	4
C20-405	122.60	123.15	0.55	2	0.01	0.00	0.01	2

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-405	123.15	125.15	2.00	1	0.00	0.00	0.01	1
C20-405	125.15	125.45	0.30	2	0.01	0.01	0.01	3
C20-405	125.45	126.45	1.00	2	0.01	0.01	0.01	3
C20-405	126.45	127.10	0.65	5	0.01	0.01	0.02	7
C20-405	127.10	129.10	2.00	1	0.00	0.00	0.01	1
C20-405	129.10	129.70	0.60	1	0.00	0.00	0.00	1
C20-405	129.70	130.20	0.50	1	0.00	0.00	0.01	1
C20-405	130.20	131.20	1.00	3	0.00	0.01	0.01	3
C20-405	131.20	132.40	1.20	2	0.01	0.01	0.02	4
C20-405	132.40	133.70	1.30	1	0.00	0.00	0.01	2
C20-405	133.70	134.60	0.90	1	0.01	0.01	0.05	3
C20-405	134.60	136.60	2.00	2	0.01	0.01	0.02	3
C20-405	136.60	137.85	1.25	2	0.01	0.01	0.03	4
C20-405	137.85	138.15	0.30	5	0.02	0.02	0.05	10
C20-405	138.15	139.35	1.20	2	0.01	0.01	0.02	3
C20-405	139.35	140.75	1.40	1	0.03	0.00	0.03	5
C20-405	140.75	141.85	1.10	3	0.01	0.01	0.08	7
C20-405	141.85	142.20	0.35	0	0.00	0.00	0.03	2
C20-405	142.20	142.50	0.30	0	0.01	0.00	0.04	3
C20-405	142.50	144.50	2.00	0	0.00	0.00	0.04	2
C20-405	144.50	146.50	2.00	0	0.00	0.00	0.02	1
C20-405	146.50	147.50	1.00	1	0.00	0.00	0.02	2
C20-405	147.50	148.50	1.00	1	0.00	0.00	0.02	2
C20-405	148.50	149.50	1.00	1	0.00	0.00	0.02	2
C20-405	149.50	150.80	1.30	1	0.00	0.00	0.01	1
C20-405	150.80	151.10	0.30	1	0.02	0.01	0.04	4
C20-405	151.10	153.10	2.00	1	0.01	0.00	0.01	2
C20-405	153.10	154.10	1.00	1	0.00	0.01	0.01	2
C20-405	154.10	155.10	1.00	1	0.00	0.01	0.03	3
C20-405	155.10	155.70	0.60	1	0.01	0.01	0.04	3
C20-405	155.70	156.30	0.60	1	0.01	0.01	0.02	3
C20-405	156.30	156.75	0.45	2	0.01	0.01	0.04	4
C20-405	156.75	157.65	0.90	3	0.00	0.03	0.08	7
C20-405	157.65	159.00	1.35	4	0.00	0.05	0.08	9
C20-405	159.00	160.50	1.50	4	0.00	0.06	0.13	12
C20-405	160.50	162.50	2.00	1	0.00	0.01	0.06	4
C20-405	162.50	164.50	2.00	2	0.00	0.02	0.04	4
C20-405	164.50	166.50	2.00	1	0.01	0.01	0.05	4
C20-405	166.50	168.50	2.00	1	0.00	0.01	0.06	4
C20-405	168.50	168.90	0.40	44	0.01	0.42	1.15	106
C20-405	168.90	170.25	1.35	1	0.01	0.02	0.07	5
C20-405	170.25	172.25	2.00	1	0.01	0.01	0.02	3
C20-405	172.25	172.80	0.55	1	0.01	0.01	0.02	3
C20-405	172.80	174.10	1.30	3	0.01	0.04	0.10	9
C20-405	174.10	175.50	1.40	0	0.01	0.01	0.05	3
C20-405	175.50	176.75	1.25	0	0.01	0.01	0.03	2
C20-405	176.75	177.15	0.40	2	0.01	0.02	0.34	18
C20-405	177.15	177.80	0.65	6	0.01	0.07	0.80	42
C20-405	177.80	178.25	0.45	29	0.01	0.34	3.29	178
C20-405	178.25	179.65	1.40	24	0.01	0.28	1.76	107
C20-405	179.65	179.95	0.30	97	0.01	1.46	4.82	349
C20-405	179.95	180.25	0.30	192	0.01	3.96	11.40	805
C20-405	180.25	180.55	0.30	85	0.01	1.26	7.20	428
C20-405	180.55	180.85	0.30	47	0.01	0.73	5.08	283
C20-405	180.85	181.25	0.40	16	0.02	0.50	1.54	98

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-405	181.25	182.00	0.75	1	0.01	0.01	0.06	5
C20-405	182.00	182.30	0.30	2	0.02	0.02	0.06	6
C20-405	182.30	184.30	2.00	2	0.01	0.02	0.07	6
C20-405	184.30	186.30	2.00	2	0.02	0.01	0.04	5
C20-405	186.30	188.30	2.00	1	0.01	0.01	0.02	4
C20-405	188.30	190.30	2.00	2	0.02	0.03	0.35	19
C20-405	190.30	191.20	0.90	2	0.02	0.03	0.05	7
C20-405	191.20	191.50	0.30	16	1.72	0.29	0.34	180
C20-405	191.50	191.80	0.30	6	1.25	0.13	0.12	117
C20-405	191.80	192.50	0.70	3	0.05	0.02	0.02	8
C20-405	192.50	193.95	1.45	2	0.02	0.01	0.01	4
C20-405	193.95	194.25	0.30	82	0.78	1.49	3.43	340
C20-405	194.25	194.55	0.30	95	0.22	1.93	0.15	187
C20-405	194.55	195.55	1.00	4	0.07	0.03	0.06	13
C20-405	195.55	196.25	0.70	6	0.05	0.02	0.03	12
C20-405	196.25	196.55	0.30	2	0.01	0.04	0.01	4
C20-405	196.55	198.55	2.00	2	0.03	0.00	0.02	5
C20-405	198.55	200.55	2.00	1	0.01	0.00	0.03	3
C20-405	200.55	202.55	2.00	1	0.00	0.01	0.03	2
C20-405	202.55	203.70	1.15	1	0.01	0.00	0.00	2
C20-405	203.70	204.30	0.60	0	0.01	0.00	0.00	1
C20-405	204.30	206.30	2.00	0	0.01	0.00	0.03	3
C20-405	206.30	207.30	1.00	1	0.04	0.00	0.08	7
C20-405	207.30	208.30	1.00	1	0.03	0.02	0.04	6
C20-405	208.30	209.30	1.00	1	0.01	0.00	0.05	4
C20-405	209.30	210.80	1.50	1	0.00	0.01	0.05	4
C20-405	210.80	211.20	0.40	1	0.01	0.02	0.17	9
C20-405	211.20	212.45	1.25	1	0.01	0.01	0.03	4
C20-405	212.45	213.05	0.60	1	0.01	0.00	0.06	4
C20-405	213.05	214.30	1.25	0	0.01	0.00	0.01	1
C20-405	214.30	215.25	0.95	0	0.01	0.00	0.01	1
C20-405	215.25	217.25	2.00	1	0.08	0.01	0.01	8
C20-405	217.25	219.25	2.00	1	0.01	0.00	0.00	1
C20-405	219.25	221.25	2.00	2	0.01	0.01	0.02	3
C20-405	221.25	222.25	1.00	6	0.02	0.11	0.16	18
C20-405	222.25	223.25	1.00	2	0.02	0.02	0.03	5
C20-405	223.25	224.25	1.00	5	0.02	0.01	0.03	8
C20-405	224.25	225.25	1.00	14	0.02	0.05	0.10	22
C20-405	225.25	225.80	0.55	2	0.01	0.04	0.18	11
C20-405	225.80	226.10	0.30	5	0.01	0.15	0.67	39
C20-405	226.10	227.50	1.40	2	0.01	0.02	0.18	11
C20-405	227.50	228.10	0.60	1	0.03	0.01	0.02	5
C20-405	228.10	230.00	1.90	1	0.01	0.01	0.03	3
C20-405	230.00	231.10	1.10	2	0.02	0.01	0.07	6
C20-405	231.10	232.10	1.00	1	0.01	0.02	0.04	4
C20-405	232.10	233.50	1.40	1	0.01	0.02	0.03	3
C20-405	233.50	234.00	0.50	4	0.00	0.09	1.49	69
C20-405	234.00	234.45	0.45	10	0.00	0.18	1.43	76
C20-405	234.45	235.30	0.85	8	0.06	0.33	0.70	54
C20-405	235.30	235.75	0.45	6	0.02	0.21	0.16	21
C20-405	235.75	236.05	0.30	4	0.01	0.19	0.14	17
C20-405	236.05	236.35	0.30	6	0.02	0.17	0.40	30
C20-405	236.35	238.35	2.00	2	0.01	0.05	0.07	7
C20-405	238.35	238.85	0.50	2	0.03	0.04	0.14	11
C20-405	238.85	239.15	0.30	2	0.04	0.08	0.14	14

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-405	239.15	239.55	0.40	9	0.27	0.31	0.23	52
C20-405	239.55	240.10	0.55	88	0.41	1.62	1.10	223
C20-405	240.10	240.40	0.30	119	0.78	2.09	3.36	396
C20-405	240.40	240.70	0.30	24	0.28	0.66	0.79	102
C20-405	240.70	241.75	1.05	55	0.10	1.13	1.73	175
C20-405	241.75	242.30	0.55	3	0.03	0.08	0.04	10
C20-405	242.30	242.60	0.30	15	0.04	0.31	0.24	38
C20-405	242.60	242.90	0.30	49	0.07	1.67	1.75	186
C20-405	242.90	243.20	0.30	361	0.32	6.93	18.05	1,380
C20-405	243.20	243.50	0.30	336	0.13	5.61	2.73	658
C20-405	243.50	244.65	1.15	5	0.05	0.16	0.16	21
C20-405	244.65	244.95	0.30	15	0.10	0.41	1.46	98
C20-405	244.95	245.50	0.55	6	0.05	0.14	0.18	22
C20-405	245.50	247.50	2.00	3	0.02	0.06	0.10	11
C20-405	247.50	249.50	2.00	2	0.02	0.05	0.08	8
C20-405	249.50	251.50	2.00	2	0.02	0.06	0.06	8
C20-405	251.50	253.50	2.00	4	0.02	0.16	0.17	19
C20-405	253.50	254.50	1.00	2	0.03	0.06	0.06	9
C20-405	254.50	255.95	1.45	5	0.03	0.16	0.12	17
C20-405	255.95	256.65	0.70	6	0.03	0.17	0.11	19
C20-405	256.65	257.00	0.35	2	0.02	0.09	0.05	9
C20-405	257.00	257.95	0.95	4	0.04	0.11	0.17	18
C20-405	257.95	259.95	2.00	10	0.03	0.31	0.40	40
C20-405	259.95	261.55	1.60	13	0.03	0.37	0.47	48
C20-405	261.55	261.85	0.30	0	0.01	0.00	0.01	2
C20-405	261.85	263.85	2.00	2	0.02	0.06	0.03	7
C20-405	263.85	265.85	2.00	3	0.01	0.09	0.08	10
C20-405	265.85	266.85	1.00	2	0.01	0.07	0.05	8
C20-405	266.85	267.85	1.00	8	0.02	0.26	0.21	27
C20-405	267.85	268.15	0.30	2	0.01	0.09	0.15	13
C20-405	268.15	268.60	0.45	0	0.00	0.00	0.10	5
C20-405	268.60	269.60	1.00	0	0.01	0.01	0.03	2
C20-405	269.60	271.60	2.00	0	0.01	0.01	0.02	2
C20-405	271.60	271.95	0.35	0	0.00	0.00	0.02	1
C20-405	271.95	273.95	2.00	1	0.01	0.01	0.02	2
C20-405	273.95	275.95	2.00	2	0.01	0.06	0.22	14
C20-405	275.95	277.95	2.00	1	0.01	0.02	0.04	4
C20-405	277.95	279.95	2.00	1	0.01	0.01	0.02	2
C20-405	279.95	281.95	2.00	0	0.01	0.01	0.02	2
C20-405	281.95	283.95	2.00	1	0.01	0.01	0.01	2
C20-405	283.95	285.95	2.00	1	0.01	0.02	0.03	3
C20-405	285.95	287.95	2.00	4	0.02	0.11	0.24	19
C20-405	287.95	288.80	0.85	43	0.02	1.05	0.41	99
C20-405	288.80	289.10	0.30	291	0.07	6.44	4.10	694
C20-405	289.10	290.80	1.70	4	0.01	0.10	0.13	14
C20-405	290.80	292.70	1.90	1	0.02	0.02	0.03	4
C20-405	292.70	293.00	0.30	56	0.07	1.45	2.81	229
C20-405	293.00	294.00	1.00	3	0.02	0.15	0.12	15
C20-405	294.00	295.00	1.00	6	0.10	0.13	0.26	30
C20-405	295.00	296.30	1.30	12	0.04	0.36	0.42	46
C20-405	296.30	296.60	0.30	223	4.64	2.77	2.55	806
C20-405	296.60	297.60	1.00	8	0.03	0.28	0.37	36
C20-405	297.60	298.80	1.20	7	0.03	0.20	0.31	29
C20-405	298.80	299.50	0.70	9	0.03	0.30	0.35	37
C20-405	299.50	300.00	0.50	9	0.03	0.24	0.48	40

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-405	300.00	300.90	0.90	2	0.02	0.04	0.08	7
C20-405	300.90	303.00	2.10	1	0.02	0.01	0.01	3
C20-405	303.00	303.90	0.90	1	0.03	0.01	0.03	5
C20-405	303.90	306.00	2.10	4	0.03	0.13	0.15	17
C20-405	306.00	307.00	1.00	8	0.04	0.26	0.46	40
C20-405	307.00	308.55	1.55	3	0.02	0.10	0.26	20
C20-405	308.55	309.55	1.00	2	0.01	0.07	0.07	8
C20-405	309.55	310.55	1.00	5	0.01	0.20	0.24	23
C20-405	310.55	312.00	1.45	5	0.01	0.20	0.26	24
C20-405	312.00	312.35	0.35	10	0.01	0.36	0.30	36
C20-405	312.35	314.05	1.70	98	0.16	3.22	2.03	309
C20-405	314.05	315.00	0.95	116	0.12	4.05	3.02	394
C20-405	315.00	316.00	1.00	93	0.08	2.85	1.35	256
C20-405	316.00	317.00	1.00	101	0.08	2.69	1.27	255
C20-405	317.00	318.00	1.00	54	0.06	1.30	1.34	160
C20-405	318.00	319.00	1.00	46	0.07	1.29	2.48	199
C20-405	319.00	320.00	1.00	49	0.03	1.07	0.98	130
C20-405	320.00	321.00	1.00	38	0.03	0.86	0.61	96
C20-405	321.00	322.00	1.00	41	0.04	0.99	1.32	133
C20-405	322.00	323.00	1.00	24	0.03	0.53	0.54	67
C20-405	323.00	324.00	1.00	31	0.03	0.56	0.86	89
C20-405	324.00	325.00	1.00	10	0.02	0.21	0.82	53
C20-405	325.00	326.00	1.00	21	0.03	0.44	1.00	80
C20-405	326.00	327.00	1.00	57	0.07	0.96	0.93	135
C20-405	327.00	328.00	1.00	53	0.10	1.26	1.86	182
C20-405	328.00	329.00	1.00	43	0.06	1.12	1.48	148
C20-405	329.00	330.00	1.00	21	0.05	0.51	0.58	67
C20-405	330.00	331.00	1.00	57	0.07	1.25	1.10	152
C20-405	331.00	332.00	1.00	30	0.06	0.67	0.83	94
C20-405	332.00	333.00	1.00	27	0.14	0.64	0.83	95
C20-405	333.00	333.55	0.55	157	0.15	2.06	1.94	322
C20-405	333.55	333.95	0.40	2,040	0.37	25.43	6.86	3,251
C20-405	333.95	334.30	0.35	154	0.08	1.97	6.71	508
C20-405	334.30	336.30	2.00	44	0.05	0.90	0.99	121
C20-405	336.30	338.30	2.00	58	0.05	1.09	0.90	138
C20-405	338.30	339.55	1.25	44	0.04	0.88	1.17	126
C20-405	339.55	339.85	0.30	151	0.05	2.41	3.16	371
C20-405	339.85	340.60	0.75	48	0.04	0.97	0.80	119
C20-405	340.60	342.60	2.00	40	0.05	0.98	0.87	115
C20-405	342.60	344.60	2.00	31	0.04	0.70	0.61	84
C20-405	344.60	345.60	1.00	56	0.05	1.44	1.21	161
C20-405	345.60	346.80	1.20	36	0.05	0.93	0.48	93
C20-405	346.80	347.15	0.35	406	0.35	8.54	11.40	1,208
C20-405	347.15	349.15	2.00	52	0.07	1.31	1.26	156
C20-405	349.15	350.15	1.00	77	0.03	2.11	1.92	234
C20-405	350.15	351.00	0.85	74	0.05	1.28	1.35	179
C20-405	351.00	351.90	0.90	96	0.03	2.99	2.56	310
C20-405	351.90	352.20	0.30	273	0.04	7.79	6.35	814
C20-405	352.20	352.80	0.60	68	0.04	1.71	1.42	189
C20-405	352.80	353.35	0.55	134	0.05	2.76	2.97	359
C20-405	353.35	353.80	0.45	99	0.03	2.06	2.04	259
C20-405	353.80	355.50	1.70	45	0.02	1.01	1.69	152
C20-405	355.50	355.80	0.30	237	0.06	4.94	6.78	697
C20-405	355.80	356.50	0.70	109	0.03	2.61	0.85	238
C20-405	356.50	357.60	1.10	48	0.04	1.17	1.08	137

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-405	357.60	357.90	0.30	728	0.20	8.93	10.00	1,474
C20-405	357.90	358.75	0.85	16	0.04	0.38	0.48	53
C20-405	358.75	359.05	0.30	268	0.21	5.53	12.00	978
C20-405	359.05	360.00	0.95	28	0.04	0.66	0.99	95
C20-405	360.00	361.20	1.20	61	0.05	1.78	0.91	166
C20-405	361.20	363.20	2.00	15	0.03	0.35	0.44	48
C20-405	363.20	365.20	2.00	19	0.04	0.43	0.49	57
C20-405	365.20	365.50	0.30	21	0.03	0.49	1.18	90
C20-405	365.50	367.50	2.00	25	0.02	0.64	0.83	83
C20-405	367.50	369.00	1.50	22	0.02	0.51	0.55	64
C20-405	369.00	369.80	0.80	38	0.03	1.00	0.78	108
C20-405	369.80	370.50	0.70	13	0.03	0.36	0.30	41
C20-405	370.50	371.40	0.90	24	0.04	0.60	0.61	74
C20-405	371.40	371.70	0.30	40	0.11	0.99	3.75	239
C20-405	371.70	373.50	1.80	25	0.04	0.63	0.74	82
C20-405	373.50	375.30	1.80	30	0.08	0.76	1.56	128
C20-405	375.30	375.75	0.45	37	0.09	1.35	1.18	141
C20-405	375.75	376.80	1.05	26	0.07	0.76	0.73	89
C20-405	376.80	377.85	1.05	9	0.03	0.22	0.27	30
C20-405	377.85	378.15	0.30	11	0.02	0.26	1.00	63
C20-405	378.15	378.70	0.55	40	0.03	0.83	0.46	91
C20-405	378.70	379.00	0.30	78	2.18	1.58	8.24	654
C20-405	379.00	379.70	0.70	43	0.06	0.97	1.13	129
C20-405	379.70	380.20	0.50	170	0.28	2.92	1.09	341
C20-405	380.20	381.20	1.00	20	0.02	0.44	0.76	68
C20-405	381.20	382.20	1.00	25	0.02	0.73	0.96	92
C20-405	382.20	383.20	1.00	35	0.06	0.99	0.86	110
C20-405	383.20	384.20	1.00	62	0.04	1.55	0.88	156
C20-405	384.20	386.15	1.95	55	0.06	1.50	1.53	176
C20-405	386.15	386.75	0.60	40	0.04	1.44	1.62	161
C20-405	386.75	387.05	0.30	918	0.18	12.50	3.36	1,512
C20-405	387.05	387.35	0.30	6,020	0.97	42.49	8.01	7,929
C20-405	387.35	388.50	1.15	44	0.04	0.94	1.44	140
C20-405	388.50	389.10	0.60	43	0.03	0.99	1.11	126
C20-405	389.10	390.50	1.40	41	0.03	1.04	1.07	124
C20-405	390.50	391.10	0.60	64	0.09	2.09	2.58	252
C20-405	391.10	391.50	0.40	453	0.17	9.76	9.86	1,220
C20-405	391.50	391.80	0.30	98	0.06	1.67	5.26	380
C20-405	391.80	392.10	0.30	42	0.04	1.17	1.54	151
C20-405	392.10	393.00	0.90	18	0.03	0.45	0.48	56
C20-405	393.00	394.40	1.40	20	0.02	0.66	0.83	79
C20-405	394.40	394.75	0.35	56	0.03	1.71	3.44	262
C20-405	394.75	396.00	1.25	11	0.02	0.42	0.60	52
C20-405	396.00	397.20	1.20	4	0.01	0.11	0.36	24
C20-405	397.20	398.55	1.35	7	0.03	0.15	0.16	21
C20-405	398.55	399.70	1.15	7	0.02	0.26	0.09	21
C20-405	399.70	400.15	0.45	13	0.01	0.43	0.44	47
C20-405	400.15	402.00	1.85	17	0.02	0.54	0.46	57
C20-405	402.00	403.65	1.65	11	0.02	0.45	0.32	42
C20-405	403.65	404.00	0.35	2	0.01	0.03	0.03	5
C20-405	404.00	406.00	2.00	3	0.01	0.07	0.12	11
C20-405	406.00	407.40	1.40	6	0.02	0.14	0.11	18
C20-405	407.40	407.80	0.40	13	0.02	0.32	0.32	38
C20-405	407.80	408.25	0.45	34	0.04	1.32	1.65	151
C20-405	408.25	408.70	0.45	24	0.02	0.73	1.90	131

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-405	408.70	409.15	0.45	72	0.03	2.25	3.86	314
C20-405	409.15	409.65	0.50	2	0.01	0.07	0.20	13
C20-405	409.65	410.00	0.35	28	0.01	1.04	1.70	136
C20-405	410.00	410.80	0.80	23	0.01	0.37	5.02	245
C20-405	410.80	412.05	1.25	3	0.03	0.08	0.15	14
C20-405	412.05	413.60	1.55	6	0.07	0.10	0.14	21
C20-405	413.60	413.90	0.30	65	0.17	1.21	1.32	176
C20-405	413.90	415.90	2.00	18	0.03	0.45	0.36	51
C20-405	415.90	416.80	0.90	4	0.02	0.17	0.11	16
C20-405	416.80	418.80	2.00	6	0.02	0.21	0.20	23
C20-405	418.80	420.40	1.60	2	0.01	0.06	0.04	7
C20-405	420.40	421.50	1.10	3	0.01	0.08	0.14	13
C20-405	421.50	421.80	0.30	21	0.05	0.54	0.43	62
C20-405	421.80	422.80	1.00	23	0.02	0.37	0.35	52
C20-405	422.80	424.20	1.40	10	0.01	0.35	0.18	31
C20-405	424.20	424.70	0.50	2	0.01	0.06	0.01	6
C20-405	424.70	426.70	2.00	1	0.01	0.01	0.00	2
C20-405	426.70	428.70	2.00	1	0.01	0.01	0.01	3
C20-405	428.70	429.70	1.00	1	0.01	0.01	0.01	2
C20-405	429.70	430.70	1.00	12	0.01	0.31	0.29	36
C20-405	430.70	431.60	0.90	20	0.02	0.39	0.27	46
C20-405	431.60	431.90	0.30	133	0.15	2.00	28.30	1,390
C20-405	431.90	432.35	0.45	110	0.05	1.12	5.38	377
C20-405	432.35	432.70	0.35	45	0.05	1.12	1.59	154
C20-405	432.70	433.50	0.80	115	0.04	1.18	2.14	248
C20-405	433.50	434.30	0.80	6	0.01	0.07	0.11	15
C20-405	434.30	435.00	0.70	10	0.02	0.07	0.07	17
C20-405	435.00	435.45	0.45	21	0.04	0.33	0.44	54
C20-405	435.45	436.75	1.30	239	0.18	4.78	10.45	856
C20-405	436.75	438.75	2.00	8	0.02	0.17	0.21	25
C20-405	438.75	440.50	1.75	41	0.03	1.11	1.82	158
C20-405	440.50	441.85	1.35	3	0.01	0.12	0.05	11
C20-405	441.85	443.80	1.95	3	0.01	0.10	0.07	10
C20-405	443.80	445.50	1.70	2	0.01	0.08	0.12	11
C20-405	445.50	446.85	1.35	3	0.01	0.11	0.11	12
C20-405	446.85	448.20	1.35	2	0.01	0.06	0.05	7
C20-405	448.20	449.00	0.80	1	0.01	0.02	0.06	5
C20-405	449.00	450.00	1.00	1	0.00	0.01	0.04	3
C20-405	450.00	450.30	0.30	0	0.00	0.00	0.01	1
C20-405	450.30	450.60	0.30	6	0.00	0.23	0.32	27
C20-405	450.60	453.00	2.40	3	0.01	0.10	0.26	17
C20-405	453.00	454.50	1.50	3	0.00	0.08	0.24	16
C20-405	454.50	456.00	1.50	1	0.00	0.02	0.09	6
C20-405	456.00	457.50	1.50	4	0.01	0.11	0.39	25
C20-405	457.50	458.50	1.00	1	0.00	0.02	0.19	10
C20-405	458.50	460.10	1.60	2	0.01	0.03	0.13	9
C20-406	0.00	1.50	1.50	14	0.02	0.22	0.06	26
C20-406	1.50	3.10	1.60	20	0.08	0.06	0.20	36
C20-406	3.10	4.00	0.90	19	0.16	0.04	0.24	44
C20-406	4.00	6.00	2.00	11	0.04	0.03	0.24	25
C20-406	6.00	7.40	1.40	13	0.11	0.04	0.21	32
C20-406	7.40	7.95	0.55	11	0.13	0.02	0.20	31
C20-406	7.95	9.95	2.00	11	0.10	0.03	0.06	22
C20-406	9.95	11.95	2.00	13	0.04	0.03	0.07	19
C20-406	11.95	13.95	2.00	11	0.05	0.03	0.08	19

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-406	13.95	15.95	2.00	14	0.07	0.06	0.05	24
C20-406	15.95	17.95	2.00	8	0.10	0.04	0.03	19
C20-406	17.95	19.95	2.00	7	0.09	0.04	0.11	20
C20-406	19.95	21.95	2.00	6	0.13	0.03	0.12	23
C20-406	21.95	23.95	2.00	9	0.12	0.03	0.06	22
C20-406	23.95	25.55	1.60	13	0.13	0.05	0.04	27
C20-406	25.55	27.00	1.45	5	0.07	0.02	0.06	14
C20-406	27.00	27.95	0.95	5	0.07	0.03	0.04	14
C20-406	27.95	28.95	1.00	8	0.11	0.05	0.03	19
C20-406	28.95	30.10	1.15	7	0.05	0.04	0.05	14
C20-406	30.10	30.50	0.40	9	0.04	0.03	0.09	17
C20-406	30.50	31.60	1.10	6	0.13	0.02	0.06	20
C20-406	31.60	32.10	0.50	10	0.35	0.05	0.02	41
C20-406	32.10	33.45	1.35	16	0.15	0.23	0.04	38
C20-406	33.45	34.85	1.40	63	0.10	0.16	0.10	81
C20-406	34.85	35.70	0.85	26	0.07	0.07	0.08	38
C20-406	35.70	36.50	0.80	25	0.05	0.05	0.03	32
C20-406	36.50	37.40	0.90	39	0.05	0.14	0.06	50
C20-406	37.40	38.90	1.50	8	0.04	0.04	0.10	17
C20-406	38.90	39.80	0.90	23	0.07	0.08	0.09	36
C20-406	39.80	40.55	0.75	9	0.03	0.06	0.10	17
C20-406	40.55	41.60	1.05	21	0.06	0.06	0.04	29
C20-406	41.60	43.40	1.80	20	0.05	0.15	0.05	32
C20-406	43.40	45.00	1.60	35	0.08	0.15	0.25	58
C20-406	45.00	46.60	1.60	23	0.07	0.12	0.32	47
C20-406	46.60	47.85	1.25	16	0.05	0.09	0.41	40
C20-406	47.85	48.65	0.80	36	0.06	0.20	0.35	63
C20-406	48.65	49.50	0.85	115	0.29	0.61	0.18	167
C20-406	49.50	51.15	1.65	40	0.10	0.27	0.29	69
C20-406	51.15	53.15	2.00	11	0.08	0.08	0.26	31
C20-406	53.15	54.40	1.25	26	0.11	0.24	0.19	52
C20-406	54.40	55.40	1.00	14	0.07	0.08	0.28	34
C20-406	55.40	57.10	1.70	16	0.06	0.15	0.44	44
C20-406	57.10	57.60	0.50	15	0.08	0.27	0.45	50
C20-406	57.60	57.95	0.35					0
C20-406	57.95	58.95	1.00	15	0.07	0.12	0.41	42
C20-406	58.95	60.45	1.50	15	0.07	0.10	0.49	44
C20-406	60.45	61.50	1.05	6	0.06	0.17	0.80	51
C20-406	61.50	62.20	0.70	10	0.04	1.37	0.21	71
C20-406	62.20	63.60	1.40	2	0.02	0.06	0.11	11
C20-406	63.60	64.20	0.60	13	0.04	0.32	0.15	34
C20-406	64.20	65.75	1.55	13	0.11	0.31	0.26	44
C20-406	65.75	66.40	0.65	9	0.06	0.12	0.23	27
C20-406	66.40	67.35	0.95	16	0.03	0.05	0.24	30
C20-406	67.35	68.90	1.55	16	0.02	0.11	0.31	34
C20-406	68.90	69.90	1.00	14	0.04	0.16	0.14	29
C20-406	69.90	70.25	0.35	26	0.05	0.22	0.07	41
C20-406	70.25	71.90	1.65	12	0.03	0.09	0.28	28
C20-406	71.90	73.15	1.25	2	0.04	0.02	0.23	15
C20-406	73.15	74.90	1.75	7	0.03	0.03	0.23	20
C20-406	74.90	76.40	1.50	12	0.02	0.04	0.16	22
C20-406	76.40	77.85	1.45	2	0.04	0.03	0.07	9
C20-406	77.85	78.40	0.55	2	0.04	0.04	0.09	10
C20-406	78.40	79.05	0.65	1	0.04	0.01	0.08	8
C20-406	79.05	79.40	0.35	26	0.07	0.13	0.24	45

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-406	79.40	80.55	1.15	4	0.02	0.18	0.15	18
C20-406	80.55	81.15	0.60	157	0.69	0.56	0.76	265
C20-406	81.15	82.35	1.20	5	0.05	0.15	0.28	26
C20-406	82.35	83.30	0.95	15	0.08	0.17	0.09	31
C20-406	83.30	84.20	0.90	4	0.09	0.08	0.07	17
C20-406	84.20	84.55	0.35	3	0.04	0.04	0.09	11
C20-406	84.55	84.85	0.30	1	0.03	0.02	0.05	7
C20-406	84.85	85.40	0.55	3	0.04	0.07	0.05	11
C20-406	85.40	85.85	0.45	2	0.04	0.03	0.05	8
C20-406	85.85	86.55	0.70	6	0.05	0.12	0.38	30
C20-406	86.55	87.95	1.40	4	0.03	0.08	0.23	18
C20-406	87.95	88.70	0.75	26	0.05	0.02	0.28	42
C20-406	88.70	89.70	1.00	12	0.06	0.14	0.11	26
C20-406	89.70	90.10	0.40	27	0.06	0.11	0.14	41
C20-406	90.10	90.45	0.35	10	0.03	0.09	0.12	20
C20-406	90.45	91.65	1.20	10	0.05	0.21	0.21	29
C20-406	91.65	92.35	0.70	5	0.01	0.09	0.11	14
C20-406	92.35	94.00	1.65	11	0.02	0.14	0.20	26
C20-406	94.00	94.85	0.85	11	0.02	0.16	0.21	27
C20-406	94.85	95.65	0.80	14	0.02	0.14	0.08	24
C20-406	95.65	96.35	0.70	18	0.02	0.18	0.06	29
C20-406	96.35	97.40	1.05	8	0.02	0.13	0.06	17
C20-406	97.40	98.30	0.90	5	0.01	0.06	0.04	10
C20-406	98.30	98.90	0.60	6	0.03	0.07	0.13	16
C20-406	98.90	100.10	1.20	11	0.01	0.13	0.15	22
C20-406	100.10	100.60	0.50	18	0.03	0.27	0.18	37
C20-406	100.60	100.90	0.30	7	0.02	0.08	0.14	17
C20-406	100.90	101.25	0.35	6	0.02	0.08	0.13	16
C20-406	101.25	101.90	0.65	5	0.01	0.08	0.15	15
C20-406	101.90	102.85	0.95	17	0.03	0.19	0.30	38
C20-406	102.85	103.70	0.85	18	0.02	0.27	0.33	43
C20-406	103.70	104.10	0.40	22	0.02	0.15	0.27	40
C20-406	104.10	104.80	0.70	5	0.02	0.06	0.19	16
C20-406	104.80	106.50	1.70	11	0.04	0.05	0.08	20
C20-406	106.50	107.00	0.50	26	0.04	0.07	0.11	36
C20-406	107.00	107.55	0.55	5	0.02	0.05	0.04	11
C20-406	107.55	108.35	0.80	14	0.01	0.05	0.04	19
C20-406	108.35	109.85	1.50	10	0.02	0.04	0.12	17
C20-406	109.85	110.90	1.05	6	0.02	0.02	0.18	15
C20-406	110.90	111.80	0.90	8	0.01	0.01	0.08	13
C20-406	111.80	112.65	0.85	12	0.00	0.07	0.56	38
C20-406	112.65	113.45	0.80	11	0.01	0.08	0.44	32
C20-406	113.45	113.80	0.35	7	0.01	0.04	0.11	14
C20-406	113.80	114.25	0.45	48	0.00	0.24	1.70	127
C20-406	114.25	115.20	0.95	17	0.00	0.08	0.65	47
C20-406	115.20	115.75	0.55	10	0.00	0.08	0.48	33
C20-406	115.75	116.35	0.60	37	0.01	0.29	1.93	128
C20-406	116.35	117.30	0.95	19	0.01	0.21	1.20	76
C20-406	117.30	117.85	0.55	10	0.01	0.07	0.64	39
C20-406	117.85	118.40	0.55	6	0.01	0.05	0.47	28
C20-406	118.40	118.90	0.50	5	0.01	0.04	0.30	20
C20-406	118.90	119.50	0.60	8	0.01	0.06	0.68	39
C20-406	119.50	120.05	0.55	10	0.01	0.14	0.49	36
C20-406	120.05	121.00	0.95	7	0.01	0.05	0.34	24
C20-406	121.00	121.75	0.75	10	0.01	0.04	0.16	18

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-406	121.75	122.75	1.00	7	0.01	0.09	0.43	28
C20-406	122.75	123.40	0.65	8	0.01	0.12	0.41	30
C20-406	123.40	124.40	1.00	4	0.01	0.04	0.19	14
C20-406	124.40	124.90	0.50	8	0.00	0.10	0.52	33
C20-406	124.90	125.35	0.45	3	0.00	0.06	0.21	14
C20-406	125.35	126.35	1.00	3	0.00	0.03	0.22	14
C20-406	126.35	127.45	1.10	4	0.01	0.06	0.17	14
C20-406	127.45	128.50	1.05	7	0.01	0.07	0.96	50
C20-406	128.50	129.70	1.20	7	0.03	0.16	0.39	31
C20-406	129.70	130.30	0.60	4	0.01	0.08	0.16	15
C20-406	130.30	131.90	1.60	3	0.01	0.06	0.34	19
C20-406	131.90	132.90	1.00	5	0.01	0.07	0.70	37
C20-406	132.90	133.70	0.80	6	0.02	0.08	0.64	37
C20-406	133.70	134.35	0.65	14	0.06	0.18	0.77	57
C20-406	134.35	135.05	0.70	23	0.08	0.53	0.41	66
C20-406	135.05	135.75	0.70	6	0.04	0.06	0.29	23
C20-406	135.75	136.50	0.75	8	0.01	0.07	0.37	27
C20-406	136.50	136.95	0.45	6	0.01	0.05	0.38	25
C20-406	136.95	137.90	0.95	8	0.01	0.04	0.46	29
C20-406	137.90	139.05	1.15	7	0.01	0.06	0.50	31
C20-406	139.05	140.35	1.30	4	0.03	0.04	0.47	28
C20-406	140.35	140.80	0.45	12	0.02	0.18	0.94	58
C20-406	140.80	141.15	0.35	12	0.03	0.40	0.91	66
C20-406	141.15	142.80	1.65	3	0.02	0.04	0.19	13
C20-406	142.80	144.05	1.25	4	0.02	0.02	0.32	19
C20-406	144.05	144.90	0.85	6	0.02	0.06	0.57	33
C20-406	144.90	145.55	0.65	4	0.01	0.02	0.18	13
C20-406	145.55	146.85	1.30	5	0.02	0.03	0.39	24
C20-406	146.85	147.75	0.90	5	0.04	0.03	0.31	22
C20-406	147.75	148.15	0.40	3	0.01	0.01	0.23	14
C20-406	148.15	148.75	0.60	1	0.01	0.00	0.15	9
C20-406	148.75	149.10	0.35	2	0.01	0.01	0.23	13
C20-406	149.10	149.50	0.40	3	0.02	0.02	0.12	10
C20-406	149.50	150.05	0.55	9	0.02	0.08	0.36	28
C20-406	150.05	151.25	1.20	8	0.01	0.02	0.34	24
C20-406	151.25	152.10	0.85	18	0.03	0.15	0.59	49
C20-406	152.10	152.90	0.80	6	0.02	0.04	0.30	21
C20-406	152.90	154.20	1.30	7	0.01	0.05	0.38	25
C20-406	154.20	154.95	0.75	6	0.01	0.03	0.38	24
C20-406	154.95	156.80	1.85	7	0.03	0.04	0.22	20
C20-406	156.80	158.55	1.75	5	0.01	0.04	0.12	12
C20-406	158.55	160.00	1.45	3	0.00	0.05	0.13	11
C20-406	160.00	161.05	1.05	11	0.01	0.07	0.34	29
C20-406	161.05	161.55	0.50	20	0.08	0.26	2.05	121
C20-406	161.55	162.20	0.65	15	0.04	0.05	0.07	22
C20-406	162.20	163.50	1.30					0
C20-406	163.50	164.65	1.15	7	0.01	0.07	0.11	15
C20-406	164.65	165.50	0.85	9	0.01	0.08	0.14	18
C20-406	165.50	166.10	0.60	9	0.01	0.04	0.14	17
C20-406	166.10	166.80	0.70	8	0.02	0.07	0.34	26
C20-406	166.80	168.50	1.70	3	0.01	0.03	0.09	9
C20-406	168.50	169.95	1.45	3	0.01	0.04	0.13	10
C20-406	169.95	170.25	0.30	4	0.01	0.03	0.08	9
C20-406	170.25	171.05	0.80	4	0.03	0.04	0.18	15
C20-406	171.05	172.30	1.25	3	0.03	0.03	0.09	10

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-406	172.30	173.90	1.60	6	0.02	0.15	0.27	24
C20-406	173.90	175.05	1.15	7	0.01	0.06	0.09	14
C20-406	175.05	175.55	0.50	32	0.03	0.11	0.06	40
C20-406	175.55	176.00	0.45	14	0.03	0.07	0.07	22
C20-406	176.00	176.85	0.85	6	0.01	0.08	0.18	17
C20-406	176.85	178.40	1.55	3	0.01	0.01	0.01	5
C20-406	178.40	179.90	1.50	3	0.02	0.01	0.01	5
C20-406	179.90	181.40	1.50	6	0.02	0.02	0.04	10
C20-406	181.40	183.30	1.90	5	0.01	0.02	0.15	13
C20-406	183.30	184.20	0.90	7	0.07	0.04	1.37	71
C20-406	184.20	185.25	1.05	3	0.02	0.01	0.20	13
C20-406	185.25	185.80	0.55	14	0.03	0.02	0.31	31
C20-406	185.80	187.40	1.60	11	0.01	0.03	0.25	23
C20-406	187.40	188.00	0.60	10	0.02	0.03	0.31	25
C20-406	188.00	188.40	0.40	45	0.02	0.38	2.78	176
C20-406	188.40	189.45	1.05	6	0.01	0.04	0.32	22
C20-406	189.45	190.45	1.00	7	0.03	0.06	0.23	21
C20-406	190.45	191.40	0.95	2	0.01	0.02	0.04	5
C20-406	191.40	192.05	0.65	4	0.02	0.02	0.04	7
C20-406	192.05	192.70	0.65	3	0.01	0.04	0.10	9
C20-406	192.70	193.80	1.10	2	0.01	0.01	0.03	4
C20-406	193.80	194.60	0.80	4	0.03	0.04	0.09	12
C20-406	194.60	195.40	0.80	5	0.04	0.03	0.18	16
C20-406	195.40	196.30	0.90	2	0.02	0.01	0.03	6
C20-406	196.30	196.90	0.60	4	0.02	0.02	0.12	11
C20-406	196.90	197.65	0.75	2	0.01	0.04	0.06	7
C20-406	197.65	198.55	0.90	14	0.03	0.03	0.04	19
C20-406	198.55	199.20	0.65	10	0.03	0.13	0.85	52
C20-406	199.20	200.35	1.15	6	0.02	0.01	0.04	9
C20-406	200.35	201.45	1.10	11	0.03	0.05	0.07	18
C20-406	201.45	202.25	0.80	8	0.03	0.06	0.07	15
C20-406	202.25	204.20	1.95	5	0.01	0.04	0.14	13
C20-406	204.20	204.85	0.65	8	0.02	0.10	0.46	32
C20-406	204.85	205.65	0.80	6	0.03	0.05	0.20	19
C20-406	205.65	206.55	0.90	78	0.61	0.07	0.02	130
C20-406	206.55	207.70	1.15	18	0.02	0.02	0.03	21
C20-406	207.70	209.70	2.00	4	0.02	0.02	0.02	7
C20-406	209.70	210.10	0.40	2	0.01	0.01	0.01	4
C20-406	210.10	211.35	1.25	3	0.01	0.01	0.04	6
C20-406	211.35	212.25	0.90	3	0.01	0.03	0.06	7
C20-406	212.25	213.00	0.75	13	0.06	0.02	0.03	20
C20-406	213.00	214.00	1.00	7	0.02	0.03	0.08	13
C20-406	214.00	215.00	1.00	13	0.02	0.06	0.22	26
C20-406	215.00	216.00	1.00	12	0.04	0.06	0.11	22
C20-406	216.00	217.00	1.00	6	0.06	0.08	0.15	20
C20-406	217.00	218.00	1.00	9	0.05	0.07	0.10	19
C20-406	218.00	218.90	0.90	18	0.06	0.02	0.02	25
C20-406	218.90	220.10	1.20	3	0.02	0.01	0.01	5
C20-406	220.10	221.90	1.80	5	0.03	0.01	0.02	8
C20-406	221.90	222.55	0.65	33	0.05	0.13	0.09	45
C20-406	222.55	223.30	0.75	9	0.01	0.02	0.04	12
C20-406	223.30	224.15	0.85	15	0.05	0.10	0.20	31
C20-406	224.15	225.55	1.40	7	0.03	0.06	0.10	15
C20-406	225.55	227.20	1.65	7	0.03	0.02	0.02	11
C20-406	227.20	227.90	0.70	29	0.12	0.44	0.83	89

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-406	227.90	229.05	1.15	3	0.01	0.01	0.01	4
C20-406	229.05	229.55	0.50	16	0.13	0.03	0.01	28
C20-406	229.55	230.25	0.70	5	0.02	0.01	0.03	9
C20-406	230.25	231.40	1.15	4	0.01	0.01	0.05	7
C20-406	231.40	232.50	1.10	12	0.02	0.04	0.07	18
C20-406	232.50	233.90	1.40	0	0.00	0.00	0.01	1
C20-406	233.90	235.85	1.95	0	0.01	0.00	0.01	2
C20-406	235.85	237.40	1.55	1	0.01	0.00	0.01	1
C20-406	237.40	239.05	1.65	0	0.00	0.00	0.01	1
C20-406	239.05	240.95	1.90	0	0.01	0.00	0.00	1
C20-406	240.95	242.90	1.95	0	0.01	0.00	0.01	1
C20-406	242.90	243.70	0.80	2	0.03	0.00	0.00	4
C20-406	243.70	244.40	0.70	2	0.01	0.01	0.03	5
C20-406	244.40	245.90	1.50	1	0.01	0.00	0.01	2
C20-406	245.90	247.30	1.40	1	0.01	0.01	0.03	3
C20-406	247.30	248.75	1.45	4	0.02	0.01	0.09	10
C20-406	248.75	249.70	0.95	4	0.01	0.02	0.08	9
C20-406	249.70	250.45	0.75	3	0.01	0.01	0.02	5
C20-406	250.45	251.20	0.75	3	0.03	0.01	0.02	6
C20-406	251.20	252.25	1.05	7	0.06	0.05	0.01	15
C20-406	252.25	253.25	1.00	17	0.03	0.06	0.03	22
C20-406	253.25	254.45	1.20	25	0.06	0.17	0.49	56
C20-406	254.45	255.30	0.85	24	0.11	0.20	0.26	51
C20-406	255.30	256.25	0.95	15	0.12	0.13	0.32	42
C20-406	256.25	257.50	1.25	36	0.05	0.17	0.91	83
C20-406	257.50	258.25	0.75	44	0.26	0.77	0.98	133
C20-406	258.25	259.15	0.90	81	0.25	1.02	1.43	196
C20-406	259.15	259.95	0.80	34	0.14	0.35	0.23	67
C20-406	259.95	260.55	0.60	43	0.12	0.45	0.17	76
C20-406	260.55	261.40	0.85	25	0.09	0.18	0.23	48
C20-406	261.40	262.00	0.60	14	0.04	0.11	0.42	38
C20-406	262.00	262.65	0.65	77	0.07	0.29	2.09	180
C20-406	262.65	263.40	0.75	83	0.08	0.59	1.30	164
C20-406	263.40	264.00	0.60	83	0.14	0.17	7.81	424
C20-406	264.00	264.75	0.75	15	0.06	0.06	0.39	38
C20-406	264.75	266.20	1.45	7	0.02	0.07	0.25	22
C20-406	266.20	267.10	0.90	5	0.04	0.04	0.12	14
C20-406	267.10	268.20	1.10	7	0.02	0.05	0.15	16
C20-406	268.20	270.20	2.00	2	0.01	0.01	0.13	8
C20-406	270.20	272.20	2.00	1	0.00	0.01	0.08	5
C20-406	272.20	274.20	2.00	1	0.01	0.01	0.07	5
C20-406	274.20	275.15	0.95	2	0.00	0.00	0.02	3
C20-406	275.15	275.95	0.80	17	0.01	0.29	1.17	76
C20-406	275.95	277.95	2.00	2	0.00	0.02	0.11	7
C20-406	277.95	279.95	2.00	0	0.00	0.00	0.03	2
C20-406	279.95	281.95	2.00	1	0.00	0.00	0.03	2
C20-406	281.95	283.95	2.00	0	0.00	0.00	0.01	1
C20-406	283.95	285.50	1.55	1	0.00	0.01	0.05	4
C20-406	285.50	286.20	0.70	9	0.04	0.03	0.79	47
C20-406	286.20	287.40	1.20	18	0.09	0.10	1.50	91
C20-406	287.40	287.90	0.50	25	0.10	0.14	0.97	78
C20-406	287.90	288.40	0.50	97	0.26	0.47	9.04	510
C20-406	288.40	288.95	0.55	23	0.06	0.15	2.00	115
C20-406	288.95	289.75	0.80	15	0.05	0.13	1.45	83
C20-406	289.75	290.25	0.50	8	0.03	0.12	0.41	31

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-406	290.25	291.35	1.10	5	0.01	0.08	0.15	15
C20-406	291.35	292.35	1.00	13	0.05	0.04	0.01	19
C20-406	292.35	293.60	1.25	2	0.01	0.04	0.02	5
C20-406	293.60	294.55	0.95	4	0.02	0.09	0.17	16
C20-406	294.55	295.05	0.50	3	0.02	0.05	0.07	9
C20-406	295.05	295.60	0.55	131	0.05	0.45	0.71	180
C20-406	295.60	296.40	0.80	10	0.01	0.06	0.03	15
C20-406	296.40	297.00	0.60	13	0.01	0.12	0.13	24
C20-406	297.00	297.35	0.35	11	0.01	0.10	0.16	22
C20-406	297.35	297.75	0.40	48	0.11	0.07	3.97	224
C20-406	297.75	298.70	0.95	8	0.02	0.16	0.03	16
C20-406	298.70	299.60	0.90	23	0.02	0.23	0.13	38
C20-406	299.60	300.45	0.85	13	0.05	0.09	0.03	22
C20-406	300.45	301.25	0.80	8	0.01	0.04	0.03	12
C20-406	301.25	301.85	0.60	6	0.01	0.02	0.30	20
C20-406	301.85	302.60	0.75	8	0.02	0.04	0.07	14
C20-406	302.60	303.35	0.75	23	0.06	0.15	0.07	36
C20-406	303.35	304.30	0.95	6	0.02	0.06	0.04	11
C20-406	304.30	304.85	0.55	6	0.01	0.04	0.05	10
C20-406	304.85	305.95	1.10	7	0.01	0.07	0.21	19
C20-406	305.95	306.25	0.30	49	0.13	0.12	0.11	68
C20-406	306.25	307.65	1.40	16	0.02	0.07	0.12	25
C20-406	307.65	308.60	0.95	27	0.02	0.04	0.06	32
C20-406	308.60	309.50	0.90	14	0.02	0.04	0.09	21
C20-406	309.50	310.60	1.10	19	0.05	0.04	0.01	25
C20-406	310.60	311.45	0.85	26	0.06	0.08	0.03	35
C20-406	311.45	312.15	0.70	29	0.08	0.09	0.04	40
C20-406	312.15	312.90	0.75	21	0.05	0.07	0.05	29
C20-406	312.90	313.85	0.95	25	0.06	0.10	0.05	36
C20-406	313.85	314.60	0.75	68	0.03	0.08	0.04	75
C20-406	314.60	316.60	2.00	19	0.03	0.06	0.06	26
C20-406	316.60	319.10	2.50	36	0.03	0.09	0.04	43
C20-406	319.10	320.00	0.90	7	0.01	0.03	0.05	11
C20-406	320.00	321.70	1.70	4	0.01	0.01	0.02	6
C20-406	321.70	323.25	1.55	3	0.01	0.01	0.04	6
C20-406	323.25	325.10	1.85	3	0.01	0.00	0.02	4
C20-406	325.10	326.10	1.00	3	0.01	0.01	0.07	7
C20-406	326.10	327.55	1.45	6	0.03	0.02	0.12	13
C20-406	327.55	328.50	0.95	31	0.14	0.07	0.10	49
C20-406	328.50	330.00	1.50	14	0.14	0.04	0.05	29
C20-406	330.00	331.10	1.10	29	1.13	0.11	0.02	126
C20-406	331.10	332.30	1.20	12	0.10	0.05	0.03	24
C20-406	332.30	333.25	0.95	88	0.06	0.63	0.60	140
C20-406	333.25	333.70	0.45	76	0.19	1.35	0.99	181
C20-406	333.70	335.60	1.90	7	0.03	0.03	0.06	12
C20-406	335.60	336.90	1.30	27	0.02	0.08	0.11	36
C20-406	336.90	337.60	0.70	28	0.07	0.20	0.16	48
C20-406	337.60	338.20	0.60	9	0.02	0.07	0.11	17
C20-406	338.20	338.95	0.75	25	0.06	0.15	0.16	42
C20-406	338.95	339.60	0.65	25	0.06	0.09	0.10	37
C20-406	339.60	340.00	0.40	50	0.03	0.06	0.04	56
C20-406	340.00	340.50	0.50	19	0.02	0.04	0.06	24
C20-406	340.50	341.35	0.85	6	0.02	0.02	0.02	9
C20-406	341.35	342.35	1.00	6	0.02	0.03	0.06	11
C20-406	342.35	343.35	1.00	15	0.01	0.04	0.02	19

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-406	343.35	344.60	1.25	6	0.01	0.03	0.03	8
C20-406	344.60	345.95	1.35	11	0.01	0.05	0.07	16
C20-406	345.95	347.60	1.65	3	0.00	0.02	0.03	5
C20-406	347.60	349.15	1.55	1	0.00	0.00	0.01	2
C20-406	349.15	349.80	0.65	19	0.01	0.03	0.01	21
C20-406	349.80	351.30	1.50	0	0.00	0.00	0.00	1
C20-406	351.30	352.85	1.55	1	0.00	0.01	0.00	2
C20-406	352.85	354.40	1.55	11	0.01	0.05	0.05	16
C20-406	354.40	355.70	1.30	10	0.01	0.07	0.29	26
C20-406	355.70	356.60	0.90	8	0.01	0.02	0.06	12
C20-406	356.60	357.85	1.25	1	0.01	0.01	0.05	5
C20-406	357.85	359.60	1.75	6	0.03	0.03	0.04	11
C20-406	359.60	361.60	2.00	1	0.01	0.00	0.00	2
C20-406	361.60	362.60	1.00	0	0.00	0.00	0.01	1
C20-406	362.60	364.10	1.50	0	0.00	0.00	0.00	1
C20-406	364.10	365.60	1.50	0	0.00	0.00	0.02	1
C20-406	365.60	367.10	1.50	0	0.00	0.00	0.03	2
C20-406	367.10	368.60	1.50	0	0.00	0.00	0.02	1
C20-406	368.60	369.60	1.00	1	0.00	0.00	0.01	1
C20-406	369.60	371.35	1.75	11	0.02	0.01	0.01	13
C20-406	371.35	372.30	0.95	2	0.02	0.01	0.02	5
C20-406	372.30	373.15	0.85	4	0.01	0.05	0.06	9
C20-406	373.15	374.15	1.00	17	0.07	0.17	0.12	33
C20-406	374.15	376.10	1.95	9	0.02	0.06	0.03	14
C20-406	376.10	377.05	0.95	1	0.01	0.00	0.01	2
C20-406	377.05	379.05	2.00	0	0.01	0.00	0.00	1
C20-406	379.05	381.05	2.00	1	0.00	0.00	0.01	1
C20-406	381.05	383.05	2.00	0	0.00	0.00	0.01	1
C20-406	383.05	384.35	1.30	0	0.01	0.00	0.01	1
C20-406	384.35	385.40	1.05	1	0.01	0.00	0.01	2
C20-406	385.40	386.60	1.20	2	0.01	0.01	0.06	5
C20-406	386.60	388.00	1.40	1	0.00	0.01	0.04	3
C20-406	388.00	389.60	1.60	0	0.00	0.01	0.08	4
C20-406	389.60	390.75	1.15	2	0.01	0.03	0.05	6
C20-406	390.75	391.15	0.40	273	0.08	6.77	2.07	604
C20-406	391.15	391.95	0.80	3	0.01	0.03	0.07	8
C20-406	391.95	392.60	0.65	11	0.02	0.19	0.53	40
C20-406	392.60	393.95	1.35	1	0.01	0.02	0.03	4
C20-406	393.95	394.65	0.70	0	0.01	0.00	0.01	1
C20-406	394.65	395.60	0.95	1	0.00	0.00	0.01	1
C20-406	395.60	397.60	2.00	0	0.00	0.00	0.01	1
C20-406	397.60	399.60	2.00	0	0.00	0.00	0.00	1
C20-406	399.60	401.60	2.00	0	0.00	0.00	0.00	1
C20-406	401.60	403.60	2.00	1	0.00	0.01	0.01	1
C20-406	403.60	405.60	2.00	0	0.00	0.00	0.00	1
C20-406	405.60	407.60	2.00	0	0.00	0.00	0.01	1
C20-406	407.60	409.10	1.50	0	0.00	0.01	0.01	1
C20-406	409.10	410.60	1.50	0	0.00	0.01	0.02	2
C20-407	0.00	5.00	5.00	7	0.02	0.04	0.08	14
C20-407	5.00	6.00	1.00	12	0.04	0.01	0.13	21
C20-407	6.00	7.50	1.50	17	0.02	0.03	0.11	25
C20-407	7.50	9.00	1.50	18	0.04	0.03	0.14	28
C20-407	9.00	10.50	1.50	8	0.04	0.06	0.23	23
C20-407	10.50	12.00	1.50	8	0.02	0.04	0.14	16
C20-407	12.00	13.20	1.20	7	0.01	0.01	0.12	13

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-407	13.20	15.20	2.00	8	0.00	0.01	0.09	12
C20-407	15.20	17.20	2.00	8	0.01	0.01	0.05	11
C20-407	17.20	19.20	2.00	1	0.00	0.00	0.06	4
C20-407	19.20	21.20	2.00	2	0.00	0.00	0.06	5
C20-407	21.20	23.20	2.00	6	0.00	0.00	0.07	9
C20-407	23.20	25.20	2.00	2	0.02	0.00	0.05	5
C20-407	25.20	26.80	1.60	16	0.01	0.02	0.25	28
C20-407	26.80	27.65	0.85	10	0.01	0.06	0.13	18
C20-407	27.65	29.00	1.35	8	0.02	0.07	0.05	14
C20-407	29.00	30.00	1.00	12	0.01	0.05	0.22	24
C20-407	30.00	32.00	2.00	12	0.01	0.10	0.37	32
C20-407	32.00	33.70	1.70	17	0.04	0.11	0.22	33
C20-407	33.70	34.35	0.65	142	0.05	0.19	0.35	167
C20-407	34.35	35.40	1.05	70	0.28	0.25	0.55	124
C20-407	35.40	36.55	1.15	79	0.08	0.25	0.20	103
C20-407	36.55	37.65	1.10	14	0.02	0.07	0.11	22
C20-407	37.65	39.05	1.40	43	0.05	0.08	0.25	60
C20-407	39.05	40.40	1.35	40	0.05	0.12	0.31	61
C20-407	40.40	41.35	0.95	9	0.02	0.17	0.12	21
C20-407	41.35	42.75	1.40	2	0.03	0.05	0.06	9
C20-407	42.75	44.40	1.65	7	0.03	0.11	0.11	18
C20-407	44.40	46.20	1.80	4	0.02	0.03	0.12	12
C20-407	46.20	48.20	2.00	5	0.02	0.02	0.18	15
C20-407	48.20	49.90	1.70	36	0.04	0.08	0.63	68
C20-407	49.90	51.90	2.00	44	0.03	0.08	0.99	90
C20-407	51.90	53.00	1.10	18	0.05	0.03	0.54	45
C20-407	53.00	54.00	1.00	4	0.02	0.02	0.28	18
C20-407	54.00	54.60	0.60	40	0.03	0.10	0.41	62
C20-407	54.60	56.20	1.60	9	0.01	0.17	0.47	35
C20-407	56.20	57.00	0.80	23	0.02	0.26	0.40	51
C20-407	57.00	57.80	0.80	20	0.02	0.10	0.58	49
C20-407	57.80	59.30	1.50	14	0.03	0.09	0.21	28
C20-407	59.30	60.00	0.70	2	0.03	0.02	0.11	9
C20-407	60.00	60.30	0.30	6	0.02	0.07	0.21	19
C20-407	60.30	62.30	2.00	5	0.02	0.04	0.16	15
C20-407	62.30	63.80	1.50	7	0.04	0.07	0.23	22
C20-407	63.80	65.00	1.20	2	0.03	0.02	0.11	10
C20-407	65.00	66.00	1.00	6	0.13	0.09	0.25	30
C20-407	66.00	66.60	0.60	9	0.03	0.08	0.23	23
C20-407	66.60	67.30	0.70	36	0.01	0.13	0.31	54
C20-407	67.30	67.95	0.65	1	0.02	0.01	0.03	4
C20-407	67.95	69.85	1.90	7	0.02	0.03	0.06	12
C20-407	69.85	71.85	2.00	1	0.03	0.01	0.02	4
C20-407	71.85	73.85	2.00	0	0.01	0.02	0.07	5
C20-407	73.85	75.00	1.15	0	0.02	0.01	0.05	4
C20-407	75.00	76.15	1.15	0	0.01	0.00	0.06	4
C20-407	76.15	78.15	2.00	27	0.07	0.51	0.79	83
C20-407	78.15	80.15	2.00	9	0.03	0.17	0.58	41
C20-407	80.15	81.10	0.95	3	0.06	0.07	0.26	21
C20-407	81.10	81.85	0.75	7	0.01	0.04	1.00	51
C20-407	81.85	83.85	2.00	5	0.03	0.06	0.23	19
C20-407	83.85	85.85	2.00	3	0.01	0.04	0.16	12
C20-407	85.85	87.85	2.00	5	0.01	0.12	0.32	24
C20-407	87.85	89.20	1.35	11	0.02	0.06	0.20	23
C20-407	89.20	89.90	0.70	8	0.01	0.14	0.48	34

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-407	89.90	91.90	2.00	6	0.01	0.14	0.81	45
C20-407	91.90	93.50	1.60	2	0.01	0.04	0.31	17
C20-407	93.50	93.90	0.40	9	0.02	0.04	1.42	71
C20-407	93.90	95.90	2.00	3	0.01	0.07	0.26	18
C20-407	95.90	97.35	1.45	2	0.02	0.02	0.09	8
C20-407	97.35	98.15	0.80	5	0.02	0.19	0.31	26
C20-407	98.15	100.15	2.00	2	0.02	0.06	0.55	28
C20-407	100.15	101.60	1.45	8	0.01	0.10	0.51	34
C20-407	101.60	103.15	1.55	4	0.03	0.03	0.19	15
C20-407	103.15	104.15	1.00	3	0.01	0.14	0.37	23
C20-407	104.15	105.15	1.00	20	0.04	0.36	1.08	80
C20-407	105.15	107.15	2.00	5	0.02	0.10	0.65	37
C20-407	107.15	109.15	2.00	3	0.02	0.04	0.55	29
C20-407	109.15	110.35	1.20	2	0.01	0.04	0.15	11
C20-407	110.35	111.35	1.00	6	0.03	0.04	0.53	31
C20-407	111.35	112.25	0.90	15	0.03	0.16	0.34	38
C20-407	112.25	114.00	1.75	6	0.01	0.12	0.45	30
C20-407	114.00	116.00	2.00	12	0.01	0.22	0.59	45
C20-407	116.00	117.05	1.05	30	0.02	0.44	1.72	119
C20-407	117.05	118.05	1.00	8	0.01	0.16	0.67	43
C20-407	118.05	119.90	1.85	17	0.01	0.30	1.16	77
C20-407	119.90	121.40	1.50	6	0.01	0.11	0.48	31
C20-407	121.40	123.00	1.60	9	0.02	0.12	0.45	33
C20-407	123.00	125.00	2.00	1	0.01	0.02	0.06	5
C20-407	125.00	127.00	2.00	1	0.01	0.01	0.04	3
C20-407	127.00	129.00	2.00	1	0.00	0.01	0.05	3
C20-407	129.00	131.00	2.00	1	0.00	0.01	0.03	3
C20-407	131.00	133.00	2.00	1	0.01	0.02	0.04	4
C20-407	133.00	134.90	1.90	2	0.01	0.04	0.09	8
C20-407	134.90	135.45	0.55	18	0.03	0.23	0.22	37
C20-407	135.45	136.25	0.80	6	0.02	0.12	0.37	27
C20-407	136.25	136.75	0.50	12	0.02	0.22	0.58	45
C20-407	136.75	138.00	1.25	5	0.03	0.11	0.18	19
C20-407	138.00	140.00	2.00	3	0.02	0.05	0.10	11
C20-407	140.00	142.00	2.00	4	0.02	0.07	0.15	13
C20-407	142.00	144.00	2.00	9	0.02	0.17	0.42	34
C20-407	144.00	146.00	2.00	5	0.01	0.09	0.16	15
C20-407	146.00	147.30	1.30	6	0.01	0.15	0.27	23
C20-407	147.30	148.30	1.00	17	0.01	0.39	0.81	65
C20-407	148.30	150.30	2.00	22	0.03	0.35	0.81	70
C20-407	150.30	151.40	1.10	8	0.04	0.07	0.23	24
C20-407	151.40	152.40	1.00	7	0.02	0.13	0.38	29
C20-407	152.40	153.40	1.00	8	0.01	0.26	0.13	23
C20-407	153.40	155.40	2.00	4	0.02	0.07	0.11	12
C20-407	155.40	156.65	1.25	4	0.01	0.08	0.36	23
C20-407	156.65	156.95	0.30	9	0.01	0.17	0.58	40
C20-407	156.95	158.00	1.05	21	0.05	0.44	0.45	59
C20-407	158.00	160.00	2.00	7	0.01	0.15	0.11	18
C20-407	160.00	161.70	1.70	7	0.02	0.16	0.31	27
C20-407	161.70	162.60	0.90	28	0.04	0.61	0.61	78
C20-407	162.60	164.60	2.00	9	0.01	0.20	0.30	29
C20-407	164.60	166.60	2.00	17	0.02	0.36	0.43	49
C20-407	166.60	168.60	2.00	25	0.02	0.63	0.39	65
C20-407	168.60	170.00	1.40	19	0.03	0.46	0.59	62
C20-407	170.00	171.00	1.00	14	0.03	0.28	0.37	42

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-407	171.00	171.50	0.50	216	0.18	3.57	1.79	430
C20-407	171.50	173.50	2.00	9	0.02	0.20	0.29	29
C20-407	173.50	175.50	2.00	12	0.01	0.20	0.33	34
C20-407	175.50	176.85	1.35	12	0.03	0.21	0.24	32
C20-407	176.85	177.85	1.00	7	0.04	0.09	0.16	21
C20-407	177.85	179.15	1.30	9	0.04	0.14	0.19	25
C20-407	179.15	180.20	1.05	16	0.03	0.30	0.29	41
C20-407	180.20	181.05	0.85	33	0.07	0.74	0.54	87
C20-407	181.05	181.65	0.60	7	0.04	0.14	0.22	24
C20-407	181.65	183.00	1.35	5	0.02	0.12	0.19	19
C20-407	183.00	185.00	2.00	10	0.03	0.20	0.21	28
C20-407	185.00	187.00	2.00	4	0.01	0.10	0.19	17
C20-407	187.00	189.00	2.00	3	0.01	0.06	0.12	11
C20-407	189.00	190.05	1.05	5	0.01	0.09	0.18	16
C20-407	190.05	190.60	0.55	64	0.57	1.01	0.39	163
C20-407	190.60	192.00	1.40	3	0.02	0.05	0.18	13
C20-407	192.00	194.00	2.00	5	0.01	0.10	0.12	14
C20-407	194.00	196.00	2.00	3	0.01	0.06	0.11	10
C20-407	196.00	198.00	2.00	1	0.01	0.03	0.03	4
C20-407	198.00	200.00	2.00	3	0.01	0.08	0.08	10
C20-407	200.00	201.45	1.45	6	0.02	0.13	0.17	19
C20-407	201.45	202.15	0.70	10	0.04	0.14	0.60	43
C20-407	202.15	202.80	0.65	2	0.01	0.04	0.05	6
C20-407	202.80	204.80	2.00	18	0.07	0.18	0.10	35
C20-407	204.80	205.40	0.60	17	0.10	0.13	0.14	35
C20-407	205.40	206.50	1.10	14	0.22	0.11	0.06	38
C20-407	206.50	208.50	2.00	11	0.02	0.13	0.33	31
C20-407	208.50	210.50	2.00	8	0.02	0.14	0.17	21
C20-407	210.50	212.50	2.00	9	0.02	0.17	0.24	27
C20-407	212.50	214.10	1.60	9	0.02	0.19	0.48	38
C20-407	214.10	215.80	1.70	10	0.03	0.23	0.21	29
C20-407	215.80	217.80	2.00	9	0.02	0.16	0.33	30
C20-407	217.80	219.70	1.90	7	0.02	0.13	0.35	28
C20-407	219.70	221.70	2.00	12	0.03	0.25	0.67	51
C20-407	221.70	222.80	1.10	5	0.01	0.15	0.24	20
C20-407	222.80	223.30	0.50	5	0.02	0.14	0.37	26
C20-407	223.30	225.30	2.00	8	0.01	0.21	0.26	27
C20-407	225.30	226.85	1.55	4	0.01	0.11	0.28	20
C20-407	226.85	227.60	0.75	4	0.01	0.10	0.21	17
C20-407	227.60	228.65	1.05	7	0.01	0.14	0.25	24
C20-407	228.65	229.40	0.75	13	0.02	0.25	0.18	30
C20-407	229.40	230.60	1.20	18	0.02	0.24	0.22	38
C20-407	230.60	231.40	0.80	9	0.01	0.13	0.11	19
C20-407	231.40	233.10	1.70	9	0.04	0.11	0.23	25
C20-407	233.10	234.15	1.05	7	0.03	0.10	0.32	26
C20-407	234.15	235.65	1.50	7	0.02	0.11	0.42	30
C20-407	235.65	236.20	0.55	50	0.43	0.65	0.31	121
C20-407	236.20	238.20	2.00	7	0.02	0.06	0.14	17
C20-407	238.20	240.20	2.00	3	0.01	0.03	0.20	13
C20-407	240.20	242.20	2.00	3	0.03	0.01	0.07	9
C20-407	242.20	244.20	2.00	10	0.09	0.13	0.19	30
C20-407	244.20	246.20	2.00	8	0.02	0.08	0.15	19
C20-407	246.20	248.20	2.00	1	0.01	0.01	0.16	9
C20-407	248.20	250.00	1.80	2	0.01	0.02	0.03	5
C20-407	250.00	250.65	0.65	4	0.03	0.02	0.07	10

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-407	250.65	252.65	2.00	10	0.17	0.07	0.10	30
C20-407	252.65	253.80	1.15	9	0.05	0.09	0.10	20
C20-407	253.80	255.80	2.00	3	0.08	0.06	0.14	18
C20-407	255.80	257.80	2.00	1	0.01	0.03	0.07	6
C20-407	257.80	259.80	2.00	5	0.01	0.07	0.08	12
C20-407	259.80	261.80	2.00	1	0.01	0.01	0.02	3
C20-407	261.80	263.80	2.00	3	0.01	0.05	0.12	11
C20-407	263.80	265.80	2.00	9	0.01	0.12	0.13	20
C20-407	265.80	267.80	2.00	32	0.07	0.35	0.07	52
C20-407	267.80	269.00	1.20	3	0.02	0.05	0.05	9
C20-407	269.00	270.70	1.70	5	0.02	0.06	0.04	11
C20-407	270.70	272.30	1.60	24	0.14	0.20	0.06	45
C20-407	272.30	273.10	0.80	42	0.84	0.17	0.04	118
C20-407	273.10	273.70	0.60	16	0.34	0.09	0.01	48
C20-407	273.70	274.10	0.40	24	0.54	0.11	0.02	73
C20-407	274.10	275.25	1.15	17	0.14	0.14	0.05	36
C20-407	275.25	277.25	2.00	9	0.04	0.07	0.20	22
C20-407	277.25	279.10	1.85	17	0.11	0.13	0.21	39
C20-407	279.10	279.40	0.30	233	0.20	1.54	0.51	325
C20-407	279.40	280.40	1.00	100	0.11	0.94	1.01	184
C20-407	280.40	281.80	1.40	59	0.06	0.63	0.36	101
C20-407	281.80	283.55	1.75	5	0.01	0.06	0.01	8
C20-407	283.55	284.10	0.55	28	0.02	0.42	0.26	55
C20-407	284.10	285.00	0.90	10	0.02	0.15	0.01	17
C20-407	285.00	287.00	2.00	11	0.03	0.14	0.08	21
C20-407	287.00	289.00	2.00	3	0.01	0.04	0.03	7
C20-407	289.00	289.55	0.55	17	0.02	0.28	0.15	35
C20-407	289.55	290.15	0.60	49	0.04	0.71	3.31	215
C20-407	290.15	292.15	2.00	4	0.03	0.03	0.02	9
C20-407	292.15	293.35	1.20	2	0.01	0.02	0.01	4
C20-407	293.35	294.80	1.45	135	0.34	0.68	0.03	188
C20-407	294.80	296.80	2.00	22	0.08	0.12	0.03	34
C20-407	296.80	297.70	0.90	6	0.03	0.03	0.08	13
C20-407	297.70	299.45	1.75	4	0.03	0.04	0.05	10
C20-407	299.45	300.70	1.25	2	0.01	0.02	0.05	6
C20-407	300.70	302.60	1.90	11	0.07	0.10	0.08	24
C20-407	302.60	303.85	1.25	12	0.05	0.10	0.07	22
C20-407	303.85	304.75	0.90	26	0.06	0.15	0.09	41
C20-407	304.75	305.55	0.80	100	0.44	0.76	0.03	164
C20-407	305.55	307.55	2.00	5	0.02	0.05	0.06	10
C20-407	307.55	309.20	1.65	4	0.02	0.05	0.16	14
C20-407	309.20	311.20	2.00	2	0.01	0.04	0.06	6
C20-407	311.20	313.20	2.00	2	0.01	0.03	0.11	8
C20-407	313.20	315.20	2.00	2	0.01	0.04	0.17	12
C20-407	315.20	317.20	2.00	2	0.01	0.04	0.09	7
C20-407	317.20	319.20	2.00	2	0.01	0.05	0.15	10
C20-407	319.20	320.20	1.00	4	0.02	0.05	0.11	11
C20-407	320.20	321.80	1.60	2	0.01	0.04	0.08	8
C20-407	321.80	323.30	1.50	3	0.01	0.07	0.28	17
C20-407	323.30	324.00	0.70	3	0.01	0.06	0.12	11
C20-407	324.00	325.00	1.00	3	0.01	0.05	0.11	11
C20-407	325.00	327.00	2.00	5	0.06	0.04	0.03	13
C20-407	327.00	328.00	1.00	3	0.04	0.04	0.01	8
C20-407	328.00	329.10	1.10	27	0.05	0.53	0.78	81
C20-407	329.10	330.00	0.90	9	0.04	0.15	0.06	20

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-407	330.00	333.00	3.00	7	0.04	0.06	0.04	14
C20-407	333.00	333.90	0.90	5	0.05	0.04	0.06	13
C20-407	333.90	335.80	1.90	141	0.57	0.54	0.08	210
C20-407	335.80	337.40	1.60	219	0.93	0.48	0.09	315
C20-407	337.40	338.40	1.00	3	0.01	0.05	0.07	9
C20-407	338.40	339.60	1.20	7	0.03	0.09	0.09	17
C20-407	339.60	340.05	0.45	79	0.26	0.81	0.52	150
C20-407	340.05	342.05	2.00	11	0.02	0.14	0.06	20
C20-407	342.05	344.05	2.00	11	0.03	0.09	0.04	18
C20-407	344.05	346.05	2.00	39	0.15	0.30	0.09	65
C20-407	346.05	347.40	1.35	9	0.05	0.09	0.07	19
C20-407	347.40	348.15	0.75	38	0.20	0.14	0.03	61
C20-407	348.15	349.50	1.35	14	0.06	0.06	0.03	22
C20-407	349.50	351.50	2.00	203	0.69	0.29	0.11	274
C20-407	351.50	352.25	0.75	22	0.10	0.08	0.03	34
C20-407	352.25	353.50	1.25	6	0.03	0.03	0.07	12
C20-407	353.50	354.40	0.90	8	0.04	0.03	0.09	15
C20-407	354.40	355.80	1.40	23	0.08	0.06	0.08	34
C20-407	355.80	357.40	1.60	13	0.05	0.05	0.06	21
C20-407	357.40	358.50	1.10	8	0.04	0.04	0.06	14
C20-407	358.50	359.30	0.80	5	0.02	0.04	0.15	14
C20-407	359.30	360.90	1.60	26	0.04	0.20	0.30	49
C20-407	360.90	361.60	0.70	264	0.25	0.71	1.32	364
C20-407	361.60	363.60	2.00	11	0.03	0.11	0.26	29
C20-407	363.60	365.60	2.00	7	0.02	0.09	0.15	18
C20-407	365.60	367.60	2.00	9	0.01	0.17	0.33	30
C20-407	367.60	368.90	1.30	5	0.01	0.05	0.06	11
C20-407	368.90	369.80	0.90	4	0.02	0.04	0.02	8
C20-407	369.80	370.25	0.45	6	0.03	0.04	0.23	19
C20-407	370.25	372.25	2.00	4	0.01	0.07	0.16	14
C20-407	372.25	374.25	2.00	3	0.01	0.03	0.06	7
C20-407	374.25	374.90	0.65	10	0.03	0.34	0.11	29
C20-407	374.90	376.90	2.00	10	0.02	0.25	0.64	47
C20-407	376.90	378.00	1.10	4	0.01	0.08	0.21	16
C20-407	378.00	379.60	1.60	6	0.02	0.10	0.31	24
C20-407	379.60	381.10	1.50	6	0.01	0.17	0.36	28
C20-407	381.10	382.00	0.90	10	0.02	0.18	0.42	35
C20-407	382.00	384.00	2.00	20	0.02	0.53	1.11	87
C20-407	384.00	385.40	1.40	90	0.03	2.03	3.78	321
C20-407	385.40	387.40	2.00	50	0.04	0.82	2.61	191
C20-407	387.40	389.40	2.00	34	0.04	0.73	2.83	180
C20-407	389.40	391.40	2.00	27	0.05	0.40	1.78	119
C20-407	391.40	393.40	2.00	13	0.06	0.17	0.57	47
C20-407	393.40	395.25	1.85	16	0.03	0.09	0.09	24
C20-407	395.25	395.75	0.50	33	0.06	0.11	0.04	43
C20-407	395.75	396.80	1.05	45	0.06	0.22	0.56	81
C20-407	396.80	397.85	1.05	91	0.18	0.88	3.13	267
C20-407	397.85	399.00	1.15	67	0.07	1.41	3.96	286
C20-407	399.00	400.60	1.60	155	0.17	2.76	5.11	478
C20-407	400.60	401.15	0.55	222	0.16	1.58	13.70	859
C20-407	401.15	402.00	0.85	115	0.11	1.40	3.01	298
C20-407	402.00	403.65	1.65	94	0.10	2.00	3.20	305
C20-407	403.65	404.55	0.90	158	0.09	3.36	7.28	585
C20-407	404.55	405.05	0.50	222	0.15	4.77	8.91	772
C20-407	405.05	406.00	0.95	196	0.32	3.19	14.90	953

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-407	406.00	408.00	2.00	124	0.09	2.47	5.40	442
C20-407	408.00	409.40	1.40	100	0.09	1.79	4.37	351
C20-407	409.40	411.00	1.60	6	0.02	0.11	0.27	22
C20-407	411.00	413.00	2.00	1	0.01	0.02	0.07	6
C20-407	413.00	414.00	1.00	0	0.01	0.01	0.04	3
C20-407	414.00	415.95	1.95	3	0.02	0.03	0.10	9
C20-407	415.95	416.90	0.95	4	0.02	0.02	0.05	8
C20-407	416.90	418.90	2.00	2	0.01	0.04	0.10	9
C20-407	418.90	419.90	1.00	1	0.01	0.01	0.16	9
C20-407	419.90	421.90	2.00	6	0.02	0.14	0.20	21
C20-407	421.90	423.90	2.00	1	0.01	0.01	0.03	3
C20-407	423.90	424.85	0.95	0	0.00	0.01	0.03	2
C20-407	424.85	426.30	1.45	7	0.02	0.19	0.92	53
C20-407	426.30	426.85	0.55	13	0.04	0.29	1.52	90
C20-407	426.85	428.85	2.00	2	0.01	0.06	0.04	7
C20-407	428.85	429.40	0.55	7	0.02	0.30	0.02	20
C20-407	429.40	431.35	1.95	1	0.01	0.01	0.03	3
C20-407	431.35	432.50	1.15	1	0.01	0.00	0.03	3
C20-407	432.50	433.95	1.45	0	0.01	0.00	0.05	3
C20-407	433.95	435.95	2.00	0	0.01	0.00	0.02	2
C20-407	435.95	437.10	1.15	0	0.00	0.00	0.05	3
C20-407	437.10	438.70	1.60	0	0.00	0.00	0.04	2
C20-407	438.70	440.40	1.70	0	0.01	0.00	0.03	2
C20-407	440.40	442.40	2.00	0	0.01	0.01	0.04	2
C20-407	442.40	444.40	2.00	0	0.00	0.00	0.03	2
C20-407	444.40	446.40	2.00	0	0.00	0.00	0.01	1
C20-407	446.40	447.75	1.35	0	0.00	0.00	0.01	1
C20-407	447.75	448.70	0.95	0	0.01	0.00	0.06	3
C21-410	0.00	1.50	1.50	16	0.02	0.11	0.02	23
C21-410	1.50	3.50	2.00	13	0.04	0.06	0.11	22
C21-410	3.50	4.50	1.00	8	0.08	0.03	0.26	26
C21-410	4.50	6.00	1.50	8	0.04	0.07	0.05	16
C21-410	6.00	7.50	1.50	7	0.06	0.03	0.04	14
C21-410	7.50	9.50	2.00	7	0.03	0.07	0.04	13
C21-410	9.50	11.50	2.00	7	0.06	0.07	0.10	18
C21-410	11.50	13.50	2.00	12	0.04	0.08	0.02	19
C21-410	13.50	15.50	2.00	12	0.05	0.05	0.02	19
C21-410	15.50	17.50	2.00	8	0.03	0.05	0.03	13
C21-410	17.50	19.50	2.00	13	0.03	0.05	0.01	18
C21-410	19.50	21.50	2.00	12	0.07	0.05	0.02	21
C21-410	21.50	23.50	2.00	11	0.04	0.05	0.03	17
C21-410	23.50	25.50	2.00	10	0.02	0.10	0.02	16
C21-410	25.50	27.50	2.00	13	0.03	0.15	0.02	22
C21-410	27.50	29.50	2.00	15	0.07	0.03	0.09	26
C21-410	29.50	30.95	1.45	12	0.05	0.02	0.04	19
C21-410	30.95	32.75	1.80	9	0.08	0.05	0.13	22
C21-410	32.75	34.50	1.75	13	0.10	0.02	0.05	24
C21-410	34.50	35.25	0.75	14	0.18	0.02	0.06	32
C21-410	35.25	35.60	0.35	12	0.25	0.10	0.18	44
C21-410	35.60	37.15	1.55	12	0.20	0.03	0.06	31
C21-410	37.15	38.20	1.05	9	0.09	0.03	0.04	19
C21-410	38.20	40.20	2.00	7	0.11	0.04	0.04	19
C21-410	40.20	42.20	2.00	6	0.08	0.02	0.03	14
C21-410	42.20	44.20	2.00	11	0.08	0.03	0.02	19
C21-410	44.20	45.90	1.70	9	0.01	0.03	0.02	12

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-410	45.90	47.90	2.00	7	0.05	0.04	0.03	13
C21-410	47.90	49.05	1.15	10	0.04	0.03	0.03	15
C21-410	49.05	51.05	2.00	15	0.03	0.02	0.02	19
C21-410	51.05	51.90	0.85	9	0.04	0.03	0.03	15
C21-410	51.90	53.05	1.15	10	0.02	0.03	0.05	14
C21-410	53.05	54.05	1.00	8	0.04	0.08	0.04	15
C21-410	54.05	55.20	1.15	12	0.02	0.03	0.02	15
C21-410	55.20	55.85	0.65	8	0.03	0.03	0.03	12
C21-410	55.85	57.00	1.15	13	0.03	0.03	0.02	17
C21-410	57.00	58.10	1.10	14	0.13	0.03	0.01	26
C21-410	58.10	59.60	1.50	13	0.15	0.07	0.02	28
C21-410	59.60	61.60	2.00	16	0.10	0.07	0.01	27
C21-410	61.60	63.60	2.00	21	0.04	0.08	0.01	28
C21-410	63.60	64.50	0.90	11	0.09	0.08	0.06	23
C21-410	64.50	65.85	1.35	8	0.03	0.14	0.11	21
C21-410	65.85	67.85	2.00	13	0.08	0.28	0.07	32
C21-410	67.85	69.85	2.00	10	0.04	0.05	0.11	21
C21-410	69.85	71.10	1.25	7	0.05	0.07	0.06	16
C21-410	71.10	71.65	0.55	9	0.03	0.14	0.03	17
C21-410	71.65	73.65	2.00	9	0.04	0.09	0.02	16
C21-410	73.65	75.65	2.00	10	0.03	0.22	0.02	20
C21-410	75.65	77.65	2.00	4	0.02	0.20	0.02	13
C21-410	77.65	79.55	1.90	12	0.14	0.15	0.01	29
C21-410	79.55	81.40	1.85	9	0.02	0.11	0.02	14
C21-410	81.40	82.50	1.10	7	0.01	0.03	0.02	10
C21-410	82.50	84.50	2.00	7	0.02	0.04	0.02	11
C21-410	84.50	86.50	2.00	7	0.04	0.06	0.02	13
C21-410	86.50	87.50	1.00	11	0.05	0.14	0.02	21
C21-410	87.50	88.80	1.30	25	0.03	0.14	0.05	34
C21-410	88.80	90.00	1.20	59	0.02	0.44	0.81	109
C21-410	90.00	90.95	0.95	26	0.10	0.05	0.86	72
C21-410	90.95	91.35	0.40	37	0.06	0.17	0.44	66
C21-410	91.35	91.85	0.50	60	0.01	0.31	2.69	183
C21-410	91.85	93.85	2.00	10	0.02	0.02	0.05	15
C21-410	93.85	95.85	2.00	5	0.01	0.01	0.02	7
C21-410	95.85	96.70	0.85	7	0.02	0.02	0.01	10
C21-410	96.70	97.70	1.00	6	0.03	0.06	0.02	12
C21-410	97.70	99.70	2.00	6	0.02	0.03	0.03	10
C21-410	99.70	101.70	2.00	8	0.02	0.02	0.05	12
C21-410	101.70	103.70	2.00	3	0.01	0.02	0.06	7
C21-410	103.70	105.70	2.00	2	0.01	0.01	0.05	5
C21-410	105.70	107.70	2.00	8	0.02	0.04	0.04	12
C21-410	107.70	109.40	1.70	9	0.01	0.10	0.08	17
C21-410	109.40	109.90	0.50	8	0.06	0.08	0.12	21
C21-410	109.90	110.95	1.05	6	0.01	0.06	0.18	16
C21-410	110.95	111.25	0.30	7	0.03	0.05	0.08	15
C21-410	111.25	113.25	2.00	2	0.01	0.03	0.15	9
C21-410	113.25	114.15	0.90	5	0.01	0.05	0.37	22
C21-410	114.15	115.00	0.85	14	0.02	0.07	0.45	37
C21-410	115.00	116.80	1.80	5	0.01	0.03	0.40	24
C21-410	116.80	118.80	2.00	3	0.01	0.03	0.27	15
C21-410	118.80	120.80	2.00	1	0.01	0.03	0.28	15
C21-410	120.80	121.90	1.10	6	0.03	0.05	0.64	36
C21-410	121.90	122.20	0.30	19	0.20	0.15	0.92	79
C21-410	122.20	124.20	2.00	6	0.01	0.03	0.18	16

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-410	124.20	124.90	0.70	2	0.01	0.04	0.13	9
C21-410	124.90	125.85	0.95	6	0.01	0.04	0.34	22
C21-410	125.85	126.35	0.50	13	0.04	0.24	1.01	66
C21-410	126.35	126.65	0.30	13	0.02	0.13	0.24	29
C21-410	126.65	127.45	0.80	56	0.03	0.18	0.24	74
C21-410	127.45	129.45	2.00	14	0.04	0.35	1.25	81
C21-410	129.45	131.45	2.00	6	0.02	0.11	0.33	25
C21-410	131.45	133.45	2.00	13	0.03	0.20	0.43	40
C21-410	133.45	135.45	2.00	14	0.02	0.10	0.26	30
C21-410	135.45	137.45	2.00	15	0.02	0.28	0.60	51
C21-410	137.45	138.55	1.10	8	0.02	0.20	0.41	33
C21-410	138.55	139.00	0.45	5	0.01	0.09	0.20	17
C21-410	139.00	139.35	0.35	4	0.01	0.14	0.27	21
C21-410	139.35	139.65	0.30	70	0.03	0.79	3.02	226
C21-410	139.65	140.65	1.00	6	0.02	0.20	0.52	36
C21-410	140.65	141.65	1.00	12	0.02	0.21	0.73	51
C21-410	141.65	142.65	1.00	10	0.02	0.13	0.49	36
C21-410	142.65	143.65	1.00	5	0.01	0.09	0.40	25
C21-410	143.65	144.35	0.70	9	0.03	0.14	0.70	45
C21-410	144.35	144.70	0.35	130	0.08	0.45	2.11	240
C21-410	144.70	145.25	0.55	7	0.04	0.11	0.87	50
C21-410	145.25	145.80	0.55	56	0.06	0.32	3.61	221
C21-410	145.80	147.80	2.00	4	0.03	0.07	0.39	25
C21-410	147.80	148.80	1.00	24	0.02	0.34	1.69	108
C21-410	148.80	150.65	1.85	27	0.04	0.12	0.35	49
C21-410	150.65	151.10	0.45	7	0.02	0.13	0.41	30
C21-410	151.10	153.10	2.00	9	0.03	0.15	0.55	39
C21-410	153.10	155.10	2.00	6	0.02	0.12	0.28	24
C21-410	155.10	156.00	0.90	17	0.05	0.45	0.74	67
C21-410	156.00	156.60	0.60	72	0.09	1.29	1.80	200
C21-410	156.60	157.25	0.65	16	0.04	0.15	0.18	32
C21-410	157.25	158.05	0.80	89	0.11	0.77	2.24	217
C21-410	158.05	158.35	0.30	200	0.10	3.48	1.29	384
C21-410	158.35	159.20	0.85	55	0.11	0.62	2.87	204
C21-410	159.20	159.50	0.30	147	0.18	1.48	7.90	541
C21-410	159.50	159.80	0.30	73	0.13	0.93	3.96	281
C21-410	159.80	160.30	0.50	285	0.36	2.31	12.75	925
C21-410	160.30	161.45	1.15	39	0.07	0.33	0.17	63
C21-410	161.45	162.55	1.10	16	0.04	0.21	0.54	49
C21-410	162.55	163.55	1.00	18	0.03	0.24	0.60	54
C21-410	163.55	165.55	2.00	22	0.04	0.21	0.33	47
C21-410	165.55	167.55	2.00	8	0.01	0.08	0.35	26
C21-410	167.55	168.55	1.00	8	0.02	0.11	0.97	53
C21-410	168.55	169.55	1.00	4	0.01	0.07	0.30	19
C21-410	169.55	170.55	1.00	3	0.01	0.03	0.52	27
C21-410	170.55	172.55	2.00	6	0.01	0.02	0.60	33
C21-410	172.55	173.35	0.80	13	0.01	0.04	0.63	41
C21-410	173.35	174.15	0.80	44	0.03	0.15	2.08	138
C21-410	174.15	174.60	0.45	3	0.01	0.02	0.10	8
C21-410	174.60	174.90	0.30	36	0.29	0.20	1.34	122
C21-410	174.90	175.90	1.00	35	0.04	0.10	1.13	88
C21-410	175.90	177.65	1.75	26	0.02	0.10	1.27	83
C21-410	177.65	177.95	0.30	3	0.01	0.02	0.10	8
C21-410	177.95	179.15	1.20	55	0.02	0.12	2.21	153
C21-410	179.15	180.15	1.00	30	0.02	0.08	1.33	90

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-410	180.15	181.45	1.30	2	0.01	0.02	0.08	6
C21-410	181.45	183.00	1.55	10	0.07	0.07	0.64	45
C21-410	183.00	185.00	2.00	12	0.01	0.08	1.41	74
C21-410	185.00	186.00	1.00	19	0.02	0.14	1.20	75
C21-410	186.00	187.55	1.55	10	0.01	0.07	1.24	65
C21-410	187.55	188.55	1.00	66	0.04	0.13	3.60	223
C21-410	188.55	188.80	0.25	39	0.28	0.21	2.15	159
C21-410	188.80	190.00	1.20	38	0.09	0.18	2.57	158
C21-410	190.00	192.00	2.00	5	0.02	0.06	0.18	16
C21-410	192.00	193.15	1.15	4	0.01	0.04	0.08	9
C21-410	193.15	193.45	0.30	98	0.04	1.99	2.49	274
C21-410	193.45	193.90	0.45	18	0.02	0.30	0.46	49
C21-410	193.90	194.40	0.50	1,625	0.25	7.04	4.11	2,064
C21-410	194.40	195.90	1.50	10	0.01	0.10	0.14	21
C21-410	195.90	196.90	1.00	170	0.04	1.49	0.18	233
C21-410	196.90	197.25	0.35	255	0.05	2.53	0.22	357
C21-410	197.25	199.25	2.00	9	0.02	0.10	0.19	22
C21-410	199.25	201.25	2.00	6	0.01	0.05	0.11	13
C21-410	201.25	203.15	1.90	10	0.02	0.10	0.11	19
C21-410	203.15	203.85	0.70	137	0.08	1.13	1.54	247
C21-410	203.85	204.55	0.70	22	0.02	0.13	0.20	36
C21-410	204.55	204.90	0.35	175	0.20	1.14	1.10	277
C21-410	204.90	206.90	2.00	40	0.03	0.17	1.15	96
C21-410	206.90	207.70	0.80	16	0.07	0.10	0.06	27
C21-410	207.70	208.25	0.55	19	0.22	0.13	0.23	51
C21-410	208.25	210.25	2.00	24	0.06	0.34	0.07	43
C21-410	210.25	212.25	2.00	15	0.09	0.13	0.65	55
C21-410	212.25	213.40	1.15	51	0.06	0.32	1.16	115
C21-410	213.40	214.30	0.90	38	0.10	0.33	0.82	92
C21-410	214.30	214.60	0.30	15	0.04	0.12	0.21	31
C21-410	214.60	216.45	1.85	2	0.02	0.01	0.08	7
C21-410	216.45	216.75	0.30	5	0.06	0.04	0.09	15
C21-410	216.75	218.75	2.00	4	0.01	0.03	0.17	12
C21-410	218.75	220.75	2.00	1	0.01	0.01	0.03	3
C21-410	220.75	222.75	2.00	7	0.01	0.03	0.22	18
C21-410	222.75	224.75	2.00	19	0.02	0.08	1.15	70
C21-410	224.75	225.90	1.15	19	0.02	0.03	0.87	58
C21-410	225.90	226.30	0.40	10	0.03	0.05	0.66	41
C21-410	226.30	227.30	1.00	4	0.01	0.04	0.15	12
C21-410	227.30	228.00	0.70	7	0.01	0.07	0.39	27
C21-410	228.00	230.00	2.00	11	0.01	0.07	0.45	33
C21-410	230.00	232.00	2.00	25	0.02	0.07	0.24	40
C21-410	232.00	234.00	2.00	10	0.01	0.12	0.22	25
C21-410	234.00	236.00	2.00	3	0.01	0.03	0.07	8
C21-410	236.00	238.00	2.00	7	0.01	0.07	0.12	15
C21-410	238.00	239.35	1.35	6	0.01	0.04	0.44	26
C21-410	239.35	240.00	0.65	30	0.04	0.12	1.95	118
C21-410	240.00	241.30	1.30	12	0.01	0.10	0.68	45
C21-410	241.30	243.30	2.00	2	0.00	0.02	0.08	7
C21-410	243.30	244.55	1.25	1	0.01	0.01	0.05	5
C21-410	244.55	246.55	2.00	1	0.01	0.01	0.01	3
C21-410	246.55	248.55	2.00	1	0.01	0.01	0.04	3
C21-410	248.55	250.55	2.00	0	0.00	0.00	0.02	1
C21-410	250.55	252.55	2.00	0	0.00	0.00	0.01	1
C21-410	252.55	254.55	2.00	0	0.01	0.00	0.01	2

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-410	254.55	256.20	1.65	1	0.01	0.01	0.05	4
C21-410	256.20	256.50	0.30	47	0.08	0.16	0.11	64
C21-410	256.50	258.50	2.00	3	0.01	0.01	0.05	6
C21-410	258.50	259.50	1.00	1	0.01	0.01	0.04	3
C21-410	259.50	260.50	1.00	5	0.02	0.04	0.17	15
C21-410	260.50	261.50	1.00	11	0.02	0.13	0.15	23
C21-410	261.50	262.00	0.50	139	0.06	1.46	0.92	234
C21-410	262.00	263.00	1.00	15	0.06	0.13	0.23	34
C21-410	263.00	264.00	1.00	7	0.03	0.11	0.25	23
C21-410	264.00	264.90	0.90	3	0.01	0.04	0.32	19
C21-410	264.90	265.90	1.00	4	0.01	0.07	0.28	18
C21-410	265.90	267.15	1.25	5	0.00	0.12	0.20	17
C21-410	267.15	268.05	0.90	8	0.01	0.20	0.75	47
C21-410	268.05	268.40	0.35	33	0.07	0.61	3.26	195
C21-410	268.40	269.50	1.10	14	0.02	0.28	1.14	73
C21-410	269.50	269.80	0.30	17	0.09	0.17	0.39	46
C21-410	269.80	270.55	0.75	12	0.04	0.09	0.20	26
C21-410	270.55	270.90	0.35	33	0.36	0.12	0.04	68
C21-410	270.90	271.65	0.75	13	0.12	0.11	0.13	32
C21-410	271.65	271.95	0.30	99	0.45	1.69	3.56	343
C21-410	271.95	272.30	0.35	46	0.06	0.26	0.12	65
C21-410	272.30	272.60	0.30	9	0.05	0.05	0.02	16
C21-410	272.60	272.90	0.30	3	0.01	0.03	0.05	7
C21-410	272.90	274.65	1.75	21	0.02	0.09	0.15	32
C21-410	274.65	276.65	2.00	10	0.03	0.05	0.03	15
C21-410	276.65	278.65	2.00	11	0.03	0.06	0.06	18
C21-410	278.65	280.65	2.00	7	0.02	0.04	0.01	10
C21-410	280.65	282.35	1.70	12	0.01	0.07	0.22	24
C21-410	282.35	282.65	0.30	137	0.08	0.55	0.14	168
C21-410	282.65	283.40	0.75	10	0.01	0.05	0.29	25
C21-410	283.40	283.75	0.35	187	0.15	0.88	2.38	329
C21-410	283.75	285.40	1.65	12	0.01	0.08	0.68	43
C21-410	285.40	286.10	0.70	146	0.10	1.00	8.36	536
C21-410	286.10	288.10	2.00	11	0.02	0.09	0.46	34
C21-410	288.10	289.10	1.00	21	0.03	0.16	0.34	43
C21-410	289.10	290.25	1.15	20	0.02	0.16	1.10	72
C21-410	290.25	291.65	1.40	16	0.02	0.09	0.98	61
C21-410	291.65	293.65	2.00	11	0.03	0.05	1.97	97
C21-410	293.65	295.10	1.45	14	0.05	0.08	0.56	44
C21-410	295.10	297.10	2.00	27	0.03	0.15	0.08	38
C21-410	297.10	298.50	1.40	5	0.01	0.04	0.02	8
C21-410	298.50	299.95	1.45	18	0.02	0.11	0.83	57
C21-410	299.95	300.25	0.30	160	0.14	0.73	0.28	209
C21-410	300.25	300.70	0.45	15	0.02	0.10	0.23	30
C21-410	300.70	301.10	0.40	31	0.03	0.30	2.22	136
C21-410	301.10	302.85	1.75	4	0.01	0.05	0.19	14
C21-410	302.85	303.15	0.30	15	0.02	0.13	0.99	62
C21-410	303.15	305.15	2.00	4	0.01	0.05	0.34	20
C21-410	305.15	307.15	2.00	7	0.01	0.06	0.15	16
C21-410	307.15	308.20	1.05	29	0.01	0.38	0.61	68
C21-410	308.20	309.30	1.10	6	0.01	0.04	0.34	22
C21-410	309.30	310.00	0.70	37	0.02	0.53	1.01	99
C21-410	310.00	310.65	0.65	44	0.03	0.62	1.40	126
C21-410	310.65	310.95	0.30	19	0.03	0.20	3.36	167
C21-410	310.95	312.95	2.00	18	0.01	0.24	0.40	43

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-410	312.95	313.85	0.90	26	0.01	0.36	0.95	80
C21-410	313.85	315.85	2.00	9	0.01	0.15	0.11	19
C21-410	315.85	317.10	1.25	16	0.01	0.21	0.28	35
C21-410	317.10	318.20	1.10	5	0.01	0.05	0.05	10
C21-410	318.20	319.90	1.70	37	0.01	0.41	0.12	57
C21-410	319.90	321.00	1.10	9	0.01	0.07	0.21	20
C21-410	321.00	322.10	1.10	6	0.06	0.04	0.13	17
C21-410	322.10	323.00	0.90	14	0.06	0.05	0.16	28
C21-410	323.00	324.00	1.00	41	0.04	0.15	6.29	311
C21-410	324.00	324.45	0.45	202	0.05	1.02	0.05	244
C21-410	324.45	325.00	0.55	7	0.01	0.05	0.12	14
C21-410	325.00	325.35	0.35	9	0.02	0.05	0.07	15
C21-410	325.35	327.25	1.90	2	0.00	0.01	0.02	3
C21-410	327.25	328.25	1.00	5	0.03	0.05	0.03	10
C21-410	328.25	330.20	1.95	1	0.01	0.00	0.01	2
C21-410	330.20	331.80	1.60	1	0.01	0.02	0.02	3
C21-410	331.80	333.30	1.50	1	0.01	0.02	0.03	4
C21-410	333.30	335.30	2.00	0	0.00	0.00	0.01	1
C21-410	335.30	336.30	1.00	1	0.01	0.01	0.04	3
C21-410	336.30	337.30	1.00	3	0.01	0.04	0.13	10
C21-410	337.30	339.30	2.00	1	0.00	0.01	0.03	3
C21-410	339.30	340.70	1.40	3	0.00	0.07	0.07	9
C21-410	340.70	342.70	2.00	7	0.00	0.11	0.02	11
C21-410	342.70	344.00	1.30	5	0.01	0.06	0.06	9
C21-410	344.00	345.00	1.00	9	0.03	0.15	0.25	27
C21-410	345.00	346.00	1.00	22	0.03	0.32	0.42	53
C21-410	346.00	347.70	1.70	4	0.01	0.04	0.29	18
C21-410	347.70	348.00	0.30	6	0.15	0.03	0.27	30
C21-410	348.00	348.30	0.30	3	0.24	0.02	0.09	26
C21-410	348.30	349.30	1.00	2	0.01	0.01	0.08	6
C21-410	349.30	349.85	0.55	2	0.03	0.02	0.07	8
C21-410	349.85	351.85	2.00	1	0.00	0.01	0.01	2
C21-410	351.85	353.15	1.30	3	0.01	0.05	0.08	9
C21-410	353.15	353.50	0.35	27	0.04	0.46	2.71	159
C21-410	353.50	355.50	2.00	3	0.01	0.04	0.09	9
C21-410	355.50	356.50	1.00	5	0.01	0.08	0.36	23
C21-410	356.50	356.80	0.30	87	0.14	0.97	1.91	211
C21-410	356.80	357.50	0.70	375	0.73	5.45	9.15	1,006
C21-410	357.50	357.85	0.35	113	0.50	1.45	9.03	579
C21-410	357.85	358.30	0.45	70	0.05	0.99	2.65	219
C21-410	358.30	358.85	0.55	6	0.01	0.07	0.27	20
C21-410	358.85	360.85	2.00	5	0.02	0.14	0.53	33
C21-410	360.85	362.60	1.75	8	0.01	0.14	0.53	36
C21-410	362.60	364.05	1.45	5	0.01	0.06	0.33	21
C21-410	364.05	365.00	0.95	7	0.01	0.10	0.42	28
C21-410	365.00	366.30	1.30	4	0.01	0.14	0.45	29
C21-410	366.30	367.50	1.20	4	0.01	0.03	0.39	22
C21-410	367.50	368.20	0.70	3	0.01	0.08	0.21	16
C21-410	368.20	370.00	1.80	8	0.02	0.11	0.38	29
C21-410	370.00	370.55	0.55	9	0.02	0.23	0.22	28
C21-410	370.55	372.55	2.00	0	0.00	0.01	0.01	1
C21-410	372.55	374.00	1.45	1	0.00	0.03	0.05	4
C21-410	374.00	376.00	2.00	4	0.01	0.04	0.25	16
C21-410	376.00	378.00	2.00	2	0.00	0.02	0.22	12
C21-410	378.00	380.00	2.00	1	0.00	0.01	0.12	6

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-410	380.00	381.00	1.00	2	0.00	0.01	0.25	13
C21-410	381.00	383.00	2.00	2	0.01	0.03	0.03	4
C21-410	383.00	383.40	0.40	46	0.09	0.70	0.43	96
C21-410	383.40	384.50	1.10	7	0.01	0.07	0.17	17
C21-410	384.50	386.50	2.00	2	0.01	0.02	0.02	4
C21-410	386.50	388.50	2.00	2	0.01	0.01	0.01	3
C21-410	388.50	390.50	2.00	2	0.00	0.01	0.02	3
C21-410	390.50	392.50	2.00	1	0.00	0.01	0.03	3
C21-410	392.50	393.25	0.75	6	0.03	0.06	0.02	11
C21-410	393.25	393.70	0.45	199	0.32	3.00	1.59	397
C21-410	393.70	395.70	2.00	3	0.01	0.05	0.08	9
C21-410	395.70	396.55	0.85	1	0.00	0.01	0.01	2
C21-410	396.55	397.00	0.45	3	0.01	0.01	0.03	5
C21-410	397.00	398.00	1.00	149	0.04	0.92	0.36	199
C21-410	398.00	398.30	0.30	1,150	0.12	9.43	21.50	2,384
C21-410	398.30	400.30	2.00	9	0.02	0.12	0.22	25
C21-410	400.30	402.30	2.00	2	0.01	0.02	0.04	5
C21-410	402.30	403.30	1.00	2	0.01	0.01	0.04	5
C21-410	403.30	403.60	0.30	2	0.03	0.01	0.05	7
C21-410	403.60	404.65	1.05	1	0.01	0.01	0.06	5
C21-410	404.65	405.60	0.95	2	0.01	0.01	0.26	13
C21-410	405.60	407.60	2.00	2	0.00	0.01	0.05	4
C21-410	407.60	409.60	2.00	1	0.00	0.00	0.02	2
C21-410	409.60	411.40	1.80	1	0.00	0.00	0.00	1
C21-410	411.40	412.65	1.25	1	0.01	0.01	0.06	4
C21-410	412.65	414.00	1.35	1	0.01	0.00	0.08	5
C21-410	414.00	415.50	1.50	4	0.01	0.02	0.12	10
C21-411	0.00	3.05	3.05	30	0.04	0.10	0.05	39
C21-411	3.05	4.50	1.45	1	0.01	0.01	0.01	2
C21-411	4.50	5.80	1.30	0	0.01	0.02	0.05	3
C21-411	5.80	6.75	0.95	1	0.02	0.02	0.07	6
C21-411	6.75	7.10	0.35	1	0.03	0.03	0.09	8
C21-411	7.10	8.90	1.80	4	0.41	0.03	0.03	40
C21-411	8.90	10.60	1.70	1	0.01	0.01	0.03	3
C21-411	10.60	12.05	1.45	0	0.00	0.01	0.02	1
C21-411	12.05	14.05	2.00	0	0.00	0.00	0.02	1
C21-411	14.05	16.10	2.05	0	0.00	0.00	0.01	1
C21-411	16.10	18.00	1.90	0	0.00	0.00	0.02	1
C21-411	18.00	19.30	1.30	0	0.00	0.01	0.03	2
C21-411	19.30	20.45	1.15	0	0.00	0.00	0.02	1
C21-411	20.45	21.80	1.35	0	0.01	0.01	0.02	2
C21-411	21.80	23.80	2.00	0	0.01	0.00	0.03	2
C21-411	23.80	25.40	1.60	0	0.01	0.00	0.02	1
C21-411	25.40	27.10	1.70	1	0.01	0.00	0.02	2
C21-411	27.10	27.55	0.45	0	0.01	0.00	0.02	2
C21-411	27.55	28.75	1.20	0	0.00	0.00	0.02	1
C21-411	28.75	30.00	1.25	0	0.00	0.00	0.02	1
C21-411	30.00	31.95	1.95	0	0.00	0.00	0.01	1
C21-411	31.95	33.90	1.95	0	0.00	0.00	0.01	1
C21-411	33.90	34.55	0.65	0	0.01	0.00	0.02	2
C21-411	34.55	35.80	1.25	0	0.00	0.00	0.01	1
C21-411	35.80	37.45	1.65	0	0.00	0.00	0.01	1
C21-411	37.45	38.55	1.10	0	0.00	0.00	0.01	1
C21-411	38.55	39.60	1.05	0	0.00	0.00	0.01	1
C21-411	39.60	41.10	1.50	0	0.00	0.00	0.01	1

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-411	41.10	42.75	1.65	0	0.00	0.00	0.01	1
C21-411	42.75	43.75	1.00	0	0.00	0.00	0.01	1
C21-411	43.75	45.00	1.25	0	0.00	0.00	0.01	1
C21-411	45.00	46.75	1.75	0	0.00	0.00	0.01	1
C21-411	46.75	48.75	2.00	1	0.04	0.01	0.04	6
C21-411	48.75	50.10	1.35	2	0.02	0.01	0.03	5
C21-411	50.10	51.15	1.05	2	0.02	0.01	0.02	5
C21-411	51.15	52.60	1.45	1	0.02	0.01	0.03	5
C21-411	52.60	52.95	0.35	4	0.05	0.07	0.22	20
C21-411	52.95	54.00	1.05	5	0.03	0.03	0.03	10
C21-411	54.00	56.00	2.00	2	0.01	0.03	0.06	6
C21-411	56.00	56.90	0.90	1	0.01	0.01	0.09	6
C21-411	56.90	57.20	0.30	1	0.01	0.02	0.03	4
C21-411	57.20	58.40	1.20	2	0.01	0.02	0.03	5
C21-411	58.40	60.40	2.00	2	0.01	0.01	0.04	4
C21-411	60.40	60.70	0.30	36	0.60	0.43	0.26	111
C21-411	60.70	62.40	1.70	1	0.01	0.01	0.03	3
C21-411	62.40	63.25	0.85	1	0.01	0.02	0.08	6
C21-411	63.25	65.20	1.95	1	0.01	0.04	0.14	9
C21-411	65.20	67.20	2.00	1	0.02	0.02	0.04	5
C21-411	67.20	69.20	2.00	1	0.01	0.01	0.04	4
C21-411	69.20	71.45	2.25	1	0.02	0.00	0.02	3
C21-411	71.45	72.40	0.95	0	0.01	0.00	0.04	3
C21-411	72.40	72.80	0.40	1	0.03	0.00	0.03	4
C21-411	72.80	73.30	0.50	1	0.01	0.02	0.07	6
C21-411	73.30	75.00	1.70	3	0.01	0.02	0.10	8
C21-411	75.00	76.30	1.30	1	0.00	0.01	0.04	3
C21-411	76.30	76.60	0.30	0	0.01	0.01	0.03	3
C21-411	76.60	77.50	0.90	7	0.03	0.01	0.08	13
C21-411	77.50	78.70	1.20	0	0.02	0.00	0.02	3
C21-411	78.70	79.30	0.60	1	0.03	0.01	0.03	5
C21-411	79.30	79.75	0.45	0	0.01	0.00	0.02	2
C21-411	79.75	81.75	2.00	0	0.01	0.00	0.01	1
C21-411	81.75	83.60	1.85	0	0.00	0.00	0.01	1
C21-411	83.60	84.35	0.75	0	0.01	0.00	0.04	3
C21-411	84.35	86.70	2.35	1	0.01	0.00	0.01	2
C21-411	86.70	87.35	0.65	0	0.00	0.00	0.03	2
C21-411	87.35	89.25	1.90	3	0.00	0.05	0.18	12
C21-411	89.25	90.00	0.75	15	0.01	0.19	0.83	56
C21-411	90.00	91.10	1.10	32	0.01	0.47	1.66	118
C21-411	91.10	91.65	0.55	4	0.01	0.08	0.26	19
C21-411	91.65	92.45	0.80	3	0.01	0.03	0.27	16
C21-411	92.45	93.35	0.90	2	0.02	0.04	0.09	9
C21-411	93.35	93.65	0.30	40	0.80	0.90	1.72	209
C21-411	93.65	94.00	0.35	6	0.01	0.07	0.25	20
C21-411	94.00	94.85	0.85	2	0.01	0.02	0.08	7
C21-411	94.85	95.65	0.80	2	0.01	0.01	0.03	4
C21-411	95.65	97.10	1.45	3	0.01	0.04	0.11	10
C21-411	97.10	98.00	0.90	2	0.01	0.03	0.12	9
C21-411	98.00	98.30	0.30	1	0.00	0.02	0.13	8
C21-411	98.30	99.30	1.00	1	0.01	0.01	0.08	5
C21-411	99.30	100.40	1.10	1	0.00	0.01	0.04	3
C21-411	100.40	101.10	0.70	8	0.01	0.10	0.76	43
C21-411	101.10	102.45	1.35	1	0.00	0.02	0.08	5
C21-411	102.45	103.25	0.80	13	0.01	0.15	1.06	63

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-411	103.25	104.10	0.85	2	0.01	0.02	0.09	8
C21-411	104.10	105.05	0.95	2	0.01	0.02	0.15	9
C21-411	105.05	105.35	0.30	2	0.02	0.01	0.03	5
C21-411	105.35	106.00	0.65	2	0.02	0.01	0.02	5
C21-411	106.00	107.05	1.05	2	0.01	0.01	0.03	5
C21-411	107.05	107.60	0.55	2	0.01	0.01	0.09	7
C21-411	107.60	109.60	2.00	3	0.01	0.04	0.34	19
C21-411	109.60	111.00	1.40	2	0.01	0.03	0.12	9
C21-411	111.00	111.35	0.35	2	0.01	0.04	0.16	11
C21-411	111.35	112.65	1.30	2	0.00	0.02	0.06	5
C21-411	112.65	114.00	1.35	1	0.01	0.01	0.05	4
C21-411	114.00	115.05	1.05	2	0.00	0.04	0.11	8
C21-411	115.05	115.75	0.70	2	0.00	0.03	0.05	5
C21-411	115.75	117.75	2.00	3	0.01	0.02	0.05	6
C21-411	117.75	118.40	0.65	19	0.09	0.40	0.19	48
C21-411	118.40	120.00	1.60	1	0.01	0.02	0.04	4
C21-411	120.00	120.40	0.40	1	0.08	0.01	0.04	9
C21-411	120.40	120.90	0.50	1	0.01	0.01	0.04	4
C21-411	120.90	123.00	2.10	1	0.01	0.02	0.04	4
C21-411	123.00	124.30	1.30	5	0.04	0.11	0.31	24
C21-411	124.30	126.30	2.00	1	0.01	0.01	0.03	3
C21-411	126.30	126.95	0.65	1	0.01	0.01	0.05	4
C21-411	126.95	127.30	0.35	8	0.09	0.17	0.13	28
C21-411	127.30	129.30	2.00	1	0.01	0.01	0.01	3
C21-411	129.30	130.75	1.45	2	0.02	0.01	0.04	5
C21-411	130.75	131.70	0.95	2	0.03	0.03	0.06	8
C21-411	131.70	133.55	1.85	0	0.00	0.01	0.02	2
C21-411	133.55	135.55	2.00	1	0.00	0.01	0.02	2
C21-411	135.55	137.55	2.00	1	0.00	0.00	0.01	1
C21-411	137.55	139.15	1.60	1	0.00	0.01	0.08	5
C21-411	139.15	139.45	0.30	1	0.01	0.01	0.10	6
C21-411	139.45	139.80	0.35	0	0.00	0.00	0.01	1
C21-411	139.80	141.00	1.20	0	0.00	0.00	0.01	1
C21-411	141.00	142.75	1.75	1	0.00	0.00	0.02	2
C21-411	142.75	143.25	0.50	17	0.02	0.34	0.68	58
C21-411	143.25	145.20	1.95	1	0.01	0.01	0.02	3
C21-411	145.20	145.50	0.30	10	0.01	0.15	0.17	23
C21-411	145.50	146.75	1.25	1	0.02	0.01	0.01	3
C21-411	146.75	147.75	1.00	1	0.01	0.01	0.02	3
C21-411	147.75	148.20	0.45	19	0.02	0.33	1.43	91
C21-411	148.20	149.45	1.25	1	0.02	0.01	0.03	5
C21-411	149.45	149.75	0.30	9	0.07	0.21	0.87	58
C21-411	149.75	151.10	1.35	12	0.04	0.72	2.46	143
C21-411	151.10	151.60	0.50	1	0.01	0.00	0.01	2
C21-411	151.60	153.35	1.75	1	0.00	0.00	0.02	2
C21-411	153.35	155.35	2.00	1	0.00	0.00	0.01	1
C21-411	155.35	157.20	1.85	1	0.00	0.00	0.01	1
C21-411	157.20	157.80	0.60	0	0.00	0.00	0.02	1
C21-411	157.80	158.65	0.85	1	0.00	0.01	0.03	3
C21-411	158.65	158.95	0.30	5	0.01	0.13	0.93	49
C21-411	158.95	159.95	1.00	1	0.01	0.00	0.06	4
C21-411	159.95	161.50	1.55	0	0.00	0.00	0.01	1
C21-411	161.50	161.85	0.35	1	0.00	0.01	0.12	7
C21-411	161.85	163.75	1.90	1	0.01	0.00	0.02	2
C21-411	163.75	164.70	0.95	3	0.01	0.12	0.34	22

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-411	164.70	166.10	1.40	1	0.01	0.00	0.07	5
C21-411	166.10	166.80	0.70	1	0.01	0.00	0.02	2
C21-411	166.80	167.20	0.40	1	0.01	0.04	0.10	7
C21-411	167.20	168.95	1.75	2	0.01	0.03	0.23	12
C21-411	168.95	169.95	1.00	44	0.01	0.77	3.50	217
C21-411	169.95	171.60	1.65	2	0.00	0.04	0.14	9
C21-411	171.60	173.05	1.45	2	0.01	0.04	0.09	8
C21-411	173.05	174.50	1.45	1	0.01	0.04	0.12	8
C21-411	174.50	175.05	0.55	8	0.00	0.21	0.63	42
C21-411	175.05	175.45	0.40	2	0.00	0.04	0.19	11
C21-411	175.45	177.45	2.00	1	0.01	0.01	0.02	3
C21-411	177.45	179.45	2.00	1	0.01	0.01	0.03	3
C21-411	179.45	181.45	2.00	1	0.01	0.01	0.05	4
C21-411	181.45	183.30	1.85	1	0.00	0.01	0.03	2
C21-411	183.30	185.30	2.00	1	0.00	0.00	0.01	1
C21-411	185.30	187.30	2.00	1	0.00	0.02	0.04	3
C21-411	187.30	189.30	2.00	1	0.00	0.00	0.00	1
C21-411	189.30	190.45	1.15	1	0.00	0.01	0.12	7
C21-411	190.45	192.30	1.85	1	0.02	0.00	0.04	4
C21-411	192.30	193.05	0.75	6	0.06	0.14	0.31	28
C21-411	193.05	193.55	0.50	124	0.53	2.59	9.24	642
C21-411	193.55	195.20	1.65	2	0.01	0.01	0.02	5
C21-411	195.20	197.00	1.80	45	0.01	0.59	5.06	276
C21-411	197.00	198.75	1.75	7	0.01	0.10	1.80	86
C21-411	198.75	199.30	0.55	10	0.01	0.14	1.82	92
C21-411	199.30	199.60	0.30	3	0.03	0.04	0.15	13
C21-411	199.60	200.75	1.15	2	0.03	0.02	0.05	6
C21-411	200.75	201.10	0.35	10	0.02	0.38	1.06	69
C21-411	201.10	201.75	0.65	6	0.03	0.06	0.48	30
C21-411	201.75	202.15	0.40	7	0.03	0.11	0.43	31
C21-411	202.15	203.10	0.95	2	0.02	0.02	0.11	9
C21-411	203.10	203.55	0.45	3	0.05	0.07	0.26	20
C21-411	203.55	205.40	1.85	2	0.05	0.05	0.21	17
C21-411	205.40	205.80	0.40	17	0.07	0.40	2.24	129
C21-411	205.80	206.30	0.50	6	0.08	0.12	0.39	33
C21-411	206.30	207.00	0.70	23	0.09	0.43	0.71	75
C21-411	207.00	209.00	2.00	1	0.06	0.01	0.01	7
C21-411	209.00	211.00	2.00	2	0.04	0.01	0.02	6
C21-411	211.00	212.10	1.10	3	0.03	0.04	0.06	9
C21-411	212.10	214.10	2.00	5	0.06	0.11	0.15	20
C21-411	214.10	216.10	2.00	2	0.03	0.05	0.05	9
C21-411	216.10	218.10	2.00	3	0.04	0.06	0.09	12
C21-411	218.10	220.10	2.00	2	0.03	0.04	0.04	7
C21-411	220.10	222.10	2.00	4	0.03	0.08	0.04	11
C21-411	222.10	222.90	0.80	5	0.03	0.12	0.16	17
C21-411	222.90	223.35	0.45	3	0.02	0.09	0.11	12
C21-411	223.35	225.10	1.75	3	0.02	0.06	0.09	10
C21-411	225.10	225.95	0.85	6	0.02	0.20	0.37	30
C21-411	225.95	226.70	0.75	1	0.01	0.02	0.03	4
C21-411	226.70	227.00	0.30	6	0.01	0.21	0.22	23
C21-411	227.00	228.55	1.55	4	0.02	0.15	0.22	20
C21-411	228.55	229.45	0.90	7	0.03	0.15	0.37	30
C21-411	229.45	230.85	1.40	3	0.02	0.07	0.13	13
C21-411	230.85	232.85	2.00	2	0.03	0.06	0.08	10
C21-411	232.85	234.00	1.15	3	0.02	0.08	0.14	13

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-411	234.00	235.05	1.05	2	0.03	0.07	0.08	10
C21-411	235.05	237.00	1.95	2	0.04	0.05	0.09	10
C21-411	237.00	238.00	1.00	2	0.02	0.06	0.08	9
C21-411	238.00	238.45	0.45	1	0.02	0.07	0.13	11
C21-411	238.45	239.30	0.85	1	0.01	0.04	0.07	6
C21-411	239.30	239.65	0.35	6	0.01	0.27	1.72	87
C21-411	239.65	240.70	1.05	2	0.01	0.08	0.07	8
C21-411	240.70	242.10	1.40	1	0.01	0.01	0.03	4
C21-411	242.10	243.00	0.90	1	0.01	0.01	0.02	2
C21-411	243.00	243.45	0.45	1	0.01	0.01	0.11	6
C21-411	243.45	243.85	0.40	4	0.02	0.18	0.23	22
C21-411	243.85	244.35	0.50	1	0.01	0.02	0.04	3
C21-411	244.35	246.35	2.00	0	0.01	0.01	0.03	2
C21-411	246.35	247.80	1.45	1	0.01	0.01	0.02	2
C21-411	247.80	248.30	0.50	3	0.01	0.13	0.19	16
C21-411	248.30	248.90	0.60	1	0.01	0.02	0.03	3
C21-411	248.90	250.55	1.65	1	0.01	0.02	0.02	3
C21-411	250.55	251.40	0.85	1	0.01	0.01	0.02	3
C21-411	251.40	252.35	0.95	2	0.01	0.04	0.21	13
C21-411	252.35	252.65	0.30	7	0.01	0.17	0.66	41
C21-411	252.65	254.65	2.00	1	0.01	0.02	0.06	5
C21-411	254.65	255.90	1.25	1	0.01	0.01	0.01	2
C21-411	255.90	256.85	0.95	1	0.01	0.04	0.01	4
C21-411	256.85	258.85	2.00	1	0.01	0.01	0.04	3
C21-411	258.85	259.90	1.05	1	0.01	0.01	0.14	8
C21-411	259.90	261.00	1.10	1	0.01	0.00	0.09	5
C21-411	261.00	261.95	0.95	1	0.01	0.01	0.07	5
C21-411	261.95	262.30	0.35	6	0.02	0.29	0.40	34
C21-411	262.30	263.50	1.20	11	0.02	0.51	1.47	91
C21-411	263.50	265.50	2.00	3	0.02	0.11	0.13	14
C21-411	265.50	267.50	2.00	2	0.01	0.04	0.07	7
C21-411	267.50	267.85	0.35	15	0.02	0.38	0.12	35
C21-411	267.85	268.15	0.30	2	0.01	0.04	0.05	6
C21-411	268.15	270.10	1.95	2	0.01	0.08	0.03	7
C21-411	270.10	272.10	2.00	2	0.01	0.07	0.04	6
C21-411	272.10	273.00	0.90	3	0.01	0.12	0.07	11
C21-411	273.00	273.70	0.70	1	0.01	0.04	0.02	4
C21-411	273.70	274.40	0.70	7	0.01	0.32	0.07	22
C21-411	274.40	276.00	1.60	1	0.01	0.02	0.02	3
C21-411	276.00	276.65	0.65	4	0.01	0.11	0.09	12
C21-411	276.65	278.65	2.00	1	0.01	0.01	0.02	2
C21-411	278.65	280.00	1.35	1	0.01	0.02	0.02	3
C21-411	280.00	280.30	0.30	11	0.12	0.30	0.56	55
C21-411	280.30	281.50	1.20	0	0.01	0.01	0.01	2
C21-411	281.50	282.00	0.50	21	0.03	0.59	1.36	101
C21-411	282.00	283.15	1.15	7	0.01	0.16	0.10	18
C21-411	283.15	285.00	1.85	1	0.01	0.03	0.02	3
C21-411	285.00	287.00	2.00	3	0.01	0.09	0.14	12
C21-411	287.00	288.45	1.45	1	0.01	0.04	0.01	4
C21-411	288.45	288.95	0.50	5	0.01	0.14	0.35	25
C21-411	288.95	290.30	1.35	1	0.01	0.02	0.01	2
C21-411	290.30	291.60	1.30	2	0.01	0.05	0.03	6
C21-411	291.60	293.60	2.00	1	0.01	0.01	0.01	2
C21-411	293.60	294.55	0.95	1	0.01	0.01	0.01	2
C21-411	294.55	295.75	1.20	1	0.01	0.04	0.04	5

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-411	295.75	296.45	0.70	1	0.01	0.04	0.03	4
C21-411	296.45	296.95	0.50	5	0.02	0.09	0.26	21
C21-411	296.95	297.65	0.70	4	0.02	0.10	0.28	22
C21-411	297.65	299.65	2.00	1	0.01	0.02	0.01	2
C21-411	299.65	300.90	1.25	1	0.01	0.01	0.01	1
C21-411	300.90	301.25	0.35	5	0.01	0.13	0.26	21
C21-411	301.25	301.55	0.30	14	0.04	0.47	0.87	70
C21-411	301.55	302.50	0.95	3	0.03	0.08	0.13	13
C21-411	302.50	303.95	1.45	2	0.02	0.04	0.05	6
C21-411	303.95	305.95	2.00	3	0.01	0.09	0.10	11
C21-411	305.95	306.85	0.90	1	0.01	0.01	0.02	2
C21-411	306.85	308.85	2.00	1	0.01	0.01	0.01	2
C21-411	308.85	310.85	2.00	0	0.01	0.01	0.01	2
C21-411	310.85	312.45	1.60	1	0.01	0.01	0.01	2
C21-411	312.45	312.80	0.35	2	0.02	0.06	0.30	18
C21-411	312.80	314.80	2.00	1	0.01	0.01	0.05	4
C21-411	314.80	316.20	1.40	1	0.01	0.01	0.01	2
C21-411	316.20	316.50	0.30	55	0.08	1.61	2.19	209
C21-411	316.50	317.60	1.10	2	0.02	0.04	0.06	7
C21-411	317.60	317.90	0.30	8	0.02	0.16	0.32	28
C21-411	317.90	318.45	0.55	1	0.02	0.04	0.08	8
C21-411	318.45	319.00	0.55	7	0.04	0.29	0.27	32
C21-411	319.00	319.55	0.55	2	0.02	0.04	0.04	6
C21-411	319.55	319.90	0.35	2	0.02	0.06	0.17	13
C21-411	319.90	321.90	2.00	1	0.01	0.02	0.04	4
C21-411	321.90	323.90	2.00	2	0.01	0.05	0.05	6
C21-411	323.90	325.90	2.00	1	0.01	0.02	0.01	3
C21-411	325.90	327.90	2.00	1	0.01	0.06	0.05	6
C21-411	327.90	329.90	2.00	1	0.01	0.02	0.02	3
C21-411	329.90	330.95	1.05	1	0.01	0.01	0.01	2
C21-411	330.95	331.25	0.30	1	0.01	0.01	0.01	3
C21-411	331.25	332.10	0.85	1	0.01	0.01	0.00	2
C21-411	332.10	333.45	1.35	1	0.01	0.01	0.01	3
C21-411	333.45	333.85	0.40	1	0.01	0.01	0.80	36
C21-411	333.85	334.70	0.85	1	0.01	0.02	0.11	8
C21-411	334.70	336.70	2.00	6	0.06	0.07	0.35	28
C21-411	336.70	338.65	1.95	1	0.04	0.03	0.02	6
C21-411	338.65	339.50	0.85	2	0.02	0.07	0.14	12
C21-411	339.50	340.30	0.80	8	0.03	0.13	0.63	41
C21-411	340.30	341.20	0.90	9	0.05	0.26	0.71	52
C21-411	341.20	342.85	1.65	45	0.16	1.06	2.05	181
C21-411	342.85	343.15	0.30	491	0.71	8.84	17.00	1,566
C21-411	343.15	343.95	0.80	19	0.03	0.48	0.87	75
C21-411	343.95	345.30	1.35	1	0.01	0.03	0.11	8
C21-411	345.30	346.15	0.85	4	0.01	0.09	0.15	14
C21-411	346.15	346.50	0.35	100	0.43	2.47	5.39	445
C21-411	346.50	347.65	1.15	2	0.01	0.05	0.10	8
C21-411	347.65	348.90	1.25	1	0.01	0.02	0.06	5
C21-411	348.90	349.25	0.35	1	0.01	0.05	0.09	8
C21-411	349.25	350.65	1.40	1	0.01	0.01	0.01	2
C21-411	350.65	352.25	1.60	2	0.01	0.04	0.12	9
C21-411	352.25	352.55	0.30	207	0.05	1.84	5.41	500
C21-411	352.55	353.25	0.70	6	0.01	0.20	0.26	25
C21-411	353.25	354.00	0.75	0	0.00	0.00	0.00	1
C21-411	354.00	356.20	2.20	4	0.00	0.04	0.83	40

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-411	356.20	356.60	0.40	31	0.02	0.69	3.81	214
C21-411	356.60	358.45	1.85	1	0.01	0.04	0.05	5
C21-411	358.45	359.40	0.95	1	0.01	0.05	0.07	6
C21-411	359.40	359.70	0.30	29	0.03	0.66	2.35	152
C21-411	359.70	361.25	1.55	2	0.01	0.08	0.12	10
C21-411	361.25	362.20	0.95	1	0.01	0.02	0.03	3
C21-411	362.20	363.00	0.80	5	0.01	0.11	0.24	19
C21-411	363.00	363.30	0.30	59	0.03	1.10	5.76	339
C21-411	363.30	365.30	2.00	1	0.01	0.02	0.04	4
C21-411	365.30	366.75	1.45	1	0.01	0.01	0.03	3
C21-411	366.75	367.90	1.15	2	0.02	0.04	0.04	6
C21-411	367.90	369.00	1.10	6	0.06	0.10	0.22	24
C21-411	369.00	370.35	1.35	79	0.05	1.04	1.88	198
C21-411	370.35	371.90	1.55	5	0.01	0.10	0.15	15
C21-411	371.90	372.55	0.65	35	0.10	0.56	1.88	141
C21-411	372.55	374.55	2.00	2	0.01	0.05	0.09	9
C21-411	374.55	376.55	2.00	3	0.01	0.10	0.06	10
C21-411	376.55	377.90	1.35	1	0.02	0.03	0.04	5
C21-411	377.90	378.25	0.35	53	0.01	1.16	1.26	147
C21-411	378.25	379.50	1.25	1	0.01	0.02	0.03	4
C21-412	0.00	5.20	5.20	6	0.02	0.01	0.16	14
C21-412	5.20	7.20	2.00	2	0.02	0.03	0.24	14
C21-412	7.20	9.20	2.00	1	0.01	0.01	0.06	5
C21-412	9.20	11.20	2.00	1	0.01	0.01	0.04	3
C21-412	11.20	12.50	1.30	1	0.02	0.01	0.05	5
C21-412	12.50	14.50	2.00	2	0.02	0.04	0.08	9
C21-412	14.50	16.40	1.90	7	0.01	0.05	0.10	14
C21-412	16.40	18.40	2.00	4	0.01	0.03	0.05	8
C21-412	18.40	20.10	1.70	10	0.02	0.08	0.08	18
C21-412	20.10	21.40	1.30	10	0.01	0.05	0.08	16
C21-412	21.40	23.10	1.70	8	0.03	0.05	0.09	16
C21-412	23.10	25.10	2.00	5	0.03	0.03	0.06	11
C21-412	25.10	27.10	2.00	3	0.02	0.02	0.08	8
C21-412	27.10	28.70	1.60	2	0.01	0.03	0.09	7
C21-412	28.70	29.60	0.90	4	0.02	0.03	0.06	9
C21-412	29.60	31.60	2.00	5	0.02	0.06	0.08	12
C21-412	31.60	33.60	2.00	6	0.01	0.04	0.06	11
C21-412	33.60	35.60	2.00	5	0.01	0.02	0.05	9
C21-412	35.60	36.25	0.65	4	0.01	0.01	0.06	7
C21-412	36.25	37.75	1.50	7	0.01	0.02	0.06	11
C21-412	37.75	38.70	0.95	3	0.01	0.01	0.05	5
C21-412	38.70	40.70	2.00	3	0.01	0.01	0.07	7
C21-412	40.70	42.10	1.40	4	0.01	0.03	0.08	9
C21-412	42.10	43.20	1.10	6	0.02	0.08	0.09	14
C21-412	43.20	43.60	0.40	8	0.05	0.26	0.12	26
C21-412	43.60	45.60	2.00	10	0.02	0.06	0.22	22
C21-412	45.60	47.60	2.00	2	0.03	0.01	0.31	18
C21-412	47.60	48.60	1.00	5	0.02	0.04	0.28	19
C21-412	48.60	50.60	2.00	19	0.03	0.34	0.16	40
C21-412	50.60	52.55	1.95	9	0.03	0.11	0.13	20
C21-412	52.55	52.85	0.30	4	0.08	0.08	0.12	19
C21-412	52.85	53.15	0.30	16	0.23	0.13	0.02	41
C21-412	53.15	55.15	2.00	11	0.09	0.23	0.12	31
C21-412	55.15	56.25	1.10	32	0.16	0.37	0.09	62
C21-412	56.25	56.75	0.50	59	0.54	0.35	0.02	116

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-412	56.75	57.35	0.60	38	0.04	0.53	0.15	66
C21-412	57.35	58.00	0.65	9	0.09	0.66	0.29	51
C21-412	58.00	58.40	0.40	15	0.06	0.56	0.21	48
C21-412	58.40	58.70	0.30	103	0.03	0.38	0.18	126
C21-412	58.70	60.40	1.70	63	0.20	0.41	0.27	105
C21-412	60.40	61.50	1.10	51	0.12	0.50	0.15	84
C21-412	61.50	63.50	2.00	19	0.02	0.17	0.32	39
C21-412	63.50	64.60	1.10	32	0.03	0.38	0.14	54
C21-412	64.60	64.95	0.35	12	0.02	0.24	0.75	54
C21-412	64.95	66.05	1.10	23	0.02	0.29	0.57	59
C21-412	66.05	66.35	0.30	21	0.13	0.33	0.18	51
C21-412	66.35	67.35	1.00	8	0.02	0.12	0.56	37
C21-412	67.35	67.85	0.50	22	0.04	0.40	0.17	46
C21-412	67.85	68.45	0.60	33	0.05	0.26	0.39	62
C21-412	68.45	69.05	0.60	22	0.04	0.31	0.16	42
C21-412	69.05	69.90	0.85	17	0.03	0.33	0.44	49
C21-412	69.90	71.60	1.70	17	0.03	0.30	0.60	55
C21-412	71.60	72.10	0.50	17	0.03	0.30	0.37	46
C21-412	72.10	73.45	1.35	14	0.04	0.18	0.35	39
C21-412	73.45	75.45	2.00	15	0.04	0.27	0.56	51
C21-412	75.45	75.75	0.30	28	0.05	0.33	0.83	78
C21-412	75.75	76.90	1.15	23	0.05	0.41	0.74	72
C21-412	76.90	78.90	2.00	23	0.03	0.28	0.72	65
C21-412	78.90	80.90	2.00	7	0.04	0.10	0.21	22
C21-412	80.90	82.90	2.00	4	0.01	0.07	0.09	12
C21-412	82.90	83.20	0.30	15	0.03	0.27	0.61	52
C21-412	83.20	84.20	1.00	14	0.02	0.21	0.37	38
C21-412	84.20	84.50	0.30	25	0.05	0.23	0.97	77
C21-412	84.50	85.95	1.45	25	0.06	0.37	0.69	70
C21-412	85.95	87.10	1.15	22	0.03	0.07	0.45	46
C21-412	87.10	87.70	0.60	17	0.03	0.19	0.47	45
C21-412	87.70	88.00	0.30	40	0.06	0.49	0.52	83
C21-412	88.00	89.70	1.70	52	0.03	0.67	0.53	100
C21-412	89.70	90.10	0.40	36	0.11	0.16	0.30	63
C21-412	90.10	90.40	0.30	22	0.06	0.31	1.13	84
C21-412	90.40	90.70	0.30	22	0.03	0.37	1.01	79
C21-412	90.70	92.20	1.50	15	0.03	0.21	0.57	48
C21-412	92.20	94.20	2.00	21	0.09	0.27	0.82	72
C21-412	94.20	95.35	1.15	20	0.04	0.28	0.38	49
C21-412	95.35	96.00	0.65	22	0.08	0.27	0.99	78
C21-412	96.00	98.00	2.00	24	0.03	0.35	0.62	65
C21-412	98.00	100.00	2.00	32	0.03	0.39	0.87	84
C21-412	100.00	101.20	1.20	25	0.06	0.28	0.70	69
C21-412	101.20	101.70	0.50	21	0.04	0.24	0.60	58
C21-412	101.70	102.10	0.40	156	0.08	2.48	0.89	287
C21-412	102.10	102.50	0.40	16	0.05	0.32	0.74	62
C21-412	102.50	103.50	1.00	22	0.07	0.35	0.95	79
C21-412	103.50	105.50	2.00	15	0.02	0.21	0.23	33
C21-412	105.50	106.70	1.20	5	0.01	0.09	0.15	15
C21-412	106.70	107.00	0.30	18	0.04	0.38	0.45	53
C21-412	107.00	107.80	0.80	14	0.04	0.22	0.15	31
C21-412	107.80	108.25	0.45	61	0.51	0.33	0.07	117
C21-412	108.25	109.30	1.05	11	0.06	0.14	0.20	29
C21-412	109.30	109.60	0.30	28	0.06	0.47	0.48	68
C21-412	109.60	110.10	0.50	3	0.01	0.07	0.07	10

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-412	110.10	111.20	1.10	11	0.02	0.17	0.26	29
C21-412	111.20	111.70	0.50	27	0.07	0.53	1.06	96
C21-412	111.70	112.85	1.15	82	0.06	1.09	2.25	218
C21-412	112.85	113.45	0.60	5	0.01	0.11	0.40	26
C21-412	113.45	114.55	1.10	14	0.02	0.20	0.39	38
C21-412	114.55	115.25	0.70	59	0.18	0.93	1.26	158
C21-412	115.25	115.55	0.30	35	0.06	0.50	0.98	99
C21-412	115.55	115.95	0.40	15	0.03	0.24	0.41	43
C21-412	115.95	117.40	1.45	7	0.02	0.12	0.24	24
C21-412	117.40	117.85	0.45	24	0.07	0.28	3.01	164
C21-412	117.85	119.85	2.00	15	0.05	0.20	0.82	61
C21-412	119.85	120.45	0.60	15	0.03	0.25	0.54	49
C21-412	120.45	120.90	0.45	27	0.06	0.40	0.82	80
C21-412	120.90	121.25	0.35	35	0.07	0.59	1.66	130
C21-412	121.25	123.25	2.00	6	0.04	0.09	0.23	21
C21-412	123.25	125.25	2.00	10	0.06	0.20	0.21	31
C21-412	125.25	125.95	0.70	9	0.03	0.17	0.24	27
C21-412	125.95	126.30	0.35	63	0.24	0.75	0.44	127
C21-412	126.30	128.20	1.90	3	0.02	0.08	0.09	11
C21-412	128.20	129.00	0.80	8	0.03	0.19	0.21	25
C21-412	129.00	129.45	0.45	45	0.06	0.82	1.12	125
C21-412	129.45	130.60	1.15	8	0.02	0.17	0.15	22
C21-412	130.60	131.85	1.25	9	0.02	0.13	0.38	30
C21-412	131.85	132.15	0.30	7	0.02	0.11	0.33	27
C21-412	132.15	134.10	1.95	7	0.02	0.15	0.20	22
C21-412	134.10	134.55	0.45	6	0.01	0.17	0.15	19
C21-412	134.55	135.25	0.70	10	0.02	0.20	0.31	31
C21-412	135.25	136.60	1.35	4	0.01	0.09	0.14	13
C21-412	136.60	137.00	0.40	6	0.01	0.11	0.34	24
C21-412	137.00	139.00	2.00	3	0.02	0.13	0.17	16
C21-412	139.00	139.60	0.60	4	0.01	0.15	0.15	17
C21-412	139.60	140.10	0.50	6	0.01	0.11	0.27	21
C21-412	140.10	140.45	0.35	14	0.03	0.29	0.43	44
C21-412	140.45	140.90	0.45	127	0.15	2.45	0.38	241
C21-412	140.90	141.30	0.40	141	0.17	2.59	0.40	263
C21-412	141.30	141.60	0.30	62	0.13	0.50	1.02	132
C21-412	141.60	141.90	0.30	19	0.15	0.31	0.39	59
C21-412	141.90	142.20	0.30	11	0.03	0.18	0.36	34
C21-412	142.20	142.70	0.50	36	0.06	0.77	1.12	115
C21-412	142.70	143.35	0.65	7	0.02	0.14	0.15	19
C21-412	143.35	143.75	0.40	25	0.04	0.65	0.57	75
C21-412	143.75	144.05	0.30	10	0.02	0.23	0.29	31
C21-412	144.05	144.35	0.30	18	0.03	0.37	0.25	45
C21-412	144.35	145.75	1.40	25	0.07	0.47	0.64	74
C21-412	145.75	146.10	0.35	81	0.08	1.68	0.49	168
C21-412	146.10	146.75	0.65	9	0.02	0.11	0.17	21
C21-412	146.75	147.30	0.55	26	0.04	0.57	0.31	62
C21-412	147.30	147.60	0.30	85	0.11	1.84	1.76	231
C21-412	147.60	148.40	0.80	1	0.00	0.04	0.13	8
C21-412	148.40	148.80	0.40	83	0.06	2.06	1.61	227
C21-412	148.80	149.20	0.40	9	0.02	0.12	0.27	26
C21-412	149.20	151.20	2.00	11	0.02	0.11	0.10	21
C21-412	151.20	152.85	1.65	7	0.02	0.09	0.15	18
C21-412	152.85	153.15	0.30	61	0.07	0.84	0.97	136
C21-412	153.15	155.00	1.85	3	0.01	0.06	0.03	7

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-412	155.00	156.50	1.50	12	0.05	0.30	0.29	39
C21-412	156.50	156.95	0.45	32	0.04	0.76	0.81	96
C21-412	156.95	158.95	2.00	13	0.02	0.27	0.35	38
C21-412	158.95	160.95	2.00	2	0.01	0.01	0.01	3
C21-412	160.95	162.95	2.00	3	0.01	0.05	0.03	7
C21-412	162.95	164.85	1.90	3	0.02	0.08	0.02	8
C21-412	164.85	165.55	0.70	1	0.01	0.01	0.01	2
C21-412	165.55	167.30	1.75	40	0.07	0.81	0.29	86
C21-412	167.30	169.30	2.00	4	0.01	0.10	0.04	11
C21-412	169.30	171.05	1.75	1	0.01	0.03	0.05	6
C21-412	171.05	171.45	0.40	6	0.02	0.12	0.15	17
C21-412	171.45	171.75	0.30	15	0.05	0.48	0.42	52
C21-412	171.75	172.35	0.60	13	0.04	0.32	0.41	44
C21-412	172.35	174.35	2.00	18	0.02	0.41	0.23	44
C21-412	174.35	176.35	2.00	8	0.02	0.13	0.15	19
C21-412	176.35	178.35	2.00	7	0.01	0.12	0.13	17
C21-412	178.35	180.35	2.00	7	0.01	0.12	0.14	18
C21-412	180.35	182.35	2.00	7	0.01	0.14	0.15	19
C21-412	182.35	184.35	2.00	7	0.02	0.13	0.32	26
C21-412	184.35	184.80	0.45	2	0.01	0.03	0.06	7
C21-412	184.80	185.15	0.35	17	0.04	0.29	0.99	71
C21-412	185.15	187.15	2.00	3	0.01	0.05	0.09	9
C21-412	187.15	187.60	0.45	6	0.03	0.08	0.16	18
C21-412	187.60	189.60	2.00	2	0.02	0.03	0.08	8
C21-412	189.60	190.65	1.05	1	0.02	0.01	0.00	2
C21-412	190.65	192.65	2.00	3	0.01	0.06	0.07	9
C21-412	192.65	194.65	2.00	2	0.02	0.03	0.06	7
C21-412	194.65	196.65	2.00	2	0.01	0.04	0.04	7
C21-412	196.65	197.45	0.80	1	0.01	0.02	0.04	4
C21-412	197.45	198.65	1.20	5	0.02	0.09	0.15	15
C21-412	198.65	199.35	0.70	3	0.01	0.09	0.19	14
C21-412	199.35	199.90	0.55	4	0.01	0.07	0.17	14
C21-412	199.90	200.90	1.00	9	0.01	0.15	0.24	25
C21-412	200.90	201.80	0.90	5	0.01	0.09	0.16	15
C21-412	201.80	203.00	1.20	7	0.02	0.12	0.29	25
C21-412	203.00	205.00	2.00	22	0.06	0.15	0.75	63
C21-412	205.00	205.85	0.85	39	0.02	0.44	0.61	81
C21-412	205.85	207.65	1.80	9	0.01	0.09	0.54	36
C21-412	207.65	208.50	0.85	8	0.03	0.06	0.36	27
C21-412	208.50	209.00	0.50	43	0.08	0.37	1.42	121
C21-412	209.00	209.90	0.90	35	0.08	0.44	0.84	91
C21-412	209.90	210.20	0.30	5	0.01	0.12	0.27	21
C21-412	210.20	210.70	0.50	3	0.02	0.10	0.59	33
C21-412	210.70	211.15	0.45	76	0.06	0.30	0.75	123
C21-412	211.15	211.95	0.80	4	0.01	0.11	0.24	18
C21-412	211.95	212.90	0.95	8	0.02	0.11	0.28	25
C21-412	212.90	213.70	0.80	8	0.02	0.09	0.24	22
C21-412	213.70	214.00	0.30	68	1.65	0.27	0.27	224
C21-412	214.00	214.60	0.60	5	0.03	0.11	0.26	21
C21-412	214.60	215.65	1.05	2	0.01	0.05	0.07	7
C21-412	215.65	217.65	2.00	5	0.02	0.07	0.15	16
C21-412	217.65	219.65	2.00	20	0.13	0.16	0.52	58
C21-412	219.65	221.45	1.80	10	0.02	0.20	0.40	36
C21-412	221.45	223.20	1.75	9	0.02	0.19	0.28	29
C21-412	223.20	223.50	0.30	96	0.18	0.73	0.73	167

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-412	223.50	224.15	0.65	38	0.07	0.44	1.13	105
C21-412	224.15	225.60	1.45	11	0.03	0.28	0.46	42
C21-412	225.60	226.60	1.00	2	0.01	0.06	0.14	10
C21-412	226.60	228.15	1.55	3	0.01	0.07	0.09	11
C21-412	228.15	229.25	1.10	3	0.02	0.06	0.14	13
C21-412	229.25	230.55	1.30	10	0.02	0.19	0.47	39
C21-412	230.55	232.30	1.75	11	0.05	0.08	0.27	29
C21-412	232.30	232.95	0.65	1	0.03	0.02	0.05	7
C21-412	232.95	233.25	0.30	5	0.05	0.10	0.13	18
C21-412	233.25	235.15	1.90	2	0.04	0.02	0.07	9
C21-412	235.15	235.45	0.30	6	0.08	0.10	0.42	34
C21-412	235.45	235.85	0.40	4	0.04	0.06	0.25	19
C21-412	235.85	236.20	0.35	3	0.02	0.04	0.15	12
C21-412	236.20	236.50	0.30	4	0.02	0.08	0.07	12
C21-412	236.50	238.50	2.00	3	0.01	0.05	0.18	14
C21-412	238.50	239.65	1.15	10	0.01	0.16	0.26	27
C21-412	239.65	240.30	0.65	5	0.03	0.08	0.23	19
C21-412	240.30	242.05	1.75	7	0.01	0.13	0.33	26
C21-412	242.05	242.35	0.30	111	0.56	1.31	3.71	357
C21-412	242.35	244.10	1.75	9	0.10	0.10	0.17	27
C21-412	244.10	244.60	0.50	35	0.11	0.33	0.64	83
C21-412	244.60	246.60	2.00	9	0.07	0.09	0.35	32
C21-412	246.60	247.30	0.70	3	0.04	0.04	0.13	13
C21-412	247.30	247.60	0.30	7	0.09	0.10	0.38	33
C21-412	247.60	249.60	2.00	5	0.07	0.06	0.17	20
C21-412	249.60	251.50	1.90	3	0.06	0.09	0.16	17
C21-412	251.50	251.80	0.30	156	0.19	4.10	1.07	361
C21-412	251.80	252.95	1.15	10	0.14	0.08	0.20	32
C21-412	252.95	253.25	0.30	29	0.38	0.37	0.34	88
C21-412	253.25	255.25	2.00	5	0.11	0.09	0.21	26
C21-412	255.25	257.25	2.00	33	0.13	0.59	0.63	90
C21-412	257.25	259.25	2.00	16	0.08	0.20	0.22	39
C21-412	259.25	260.40	1.15	6	0.02	0.08	0.27	22
C21-412	260.40	260.95	0.55	43	0.15	0.56	0.89	112
C21-412	260.95	262.95	2.00	28	0.07	0.38	0.82	80
C21-412	262.95	263.55	0.60	11	0.03	0.13	0.37	33
C21-412	263.55	263.85	0.30	11	0.02	0.16	0.61	44
C21-412	263.85	264.45	0.60	29	0.08	0.54	0.50	75
C21-412	264.45	266.20	1.75	7	0.04	0.10	0.36	29
C21-412	266.20	266.55	0.35	11	0.06	0.18	1.26	74
C21-412	266.55	268.55	2.00	12	0.05	0.16	0.44	39
C21-412	268.55	270.55	2.00	4	0.01	0.05	0.08	10
C21-412	270.55	270.85	0.30	6	0.02	0.07	0.14	15
C21-412	270.85	271.15	0.30	45	0.05	0.87	0.96	119
C21-412	271.15	273.15	2.00	11	0.03	0.16	0.23	28
C21-412	273.15	274.25	1.10	7	0.03	0.06	0.24	22
C21-412	274.25	274.75	0.50	11	0.03	0.11	0.14	23
C21-412	274.75	275.15	0.40	27	0.11	0.35	2.74	162
C21-412	275.15	277.15	2.00	23	0.03	0.43	0.65	68
C21-412	277.15	279.00	1.85	3	0.01	0.04	0.06	7
C21-412	279.00	280.10	1.10	1	0.01	0.01	0.10	6
C21-412	280.10	282.10	2.00	2	0.01	0.03	0.05	6
C21-412	282.10	284.10	2.00	1	0.01	0.01	0.02	3
C21-412	284.10	285.90	1.80	0	0.01	0.00	0.01	1
C21-412	285.90	287.30	1.40	1	0.01	0.01	0.07	5

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-412	287.30	287.80	0.50	1	0.01	0.02	0.07	5
C21-412	287.80	289.20	1.40	1	0.01	0.03	0.07	6
C21-412	289.20	289.60	0.40	1	0.00	0.04	0.09	6
C21-412	289.60	291.20	1.60	1	0.00	0.02	0.09	6
C21-412	291.20	292.45	1.25	1	0.01	0.02	0.06	5
C21-412	292.45	293.95	1.50	3	0.01	0.08	0.17	13
C21-412	293.95	295.15	1.20	2	0.00	0.03	0.08	6
C21-412	295.15	296.35	1.20	3	0.01	0.03	0.07	7
C21-412	296.35	297.20	0.85	12	0.01	0.13	0.14	23
C21-412	297.20	298.05	0.85	7	0.01	0.13	0.18	19
C21-412	298.05	300.05	2.00	2	0.01	0.03	0.05	6
C21-412	300.05	301.30	1.25	4	0.01	0.04	0.05	8
C21-412	301.30	302.10	0.80	4	0.01	0.06	0.12	12
C21-412	302.10	303.95	1.85	2	0.01	0.03	0.06	6
C21-412	303.95	305.90	1.95	10	0.02	0.11	0.18	23
C21-412	305.90	306.80	0.90	2	0.01	0.03	0.09	7
C21-412	306.80	307.20	0.40	5	0.01	0.05	0.15	13
C21-412	307.20	308.15	0.95	3	0.01	0.04	0.10	9
C21-412	308.15	308.75	0.60	7	0.01	0.07	0.15	17
C21-412	308.75	309.10	0.35	13	0.02	0.23	0.47	42
C21-412	309.10	309.85	0.75	10	0.02	0.18	0.29	30
C21-412	309.85	310.60	0.75	7	0.02	0.08	0.15	17
C21-412	310.60	312.20	1.60	13	0.03	0.15	0.24	30
C21-412	312.20	312.95	0.75	20	0.02	0.25	0.36	45
C21-412	312.95	313.45	0.50	29	0.05	0.17	0.21	47
C21-412	313.45	314.10	0.65	21	0.10	0.31	1.09	85
C21-412	314.10	314.65	0.55	15	0.04	0.23	0.26	37
C21-412	314.65	315.50	0.85	26	0.04	0.14	0.11	39
C21-412	315.50	315.85	0.35	18	0.10	0.21	0.36	48
C21-412	315.85	317.45	1.60	13	0.02	0.11	0.13	23
C21-412	317.45	317.80	0.35	8	0.02	0.10	0.15	19
C21-412	317.80	318.10	0.30	6	0.01	0.06	0.04	11
C21-412	318.10	320.10	2.00	16	0.05	0.30	0.44	49
C21-412	320.10	320.40	0.30	11	0.04	0.24	0.40	40
C21-412	320.40	320.70	0.30	58	0.04	1.19	1.86	180
C21-412	320.70	321.15	0.45	13	0.03	0.29	0.59	51
C21-412	321.15	323.00	1.85	5	0.03	0.09	0.20	19
C21-412	323.00	324.25	1.25	5	0.01	0.06	0.14	14
C21-412	324.25	325.20	0.95	2	0.01	0.06	0.05	7
C21-412	325.20	325.70	0.50	3	0.02	0.02	0.02	6
C21-412	325.70	327.70	2.00	3	0.01	0.05	0.09	9
C21-412	327.70	329.05	1.35	2	0.02	0.04	0.42	21
C21-412	329.05	329.45	0.40	1	0.01	0.04	0.08	6
C21-412	329.45	330.20	0.75	4	0.01	0.04	0.06	8
C21-412	330.20	330.50	0.30	21	0.02	0.35	0.86	71
C21-412	330.50	331.30	0.80	4	0.01	0.10	0.17	16
C21-412	331.30	331.60	0.30	48	0.05	0.75	0.97	118
C21-412	331.60	333.20	1.60	7	0.02	0.12	0.16	19
C21-412	333.20	333.50	0.30	83	0.12	1.71	3.99	319
C21-412	333.50	334.80	1.30	8	0.01	0.19	0.35	30
C21-412	334.80	335.15	0.35	5	0.02	0.17	0.24	22
C21-412	335.15	337.15	2.00	10	0.02	0.17	0.33	31
C21-412	337.15	338.80	1.65	3	0.02	0.05	0.09	10
C21-412	338.80	339.20	0.40	4	0.01	0.06	0.17	14
C21-412	339.20	341.20	2.00	2	0.01	0.01	0.23	12

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-412	341.20	343.20	2.00	3	0.01	0.02	0.41	22
C21-412	343.20	345.20	2.00	4	0.01	0.03	0.28	17
C21-412	345.20	345.50	0.30	2	0.01	0.04	0.11	9
C21-412	345.50	346.00	0.50	30	0.08	0.59	1.79	131
C21-412	346.00	347.00	1.00	3	0.03	0.05	0.41	24
C21-412	347.00	347.65	0.65	4	0.03	0.06	0.21	17
C21-412	347.65	348.65	1.00	57	0.11	1.35	3.70	267
C21-412	348.65	349.30	0.65	30	0.06	0.69	1.34	114
C21-412	349.30	349.80	0.50	142	0.13	3.42	6.28	533
C21-412	349.80	350.45	0.65	60	0.08	1.20	2.77	223
C21-412	350.45	350.90	0.45	50	0.05	1.11	1.96	175
C21-412	350.90	351.85	0.95	167	0.16	3.08	6.32	551
C21-412	351.85	352.85	1.00	29	0.05	0.53	1.04	95
C21-412	352.85	353.15	0.30	105	0.09	1.82	2.46	279
C21-412	353.15	354.50	1.35	64	0.05	0.84	1.28	150
C21-412	354.50	356.35	1.85	7	0.02	0.10	0.50	33
C21-412	356.35	356.65	0.30	49	0.17	1.41	1.98	194
C21-412	356.65	357.50	0.85	8	0.03	0.12	0.19	22
C21-412	357.50	359.35	1.85	7	0.02	0.20	0.67	43
C21-412	359.35	359.85	0.50	13	0.02	0.35	0.29	39
C21-412	359.85	360.15	0.30	80	0.04	1.17	0.56	147
C21-412	360.15	360.70	0.55	3	0.01	0.03	0.06	7
C21-412	360.70	362.05	1.35	2	0.03	0.03	0.06	8
C21-412	362.05	362.90	0.85	4	0.02	0.17	0.26	22
C21-412	362.90	364.90	2.00	3	0.02	0.06	0.27	17
C21-412	364.90	365.55	0.65	2	0.03	0.02	0.07	7
C21-412	365.55	365.90	0.35	358	0.18	8.49	7.21	971
C21-412	365.90	367.90	2.00	2	0.02	0.05	0.11	10
C21-412	367.90	369.90	2.00	1	0.02	0.03	0.06	6
C21-412	369.90	371.90	2.00	1	0.02	0.01	0.14	9
C21-412	371.90	373.60	1.70	2	0.02	0.00	0.04	5
C21-412	373.60	375.20	1.60	5	0.04	0.14	0.31	25
C21-412	375.20	375.60	0.40	20	0.02	0.39	0.73	65
C21-412	375.60	376.10	0.50	2	0.01	0.00	0.06	5
C21-412	376.10	377.40	1.30	1	0.01	0.01	1.00	43
C21-412	377.40	377.70	0.30	2	0.01	0.01	1.96	84
C21-412	377.70	378.30	0.60	2	0.01	0.02	0.36	18
C21-412	378.30	379.75	1.45	10	0.03	0.12	3.98	182
C21-412	379.75	381.75	2.00	0	0.01	0.00	0.01	1
C21-412	381.75	382.25	0.50	0	0.01	0.00	0.03	2
C21-412	382.25	382.60	0.35	72	0.03	1.32	1.32	175
C21-412	382.60	384.55	1.95	18	0.01	0.37	0.41	48
C21-412	384.55	386.55	2.00	0	0.01	0.01	0.11	6
C21-412	386.55	388.55	2.00	0	0.01	0.01	0.17	8
C21-412	388.55	390.50	1.95	0	0.00	0.00	0.07	3
C21-412	390.50	392.50	2.00	0	0.00	0.00	0.07	4
C21-412	392.50	394.50	2.00	0	0.01	0.00	0.12	6
C21-412	394.50	395.80	1.30	0	0.00	0.00	0.06	3
C21-412	395.80	397.70	1.90	0	0.01	0.01	0.13	7
C21-412	397.70	399.20	1.50	1	0.01	0.03	0.12	8
C21-412	399.20	399.75	0.55	31	0.05	0.69	0.39	76
C21-412	399.75	400.15	0.40	224	0.55	0.61	0.50	311
C21-412	400.15	400.95	0.80	338	0.47	5.46	7.54	881
C21-412	400.95	402.60	1.65	110	0.07	2.19	3.18	324
C21-412	402.60	402.90	0.30	121	0.10	2.58	6.61	494

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-412	402.90	403.85	0.95	94	0.19	2.13	3.34	323
C21-412	403.85	404.85	1.00	2	0.05	0.03	0.06	10
C21-412	404.85	405.15	0.30	19	0.06	0.37	0.76	68
C21-412	405.15	405.45	0.30	3	0.02	0.04	0.05	8
C21-412	405.45	407.20	1.75	1	0.01	0.03	0.03	4
C21-412	407.20	408.80	1.60	2	0.01	0.03	0.07	6
C21-412	408.80	409.90	1.10	1	0.01	0.02	0.05	5
C21-412	409.90	410.25	0.35	1	0.02	0.02	0.03	5
C21-412	410.25	411.90	1.65	4	0.01	0.06	0.27	18
C21-412	411.90	413.80	1.90	1	0.02	0.02	0.04	5
C21-412	413.80	414.20	0.40	3	0.02	0.04	0.07	9
C21-412	414.20	414.50	0.30	17	0.06	0.34	0.32	47
C21-412	414.50	415.80	1.30	4	0.02	0.07	0.10	12
C21-412	415.80	417.00	1.20	11	0.06	0.10	0.17	27
C21-412	417.00	418.80	1.80	7	0.04	0.08	0.07	16
C21-412	418.80	420.00	1.20	1	0.01	0.01	0.04	4
C21-412	420.00	420.30	0.30	78	0.05	1.50	0.73	165
C21-412	420.30	422.30	2.00	4	0.02	0.07	0.13	13
C21-412	422.30	423.05	0.75	2	0.01	0.03	0.11	8
C21-412	423.05	425.05	2.00	19	0.06	0.45	0.57	63
C21-412	425.05	426.95	1.90	5	0.02	0.04	0.10	12
C21-412	426.95	428.95	2.00	1	0.01	0.02	0.07	5
C21-412	428.95	430.95	2.00	1	0.01	0.03	0.03	4
C21-412	430.95	432.60	1.65	1	0.01	0.02	0.05	4
C21-412	432.60	434.00	1.40	1	0.01	0.01	0.06	5
C21-412	434.00	434.60	0.60	16	0.07	0.31	0.90	70
C21-412	434.60	435.20	0.60	27	0.05	0.54	1.05	94
C21-412	435.20	436.10	0.90	169	0.32	3.37	4.56	503
C21-412	436.10	437.50	1.40	39	0.06	0.78	1.41	130
C21-412	437.50	437.80	0.30	113	0.16	2.06	4.54	387
C21-412	437.80	439.70	1.90	227	0.27	4.41	7.70	724
C21-412	439.70	440.70	1.00	53	0.09	1.11	2.09	186
C21-412	440.70	441.65	0.95	2	0.02	0.04	0.04	7
C21-412	441.65	443.20	1.55	2	0.02	0.03	0.03	6
C21-412	443.20	445.00	1.80	2	0.03	0.03	0.08	8
C21-412	445.00	446.30	1.30	1	0.01	0.03	0.07	6
C21-412	446.30	447.60	1.30	0	0.01	0.01	0.11	6
C21-412	447.60	448.75	1.15	1	0.01	0.02	0.15	9
C21-412	448.75	450.20	1.45	1	0.00	0.00	0.08	4
C21-412	450.20	451.00	0.80	4	0.28	0.01	0.10	31
C21-412	451.00	451.90	0.90	0	0.00	0.00	0.03	2
C21-414	0.00	1.85	1.85	13	0.02	0.10	0.08	21
C21-414	1.85	3.75	1.90	10	0.06	0.09	0.12	23
C21-414	3.75	4.40	0.65	8	0.05	0.18	0.15	25
C21-414	4.40	5.80	1.40	15	0.05	0.06	0.07	24
C21-414	5.80	6.75	0.95	12	0.04	0.04	0.05	18
C21-414	6.75	7.30	0.55	13	0.02	0.13	0.11	24
C21-414	7.30	9.00	1.70	19	0.03	0.08	0.06	26
C21-414	9.00	9.70	0.70	12	0.03	0.08	0.11	22
C21-414	9.70	11.70	2.00	14	0.02	0.11	0.08	23
C21-414	11.70	13.10	1.40	31	0.05	0.10	0.11	43
C21-414	13.10	15.10	2.00	21	0.03	0.06	0.16	33
C21-414	15.10	17.10	2.00	33	0.02	0.16	0.43	58
C21-414	17.10	18.95	1.85	19	0.03	0.12	0.15	32
C21-414	18.95	20.95	2.00	29	0.02	0.23	0.16	46

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-414	20.95	22.20	1.25	12	0.02	0.07	0.16	23
C21-414	22.20	22.85	0.65	9	0.02	0.08	0.18	21
C21-414	22.85	24.00	1.15	9	0.02	0.14	0.12	20
C21-414	24.00	26.80	2.80	54	0.02	0.25	0.16	70
C21-414	26.80	27.40	0.60	256	0.09	1.63	3.89	482
C21-414	27.40	28.35	0.95	48	0.02	0.05	0.22	61
C21-414	28.35	30.40	2.05	28	0.03	0.07	0.25	42
C21-414	30.40	31.05	0.65	26	0.02	0.07	0.18	38
C21-414	31.05	31.65	0.60	9	0.02	0.04	0.12	16
C21-414	31.65	31.95	0.30	5	0.02	0.04	0.08	12
C21-414	31.95	32.70	0.75	10	0.03	0.04	0.07	16
C21-414	32.70	33.20	0.50	6	0.01	0.04	0.17	15
C21-414	33.20	34.45	1.25	31	0.03	0.13	0.30	50
C21-414	34.45	35.60	1.15	28	0.02	0.25	0.22	47
C21-414	35.60	36.10	0.50	10	0.01	0.01	0.19	19
C21-414	36.10	36.90	0.80	5	0.01	0.03	0.22	16
C21-414	36.90	37.40	0.50	3	0.01	0.02	0.17	11
C21-414	37.40	39.15	1.75	5	0.01	0.02	0.20	15
C21-414	39.15	41.05	1.90	5	0.01	0.02	0.15	12
C21-414	41.05	42.95	1.90	9	0.01	0.01	0.15	16
C21-414	42.95	44.95	2.00	12	0.02	0.01	0.15	20
C21-414	44.95	46.05	1.10	8	0.01	0.01	0.14	15
C21-414	46.05	46.35	0.30	1	0.00	0.01	0.06	4
C21-414	46.35	47.34	0.99	1	0.01	0.01	0.06	5
C21-414	47.34	48.20	0.86	1	0.01	0.01	0.05	4
C21-414	48.20	49.55	1.35	1	0.01	0.01	0.12	7
C21-414	49.55	51.00	1.45	1	0.01	0.01	0.03	4
C21-414	51.00	52.20	1.20	1	0.01	0.01	0.03	4
C21-414	52.20	53.00	0.80	3	0.03	0.03	0.06	9
C21-414	53.00	54.35	1.35	2	0.02	0.01	0.03	5
C21-414	54.35	55.70	1.35	1	0.01	0.01	0.04	4
C21-414	55.70	56.35	0.65	2	0.01	0.01	0.03	4
C21-414	56.35	57.25	0.90	2	0.01	0.01	0.04	5
C21-414	57.25	57.70	0.45	1	0.01	0.01	0.04	4
C21-414	57.70	57.90	0.20	0	0.01	0.01	0.01	2
C21-414	57.90	60.85	2.95	2	0.02	0.02	0.09	8
C21-414	60.85	62.85	2.00	1	0.01	0.01	0.03	3
C21-414	62.85	63.95	1.10	2	0.04	0.02	0.03	7
C21-414	63.95	64.40	0.45	1	0.02	0.00	0.03	4
C21-414	64.40	66.00	1.60	1	0.01	0.00	0.03	3
C21-414	66.00	66.25	0.25	1	0.01	0.00	0.04	4
C21-414	66.25	67.65	1.40	1	0.01	0.01	0.06	5
C21-414	67.65	69.35	1.70	2	0.01	0.01	0.04	4
C21-414	69.35	71.35	2.00	1	0.01	0.01	0.04	4
C21-414	71.35	72.70	1.35	1	0.02	0.01	0.03	5
C21-414	72.70	74.70	2.00	2	0.03	0.03	0.05	7
C21-414	74.70	75.00	0.30	2	0.01	0.01	0.03	5
C21-414	75.00	76.50	1.50	2	0.03	0.01	0.05	6
C21-414	76.50	77.70	1.20	2	0.01	0.02	0.05	5
C21-414	77.70	78.15	0.45	19	0.05	0.37	0.15	43
C21-414	78.15	79.20	1.05	2	0.01	0.00	0.02	3
C21-414	79.20	80.05	0.85	2	0.01	0.01	0.04	5
C21-414	80.05	81.55	1.50	1	0.01	0.01	0.04	4
C21-414	81.55	82.75	1.20	1	0.01	0.01	0.03	3
C21-414	82.75	84.00	1.25	2	0.01	0.02	0.04	5

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-414	84.00	84.35	0.35	1	0.01	0.01	0.02	3
C21-414	84.35	85.90	1.55	2	0.01	0.01	0.02	4
C21-414	85.90	86.55	0.65	3	0.01	0.01	0.04	6
C21-414	86.55	87.00	0.45	20	0.03	0.18	0.21	37
C21-414	87.00	88.65	1.65	9	0.03	0.07	0.09	18
C21-414	88.65	89.55	0.90	7	0.03	0.09	0.05	15
C21-414	89.55	90.55	1.00	2	0.03	0.02	0.03	6
C21-414	90.55	92.30	1.75	2	0.02	0.04	0.09	8
C21-414	92.30	92.60	0.30	16	0.03	0.26	0.79	60
C21-414	92.60	93.00	0.40	186	0.16	0.82	0.64	254
C21-414	93.00	93.45	0.45	3	0.02	0.03	0.12	10
C21-414	93.45	95.00	1.55	2	0.01	0.01	0.03	4
C21-414	95.00	96.20	1.20	1	0.03	0.01	0.08	7
C21-414	96.20	96.70	0.50	1	0.01	0.01	0.04	4
C21-414	96.70	97.30	0.60	2	0.04	0.03	0.07	9
C21-414	97.30	99.30	2.00	2	0.03	0.02	0.04	7
C21-414	99.30	101.30	2.00	2	0.02	0.02	0.03	5
C21-414	101.30	102.35	1.05	3	0.01	0.03	0.05	7
C21-414	102.35	102.65	0.30	3	0.02	0.02	0.06	7
C21-414	102.65	102.95	0.30	3	0.01	0.03	0.03	6
C21-414	102.95	103.25	0.30	242	0.97	2.65	11.85	906
C21-414	103.25	104.20	0.95	39	0.17	0.63	1.03	118
C21-414	104.20	106.20	2.00	6	0.03	0.10	0.13	17
C21-414	106.20	107.30	1.10	3	0.01	0.02	0.04	6
C21-414	107.30	107.75	0.45	5	0.01	0.05	0.11	12
C21-414	107.75	108.40	0.65	8	0.02	0.08	0.13	18
C21-414	108.40	109.70	1.30	4	0.01	0.05	0.07	10
C21-414	109.70	110.60	0.90	5	0.02	0.04	0.08	12
C21-414	110.60	111.00	0.40	3	0.01	0.04	0.08	9
C21-414	111.00	112.05	1.05	8	0.03	0.14	0.14	21
C21-414	112.05	112.80	0.75	4	0.01	0.05	0.13	12
C21-414	112.80	113.40	0.60	7	0.03	0.07	0.13	17
C21-414	113.40	114.10	0.70	6	0.02	0.08	0.12	15
C21-414	114.10	114.85	0.75	3	0.02	0.02	0.12	10
C21-414	114.85	115.30	0.45	3	0.03	0.03	0.13	12
C21-414	115.30	115.95	0.65	3	0.04	0.05	0.28	19
C21-414	115.95	116.60	0.65	4	0.08	0.05	0.12	18
C21-414	116.60	117.00	0.40	5	0.07	0.03	0.18	20
C21-414	117.00	117.70	0.70	10	0.05	0.05	0.41	33
C21-414	117.70	119.05	1.35	6	0.19	0.12	0.14	32
C21-414	119.05	120.00	0.95	6	0.08	0.01	0.03	15
C21-414	120.00	121.10	1.10	15	0.02	0.01	0.43	35
C21-414	121.10	122.80	1.70	2	0.02	0.02	0.02	5
C21-414	122.80	123.60	0.80	2	0.01	0.04	0.04	6
C21-414	123.60	123.90	0.30	3	0.01	0.03	0.18	12
C21-414	123.90	124.85	0.95	4	0.01	0.07	0.11	11
C21-414	124.85	125.20	0.35	8	0.02	0.14	0.19	22
C21-414	125.20	126.60	1.40	2	0.01	0.03	0.03	5
C21-414	126.60	128.05	1.45	2	0.01	0.03	0.02	4
C21-414	128.05	129.15	1.10	2	0.01	0.02	0.04	4
C21-414	129.15	129.90	0.75	2	0.01	0.03	0.05	6
C21-414	129.90	130.85	0.95	2	0.01	0.04	0.03	5
C21-414	130.85	131.80	0.95	3	0.01	0.05	0.05	8
C21-414	131.80	132.35	0.55	2	0.02	0.02	0.03	5
C21-414	132.35	133.05	0.70	3	0.01	0.05	0.03	7

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-414	133.05	135.05	2.00	8	0.01	0.13	0.17	20
C21-414	135.05	137.05	2.00	9	0.01	0.16	0.09	20
C21-414	137.05	138.30	1.25	53	0.02	0.99	0.92	128
C21-414	138.30	139.70	1.40	96	0.05	1.58	2.46	257
C21-414	139.70	141.70	2.00	51	0.03	0.85	1.20	132
C21-414	141.70	143.70	2.00	41	0.04	0.68	0.81	102
C21-414	143.70	145.10	1.40	50	0.07	0.85	0.85	121
C21-414	145.10	146.55	1.45	77	0.12	1.53	3.75	297
C21-414	146.55	146.85	0.30	7	0.04	0.11	0.44	32
C21-414	146.85	147.60	0.75	6	0.05	0.08	0.39	29
C21-414	147.60	149.20	1.60	30	0.15	0.53	1.47	122
C21-414	149.20	149.50	0.30	253	0.15	4.75	4.38	614
C21-414	149.50	150.40	0.90	221	0.06	4.46	2.97	507
C21-414	150.40	152.00	1.60	85	0.07	1.96	2.17	250
C21-414	152.00	152.90	0.90	87	0.27	1.87	2.70	287
C21-414	152.90	153.50	0.60	6	0.02	0.17	0.30	26
C21-414	153.50	154.25	0.75	3	0.02	0.06	0.20	14
C21-414	154.25	156.25	2.00	3	0.03	0.03	0.02	7
C21-414	156.25	158.05	1.80	1	0.02	0.01	0.01	3
C21-414	158.05	158.75	0.70	144	0.06	3.24	5.62	496
C21-414	158.75	159.85	1.10	44	0.04	1.00	1.40	140
C21-414	159.85	160.45	0.60	34	0.03	0.98	2.74	184
C21-414	160.45	161.70	1.25	18	0.03	0.49	0.79	70
C21-414	161.70	162.00	0.30	44	0.04	0.94	1.56	145
C21-414	162.00	162.80	0.80	43	0.04	0.91	2.07	164
C21-414	162.80	163.15	0.35	22	0.04	0.43	3.41	182
C21-414	163.15	165.00	1.85	48	0.02	0.97	1.06	128
C21-414	165.00	166.15	1.15	116	0.05	2.40	2.33	301
C21-414	166.15	167.65	1.50	3	0.03	0.09	0.09	12
C21-414	167.65	169.65	2.00	1	0.02	0.01	0.02	4
C21-414	169.65	171.00	1.35	2	0.01	0.05	0.03	5
C21-414	171.00	172.25	1.25	1	0.01	0.03	0.03	4
C21-414	172.25	172.70	0.45	26	0.04	0.65	0.40	68
C21-414	172.70	174.70	2.00	9	0.01	0.13	0.21	23
C21-414	174.70	176.70	2.00	3	0.01	0.06	0.12	11
C21-414	176.70	178.70	2.00	1	0.01	0.02	0.01	4
C21-414	178.70	180.70	2.00	3	0.01	0.05	0.01	6
C21-414	180.70	182.55	1.85	2	0.01	0.03	0.03	5
C21-414	182.55	182.85	0.30	39	0.03	0.82	1.66	138
C21-414	182.85	183.20	0.35	80	0.06	1.56	4.55	328
C21-414	183.20	184.30	1.10	24	0.02	0.52	0.59	68
C21-414	184.30	185.10	0.80	39	0.02	0.96	1.31	128
C21-414	185.10	187.10	2.00	25	0.04	0.60	0.72	79
C21-414	187.10	188.30	1.20	25	0.02	0.50	0.41	62
C21-414	188.30	190.10	1.80	16	0.02	0.28	0.96	67
C21-414	190.10	192.10	2.00	2	0.02	0.03	0.25	14
C21-414	192.10	194.05	1.95	5	0.04	0.09	0.21	20
C21-414	194.05	195.40	1.35	33	0.03	0.70	1.10	105
C21-414	195.40	196.90	1.50	23	0.02	0.47	0.76	73
C21-414	196.90	197.20	0.30	143	0.05	2.63	3.76	396
C21-414	197.20	198.10	0.90	28	0.02	0.71	0.89	91
C21-414	198.10	199.50	1.40	17	0.02	0.58	0.63	65
C21-414	199.50	201.30	1.80	44	0.05	1.31	1.56	158
C21-414	201.30	202.30	1.00	105	0.04	2.37	1.54	256
C21-414	202.30	204.10	1.80	23	0.03	0.57	0.74	76

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-414	204.10	205.05	0.95	10	0.03	0.26	0.41	38
C21-414	205.05	206.00	0.95	5	0.01	0.19	0.22	22
C21-414	206.00	206.75	0.75	2	0.01	0.08	0.15	12
C21-414	206.75	208.50	1.75	2	0.01	0.07	0.14	12
C21-414	208.50	208.80	0.30	36	0.02	0.97	2.23	164
C21-414	208.80	210.80	2.00	0	0.01	0.00	0.01	1
C21-414	210.80	212.80	2.00	1	0.01	0.00	0.01	2
C21-414	212.80	214.25	1.45	1	0.01	0.02	0.06	5
C21-414	214.25	216.15	1.90	0	0.00	0.01	0.03	2
C21-414	216.15	217.60	1.45	1	0.01	0.03	0.08	6
C21-414	217.60	217.95	0.35	3	0.01	0.07	0.91	45
C21-414	217.95	218.55	0.60	13	0.02	0.29	2.76	139
C21-414	218.55	218.85	0.30	28	0.03	0.61	1.67	122
C21-414	218.85	220.80	1.95	69	0.15	1.45	1.30	186
C21-414	220.80	222.40	1.60	44	0.09	0.95	0.98	125
C21-414	222.40	222.75	0.35	38	0.05	1.03	1.02	121
C21-414	222.75	223.30	0.55	36	0.05	0.94	0.91	111
C21-414	223.30	225.15	1.85	48	0.04	1.19	1.17	142
C21-414	225.15	225.70	0.55	26	0.03	0.69	0.66	79
C21-414	225.70	227.20	1.50	18	0.02	0.53	0.57	62
C21-414	227.20	228.10	0.90	41	0.03	0.93	1.22	126
C21-414	228.10	229.00	0.90	71	0.18	2.74	3.40	322
C21-414	229.00	229.50	0.50	54	0.15	2.11	1.89	218
C21-414	229.50	231.10	1.60	42	0.03	1.19	1.27	138
C21-414	231.10	233.00	1.90	36	0.03	0.97	1.20	122
C21-414	233.00	233.95	0.95	113	0.04	2.88	2.25	311
C21-414	233.95	234.55	0.60	21	0.02	0.53	0.62	67
C21-414	234.55	235.25	0.70	15	0.02	0.41	0.48	51
C21-414	235.25	235.65	0.40	27	0.03	0.71	0.61	80
C21-414	235.65	236.60	0.95	26	0.02	0.72	0.76	85
C21-414	236.60	237.85	1.25	289	0.05	6.93	5.35	759
C21-414	237.85	238.20	0.35	25	0.02	0.62	1.08	93
C21-414	238.20	239.10	0.90	502	0.04	10.95	2.27	986
C21-414	239.10	240.15	1.05	97	0.03	2.08	0.97	212
C21-414	240.15	241.25	1.10	14	0.02	0.44	0.71	60
C21-414	241.25	241.65	0.40	25	0.03	0.95	1.86	138
C21-414	241.65	243.05	1.40	15	0.02	0.50	0.68	63
C21-414	243.05	243.50	0.45	134	0.19	3.80	4.31	462
C21-414	243.50	244.20	0.70	2	0.02	0.05	0.09	8
C21-414	244.20	244.50	0.30	12	0.04	0.27	0.92	62
C21-414	244.50	245.70	1.20	2	0.02	0.03	0.07	7
C21-414	245.70	246.70	1.00	5	0.03	0.12	0.10	16
C21-414	246.70	247.00	0.30	60	0.14	1.20	2.15	203
C21-414	247.00	247.55	0.55	7	0.04	0.17	0.18	24
C21-414	247.55	247.85	0.30	2	0.03	0.04	0.07	9
C21-414	247.85	248.90	1.05	3	0.03	0.05	0.06	9
C21-414	248.90	250.50	1.60	3	0.02	0.07	0.13	12
C21-414	250.50	250.85	0.35	2	0.03	0.08	0.15	13
C21-414	250.85	251.20	0.35	1	0.02	0.05	0.08	8
C21-414	251.20	252.75	1.55	4	0.03	0.16	0.22	21
C21-414	252.75	254.35	1.60	1	0.01	0.05	0.18	11
C21-414	254.35	255.05	0.70	2	0.02	0.04	0.06	8
C21-414	255.05	257.00	1.95	1	0.02	0.02	0.02	3
C21-414	257.00	257.30	0.30	4	0.03	0.05	0.71	37
C21-414	257.30	259.30	2.00	1	0.02	0.02	0.06	6

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-414	259.30	260.15	0.85	3	0.02	0.15	0.03	11
C21-414	260.15	262.15	2.00	2	0.02	0.04	0.03	6
C21-414	262.15	264.15	2.00	1	0.02	0.01	0.03	3
C21-414	264.15	265.50	1.35	1	0.02	0.01	0.01	3
C21-414	265.50	265.95	0.45	5	0.02	0.12	0.04	12
C21-414	265.95	266.35	0.40	1	0.01	0.03	0.08	6
C21-414	266.35	268.10	1.75	1	0.01	0.02	0.06	4
C21-414	268.10	269.00	0.90	19	0.03	0.91	1.54	117
C21-414	269.00	270.35	1.35	24	0.02	0.97	1.22	110
C21-414	270.35	271.10	0.75	172	0.04	5.06	2.95	476
C21-414	271.10	273.00	1.90	2	0.01	0.11	0.05	8
C21-414	273.00	275.00	2.00	1	0.01	0.05	0.02	4
C21-414	275.00	276.30	1.30	1	0.01	0.03	0.06	5
C21-414	276.30	277.75	1.45	3	0.01	0.15	0.29	21
C21-414	277.75	278.15	0.40	1	0.01	0.03	0.05	5
C21-414	278.15	278.55	0.40	1	0.01	0.02	0.04	4
C21-414	278.55	280.55	2.00	1	0.01	0.04	0.07	6
C21-414	280.55	281.35	0.80	1	0.02	0.02	0.02	4
C21-414	281.35	281.90	0.55	1	0.00	0.00	0.03	2
C21-414	281.90	282.30	0.40	1	0.01	0.01	0.06	4
C21-414	282.30	283.55	1.25	2	0.01	0.02	0.06	5
C21-414	283.55	285.00	1.45	1	0.00	0.01	0.16	8
C21-414	285.00	286.70	1.70	1	0.00	0.00	0.13	6
C21-414	286.70	287.85	1.15	6	0.01	0.17	0.47	32
C21-414	287.85	289.85	2.00	12	0.01	0.48	0.49	51
C21-414	289.85	291.90	2.05	9	0.01	0.46	0.60	51
C21-414	291.90	292.35	0.45	27	0.03	1.66	2.10	175
C21-414	292.35	293.40	1.05	13	0.02	0.64	0.71	66
C21-414	293.40	295.40	2.00	9	0.02	0.30	0.53	43
C21-414	295.40	295.95	0.55	2	0.03	0.03	0.01	6
C21-414	295.95	297.00	1.05	2	0.02	0.06	0.03	7
C21-414	297.00	297.50	0.50	8	0.04	0.32	0.54	45
C21-414	297.50	298.80	1.30	63	0.08	1.69	1.12	176
C21-414	298.80	299.60	0.80	5	0.02	0.16	0.12	16
C21-414	299.60	300.20	0.60	27	0.04	0.82	1.02	101
C21-414	300.20	300.50	0.30	29	0.05	0.84	1.10	109
C21-414	300.50	302.05	1.55	22	0.05	0.58	0.99	87
C21-414	302.05	304.05	2.00	10	0.01	0.24	0.36	34
C21-414	304.05	305.45	1.40	2	0.02	0.08	0.16	13
C21-414	305.45	305.80	0.35	208	0.31	4.40	7.48	699
C21-414	305.80	306.30	0.50	11	0.04	0.36	0.82	61
C21-414	306.30	307.95	1.65	12	0.04	0.50	0.68	60
C21-414	307.95	308.45	0.50	1	0.01	0.01	0.22	10
C21-414	308.45	308.80	0.35	4	0.02	0.19	0.01	13
C21-414	308.80	309.85	1.05	1	0.01	0.02	0.01	3
C21-414	309.85	310.20	0.35	1	0.01	0.01	0.01	2
C21-414	310.20	312.10	1.90	1	0.02	0.03	0.03	4
C21-414	312.10	312.85	0.75	1	0.02	0.04	0.06	6
C21-414	312.85	314.50	1.65	1	0.03	0.03	0.04	6
C21-414	314.50	314.90	0.40	2	0.02	0.11	0.11	12
C21-414	314.90	316.50	1.60	1	0.01	0.04	0.05	5
C21-414	316.50	316.80	0.30	1	0.01	0.02	0.01	2
C21-414	316.80	317.80	1.00	2	0.00	0.06	0.03	5
C21-414	317.80	318.95	1.15	8	0.02	0.47	0.52	47
C21-414	318.95	319.35	0.40	2	0.02	0.04	0.01	5

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-414	319.35	320.40	1.05	7	0.01	0.37	0.38	36
C21-414	320.40	320.75	0.35	2	0.01	0.04	0.03	5
C21-414	320.75	322.50	1.75	7	0.01	0.22	0.39	31
C21-414	322.50	322.80	0.30	1	0.01	0.03	0.02	3
C21-414	322.80	323.20	0.40	1	0.01	0.03	0.02	4
C21-414	323.20	325.05	1.85	0	0.01	0.01	0.01	1
C21-414	325.05	326.10	1.05	1	0.01	0.01	0.01	2
C21-414	326.10	327.30	1.20	2	0.02	0.01	0.02	4
C21-414	327.30	329.00	1.70	1	0.01	0.01	0.02	3
C21-414	329.00	329.65	0.65	0	0.01	0.01	0.03	2
C21-414	329.65	330.20	0.55	0	0.01	0.01	0.02	2
C21-414	330.20	330.55	0.35	1	0.01	0.01	0.05	3
C21-414	330.55	330.90	0.35	0	0.00	0.01	0.01	1
C21-414	330.90	332.30	1.40	0	0.01	0.01	0.04	3
C21-414	332.30	333.25	0.95	1	0.01	0.02	0.02	3
C21-414	333.25	334.60	1.35	1	0.01	0.02	0.02	3
C21-414	334.60	335.50	0.90	3	0.01	0.02	0.01	5
C21-414	335.50	335.85	0.35	1	0.03	0.03	0.01	5
C21-414	335.85	337.40	1.55	19	0.04	0.61	1.24	96
C21-414	337.40	339.30	1.90	13	0.02	0.40	0.52	49
C21-414	339.30	341.00	1.70	3	0.00	0.05	0.07	8
C21-414	341.00	342.10	1.10	3	0.00	0.09	0.23	15
C21-414	342.10	342.80	0.70	19	0.02	0.46	0.80	70
C21-414	342.80	343.20	0.40	148	0.10	2.99	3.72	416
C21-414	343.20	343.85	0.65	207	0.07	4.55	7.90	701
C21-414	343.85	344.60	0.75	54	0.03	1.50	1.85	185
C21-414	344.60	346.55	1.95	5	0.01	0.12	0.18	17
C21-414	346.55	348.55	2.00	6	0.01	0.14	0.18	19
C21-414	348.55	349.95	1.40	30	0.02	0.70	0.44	74
C21-414	349.95	350.50	0.55	4	0.00	0.12	0.14	14
C21-414	350.50	351.35	0.85	2	0.00	0.05	0.09	8
C21-414	351.35	351.85	0.50	1	0.00	0.02	0.02	3
C21-414	351.85	352.75	0.90	1	0.01	0.02	0.05	4
C21-414	352.75	354.50	1.75	1	0.01	0.04	0.04	5
C21-414	354.50	355.70	1.20	8	0.01	0.30	0.44	37
C21-414	355.70	356.20	0.50	2	0.01	0.08	0.14	11
C21-414	356.20	357.10	0.90	3	0.01	0.14	0.25	19
C21-414	357.10	358.70	1.60	15	0.01	0.32	0.41	44
C21-414	358.70	359.70	1.00	34	0.05	0.61	0.87	95
C21-414	359.70	360.70	1.00	13	0.01	0.35	0.23	35
C21-414	360.70	361.30	0.60	133	0.05	3.89	6.42	540
C21-414	361.30	361.60	0.30	168	0.05	4.27	6.79	604
C21-414	361.60	362.30	0.70	106	0.02	2.67	2.50	305
C21-414	362.30	363.80	1.50	50	0.02	1.45	1.90	181
C21-414	363.80	364.75	0.95	34	0.01	1.03	1.30	125
C21-414	364.75	366.00	1.25	55	0.02	1.67	1.94	195
C21-414	366.00	368.00	2.00	40	0.03	1.24	1.27	139
C21-414	368.00	369.00	1.00	16	0.05	0.63	1.18	91
C21-414	369.00	370.85	1.85	90	0.10	1.89	1.71	235
C21-414	370.85	372.00	1.15	127	0.13	2.63	1.91	310
C21-414	372.00	373.75	1.75	93	0.10	1.99	1.97	252
C21-414	373.75	374.50	0.75	101	0.08	2.60	3.15	330
C21-414	374.50	376.50	2.00	111	0.08	2.34	2.05	285
C21-414	376.50	378.00	1.50	127	0.06	3.43	1.85	330
C21-414	378.00	379.85	1.85	176	0.08	4.35	2.59	443

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-414	379.85	380.40	0.55	66	0.04	1.43	1.57	184
C21-414	380.40	380.80	0.40	32	0.03	0.75	0.83	95
C21-414	380.80	382.40	1.60	77	0.07	1.58	1.55	202
C21-414	382.40	383.00	0.60	14	0.02	0.23	0.38	39
C21-414	383.00	383.70	0.70	192	0.13	3.30	5.47	545
C21-414	383.70	384.10	0.40	11	0.02	0.21	0.23	30
C21-414	384.10	385.35	1.25	31	0.03	0.77	0.15	67
C21-414	385.35	387.75	2.40	22	0.01	0.68	0.37	62
C21-414	387.75	388.25	0.50	37	0.02	0.83	0.86	103
C21-414	388.25	389.85	1.60	82	0.05	2.11	0.91	198
C21-414	389.85	391.10	1.25	40	0.04	0.96	0.88	113
C21-414	391.10	393.00	1.90	46	0.05	1.05	1.09	132
C21-414	393.00	393.95	0.95	54	0.06	1.19	0.71	130
C21-414	393.95	394.30	0.35	27	0.03	0.63	0.76	83
C21-414	394.30	394.70	0.40	71	0.08	1.59	0.97	174
C21-414	394.70	396.60	1.90	42	0.03	0.92	0.75	108
C21-414	396.60	397.15	0.55	87	0.06	1.90	2.59	266
C21-414	397.15	398.50	1.35	22	0.02	0.68	0.81	82
C21-414	398.50	400.00	1.50	20	0.03	0.69	0.81	81
C21-414	400.00	400.45	0.45	32	0.04	1.14	0.92	114
C21-414	400.45	401.00	0.55	15	0.05	0.43	0.49	54
C21-414	401.00	401.95	0.95	149	0.04	3.44	1.45	334
C21-414	401.95	404.20	2.25	19	0.03	0.49	0.99	80
C21-414	404.20	406.20	2.00	49	0.07	0.97	0.84	124
C21-414	406.20	406.80	0.60	177	0.23	3.51	2.09	406
C21-414	406.80	407.40	0.60	184	0.08	4.66	2.32	451
C21-414	407.40	408.65	1.25	37	0.05	1.61	2.14	187
C21-414	408.65	408.90	0.25	8	0.02	0.41	1.14	71
C21-414	408.90	410.45	1.55	3	0.01	0.10	0.12	13
C21-414	410.45	411.65	1.20	2	0.01	0.05	0.08	8
C21-414	411.65	412.80	1.15	1	0.01	0.03	0.04	4
C21-414	412.80	413.15	0.35	7	0.01	0.24	0.53	37
C21-414	413.15	414.35	1.20	3	0.01	0.18	0.16	17
C21-414	414.35	415.50	1.15	5	0.03	0.15	0.25	23
C21-414	415.50	416.35	0.85	1	0.00	0.02	0.09	5
C21-414	416.35	418.25	1.90	1	0.01	0.01	0.05	4
C21-414	418.25	419.40	1.15	1	0.01	0.00	0.01	2
C21-414	419.40	419.70	0.30	1	0.02	0.00	0.00	2
C21-414	419.70	421.50	1.80	1	0.01	0.02	0.06	5
C21-414	421.50	421.95	0.45	1	0.02	0.01	0.05	5
C21-414	421.95	422.25	0.30	1	0.01	0.01	0.02	2
C21-414	422.25	424.20	1.95	1	0.00	0.00	0.02	2
C21-414	424.20	426.20	2.00	1	0.00	0.01	0.04	3
C21-414	426.20	427.80	1.60	1	0.00	0.01	0.02	2
C21-414	427.80	429.25	1.45	1	0.00	0.01	0.03	3
C21-414	429.25	430.50	1.25	1	0.00	0.01	0.09	6
C21-414	430.50	432.10	1.60	1	0.00	0.01	0.02	2
C21-414	432.10	433.35	1.25	1	0.00	0.01	0.02	3
C21-414	433.35	434.50	1.15	1	0.01	0.01	0.03	3
C21-414	434.50	434.85	0.35	1	0.04	0.03	0.42	23
C21-414	434.85	435.25	0.40	2	0.16	0.03	0.55	39
C21-414	435.25	436.10	0.85	1	0.02	0.01	0.02	3
C21-414	436.10	437.00	0.90	4	0.02	0.15	0.06	13
C21-414	437.00	437.45	0.45	1	0.01	0.01	0.03	4
C21-414	437.45	438.00	0.55	3	0.02	0.01	0.02	6

Complete Assay Results For Cordero Drill Holes - Apr 20, 2021 Press Release

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-414	438.00	439.85	1.85	1	0.01	0.00	0.02	2
C21-414	439.85	441.55	1.70	1	0.01	0.00	0.01	2
C21-414	441.55	441.85	0.30	2	0.01	0.01	0.04	5
C21-414	441.85	443.35	1.50	2	0.01	0.01	0.02	4
C21-414	443.35	443.90	0.55	1	0.02	0.01	0.05	5
C21-414	443.90	445.50	1.60	1	0.01	0.00	0.01	1
C21-414	445.50	445.95	0.45	0	0.00	0.00	0.01	1
C21-414	445.95	447.15	1.20	0	0.00	0.01	0.03	2
C21-414	447.15	448.55	1.40	0	0.01	0.01	0.03	2
C21-414	448.55	450.15	1.60	0	0.00	0.01	0.05	3
C21-414	450.15	450.70	0.55	1	0.01	0.01	0.06	4
C21-414	450.70	451.10	0.40	1	0.01	0.00	0.04	3
C21-414	451.10	451.45	0.35	3	0.03	0.03	0.11	12
C21-414	451.45	452.75	1.30	2	0.01	0.00	0.01	3
C21-414	452.75	454.20	1.45	1	0.00	0.00	0.04	2
C21-414	454.20	455.10	0.90	1	0.00	0.00	0.02	2
C21-414	455.10	456.60	1.50	0	0.00	0.00	0.03	2
C21-414	456.60	457.75	1.15	0	0.00	0.00	0.03	2
C21-414	457.75	459.70	1.95	0	0.00	0.00	0.03	2
C21-414	459.70	460.10	0.40	1	0.00	0.00	0.18	9
C21-414	460.10	461.40	1.30	1	0.00	0.00	0.03	2
C21-414	461.40	462.15	0.75	2	0.01	0.01	0.04	5
C21-414	462.15	463.30	1.15	0	0.00	0.00	0.04	2
C21-414	463.30	464.40	1.10	1	0.00	0.00	0.03	2
C21-414	464.40	464.80	0.40	0	0.00	0.00	0.03	2
C21-414	464.80	466.50	1.70	0	0.00	0.00	0.02	1
C21-414	466.50	467.95	1.45	0	0.00	0.00	0.02	1
C21-414	467.95	469.50	1.55	1	0.02	0.00	0.03	4
C21-414	469.50	471.00	1.50	0	0.00	0.00	0.02	1
C21-414	471.00	471.55	0.55	2	0.01	0.01	0.18	10
C21-414	471.55	472.90	1.35	2	0.01	0.01	0.02	4
C21-414	472.90	473.25	0.35	7	0.11	0.29	5.22	242
C21-414	473.25	474.00	0.75	4	0.05	0.07	0.44	28
C21-414	474.00	475.35	1.35	1	0.02	0.00	0.02	4
C21-414	475.35	476.40	1.05	1	0.01	0.00	0.01	2
C21-414	476.40	477.00	0.60	2	0.02	0.00	0.02	4
C21-414	477.00	477.45	0.45	1	0.01	0.00	0.02	2
C21-414	477.45	478.75	1.30	1	0.00	0.00	0.02	2
C21-414	478.75	480.15	1.40	1	0.01	0.00	0.01	2
C21-414	480.15	481.15	1.00	1	0.00	0.00	0.02	3
C21-414	481.15	481.45	0.30	1	0.00	0.00	0.01	1
C21-414	481.45	482.30	0.85	0	0.00	0.00	0.01	1
C21-414	482.30	484.25	1.95	1	0.00	0.00	0.02	2
C21-414	484.25	486.25	2.00	0	0.00	0.00	0.02	1
C21-414	486.25	487.65	1.40	1	0.00	0.00	0.04	3
C21-414	487.65	488.45	0.80	1	0.00	0.00	0.02	2
C21-414	488.45	489.85	1.40	0	0.00	0.00	0.00	1
C21-414	489.85	490.15	0.30	0	0.00	0.00	0.01	1
C21-414	490.15	492.15	2.00	0	0.00	0.00	0.01	1
C21-414	492.15	494.15	2.00	0	0.00	0.00	0.01	1
C21-414	494.15	495.35	1.20	0	0.00	0.00	0.01	1
C21-414	495.35	495.85	0.50	0	0.01	0.00	0.02	1
C21-414	495.85	496.50	0.65	0	0.00	0.00	0.01	1
C21-414	496.50	496.85	0.35	1	0.01	0.00	0.01	2
C21-414	496.85	497.75	0.90	0	0.00	0.00	0.01	1

Complete Assay Results For Cordero Drill Holes - Apri 20, 2021 Press Release**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-414	497.75	498.05	0.30	0	0.01	0.00	0.00	1
C21-414	498.05	500.05	2.00	1	0.00	0.00	0.02	1
C21-414	500.05	502.05	2.00	1	0.01	0.00	0.02	2
C21-414	502.05	504.05	2.00	1	0.00	0.00	0.02	2
C21-414	504.05	505.70	1.65	1	0.00	0.00	0.03	2
C21-414	505.70	506.75	1.05	1	0.00	0.00	0.01	1
C21-414	506.75	507.05	0.30	0	0.00	0.00	0.00	1
C21-414	507.05	508.85	1.80	0	0.00	0.00	0.01	1
C21-414	508.85	509.35	0.50	1	0.01	0.00	0.10	5
C21-414	509.35	510.85	1.50	1	0.00	0.00	0.03	2
C21-414	510.85	511.80	0.95	0	0.00	0.00	0.01	1
C21-414	511.80	512.20	0.40	0	0.01	0.01	0.02	2
C21-414	512.20	512.70	0.50	0	0.01	0.00	0.01	1
C21-414	512.70	513.30	0.60	0	0.02	0.00	0.01	2
C21-414	513.30	514.10	0.80	1	0.01	0.00	0.01	2
C21-414	514.10	516.10	2.00	1	0.01	0.00	0.00	2
C21-414	516.10	517.50	1.40	1	0.01	0.00	0.00	1
C21-414	517.50	518.95	1.45	1	0.01	0.00	0.00	2
C21-414	518.95	519.50	0.55	0	0.00	0.00	0.00	1
C21-414	519.50	520.00	0.50	1	0.01	0.00	0.01	2
C21-414	520.00	520.50	0.50	0	0.00	0.00	0.01	1
C21-414	520.50	522.00	1.50	1	0.01	0.00	0.03	3