

Todos Santos vein area
represented in detailed image

Camp



Pit Outline
20g/t AgEq COG (2018 PEA)

High-grade bulk-tonnage
domain

Mine workings

High-grade feeder
veins/structures

Discovery Drillholes

Assays current release

Assays pending

Assays previously released

C20-408

C21-416

C21-418
C21-419

C20-404

C20-401

C21-413

C21-409

NORTH CORRIDOR
CORDERO

FAULT
SOUTH CORRIDOR

C21-421

C21-428

C21-431

C21-427

Todos Santos Vein Trend

Parionera Vein Trend

Josefina Vein Trend

Josefina vein area
represented in
detailed image

0 100 250 500 metres



Todos Santos Vein Drilling

For cross-reference with
Long Sections LX-A & LX-B



Mine workings



High-grade feeder
veins/structures




Assays current release



Discovery Metals drill holes




Pre Discovery Metals drill holes



SW
LX-A

Long Section of the Todos Santos Main Vein - looking Northwest -

NE
LX-A'



SW


LX-B


Long Section of the Todos Santos Footwall Vein

- looking Northwest -

NE

LX-B'





SW


LX-C

Long Section of the Josefina Hangingwall Vein

- looking Northwest -

NE

LX-C'



SW


LX-B

Long Section of the Todos Santos Footwall Vein

- looking Northwest -

NE

LX-B'



Drill hole locations of Cordero holes - May 26, 2021 Press Release

Hole ID	Easting	Northing	Elevation (m)	Azimuth (deg)	Dip (deg)	Depth (m)
C20-401	443,403	3,015,469	1,597	135	-65	403
C20-404	443,404	3,015,469	1,597	135	-45	429
C20-408	443,044	3,015,178	1,580	135	-75	484
C21-409	443,617	3,015,733	1,600	135	-60	388
C21-413	443,555	3,015,677	1,601	135	-60	303
C21-416	443,040	3,015,059	1,591	135	-60	426
C21-418	442,974	3,014,980	1,592	135	-45	150
C21-419	442,973	3,014,980	1,592	135	-45	301
C21-421	443,099	3,014,148	1,586	135	-65	477
C21-427	443,455	3,014,341	1,618	135	-65	394
C21-428	443,320	3,014,140	1,600	135	-65	350
C21-431	443,449	3,014,291	1,619	135	-65	350

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-401	0.00	3.10	3.10	1	0.01	0.01	0.01	2
C20-401	3.10	3.55	0.45	2	0.01	0.00	0.07	6
C20-401	3.55	6.00	2.45	0	0.01	0.01	0.02	2
C20-401	6.00	6.80	0.80	0	0.00	0.00	0.01	1
C20-401	6.80	8.55	1.75	0	0.00	0.00	0.02	1
C20-401	8.55	10.50	1.95	0	0.00	0.00	0.01	1
C20-401	10.50	12.45	1.95	0	0.00	0.00	0.00	1
C20-401	12.45	13.95	1.50	0	0.01	0.00	0.01	1
C20-401	13.95	15.55	1.60	0	0.00	0.00	0.02	1
C20-401	15.55	16.75	1.20	0	0.00	0.00	0.02	1
C20-401	16.75	17.15	0.40	0	0.00	0.00	0.04	2
C20-401	17.15	18.85	1.70	0	0.00	0.00	0.04	2
C20-401	18.85	19.80	0.95	1	0.00	0.00	0.06	3
C20-401	19.80	20.70	0.90	0	0.01	0.00	0.01	1
C20-401	20.70	22.15	1.45	1	0.03	0.00	0.01	3
C20-401	22.15	23.70	1.55	0	0.02	0.00	0.01	3
C20-401	23.70	25.20	1.50	0	0.01	0.00	0.01	1
C20-401	25.20	26.90	1.70	1	0.01	0.01	0.01	2
C20-401	26.90	27.20	0.30	1	0.00	0.02	0.03	3
C20-401	27.20	27.75	0.55	1	0.01	0.01	0.02	2
C20-401	27.75	28.05	0.30	0	0.00	0.01	0.02	1
C20-401	28.05	29.75	1.70	1	0.01	0.02	0.03	4
C20-401	29.75	30.90	1.15	3	0.05	0.03	0.03	9
C20-401	30.90	31.25	0.35	1	0.03	0.02	0.03	5
C20-401	31.25	32.40	1.15	2	0.02	0.01	0.03	5
C20-401	32.40	32.95	0.55	2	0.06	0.10	0.02	11
C20-401	32.95	34.15	1.20	1	0.02	0.00	0.00	3
C20-401	34.15	35.15	1.00	3	0.02	0.01	0.05	7
C20-401	35.15	35.85	0.70	3	0.01	0.01	0.06	7
C20-401	35.85	37.35	1.50	3	0.02	0.00	0.08	7
C20-401	37.35	38.55	1.20	1	0.03	0.00	0.02	4
C20-401	38.55	39.35	0.80	2	0.03	0.01	0.02	5
C20-401	39.35	40.45	1.10	1	0.02	0.00	0.03	3
C20-401	40.45	41.55	1.10	1	0.02	0.00	0.05	5
C20-401	41.55	43.55	2.00	0	0.00	0.00	0.01	1
C20-401	43.55	45.30	1.75	1	0.00	0.00	0.02	1
C20-401	45.30	46.00	0.70	0	0.00	0.00	0.01	1
C20-401	46.00	47.75	1.75	0	0.01	0.00	0.00	1
C20-401	47.75	48.90	1.15	0	0.00	0.00	0.00	1
C20-401	48.90	50.30	1.40	0	0.01	0.00	0.01	1
C20-401	50.30	50.60	0.30	0	0.01	0.00	0.00	1
C20-401	50.60	51.00	0.40	1	0.02	0.00	0.01	3
C20-401	51.00	51.75	0.75	1	0.02	0.00	0.02	3
C20-401	51.75	52.85	1.10	1	0.01	0.00	0.01	2
C20-401	52.85	54.80	1.95	0	0.00	0.00	0.01	1
C20-401	54.80	56.05	1.25	0	0.00	0.00	0.01	1
C20-401	56.05	57.05	1.00	0	0.00	0.00	0.02	1
C20-401	57.05	57.85	0.80	1	0.00	0.00	0.07	4
C20-401	57.85	59.00	1.15	0	0.00	0.00	0.02	1
C20-401	59.00	60.55	1.55	1	0.00	0.01	0.05	3
C20-401	60.55	61.25	0.70	4	0.01	0.02	0.07	8
C20-401	61.25	61.75	0.50	4	0.01	0.02	0.05	7
C20-401	61.75	63.45	1.70	1	0.00	0.00	0.02	2
C20-401	63.45	64.70	1.25	2	0.01	0.00	0.06	5

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-401	64.70	65.55	0.85	2	0.02	0.02	0.10	9
C20-401	65.55	67.20	1.65	1	0.01	0.01	0.02	2
C20-401	67.20	69.10	1.90	0	0.01	0.01	0.01	1
C20-401	69.10	69.95	0.85	0	0.00	0.01	0.02	1
C20-401	69.95	70.25	0.30	1	0.01	0.01	0.03	3
C20-401	70.25	71.55	1.30	1	0.02	0.01	0.01	4
C20-401	71.55	72.50	0.95	3	0.01	0.03	0.03	5
C20-401	72.50	72.85	0.35	3	0.06	0.03	0.05	11
C20-401	72.85	74.60	1.75	1	0.01	0.02	0.03	4
C20-401	74.60	75.50	0.90	2	0.01	0.02	0.05	6
C20-401	75.50	76.65	1.15	1	0.00	0.01	0.02	2
C20-401	76.65	77.45	0.80	1	0.01	0.02	0.03	3
C20-401	77.45	79.10	1.65	1	0.01	0.03	0.04	5
C20-401	79.10	79.95	0.85	2	0.01	0.01	0.01	3
C20-401	79.95	81.25	1.30	3	0.01	0.11	0.06	11
C20-401	81.25	82.30	1.05	1	0.00	0.01	0.01	2
C20-401	82.30	82.95	0.65	1	0.00	0.03	0.02	3
C20-401	82.95	84.80	1.85	3	0.00	0.11	0.06	9
C20-401	84.80	86.60	1.80	2	0.01	0.04	0.08	6
C20-401	86.60	87.90	1.30	2	0.01	0.01	0.01	3
C20-401	87.90	89.20	1.30	2	0.01	0.01	0.01	4
C20-401	89.20	91.05	1.85	1	0.01	0.02	0.01	3
C20-401	91.05	92.15	1.10	2	0.01	0.04	0.02	5
C20-401	92.15	93.55	1.40	5	0.01	0.12	0.06	12
C20-401	93.55	94.65	1.10	2	0.02	0.03	0.02	5
C20-401	94.65	95.90	1.25	2	0.01	0.00	0.01	3
C20-401	95.90	97.30	1.40	3	0.02	0.02	0.04	7
C20-401	97.30	99.20	1.90	3	0.02	0.02	0.08	9
C20-401	99.20	100.60	1.40	4	0.01	0.05	0.07	9
C20-401	100.60	101.60	1.00	2	0.01	0.03	0.03	5
C20-401	101.60	102.45	0.85	3	0.00	0.07	0.18	13
C20-401	102.45	103.50	1.05	4	0.01	0.02	0.08	9
C20-401	103.50	105.15	1.65	4	0.01	0.08	0.17	14
C20-401	105.15	105.75	0.60	2	0.00	0.01	0.11	7
C20-401	105.75	106.25	0.50	1	0.00	0.00	0.02	2
C20-401	106.25	106.75	0.50	1	0.02	0.01	0.01	4
C20-401	106.75	107.90	1.15	1	0.01	0.00	0.01	2
C20-401	107.90	108.35	0.45	2	0.01	0.00	0.01	3
C20-401	108.35	109.80	1.45	2	0.01	0.00	0.14	8
C20-401	109.80	111.00	1.20	3	0.01	0.01	0.06	6
C20-401	111.00	111.70	0.70	13	0.02	0.01	0.65	42
C20-401	111.70	112.65	0.95	4	0.01	0.01	0.28	16
C20-401	112.65	114.35	1.70	5	0.01	0.00	0.53	28
C20-401	114.35	115.00	0.65	17	0.03	0.01	2.76	134
C20-401	115.00	115.55	0.55	10	0.01	0.00	1.98	93
C20-401	115.55	116.45	0.90	2	0.00	0.05	0.22	13
C20-401	116.45	117.45	1.00	3	0.01	0.01	0.04	6
C20-401	117.45	117.75	0.30	17	0.07	0.01	0.02	24
C20-401	117.75	119.75	2.00	5	0.02	0.00	0.26	18
C20-401	119.75	120.70	0.95	4	0.01	0.02	0.30	17
C20-401	120.70	121.25	0.55	2	0.00	0.03	0.25	13
C20-401	121.25	122.20	0.95	4	0.02	0.01	0.18	13
C20-401	122.20	122.75	0.55	7	0.02	0.01	0.24	19
C20-401	122.75	123.20	0.45	1	0.00	0.02	0.08	5
C20-401	123.20	123.65	0.45	2	0.00	0.02	0.15	10

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-401	123.65	124.70	1.05	5	0.00	0.07	0.28	19
C20-401	124.70	125.95	1.25	3	0.01	0.02	0.10	8
C20-401	125.95	126.45	0.50	10	0.01	0.11	0.43	32
C20-401	126.45	127.45	1.00	30	0.02	0.13	1.39	93
C20-401	127.45	128.20	0.75	10	0.01	0.08	0.26	25
C20-401	128.20	129.35	1.15	5	0.00	0.02	0.10	10
C20-401	129.35	130.55	1.20	5	0.03	0.02	0.11	12
C20-401	130.55	131.75	1.20	5	0.02	0.04	0.12	12
C20-401	131.75	132.05	0.30	5	0.00	0.07	0.15	14
C20-401	132.05	133.05	1.00			Void		
C20-401	133.05	133.35	0.30	0	0.00	0.02	0.14	7
C20-401	133.35	133.80	0.45	0	0.00	0.03	0.10	6
C20-401	133.80	135.40	1.60	2	0.00	0.04	0.12	8
C20-401	135.40	135.75	0.35	3	0.00	0.09	0.18	14
C20-401	135.75	136.40	0.65	40	0.01	0.48	1.25	109
C20-401	136.40	137.95	1.55	7	0.01	0.10	0.15	18
C20-401	137.95	138.90	0.95	2	0.01	0.07	0.08	9
C20-401	138.90	139.60	0.70	7	0.02	0.18	0.41	33
C20-401	139.60	140.35	0.75	2	0.02	0.03	0.12	9
C20-401	140.35	140.65	0.30	3	0.01	0.03	0.12	9
C20-401	140.65	141.05	0.40	5	0.01	0.08	0.10	13
C20-401	141.05	142.95	1.90	9	0.02	0.04	0.06	14
C20-401	142.95	143.75	0.80	9	0.02	0.02	0.05	13
C20-401	143.75	144.20	0.45	0	0.00	0.08	0.20	12
C20-401	144.20	144.95	0.75	5	0.00	0.09	0.21	17
C20-401	144.95	145.40	0.45	12	0.01	0.02	0.05	15
C20-401	145.40	146.25	0.85	1	0.00	0.01	0.06	3
C20-401	146.25	148.25	2.00	4	0.01	0.08	0.07	10
C20-401	148.25	149.55	1.30	6	0.02	0.09	0.12	16
C20-401	149.55	150.10	0.55	16	0.02	0.16	0.39	39
C20-401	150.10	150.55	0.45	32	0.00	0.27	0.58	65
C20-401	150.55	150.85	0.30	16	0.01	0.08	0.27	30
C20-401	150.85	152.85	2.00	1	0.00	0.01	0.02	2
C20-401	152.85	153.90	1.05	1	0.01	0.00	0.02	2
C20-401	153.90	154.35	0.45	0	0.00	0.00	0.02	1
C20-401	154.35	156.00	1.65	1	0.00	0.00	0.03	2
C20-401	156.00	156.45	0.45	1	0.01	0.00	0.02	3
C20-401	156.45	158.45	2.00	1	0.01	0.02	0.04	3
C20-401	158.45	159.10	0.65	1	0.00	0.01	0.04	3
C20-401	159.10	160.55	1.45	0	0.00	0.00	0.02	1
C20-401	160.55	161.50	0.95	0	0.00	0.00	0.01	1
C20-401	161.50	161.90	0.40	1	0.00	0.01	0.02	2
C20-401	161.90	163.20	1.30	1	0.00	0.01	0.05	3
C20-401	163.20	163.50	0.30	1	0.01	0.04	0.11	8
C20-401	163.50	163.90	0.40	1	0.01	0.03	0.03	5
C20-401	163.90	165.40	1.50	9	0.04	0.19	0.13	25
C20-401	165.40	166.05	0.65	95	0.13	1.90	1.34	229
C20-401	166.05	167.30	1.25	0	0.00	0.01	0.02	2
C20-401	167.30	168.80	1.50	2	0.01	0.05	0.03	6
C20-401	168.80	170.20	1.40	22	0.01	0.49	0.41	57
C20-401	170.20	170.70	0.50	4	0.00	0.08	0.14	13
C20-401	170.70	172.70	2.00	0	0.01	0.02	0.02	2
C20-401	172.70	173.20	0.50	1	0.01	0.06	0.04	6
C20-401	173.20	173.80	0.60	5	0.01	0.20	0.20	22
C20-401	173.80	174.75	0.95	0	0.00	0.01	0.01	1

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-401	174.75	175.10	0.35	0	0.01	0.01	0.03	2
C20-401	175.10	176.60	1.50	0	0.01	0.01	0.02	2
C20-401	176.60	177.55	0.95	0	0.01	0.02	0.04	3
C20-401	177.55	178.30	0.75	12	0.02	0.34	0.89	62
C20-401	178.30	179.95	1.65	1	0.01	0.01	0.02	3
C20-401	179.95	180.60	0.65	1	0.01	0.02	0.10	7
C20-401	180.60	181.10	0.50	2	0.01	0.05	0.24	14
C20-401	181.10	181.95	0.85	0	0.01	0.01	0.05	3
C20-401	181.95	182.25	0.30	5	0.01	0.14	0.33	25
C20-401	182.25	182.95	0.70	2	0.01	0.09	0.22	15
C20-401	182.95	183.25	0.30			Void		
C20-401	183.25	184.25	1.00	3	0.01	0.09	0.06	9
C20-401	184.25	184.95	0.70	5	0.00	0.19	0.35	27
C20-401	184.95	185.55	0.60	1	0.01	0.02	0.06	4
C20-401	185.55	186.15	0.60	1	0.00	0.00	0.02	2
C20-401	186.15	187.85	1.70	1	0.00	0.01	0.02	2
C20-401	187.85	188.40	0.55	1	0.00	0.00	0.00	1
C20-401	188.40	189.25	0.85	2	0.00	0.02	0.09	6
C20-401	189.25	189.55	0.30	5	0.01	0.07	0.65	35
C20-401	189.55	190.00	0.45	7	0.01	0.12	0.34	25
C20-401	190.00	190.30	0.30	2	0.00	0.03	0.01	3
C20-401	190.30	190.65	0.35	6	0.00	0.14	0.04	12
C20-401	190.65	191.70	1.05	5	0.03	0.13	0.46	31
C20-401	191.70	192.55	0.85	10	0.01	0.31	0.66	50
C20-401	192.55	192.85	0.30	24	0.03	0.60	0.92	85
C20-401	192.85	193.15	0.30	13	0.03	0.34	0.76	59
C20-401	193.15	193.45	0.30	41	0.07	1.16	1.86	164
C20-401	193.45	194.10	0.65	30	0.08	0.85	1.16	114
C20-401	194.10	195.35	1.25	1	0.01	0.02	0.01	3
C20-401	195.35	197.20	1.85	1	0.01	0.01	0.02	3
C20-401	197.20	199.20	2.00	1	0.01	0.00	0.01	1
C20-401	199.20	201.20	2.00	1	0.00	0.03	0.00	2
C20-401	201.20	203.05	1.85	1	0.01	0.01	0.01	2
C20-401	203.05	203.55	0.50	5	0.01	0.11	0.21	18
C20-401	203.55	204.00	0.45	0	0.00	0.00	0.02	1
C20-401	204.00	205.65	1.65	0	0.00	0.00	0.01	1
C20-401	205.65	206.05	0.40	1	0.01	0.02	0.12	7
C20-401	206.05	206.60	0.55	1	0.02	0.01	0.01	4
C20-401	206.60	206.95	0.35	12	0.01	0.22	0.80	53
C20-401	206.95	207.25	0.30	23	0.10	0.11	0.25	45
C20-401	207.25	208.35	1.10	22	0.05	0.18	0.91	70
C20-401	208.35	209.10	0.75	10	0.04	0.12	0.43	35
C20-401	209.10	210.00	0.90	12	0.04	0.14	0.45	38
C20-401	210.00	210.75	0.75	11	0.04	0.15	0.53	42
C20-401	210.75	211.05	0.30	113	0.16	0.76	0.06	155
C20-401	211.05	212.25	1.20	1	0.01	0.01	0.04	4
C20-401	212.25	213.60	1.35	2	0.00	0.03	0.07	6
C20-401	213.60	214.75	1.15	1	0.01	0.01	0.07	5
C20-401	214.75	216.40	1.65	42	0.06	0.55	1.66	135
C20-401	216.40	216.70	0.30	6	0.02	0.15	1.42	72
C20-401	216.70	217.00	0.30	7	0.01	0.16	0.80	46
C20-401	217.00	217.95	0.95	3	0.02	0.07	0.69	36
C20-401	217.95	219.30	1.35	9	0.03	0.08	0.45	32
C20-401	219.30	219.80	0.50	2	0.03	0.03	0.14	11
C20-401	219.80	221.75	1.95	5	0.02	0.02	0.03	8

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-401	221.75	222.50	0.75	3	0.01	0.02	0.03	5
C20-401	222.50	223.20	0.70	1	0.01	0.01	0.02	3
C20-401	223.20	225.05	1.85	3	0.02	0.02	0.03	7
C20-401	225.05	226.25	1.20	4	0.02	0.02	0.04	8
C20-401	226.25	226.55	0.30	1	0.00	0.01	0.02	2
C20-401	226.55	227.40	0.85	3	0.02	0.02	0.02	6
C20-401	227.40	228.35	0.95	3	0.01	0.06	0.16	12
C20-401	228.35	229.60	1.25	1	0.00	0.01	0.03	3
C20-401	229.60	230.85	1.25	5	0.05	0.08	0.21	20
C20-401	230.85	231.60	0.75	6	0.01	0.12	0.45	29
C20-401	231.60	232.15	0.55	3	0.00	0.07	0.10	10
C20-401	232.15	232.55	0.40	11	0.00	0.19	0.91	55
C20-401	232.55	232.85	0.30	15	0.01	0.43	1.81	106
C20-401	232.85	233.25	0.40	3	0.06	0.07	0.10	15
C20-401	233.25	233.85	0.60	35	0.01	0.42	2.36	149
C20-401	233.85	234.35	0.50	13	0.01	0.29	0.59	48
C20-401	234.35	234.75	0.40	8	0.01	0.14	0.47	34
C20-401	234.75	235.20	0.45	12	0.03	0.23	0.43	41
C20-401	235.20	236.15	0.95	48	0.02	0.48	4.78	265
C20-401	236.15	236.70	0.55	17	0.02	0.26	1.67	97
C20-401	236.70	237.90	1.20	2	0.01	0.03	0.15	10
C20-401	237.90	239.00	1.10	2	0.01	0.02	0.26	14
C20-401	239.00	239.30	0.30	16	0.02	0.27	1.10	72
C20-401	239.30	239.80	0.50	12	0.01	0.08	0.95	55
C20-401	239.80	240.50	0.70	27	0.02	0.36	2.37	139
C20-401	240.50	240.85	0.35	231	2.44	0.87	4.52	649
C20-401	240.85	241.85	1.00	43	0.09	0.32	2.30	157
C20-401	241.85	242.25	0.40	22	0.01	0.34	1.47	95
C20-401	242.25	244.25	2.00	4	0.01	0.07	0.24	17
C20-401	244.25	245.25	1.00	2	0.00	0.07	0.06	7
C20-401	245.25	246.70	1.45	2	0.01	0.04	0.08	7
C20-401	246.70	247.95	1.25	2	0.01	0.04	0.07	6
C20-401	247.95	249.35	1.40	11	0.01	0.05	0.12	19
C20-401	249.35	250.00	0.65	22	0.01	0.06	0.13	30
C20-401	250.00	250.35	0.35	23	0.03	0.49	1.37	100
C20-401	250.35	252.20	1.85	1	0.00	0.02	0.05	4
C20-401	252.20	253.70	1.50	13	0.06	0.12	0.25	32
C20-401	253.70	254.30	0.60	29	0.04	0.27	0.89	79
C20-401	254.30	255.75	1.45	4	0.03	0.02	0.10	11
C20-401	255.75	256.05	0.30	4	0.03	0.03	0.08	11
C20-401	256.05	256.95	0.90	7	0.02	0.02	0.06	12
C20-401	256.95	257.40	0.45	66	0.36	0.08	0.04	100
C20-401	257.40	258.00	0.60	7	0.02	0.03	0.13	15
C20-401	258.00	258.70	0.70	81	0.46	0.20	0.22	135
C20-401	258.70	259.25	0.55	7	0.05	0.07	0.30	26
C20-401	259.25	260.60	1.35	2	0.00	0.06	0.32	17
C20-401	260.60	261.80	1.20	5	0.02	0.13	0.23	20
C20-401	261.80	263.80	2.00	1	0.01	0.01	0.06	5
C20-401	263.80	264.75	0.95	1	0.01	0.02	0.05	4
C20-401	264.75	265.30	0.55	3	0.04	0.01	0.15	12
C20-401	265.30	266.65	1.35	1	0.00	0.03	0.03	4
C20-401	266.65	268.20	1.55	1	0.01	0.03	0.05	6
C20-401	268.20	268.65	0.45	1	0.02	0.07	0.06	8
C20-401	268.65	269.85	1.20	3	0.02	0.05	0.11	10
C20-401	269.85	271.20	1.35	2	0.02	0.07	0.18	13

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-401	271.20	271.80	0.60	9	0.03	0.18	0.53	40
C20-401	271.80	272.75	0.95	1	0.01	0.03	0.05	5
C20-401	272.75	274.05	1.30	8	0.04	0.24	0.40	37
C20-401	274.05	275.60	1.55	2	0.02	0.07	0.18	13
C20-401	275.60	275.90	0.30	29	0.10	0.43	0.71	82
C20-401	275.90	276.20	0.30	11	0.08	0.12	0.42	40
C20-401	276.20	276.65	0.45	23	0.07	0.32	1.11	86
C20-401	276.65	277.05	0.40	10	0.04	0.16	0.30	32
C20-401	277.05	278.20	1.15	1	0.01	0.03	0.05	6
C20-401	278.20	278.75	0.55	11	0.06	0.23	0.37	39
C20-401	278.75	279.20	0.45	5	0.06	0.05	0.09	15
C20-401	279.20	279.65	0.45	8	0.02	0.16	0.30	27
C20-401	279.65	280.30	0.65	9	0.04	0.29	0.56	46
C20-401	280.30	282.10	1.80	6	0.03	0.12	0.27	23
C20-401	282.10	282.60	0.50	1	0.03	0.01	0.02	4
C20-401	282.60	284.05	1.45	2	0.05	0.09	0.06	11
C20-401	284.05	284.90	0.85	11	0.06	0.07	0.30	30
C20-401	284.90	286.15	1.25	7	0.01	0.04	0.15	16
C20-401	286.15	286.60	0.45	2	0.03	0.01	0.04	7
C20-401	286.60	288.60	2.00	11	0.07	0.03	0.12	22
C20-401	288.60	290.60	2.00	1	0.01	0.02	0.02	3
C20-401	290.60	292.00	1.40	2	0.01	0.02	0.04	5
C20-401	292.00	292.85	0.85	9	0.01	0.16	1.19	64
C20-401	292.85	293.35	0.50	3	0.00	0.07	0.09	9
C20-401	293.35	294.55	1.20	2	0.00	0.05	0.19	11
C20-401	294.55	295.20	0.65	1	0.01	0.04	0.07	6
C20-401	295.20	296.60	1.40	1	0.01	0.04	0.08	6
C20-401	296.60	298.05	1.45	1	0.00	0.02	0.04	4
C20-401	298.05	299.80	1.75	1	0.00	0.01	0.01	2
C20-401	299.80	300.95	1.15	1	0.01	0.01	0.03	3
C20-401	300.95	302.75	1.80	16	0.01	0.40	0.29	43
C20-401	302.75	303.20	0.45	0	0.00	0.00	0.01	1
C20-401	303.20	303.95	0.75	2	0.01	0.03	0.04	6
C20-401	303.95	305.35	1.40	1	0.00	0.01	0.01	2
C20-401	305.35	306.20	0.85	1	0.01	0.01	0.01	2
C20-401	306.20	307.50	1.30	1	0.00	0.01	0.02	2
C20-401	307.50	308.85	1.35	0	0.00	0.00	0.01	1
C20-401	308.85	310.15	1.30	1	0.00	0.00	0.01	1
C20-401	310.15	311.40	1.25	1	0.01	0.03	0.01	3
C20-401	311.40	312.30	0.90	3	0.01	0.07	0.01	6
C20-401	312.30	313.65	1.35	0	0.00	0.01	0.01	1
C20-401	313.65	314.95	1.30	1	0.00	0.02	0.06	4
C20-401	314.95	316.20	1.25	2	0.01	0.01	0.02	4
C20-401	316.20	317.35	1.15	2	0.01	0.02	0.10	8
C20-401	317.35	317.65	0.30	4	0.01	0.02	0.01	6
C20-401	317.65	319.05	1.40	8	0.07	0.05	0.02	16
C20-401	319.05	320.50	1.45	3	0.01	0.03	0.02	5
C20-401	320.50	322.00	1.50	4	0.01	0.02	0.02	6
C20-401	322.00	323.20	1.20	1	0.01	0.00	0.00	2
C20-401	323.20	325.20	2.00	5	0.11	0.01	0.01	15
C20-401	325.20	326.80	1.60	1	0.00	0.00	0.00	1
C20-401	326.80	327.20	0.40	2	0.01	0.02	0.00	3
C20-401	327.20	329.20	2.00	1	0.01	0.01	0.01	2
C20-401	329.20	331.20	2.00	2	0.02	0.01	0.01	5
C20-401	331.20	332.90	1.70	2	0.01	0.01	0.01	3

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-401	332.90	334.25	1.35	1	0.00	0.01	0.01	2
C20-401	334.25	335.40	1.15	1	0.01	0.00	0.03	3
C20-401	335.40	337.40	2.00	1	0.00	0.01	0.02	2
C20-401	337.40	338.00	0.60	3	0.03	0.01	0.06	8
C20-401	338.00	339.20	1.20	3	0.04	0.01	0.26	17
C20-401	339.20	340.40	1.20	1	0.05	0.00	0.27	17
C20-401	340.40	342.40	2.00	2	0.02	0.01	0.01	4
C20-401	342.40	344.30	1.90	2	0.09	0.01	0.00	9
C20-401	344.30	345.85	1.55	2	0.01	0.01	0.01	3
C20-401	345.85	347.05	1.20	3	0.01	0.03	0.15	11
C20-401	347.05	348.30	1.25	2	0.01	0.02	0.05	6
C20-401	348.30	349.30	1.00	2	0.01	0.01	0.01	3
C20-401	349.30	351.10	1.80	2	0.01	0.01	0.01	3
C20-401	351.10	351.40	0.30	1	0.00	0.00	0.00	2
C20-401	351.40	352.55	1.15	2	0.01	0.01	0.02	4
C20-401	352.55	353.60	1.05	2	0.01	0.01	0.01	3
C20-401	353.60	354.45	0.85	19	0.24	0.44	1.22	104
C20-401	354.45	355.55	1.10	5	0.02	0.14	0.17	19
C20-401	355.55	356.40	0.85	4	0.06	0.02	0.05	12
C20-401	356.40	357.25	0.85	2	0.02	0.04	0.15	11
C20-401	357.25	358.00	0.75	1	0.01	0.01	0.01	2
C20-401	358.00	360.00	2.00	1	0.01	0.01	0.04	4
C20-401	360.00	361.00	1.00	1	0.01	0.01	0.00	2
C20-401	361.00	362.60	1.60	1	0.00	0.01	0.01	1
C20-401	362.60	363.10	0.50	0	0.00	0.01	0.02	1
C20-401	363.10	364.25	1.15	1	0.01	0.03	0.03	4
C20-401	364.25	365.35	1.10	10	0.01	0.27	0.34	34
C20-401	365.35	367.25	1.90	1	0.01	0.01	0.01	2
C20-401	367.25	367.80	0.55	1	0.00	0.01	0.01	2
C20-401	367.80	368.20	0.40	1	0.01	0.01	0.01	2
C20-401	368.20	368.95	0.75	0	0.01	0.00	0.01	1
C20-401	368.95	370.50	1.55	2	0.01	0.02	0.08	6
C20-401	370.50	371.05	0.55	3	0.03	0.02	0.14	12
C20-401	371.05	371.50	0.45	1	0.00	0.01	0.03	3
C20-401	371.50	372.20	0.70	2	0.01	0.04	0.12	8
C20-401	372.20	373.25	1.05	1	0.00	0.01	0.05	3
C20-401	373.25	374.35	1.10	1	0.01	0.01	0.05	4
C20-401	374.35	375.60	1.25	5	0.01	0.13	0.29	22
C20-401	375.60	376.30	0.70	11	0.01	0.39	0.32	38
C20-401	376.30	377.70	1.40	7	0.01	0.19	0.28	26
C20-401	377.70	378.65	0.95	5	0.01	0.04	0.07	9
C20-401	378.65	379.35	0.70	3	0.01	0.04	0.19	12
C20-401	379.35	379.70	0.35	15	0.01	0.39	1.40	87
C20-401	379.70	380.25	0.55	13	0.01	0.34	0.42	43
C20-401	380.25	381.10	0.85	44	0.08	1.15	1.56	156
C20-401	381.10	382.05	0.95	34	0.04	0.20	0.44	62
C20-401	382.05	382.55	0.50	6	0.05	0.12	0.28	26
C20-401	382.55	384.45	1.90	14	0.07	0.49	0.64	64
C20-401	384.45	385.25	0.80	3	0.01	0.05	0.19	14
C20-401	385.25	386.60	1.35	6	0.04	0.17	0.25	26
C20-401	386.60	387.80	1.20	10	0.06	0.24	0.32	36
C20-401	387.80	389.75	1.95	7	0.03	0.21	0.16	24
C20-401	389.75	391.05	1.30	3	0.01	0.08	0.14	12
C20-401	391.05	391.90	0.85	5	0.01	0.25	0.17	21
C20-401	391.90	392.60	0.70	12	0.01	0.26	0.17	29

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-401	392.60	394.35	1.75	4	0.00	0.04	0.13	11
C20-401	394.35	394.75	0.40	7	0.01	0.10	0.08	15
C20-401	394.75	395.30	0.55	1	0.01	0.02	0.06	6
C20-401	395.30	395.65	0.35	5	0.01	0.10	0.35	24
C20-401	395.65	395.95	0.30	19	0.02	0.37	1.55	98
C20-401	395.95	396.60	0.65	4	0.01	0.05	0.22	15
C20-401	396.60	396.90	0.30	6	0.02	0.12	0.58	35
C20-401	396.90	398.15	1.25	2	0.01	0.02	0.07	6
C20-401	398.15	398.75	0.60	1	0.00	0.01	0.00	2
C20-401	398.75	400.30	1.55	2	0.01	0.02	0.02	4
C20-401	400.30	400.90	0.60	1	0.00	0.02	0.03	3
C20-401	400.90	401.45	0.55	1	0.01	0.01	0.02	3
C20-401	401.45	403.30	1.85	1	0.00	0.00	0.00	1
C20-404	0.00	0.85	0.85	0	0.00	0.00	0.00	1
C20-404	0.85	2.75	1.90	1	0.00	0.02	0.04	3
C20-404	2.75	3.70	0.95	0	0.00	0.00	0.01	1
C20-404	3.70	5.20	1.50	0	0.00	0.00	0.01	1
C20-404	5.20	6.70	1.50	0	0.00	0.00	0.00	1
C20-404	6.70	7.15	0.45	0	0.00	0.00	0.01	1
C20-404	7.15	8.55	1.40	0	0.00	0.00	0.01	1
C20-404	8.55	9.55	1.00	0	0.00	0.00	0.01	1
C20-404	9.55	10.70	1.15	0	0.00	0.00	0.01	1
C20-404	10.70	12.30	1.60	0	0.00	0.00	0.02	1
C20-404	12.30	13.60	1.30	0	0.00	0.00	0.02	1
C20-404	13.60	15.05	1.45	1	0.00	0.01	0.02	2
C20-404	15.05	16.55	1.50	1	0.02	0.01	0.01	3
C20-404	16.55	17.15	0.60	1	0.01	0.00	0.01	2
C20-404	17.15	18.05	0.90	1	0.03	0.00	0.02	4
C20-404	18.05	19.55	1.50	0	0.01	0.01	0.04	3
C20-404	19.55	21.30	1.75	0	0.00	0.00	0.01	1
C20-404	21.30	22.80	1.50	0	0.01	0.00	0.01	1
C20-404	22.80	24.30	1.50	1	0.01	0.01	0.01	2
C20-404	24.30	25.20	0.90	1	0.01	0.01	0.02	3
C20-404	25.20	26.40	1.20	1	0.02	0.01	0.02	4
C20-404	26.40	27.80	1.40	2	0.07	0.01	0.01	9
C20-404	27.80	28.55	0.75	1	0.01	0.00	0.01	2
C20-404	28.55	29.90	1.35	1	0.02	0.01	0.02	4
C20-404	29.90	31.05	1.15	1	0.04	0.01	0.02	5
C20-404	31.05	31.80	0.75	1	0.02	0.01	0.03	4
C20-404	31.80	33.45	1.65	0	0.01	0.00	0.00	1
C20-404	33.45	34.65	1.20	0	0.02	0.00	0.02	2
C20-404	34.65	35.95	1.30	1	0.03	0.00	0.02	4
C20-404	35.95	37.90	1.95	0	0.01	0.00	0.01	1
C20-404	37.90	39.45	1.55	1	0.01	0.01	0.04	4
C20-404	39.45	41.05	1.60	2	0.00	0.01	0.02	3
C20-404	41.05	42.10	1.05	1	0.01	0.01	0.01	2
C20-404	42.10	44.10	2.00	1	0.01	0.00	0.00	1
C20-404	44.10	45.30	1.20	0	0.00	0.00	0.00	1
C20-404	45.30	46.55	1.25	0	0.00	0.00	0.00	1
C20-404	46.55	47.70	1.15	1	0.00	0.00	0.00	1
C20-404	47.70	48.45	0.75	1	0.00	0.00	0.00	1
C20-404	48.45	49.55	1.10	0	0.00	0.00	0.00	1
C20-404	49.55	50.35	0.80	1	0.00	0.00	0.00	1
C20-404	50.35	50.75	0.40	1	0.00	0.00	0.00	1
C20-404	50.75	51.75	1.00	1	0.00	0.00	0.00	1

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-404	51.75	53.50	1.75	0	0.00	0.00	0.01	1
C20-404	53.50	54.65	1.15	1	0.00	0.00	0.01	1
C20-404	54.65	56.10	1.45	1	0.00	0.00	0.01	1
C20-404	56.10	56.95	0.85	1	0.01	0.01	0.01	3
C20-404	56.95	57.85	0.90	0	0.00	0.00	0.00	1
C20-404	57.85	59.25	1.40	0	0.00	0.00	0.00	1
C20-404	59.25	59.65	0.40	1	0.00	0.00	0.00	1
C20-404	59.65	61.40	1.75	1	0.00	0.00	0.00	1
C20-404	61.40	61.90	0.50	1	0.02	0.00	0.00	2
C20-404	61.90	63.10	1.20	0	0.01	0.00	0.00	1
C20-404	63.10	64.15	1.05	1	0.00	0.00	0.05	4
C20-404	64.15	65.75	1.60	1	0.01	0.00	0.01	1
C20-404	65.75	67.55	1.80	0	0.00	0.00	0.00	1
C20-404	67.55	67.90	0.35	0	0.00	0.00	0.00	1
C20-404	67.90	69.15	1.25	0	0.00	0.00	0.00	1
C20-404	69.15	69.70	0.55	1	0.00	0.00	0.02	2
C20-404	69.70	71.05	1.35	1	0.00	0.00	0.03	2
C20-404	71.05	72.00	0.95	4	0.02	0.00	0.07	8
C20-404	72.00	72.35	0.35	1	0.00	0.00	0.04	3
C20-404	72.35	72.95	0.60	0	0.00	0.00	0.02	1
C20-404	72.95	73.45	0.50	1	0.00	0.00	0.03	3
C20-404	73.45	74.45	1.00	4	0.01	0.00	0.21	14
C20-404	74.45	74.85	0.40	8	0.00	0.00	0.10	12
C20-404	74.85	76.70	1.85	7	0.01	0.00	0.06	10
C20-404	76.70	77.35	0.65	14	0.01	0.01	0.34	29
C20-404	77.35	77.95	0.60	4	0.00	0.00	0.12	9
C20-404	77.95	79.35	1.40	2	0.00	0.03	0.07	6
C20-404	79.35	80.10	0.75	1	0.01	0.03	0.04	5
C20-404	80.10	80.50	0.40	2	0.00	0.01	0.08	6
C20-404	80.50	81.85	1.35	1	0.00	0.01	0.01	2
C20-404	81.85	83.05	1.20	1	0.00	0.02	0.01	2
C20-404	83.05	83.45	0.40	1	0.01	0.00	0.01	2
C20-404	83.45	84.10	0.65	2	0.00	0.01	0.04	4
C20-404	84.10	84.40	0.30	1	0.01	0.00	0.01	2
C20-404	84.40	84.80	0.40	1	0.00	0.01	0.01	2
C20-404	84.80	85.20	0.40	1	0.00	0.01	0.03	2
C20-404	85.20	85.75	0.55	1	0.00	0.01	0.03	3
C20-404	85.75	86.25	0.50	0	0.01	0.00	0.01	1
C20-404	86.25	87.45	1.20	0	0.00	0.00	0.04	2
C20-404	87.45	89.40	1.95	1	0.01	0.02	0.10	6
C20-404	89.40	91.10	1.70	3	0.00	0.02	0.18	12
C20-404	91.10	92.10	1.00	2	0.02	0.02	0.13	9
C20-404	92.10	92.40	0.30	12	0.30	0.21	0.61	69
C20-404	92.40	92.70	0.30	4	0.07	0.14	0.35	29
C20-404	92.70	93.00	0.30	12	0.14	0.43	0.25	49
C20-404	93.00	94.80	1.80	3	0.04	0.11	0.30	22
C20-404	94.80	96.15	1.35	3	0.01	0.10	0.25	18
C20-404	96.15	96.50	0.35	43	0.48	0.01	0.18	90
C20-404	96.50	97.60	1.10	6	0.14	0.00	0.20	26
C20-404	97.60	98.20	0.60	10	0.68	0.00	0.37	80
C20-404	98.20	100.40	2.20	19	1.47	0.01	2.01	223
C20-404	100.40	101.30	0.90	18	0.29	0.01	1.25	94
C20-404	101.30	101.85	0.55	1	0.03	0.01	0.19	11
C20-404	101.85	102.60	0.75	14	0.23	0.02	0.58	58
C20-404	102.60	103.55	0.95	9	0.31	0.01	1.05	78

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-404	103.55	105.65	2.10	12	1.09	0.00	2.55	207
C20-404	105.65	106.30	0.65	12	0.84	0.00	0.56	104
C20-404	106.30	106.70	0.40	15	1.12	0.00	1.98	189
C20-404	106.70	107.15	0.45	32	2.04	0.00	3.50	344
C20-404	107.15	108.20	1.05	3	0.08	0.00	0.92	47
C20-404	108.20	109.15	0.95	0	0.01	0.00	0.04	3
C20-404	109.15	110.50	1.35	1	0.03	0.00	0.05	6
C20-404	110.50	111.20	0.70	16	0.07	0.01	0.10	26
C20-404	111.20	112.15	0.95	26	0.08	0.01	0.74	63
C20-404	112.15	112.95	0.80	26	0.69	0.00	4.63	275
C20-404	112.95	114.05	1.10	21	4.07	0.01	6.99	644
C20-404	114.05	115.20	1.15	10	0.72	0.00	2.54	174
C20-404	115.20	115.65	0.45	9	0.12	0.00	0.57	42
C20-404	115.65	116.15	0.50	3	0.06	0.00	0.45	26
C20-404	116.15	116.45	0.30	7	0.16	0.00	2.21	112
C20-404	116.45	117.70	1.25	4	0.02	0.01	0.81	39
C20-404	117.70	118.90	1.20	2	0.01	0.00	1.22	54
C20-404	118.90	119.25	0.35	16	0.04	0.01	6.43	286
C20-404	119.25	120.70	1.45	2	0.02	0.00	0.46	23
C20-404	120.70	121.35	0.65	3	0.03	0.00	0.88	42
C20-404	121.35	122.95	1.60	14	0.12	0.03	3.27	161
C20-404	122.95	125.00	2.05	14	0.05	0.01	2.02	102
C20-404	125.00	125.65	0.65	32	0.13	0.20	1.78	122
C20-404	125.65	126.05	0.40	51	0.12	0.78	1.88	166
C20-404	126.05	126.85	0.80	12	0.03	0.02	2.46	117
C20-404	126.85	127.20	0.35	42	0.09	0.65	2.62	180
C20-404	127.20	128.25	1.05	26	0.09	0.02	4.19	208
C20-404	128.25	128.85	0.60	4	0.03	0.00	1.81	81
C20-404	128.85	129.95	1.10	21	0.14	0.07	7.31	338
C20-404	129.95	131.80	1.85	24	0.16	0.11	6.96	330
C20-404	131.80	132.65	0.85	13	0.09	0.03	2.93	143
C20-404	132.65	133.30	0.65	23	0.17	0.05	4.45	223
C20-404	133.30	134.30	1.00	12	0.21	0.02	2.65	140
C20-404	134.30	135.55	1.25	3	0.02	0.01	0.55	27
C20-404	135.55	137.05	1.50	3	0.03	0.00	0.82	39
C20-404	137.05	138.15	1.10	4	0.02	0.00	1.48	67
C20-404	138.15	138.85	0.70	11	0.06	0.01	5.14	229
C20-404	138.85	139.65	0.80	2	0.02	0.00	1.12	50
C20-404	139.65	140.35	0.70	5	0.01	0.00	1.34	62
C20-404	140.35	140.65	0.30	1	0.00	0.00	0.15	7
C20-404	140.65	141.25	0.60	4	0.02	0.00	1.88	84
C20-404	141.25	142.60	1.35	2	0.01	0.00	0.86	38
C20-404	142.60	144.35	1.75	4	0.02	0.00	1.34	61
C20-404	144.35	146.00	1.65	23	0.04	0.00	2.38	124
C20-404	146.00	147.55	1.55	21	0.09	0.00	2.31	124
C20-404	147.55	147.90	0.35	13	0.04	0.15	0.89	58
C20-404	147.90	149.35	1.45	27	0.04	0.21	1.23	88
C20-404	149.35	149.85	0.50	11	0.02	0.02	1.23	65
C20-404	149.85	150.70	0.85	2	0.00	0.01	0.23	12
C20-404	150.70	152.20	1.50	16	0.03	0.01	2.78	134
C20-404	152.20	153.65	1.45	26	0.03	0.01	1.11	75
C20-404	153.65	154.45	0.80	31	0.03	0.01	0.97	74
C20-404	154.45	156.05	1.60	17	0.04	0.02	0.61	46
C20-404	156.05	157.45	1.40	32	0.03	0.95	0.66	95
C20-404	157.45	158.50	1.05	212	0.18	3.88	2.60	471

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-404	158.50	159.60	1.10	117	0.16	1.69	3.59	338
C20-404	159.60	161.60	2.00	9	0.02	0.02	0.18	18
C20-404	161.60	162.10	0.50	1	0.01	0.01	0.04	4
C20-404	162.10	162.65	0.55	3	0.00	0.03	0.14	10
C20-404	162.65	163.35	0.70	0	0.01	0.00	0.04	2
C20-404	163.35	163.70	0.35	1	0.00	0.00	0.05	3
C20-404	163.70	164.80	1.10	1	0.01	0.01	0.04	4
C20-404	164.80	165.15	0.35	5	0.03	0.06	0.37	25
C20-404	165.15	166.65	1.50	1	0.03	0.01	0.02	5
C20-404	166.65	168.30	1.65	2	0.04	0.01	0.05	7
C20-404	168.30	170.00	1.70	4	0.02	0.01	2.37	104
C20-404	170.00	171.60	1.60	0	0.00	0.01	0.09	4
C20-404	171.60	173.55	1.95	15	0.03	0.01	0.08	21
C20-404	173.55	174.20	0.65	25	0.02	0.08	0.05	32
C20-404	174.20	175.05	0.85	4	0.00	0.01	0.06	7
C20-404	175.05	175.90	0.85	19	0.02	0.01	0.04	22
C20-404	175.90	176.40	0.50	3	0.01	0.01	0.05	7
C20-404	176.40	178.00	1.60	11	0.02	0.01	0.06	15
C20-404	178.00	178.90	0.90	33	0.01	0.07	0.16	42
C20-404	178.90	179.35	0.45	1	0.01	0.01	0.07	5
C20-404	179.35	179.70	0.35	4	0.02	0.04	0.10	11
C20-404	179.70	180.10	0.40	3	0.00	0.01	0.09	8
C20-404	180.10	180.60	0.50	22	0.03	0.03	0.17	32
C20-404	180.60	181.45	0.85	41	0.28	0.03	0.05	67
C20-404	181.45	181.95	0.50	8	0.00	0.03	0.36	24
C20-404	181.95	182.30	0.35	3	0.01	0.00	0.03	5
C20-404	182.30	184.00	1.70	23	0.04	0.01	0.12	32
C20-404	184.00	184.40	0.40	15	0.01	0.14	0.43	39
C20-404	184.40	184.80	0.40	6	0.02	0.01	0.05	10
C20-404	184.80	185.75	0.95	5	0.02	0.01	0.10	11
C20-404	185.75	186.25	0.50	3	0.01	0.01	0.04	5
C20-404	186.25	187.45	1.20	8	0.02	0.01	0.13	16
C20-404	187.45	188.20	0.75	6	0.01	0.02	0.08	10
C20-404	188.20	190.30	2.10	6	0.01	0.02	0.03	8
C20-404	190.30	190.95	0.65	2	0.01	0.01	0.06	6
C20-404	190.95	192.20	1.25	4	0.00	0.02	0.28	17
C20-404	192.20	193.05	0.85	7	0.06	0.02	0.06	15
C20-404	193.05	193.50	0.45	16	0.08	0.05	0.07	27
C20-404	193.50	194.80	1.30	5	0.01	0.01	0.04	8
C20-404	194.80	195.10	0.30	3	0.00	0.01	0.13	8
C20-404	195.10	196.45	1.35	4	0.00	0.01	0.04	7
C20-404	196.45	196.95	0.50	0	0.00	0.01	0.03	2
C20-404	196.95	197.80	0.85	0	0.00	0.01	0.12	6
C20-404	197.80	198.90	1.10	8	0.00	0.06	0.23	20
C20-404	198.90	199.70	0.80	5	0.00	0.04	0.12	12
C20-404	199.70	202.10	2.40	4	0.01	0.00	0.14	10
C20-404	202.10	202.20	0.10	4	0.01	0.03	0.12	11
C20-404	202.20	203.00	0.80	11	0.05	0.04	0.11	20
C20-404	203.00	204.00	1.00	2	0.01	0.01	0.08	6
C20-404	204.00	204.85	0.85	4	0.18	0.01	0.05	22
C20-404	204.85	206.20	1.35	4	0.01	0.01	0.03	6
C20-404	206.20	207.65	1.45	3	0.01	0.01	0.02	4
C20-404	207.65	208.45	0.80	21	0.03	0.12	0.03	29
C20-404	208.45	208.90	0.45	73	0.05	0.26	0.23	95
C20-404	208.90	210.15	1.25	12	0.02	0.11	0.15	25

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-404	210.15	211.35	1.20	4	0.03	0.08	0.12	14
C20-404	211.35	212.20	0.85	4	0.00	0.03	0.04	7
C20-404	212.20	213.65	1.45	3	0.00	0.05	0.10	9
C20-404	213.65	214.10	0.45	6	0.00	0.07	0.08	11
C20-404	214.10	215.40	1.30	0	0.00	0.01	0.01	1
C20-404	215.40	217.10	1.70	3	0.00	0.04	0.10	8
C20-404	217.10	217.90	0.80	12	0.00	0.11	0.27	27
C20-404	217.90	218.35	0.45	11	0.00	0.11	0.20	23
C20-404	218.35	220.15	1.80	2	0.00	0.05	0.11	9
C20-404	220.15	221.90	1.75	5	0.00	0.13	0.18	17
C20-404	221.90	223.30	1.40	7	0.00	0.15	0.17	19
C20-404	223.30	224.10	0.80	5	0.01	0.09	0.14	15
C20-404	224.10	225.30	1.20	2	0.00	0.11	0.09	10
C20-404	225.30	226.80	1.50			Void		
C20-404	226.80	227.20	0.40	4	0.01	0.05	0.14	12
C20-404	227.20	227.50	0.30	13	0.00	0.25	0.12	26
C20-404	227.50	228.00	0.50	3	0.00	0.05	0.12	10
C20-404	228.00	228.85	0.85	28	0.01	0.46	1.30	98
C20-404	228.85	229.45	0.60	5	0.00	0.10	0.20	17
C20-404	229.45	231.20	1.75	4	0.01	0.04	0.12	11
C20-404	231.20	233.20	2.00	3	0.00	0.02	0.07	7
C20-404	233.20	234.00	0.80	3	0.00	0.01	0.13	8
C20-404	234.00	235.95	1.95	3	0.00	0.00	0.09	7
C20-404	235.95	236.70	0.75	1	0.00	0.01	0.11	6
C20-404	236.70	237.20	0.50	19	0.03	0.01	0.08	25
C20-404	237.20	239.20	2.00	22	0.03	0.02	0.18	33
C20-404	239.20	239.80	0.60	11	0.01	0.02	0.11	17
C20-404	239.80	240.55	0.75	7	0.00	0.01	0.10	12
C20-404	240.55	242.05	1.50	7	0.01	0.01	0.06	11
C20-404	242.05	242.55	0.50	8	0.01	0.03	0.20	18
C20-404	242.55	244.40	1.85	29	0.02	0.10	0.31	47
C20-404	244.40	245.30	0.90	13	0.01	0.09	0.18	24
C20-404	245.30	246.05	0.75	21	0.01	0.21	0.20	37
C20-404	246.05	247.10	1.05	22	0.01	0.16	0.47	47
C20-404	247.10	248.45	1.35	5	0.00	0.03	0.08	9
C20-404	248.45	249.65	1.20	3	0.00	0.05	0.04	7
C20-404	249.65	250.70	1.05	2	0.00	0.03	0.03	5
C20-404	250.70	251.10	0.40	18	0.00	0.35	0.50	51
C20-404	251.10	252.40	1.30	5	0.00	0.09	0.31	21
C20-404	252.40	252.70	0.30	0	0.00	0.01	0.08	4
C20-404	252.70	253.60	0.90			Void		
C20-404	253.60	254.20	0.60	3	0.00	0.01	0.34	18
C20-404	254.20	254.80	0.60	1	0.00	0.01	0.15	7
C20-404	254.80	255.65	0.85	3	0.00	0.03	0.09	8
C20-404	255.65	257.45	1.80	4	0.00	0.06	0.12	11
C20-404	257.45	257.85	0.40	2	0.00	0.02	0.12	8
C20-404	257.85	258.10	0.25			Void		
C20-404	258.10	258.55	0.45	3	0.01	0.03	0.12	10
C20-404	258.55	259.75	1.20	7	0.02	0.11	0.53	34
C20-404	259.75	260.10	0.35	2	0.01	0.04	0.11	9
C20-404	260.10	260.90	0.80	5	0.02	0.09	0.33	24
C20-404	260.90	261.75	0.85	10	0.01	0.16	0.59	42
C20-404	261.75	263.05	1.30	10	0.04	0.12	0.93	56
C20-404	263.05	263.95	0.90	12	0.02	0.12	1.28	71
C20-404	263.95	265.25	1.30	7	0.03	0.11	0.57	37

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-404	265.25	267.20	1.95	5	0.02	0.09	0.41	27
C20-404	267.20	268.40	1.20	4	0.02	0.05	0.22	16
C20-404	268.40	270.05	1.65	11	0.03	0.14	0.48	38
C20-404	270.05	271.20	1.15	7	0.03	0.12	0.19	21
C20-404	271.20	272.10	0.90	9	0.02	0.11	0.22	23
C20-404	272.10	272.70	0.60	3	0.02	0.02	0.02	7
C20-404	272.70	274.55	1.85	7	0.03	0.09	0.08	16
C20-404	274.55	276.15	1.60	3	0.02	0.02	0.10	9
C20-404	276.15	277.10	0.95	19	0.00	0.15	0.43	43
C20-404	277.10	278.00	0.90	14	0.02	0.12	0.33	34
C20-404	278.00	278.30	0.30	7	0.05	0.06	0.29	25
C20-404	278.30	279.45	1.15	4	0.03	0.06	0.19	17
C20-404	279.45	280.60	1.15	10	0.07	0.12	0.41	37
C20-404	280.60	281.15	0.55	14	0.04	0.14	0.29	34
C20-404	281.15	283.05	1.90	2	0.04	0.04	0.05	9
C20-404	283.05	283.60	0.55	8	0.03	0.08	0.64	40
C20-404	283.60	284.40	0.80	2	0.05	0.03	0.03	8
C20-404	284.40	284.90	0.50	8	0.05	0.14	0.88	53
C20-404	284.90	286.30	1.40	3	0.04	0.07	0.13	14
C20-404	286.30	288.05	1.75	3	0.04	0.07	0.05	11
C20-404	288.05	289.20	1.15	2	0.03	0.04	0.04	8
C20-404	289.20	289.75	0.55	4	0.10	0.12	0.16	22
C20-404	289.75	290.30	0.55	52	0.22	1.86	2.46	238
C20-404	290.30	291.05	0.75	25	0.11	0.42	0.75	80
C20-404	291.05	291.95	0.90	15	0.06	0.15	0.22	35
C20-404	291.95	293.05	1.10	4	0.07	0.05	0.25	22
C20-404	293.05	294.55	1.50	3	0.04	0.08	0.15	15
C20-404	294.55	294.90	0.35	13	0.09	0.40	0.21	43
C20-404	294.90	296.10	1.20	14	0.08	0.43	0.85	71
C20-404	296.10	296.50	0.40	10	0.07	0.50	0.36	48
C20-404	296.50	297.80	1.30	3	0.05	0.11	0.15	17
C20-404	297.80	299.70	1.90	5	0.05	0.20	0.13	22
C20-404	299.70	300.60	0.90	29	0.06	0.92	1.22	117
C20-404	300.60	302.20	1.60	6	0.09	0.11	0.31	30
C20-404	302.20	302.55	0.35	53	0.12	0.84	7.31	396
C20-404	302.55	303.05	0.50	5	0.07	0.08	0.33	27
C20-404	303.05	304.25	1.20	7	0.05	0.09	0.80	47
C20-404	304.25	306.15	1.90	6	0.04	0.07	0.32	25
C20-404	306.15	307.05	0.90	29	0.09	0.48	0.78	85
C20-404	307.05	308.40	1.35	11	0.05	0.11	0.59	43
C20-404	308.40	310.05	1.65	61	0.26	0.67	1.67	175
C20-404	310.05	310.45	0.40	23	0.08	0.18	0.54	58
C20-404	310.45	310.95	0.50	25	0.09	0.19	0.66	66
C20-404	310.95	311.45	0.50	13	0.06	0.08	0.08	24
C20-404	311.45	311.85	0.40	58	0.45	0.24	0.11	108
C20-404	311.85	312.90	1.05	30	0.22	0.12	0.15	58
C20-404	312.90	314.20	1.30	22	0.10	0.19	0.60	62
C20-404	314.20	315.30	1.10	12	0.05	0.09	0.29	31
C20-404	315.30	317.30	2.00	10	0.08	0.05	0.04	20
C20-404	317.30	319.05	1.75	30	0.16	0.19	0.40	66
C20-404	319.05	319.75	0.70	29	0.03	0.46	1.40	105
C20-404	319.75	320.65	0.90	25	0.06	0.47	0.98	87
C20-404	320.65	320.95	0.30	18	0.01	0.15	0.50	44
C20-404	320.95	322.50	1.55	4	0.02	0.11	0.14	15
C20-404	322.50	324.00	1.50	4	0.01	0.06	0.09	11

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-404	324.00	325.25	1.25	27	0.09	0.12	0.41	56
C20-404	325.25	325.75	0.50	70	0.16	0.33	0.74	125
C20-404	325.75	327.05	1.30	63	0.13	0.35	0.92	125
C20-404	327.05	328.30	1.25	45	0.06	0.20	0.44	75
C20-404	328.30	328.90	0.60	10	0.02	0.06	0.18	21
C20-404	328.90	329.60	0.70	28	0.05	0.50	0.98	91
C20-404	329.60	331.00	1.40	21	0.03	0.38	0.91	74
C20-404	331.00	332.20	1.20	13	0.03	0.22	0.48	43
C20-404	332.20	333.65	1.45	33	0.05	0.34	1.99	132
C20-404	333.65	334.10	0.45	12	0.02	0.18	0.50	40
C20-404	334.10	335.10	1.00	4	0.01	0.04	0.06	9
C20-404	335.10	335.85	0.75	7	0.02	0.08	0.17	18
C20-404	335.85	337.55	1.70	4	0.02	0.02	0.04	7
C20-404	337.55	338.70	1.15	4	0.03	0.07	0.11	13
C20-404	338.70	339.75	1.05	15	0.03	0.18	0.65	51
C20-404	339.75	340.50	0.75	10	0.01	0.06	0.52	34
C20-404	340.50	341.00	0.50	1	0.01	0.01	0.03	3
C20-404	341.00	341.90	0.90	8	0.01	0.14	0.52	35
C20-404	341.90	342.35	0.45	1	0.01	0.04	0.05	5
C20-404	342.35	343.40	1.05	15	0.06	0.30	0.32	43
C20-404	343.40	344.20	0.80	3	0.01	0.03	0.04	7
C20-404	344.20	345.25	1.05	6	0.02	0.02	0.02	9
C20-404	345.25	346.30	1.05	3	0.01	0.01	0.02	5
C20-404	346.30	347.45	1.15	4	0.02	0.04	0.09	11
C20-404	347.45	347.75	0.30	4	0.01	0.07	0.16	14
C20-404	347.75	348.25	0.50	10	0.02	0.16	0.25	27
C20-404	348.25	348.55	0.30	87	0.10	0.83	2.87	243
C20-404	348.55	350.00	1.45	5	0.00	0.12	0.20	18
C20-404	350.00	351.85	1.85	17	0.02	0.50	0.69	65
C20-404	351.85	352.30	0.45	64	0.13	0.55	1.89	172
C20-404	352.30	352.90	0.60	41	0.07	1.06	1.50	146
C20-404	352.90	354.20	1.30	44	0.10	0.90	1.38	141
C20-404	354.20	355.45	1.25	28	0.13	0.58	0.72	89
C20-404	355.45	356.50	1.05	189	0.19	4.51	3.31	501
C20-404	356.50	357.10	0.60	8	0.02	0.13	0.26	25
C20-404	357.10	357.80	0.70	125	0.21	1.62	3.74	354
C20-404	357.80	358.65	0.85	26	0.07	0.21	0.61	64
C20-404	358.65	359.15	0.50	121	0.16	0.74	2.12	248
C20-404	359.15	359.95	0.80	82	0.15	0.62	0.86	152
C20-404	359.95	361.50	1.55	103	0.10	1.48	4.34	343
C20-404	361.50	362.15	0.65	34	0.03	0.39	1.36	107
C20-404	362.15	363.65	1.50	21	0.03	0.24	0.13	37
C20-404	363.65	364.05	0.40	84	0.06	1.36	3.69	290
C20-404	364.05	365.45	1.40	27	0.03	0.73	1.04	98
C20-404	365.45	366.45	1.00	7	0.02	0.15	0.15	20
C20-404	366.45	368.25	1.80	10	0.02	0.24	0.25	31
C20-404	368.25	368.55	0.30	27	0.04	0.75	0.66	84
C20-404	368.55	369.60	1.05	19	0.03	0.60	0.48	62
C20-404	369.60	371.50	1.90	5	0.01	0.13	0.18	17
C20-404	371.50	372.55	1.05	2	0.00	0.04	0.06	6
C20-404	372.55	373.70	1.15	4	0.01	0.13	0.16	16
C20-404	373.70	374.75	1.05	3	0.00	0.09	0.17	13
C20-404	374.75	376.15	1.40	2	0.00	0.07	0.10	9
C20-404	376.15	377.20	1.05	1	0.00	0.04	0.07	6
C20-404	377.20	378.35	1.15	6	0.00	0.18	0.34	27

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-404	378.35	380.30	1.95	2	0.00	0.06	0.09	8
C20-404	380.30	381.70	1.40	1	0.00	0.02	0.04	3
C20-404	381.70	383.30	1.60	2	0.00	0.04	0.06	6
C20-404	383.30	385.25	1.95	2	0.02	0.02	0.03	6
C20-404	385.25	386.15	0.90	3	0.05	0.04	0.06	11
C20-404	386.15	386.55	0.40	5	0.01	0.15	0.29	24
C20-404	386.55	386.95	0.40	83	0.18	1.67	2.67	267
C20-404	386.95	387.35	0.40	12	0.02	0.32	0.43	42
C20-404	387.35	388.80	1.45	4	0.01	0.10	0.16	14
C20-404	388.80	390.80	2.00	1	0.00	0.03	0.04	4
C20-404	390.80	392.05	1.25	2	0.00	0.04	0.07	7
C20-404	392.05	393.15	1.10	3	0.00	0.03	0.04	6
C20-404	393.15	393.45	0.30	1	0.00	0.02	0.04	4
C20-404	393.45	394.60	1.15	4	0.01	0.02	0.05	8
C20-404	394.60	396.60	2.00	2	0.00	0.02	0.08	6
C20-404	396.60	397.80	1.20	3	0.01	0.03	0.07	8
C20-404	397.80	399.10	1.30	4	0.01	0.05	0.18	14
C20-404	399.10	400.35	1.25	3	0.02	0.04	0.06	8
C20-404	400.35	401.05	0.70	5	0.02	0.08	0.18	17
C20-404	401.05	403.05	2.00	3	0.01	0.03	0.09	8
C20-404	403.05	404.30	1.25	2	0.00	0.03	0.07	6
C20-404	404.30	405.30	1.00	3	0.00	0.02	0.07	6
C20-404	405.30	405.65	0.35	5	0.01	0.03	0.20	15
C20-404	405.65	407.55	1.90	2	0.01	0.02	0.04	5
C20-404	407.55	407.85	0.30	2	0.00	0.05	0.05	6
C20-404	407.85	409.50	1.65	1	0.00	0.02	0.03	4
C20-404	409.50	411.10	1.60	2	0.00	0.05	0.07	7
C20-404	411.10	412.20	1.10	1	0.00	0.03	0.06	5
C20-404	412.20	412.85	0.65	10	0.01	0.13	0.35	30
C20-404	412.85	413.15	0.30	6	0.01	0.13	0.17	18
C20-404	413.15	413.70	0.55	4	0.00	0.12	0.10	12
C20-404	413.70	415.40	1.70	4	0.00	0.10	0.12	12
C20-404	415.40	416.45	1.05	4	0.00	0.10	0.09	11
C20-404	416.45	416.85	0.40	9	0.00	0.40	0.28	35
C20-404	416.85	417.65	0.80	106	0.06	4.65	3.38	415
C20-404	417.65	418.20	0.55	48	0.04	1.61	1.67	176
C20-404	418.20	418.60	0.40	29	0.05	1.07	1.06	114
C20-404	418.60	420.25	1.65	3	0.01	0.09	0.12	12
C20-404	420.25	421.45	1.20	1	0.00	0.02	0.02	2
C20-404	421.45	422.15	0.70	3	0.01	0.05	0.09	9
C20-404	422.15	423.45	1.30	4	0.00	0.11	0.12	13
C20-404	423.45	423.80	0.35	4	0.00	0.09	0.14	13
C20-404	423.80	425.00	1.20	3	0.00	0.09	0.15	12
C20-404	425.00	425.35	0.35	3	0.00	0.03	0.12	10
C20-404	425.35	426.25	0.90	1	0.00	0.04	0.06	5
C20-404	426.25	427.10	0.85	22	0.02	0.12	0.42	46
C20-404	427.10	427.65	0.55	15	0.06	0.13	0.29	36
C20-404	427.65	428.00	0.35	16	0.05	0.21	0.25	38
C20-404	428.00	428.50	0.50	19	0.14	0.20	0.16	45
C20-408	0.00	3.30	3.30	2	0.01	0.01	0.01	3
C20-408	3.30	6.30	3.00	0	0.00	0.00	0.00	1
C20-408	6.30	8.30	2.00	0	0.00	0.00	0.00	1
C20-408	8.30	10.15	1.85	0	0.00	0.00	0.00	1
C20-408	10.15	10.55	0.40	1	0.01	0.00	0.00	1
C20-408	10.55	11.70	1.15	0	0.01	0.00	0.00	1

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-408	11.70	13.55	1.85	0	0.01	0.00	0.00	1
C20-408	13.55	15.55	2.00	0	0.01	0.00	0.00	1
C20-408	15.55	17.55	2.00	0	0.00	0.00	0.00	1
C20-408	17.55	17.85	0.30	0	0.00	0.00	0.00	1
C20-408	17.85	18.85	1.00	0	0.00	0.00	0.00	1
C20-408	18.85	19.55	0.70	0	0.00	0.00	0.00	1
C20-408	19.55	19.90	0.35	0	0.00	0.00	0.00	1
C20-408	19.90	21.35	1.45	0	0.00	0.00	0.00	1
C20-408	21.35	22.50	1.15	0	0.00	0.00	0.00	1
C20-408	22.50	23.70	1.20	0	0.00	0.00	0.00	1
C20-408	23.70	24.35	0.65	0	0.00	0.00	0.00	1
C20-408	24.35	25.80	1.45	0	0.00	0.00	0.00	1
C20-408	25.80	26.40	0.60	0	0.00	0.00	0.00	1
C20-408	26.40	27.95	1.55	0	0.00	0.00	0.00	1
C20-408	27.95	29.95	2.00	0	0.00	0.00	0.00	1
C20-408	29.95	31.95	2.00	0	0.00	0.00	0.00	1
C20-408	31.95	33.20	1.25	0	0.00	0.00	0.00	1
C20-408	33.20	34.50	1.30	0	0.01	0.00	0.00	1
C20-408	34.50	34.80	0.30	0	0.00	0.00	0.01	1
C20-408	34.80	36.80	2.00	0	0.00	0.00	0.01	1
C20-408	36.80	37.90	1.10	0	0.00	0.00	0.01	1
C20-408	37.90	39.20	1.30	0	0.00	0.00	0.01	1
C20-408	39.20	39.85	0.65	1	0.00	0.00	0.00	1
C20-408	39.85	40.25	0.40	4	0.02	0.03	0.07	9
C20-408	40.25	42.10	1.85	14	0.03	0.01	0.01	17
C20-408	42.10	42.75	0.65	16	0.04	0.01	0.01	20
C20-408	42.75	44.05	1.30	2	0.01	0.00	0.00	3
C20-408	44.05	45.35	1.30	0	0.01	0.00	0.00	2
C20-408	45.35	46.85	1.50	1	0.01	0.00	0.02	3
C20-408	46.85	48.05	1.20	0	0.00	0.01	0.05	3
C20-408	48.05	49.30	1.25	0	0.00	0.01	0.03	2
C20-408	49.30	50.60	1.30	1	0.00	0.01	0.03	3
C20-408	50.60	51.65	1.05	3	0.00	0.03	0.14	10
C20-408	51.65	52.30	0.65	2	0.00	0.01	0.01	4
C20-408	52.30	54.30	2.00	0	0.01	0.01	0.01	2
C20-408	54.30	56.30	2.00	1	0.01	0.01	0.02	2
C20-408	56.30	58.30	2.00	0	0.00	0.01	0.02	1
C20-408	58.30	60.30	2.00	0	0.00	0.00	0.00	1
C20-408	60.30	62.30	2.00	1	0.00	0.02	0.02	3
C20-408	62.30	63.90	1.60	0	0.00	0.01	0.01	1
C20-408	63.90	65.70	1.80	0	0.00	0.00	0.02	1
C20-408	65.70	67.70	2.00	4	0.00	0.08	0.50	27
C20-408	67.70	69.70	2.00	1	0.00	0.01	0.02	2
C20-408	69.70	71.70	2.00	1	0.00	0.00	0.00	1
C20-408	71.70	73.15	1.45	1	0.00	0.01	0.02	3
C20-408	73.15	73.85	0.70	1	0.00	0.01	0.04	3
C20-408	73.85	75.85	2.00	1	0.00	0.01	0.01	2
C20-408	75.85	77.85	2.00	1	0.00	0.02	0.03	3
C20-408	77.85	79.85	2.00	1	0.00	0.00	0.00	1
C20-408	79.85	81.85	2.00	1	0.00	0.02	0.03	3
C20-408	81.85	83.85	2.00	1	0.01	0.01	0.06	4
C20-408	83.85	85.20	1.35	2	0.01	0.03	0.06	6
C20-408	85.20	87.20	2.00	0	0.00	0.00	0.01	1
C20-408	87.20	89.20	2.00	0	0.00	0.00	0.01	1
C20-408	89.20	91.20	2.00	0	0.00	0.00	0.01	1

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-408	91.20	93.20	2.00	0	0.00	0.00	0.02	1
C20-408	93.20	94.95	1.75	0	0.00	0.00	0.05	3
C20-408	94.95	96.60	1.65	2	0.01	0.03	0.06	7
C20-408	96.60	98.05	1.45	2	0.01	0.02	0.06	6
C20-408	98.05	98.80	0.75	1	0.01	0.01	0.06	4
C20-408	98.80	99.10	0.30	3	0.00	0.02	0.07	7
C20-408	99.10	101.05	1.95	1	0.00	0.01	0.03	2
C20-408	101.05	101.50	0.45	0	0.00	0.02	0.06	4
C20-408	101.50	103.50	2.00	1	0.00	0.01	0.05	3
C20-408	103.50	105.50	2.00	1	0.00	0.01	0.04	3
C20-408	105.50	107.50	2.00	0	0.00	0.01	0.02	1
C20-408	107.50	109.50	2.00	4	0.00	0.10	0.04	9
C20-408	109.50	111.50	2.00	0	0.00	0.01	0.01	1
C20-408	111.50	113.50	2.00	0	0.00	0.00	0.00	1
C20-408	113.50	115.25	1.75	0	0.01	0.01	0.04	3
C20-408	115.25	116.65	1.40	0	0.00	0.01	0.04	3
C20-408	116.65	117.80	1.15	0	0.00	0.03	0.09	6
C20-408	117.80	119.80	2.00	0	0.00	0.01	0.03	2
C20-408	119.80	121.75	1.95	1	0.00	0.03	0.03	3
C20-408	121.75	122.95	1.20	2	0.00	0.02	0.10	7
C20-408	122.95	124.45	1.50	4	0.01	0.01	0.03	6
C20-408	124.45	126.45	2.00	3	0.00	0.01	0.04	5
C20-408	126.45	127.05	0.60	2	0.00	0.01	0.02	3
C20-408	127.05	127.55	0.50	1	0.00	0.02	0.17	9
C20-408	127.55	129.25	1.70	3	0.00	0.03	0.04	6
C20-408	129.25	130.65	1.40	1	0.00	0.01	0.01	2
C20-408	130.65	132.65	2.00	0	0.00	0.00	0.00	1
C20-408	132.65	133.95	1.30	0	0.00	0.00	0.01	1
C20-408	133.95	134.30	0.35	0	0.00	0.02	0.02	2
C20-408	134.30	135.55	1.25	0	0.00	0.00	0.01	1
C20-408	135.55	137.55	2.00	1	0.00	0.01	0.02	3
C20-408	137.55	139.35	1.80	2	0.01	0.00	0.01	3
C20-408	139.35	139.75	0.40	16	0.10	0.03	0.09	29
C20-408	139.75	140.45	0.70	47	0.20	0.10	0.07	69
C20-408	140.45	140.80	0.35	0	0.01	0.07	0.05	6
C20-408	140.80	142.80	2.00	0	0.00	0.00	0.01	1
C20-408	142.80	144.60	1.80	1	0.01	0.02	0.03	3
C20-408	144.60	146.00	1.40	0	0.01	0.01	0.03	2
C20-408	146.00	146.55	0.55	22	0.08	0.54	0.85	82
C20-408	146.55	147.75	1.20	1	0.01	0.04	0.42	21
C20-408	147.75	148.10	0.35	2	0.04	0.03	0.21	15
C20-408	148.10	150.10	2.00	0	0.01	0.01	0.05	3
C20-408	150.10	151.35	1.25	0	0.00	0.00	0.03	2
C20-408	151.35	151.65	0.30	0	0.00	0.00	0.01	1
C20-408	151.65	153.60	1.95	0	0.00	0.00	0.01	1
C20-408	153.60	155.55	1.95	0	0.00	0.00	0.02	2
C20-408	155.55	156.80	1.25	0	0.00	0.00	0.02	1
C20-408	156.80	158.20	1.40	1	0.01	0.01	0.04	3
C20-408	158.20	158.65	0.45	6	0.00	0.19	0.45	32
C20-408	158.65	159.85	1.20	5	0.01	0.17	0.15	17
C20-408	159.85	160.70	0.85	1	0.01	0.02	0.11	7
C20-408	160.70	161.20	0.50	5	0.01	0.20	0.27	24
C20-408	161.20	161.60	0.40	24	0.00	0.19	2.20	122
C20-408	161.60	163.05	1.45	0	0.00	0.02	0.08	4
C20-408	163.05	164.95	1.90	1	0.00	0.04	0.07	6

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-408	164.95	166.95	2.00	1	0.00	0.01	0.06	4
C20-408	166.95	168.75	1.80	0	0.00	0.00	0.09	4
C20-408	168.75	169.80	1.05	0	0.00	0.00	0.12	5
C20-408	169.80	170.55	0.75	1	0.02	0.01	0.19	10
C20-408	170.55	171.55	1.00	0	0.00	0.00	0.05	3
C20-408	171.55	172.65	1.10	2	0.00	0.04	0.24	14
C20-408	172.65	173.45	0.80	5	0.01	0.04	0.10	11
C20-408	173.45	173.85	0.40	2	0.00	0.05	0.18	11
C20-408	173.85	174.80	0.95	6	0.00	0.07	1.41	67
C20-408	174.80	176.55	1.75	1	0.00	0.04	0.13	8
C20-408	176.55	178.05	1.50	16	0.00	0.25	1.10	71
C20-408	178.05	178.85	0.80	0	0.00	0.01	0.06	3
C20-408	178.85	179.90	1.05	0	0.01	0.00	0.01	2
C20-408	179.90	181.05	1.15	0	0.01	0.00	0.00	1
C20-408	181.05	182.55	1.50	0	0.01	0.00	0.02	2
C20-408	182.55	182.90	0.35	1	0.01	0.02	0.15	9
C20-408	182.90	183.35	0.45	1	0.01	0.01	0.16	8
C20-408	183.35	183.95	0.60	2	0.01	0.02	0.06	6
C20-408	183.95	184.55	0.60	28	0.03	0.04	0.21	40
C20-408	184.55	185.60	1.05	8	0.02	0.04	0.29	24
C20-408	185.60	186.45	0.85	14	0.35	0.12	0.54	70
C20-408	186.45	187.45	1.00	1	0.01	0.02	0.14	9
C20-408	187.45	187.75	0.30	2	0.02	0.04	0.12	9
C20-408	187.75	188.35	0.60	1	0.01	0.01	0.03	3
C20-408	188.35	188.65	0.30	1	0.04	0.01	0.04	6
C20-408	188.65	189.25	0.60	0	0.02	0.01	0.05	4
C20-408	189.25	189.90	0.65	0	0.03	0.01	0.02	4
C20-408	189.90	190.20	0.30	4	0.03	0.09	0.69	38
C20-408	190.20	191.35	1.15	2	0.03	0.04	0.07	8
C20-408	191.35	191.65	0.30	4	0.05	0.16	0.53	36
C20-408	191.65	192.00	0.35	1	0.04	0.01	0.02	5
C20-408	192.00	192.35	0.35	1	0.07	0.03	0.06	11
C20-408	192.35	193.85	1.50	2	0.02	0.02	0.08	7
C20-408	193.85	195.38	1.53	1	0.00	0.03	0.07	5
C20-408	195.38	197.05	1.67	2	0.00	0.03	0.10	7
C20-408	197.05	197.70	0.65	10	0.01	0.16	0.50	37
C20-408	197.70	198.80	1.10	2	0.01	0.03	0.12	8
C20-408	198.80	199.10	0.30	2	0.00	0.06	0.39	21
C20-408	199.10	201.10	2.00	1	0.00	0.02	0.11	7
C20-408	201.10	202.80	1.70	1	0.00	0.02	0.10	6
C20-408	202.80	204.45	1.65	1	0.00	0.01	0.06	3
C20-408	204.45	205.50	1.05	0	0.00	0.00	0.11	5
C20-408	205.50	206.30	0.80	1	0.00	0.01	0.09	5
C20-408	206.30	207.70	1.40	3	0.01	0.03	0.10	9
C20-408	207.70	208.45	0.75	8	0.01	0.04	0.17	17
C20-408	208.45	209.00	0.55	5	0.01	0.01	0.28	17
C20-408	209.00	209.75	0.75	3	0.00	0.01	0.03	5
C20-408	209.75	210.75	1.00	1	0.00	0.01	0.11	6
C20-408	210.75	212.30	1.55	2	0.00	0.02	0.36	18
C20-408	212.30	213.05	0.75	2	0.01	0.02	0.10	7
C20-408	213.05	215.05	2.00	3	0.04	0.05	0.07	10
C20-408	215.05	217.05	2.00	1	0.00	0.00	0.00	1
C20-408	217.05	219.05	2.00	1	0.05	0.00	0.00	5
C20-408	219.05	220.25	1.20	1	0.00	0.00	0.01	2
C20-408	220.25	220.80	0.55	0	0.01	0.00	0.01	2

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-408	220.80	222.30	1.50	0	0.01	0.00	0.00	1
C20-408	222.30	223.20	0.90	0	0.00	0.00	0.01	1
C20-408	223.20	223.50	0.30	1	0.00	0.00	0.02	2
C20-408	223.50	224.15	0.65	1	0.00	0.00	0.05	4
C20-408	224.15	225.60	1.45	1	0.01	0.00	0.02	2
C20-408	225.60	227.30	1.70	0	0.01	0.00	0.03	3
C20-408	227.30	227.60	0.30	0	0.01	0.00	0.01	2
C20-408	227.60	228.70	1.10	0	0.01	0.00	0.01	1
C20-408	228.70	229.95	1.25	0	0.02	0.00	0.00	2
C20-408	229.95	231.95	2.00	0	0.01	0.00	0.02	2
C20-408	231.95	233.25	1.30	0	0.00	0.00	0.01	1
C20-408	233.25	233.55	0.30	2	0.10	0.02	0.06	13
C20-408	233.55	234.55	1.00	0	0.01	0.01	0.03	2
C20-408	234.55	236.55	2.00	0	0.00	0.00	0.07	3
C20-408	236.55	238.35	1.80	0	0.02	0.00	0.03	3
C20-408	238.35	239.80	1.45	0	0.00	0.02	0.16	8
C20-408	239.80	241.70	1.90	0	0.00	0.00	0.03	2
C20-408	241.70	242.15	0.45	1	0.00	0.01	0.05	3
C20-408	242.15	243.85	1.70	0	0.00	0.00	0.00	1
C20-408	243.85	245.45	1.60	0	0.00	0.00	0.00	1
C20-408	245.45	247.20	1.75	1	0.01	0.00	0.02	3
C20-408	247.20	248.45	1.25	0	0.01	0.00	0.01	2
C20-408	248.45	249.75	1.30	0	0.01	0.00	0.01	1
C20-408	249.75	250.85	1.10	0	0.00	0.00	0.00	1
C20-408	250.85	252.85	2.00	0	0.00	0.00	0.00	1
C20-408	252.85	254.85	2.00	0	0.01	0.00	0.00	1
C20-408	254.85	255.55	0.70	0	0.01	0.00	0.00	1
C20-408	255.55	255.95	0.40	1	0.01	0.01	0.05	4
C20-408	255.95	257.95	2.00	0	0.00	0.00	0.00	1
C20-408	257.95	259.90	1.95	0	0.00	0.00	0.00	1
C20-408	259.90	261.90	2.00	0	0.01	0.00	0.00	1
C20-408	261.90	263.90	2.00	0	0.01	0.00	0.00	1
C20-408	263.90	265.55	1.65	0	0.00	0.00	0.00	1
C20-408	265.55	266.85	1.30	0	0.00	0.00	0.01	1
C20-408	266.85	268.85	2.00	0	0.00	0.00	0.00	1
C20-408	268.85	270.85	2.00	0	0.00	0.00	0.07	3
C20-408	270.85	272.85	2.00	0	0.00	0.00	0.01	1
C20-408	272.85	274.85	2.00	0	0.00	0.00	0.01	1
C20-408	274.85	276.85	2.00	0	0.00	0.00	0.00	1
C20-408	276.85	278.85	2.00	0	0.00	0.00	0.00	1
C20-408	278.85	280.85	2.00	0	0.00	0.00	0.00	1
C20-408	280.85	282.85	2.00	0	0.00	0.00	0.00	1
C20-408	282.85	284.85	2.00	0	0.00	0.00	0.00	1
C20-408	284.85	286.85	2.00	0	0.00	0.00	0.00	1
C20-408	286.85	287.95	1.10	0	0.00	0.00	0.00	1
C20-408	287.95	289.45	1.50	0	0.00	0.00	0.01	1
C20-408	289.45	291.45	2.00	0	0.00	0.00	0.00	1
C20-408	291.45	293.05	1.60	0	0.00	0.00	0.00	1
C20-408	293.05	293.50	0.45	0	0.00	0.00	0.01	1
C20-408	293.50	295.50	2.00	0	0.00	0.00	0.00	1
C20-408	295.50	297.50	2.00	0	0.00	0.00	0.01	1
C20-408	297.50	299.50	2.00	1	0.00	0.00	0.01	1
C20-408	299.50	301.50	2.00	0	0.00	0.00	0.02	1
C20-408	301.50	303.50	2.00	0	0.00	0.00	0.02	1
C20-408	303.50	305.50	2.00	0	0.00	0.00	0.01	1

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-408	305.50	306.45	0.95	0	0.00	0.00	0.01	1
C20-408	306.45	307.80	1.35	1	0.01	0.00	0.01	2
C20-408	307.80	309.30	1.50	0	0.00	0.01	0.04	3
C20-408	309.30	309.95	0.65	2	0.00	0.04	0.16	10
C20-408	309.95	310.30	0.35	3	0.00	0.08	0.23	15
C20-408	310.30	312.25	1.95	1	0.00	0.01	0.01	2
C20-408	312.25	313.50	1.25	1	0.00	0.00	0.00	1
C20-408	313.50	315.45	1.95	0	0.00	0.00	0.01	1
C20-408	315.45	317.45	2.00	1	0.00	0.00	0.02	2
C20-408	317.45	319.45	2.00	1	0.00	0.00	0.03	2
C20-408	319.45	321.45	2.00	1	0.00	0.00	0.04	3
C20-408	321.45	323.45	2.00	1	0.00	0.00	0.01	1
C20-408	323.45	325.45	2.00	0	0.00	0.00	0.00	1
C20-408	325.45	327.45	2.00	0	0.00	0.00	0.02	1
C20-408	327.45	329.45	2.00	1	0.00	0.00	0.03	2
C20-408	329.45	331.45	2.00	0	0.00	0.00	0.01	1
C20-408	331.45	333.45	2.00	0	0.00	0.00	0.00	1
C20-408	333.45	334.65	1.20	0	0.00	0.00	0.01	1
C20-408	334.65	336.65	2.00	0	0.00	0.00	0.00	1
C20-408	336.65	337.45	0.80	0	0.00	0.00	0.00	1
C20-408	337.45	339.20	1.75	0	0.00	0.00	0.01	1
C20-408	339.20	340.75	1.55	2	0.00	0.01	0.10	6
C20-408	340.75	341.50	0.75	4	0.02	0.08	0.64	35
C20-408	341.50	342.00	0.50	155	0.09	4.85	5.57	564
C20-408	342.00	343.75	1.75	2	0.01	0.05	0.15	11
C20-408	343.75	344.35	0.60	2	0.01	0.03	0.10	8
C20-408	344.35	345.65	1.30	1	0.01	0.00	0.01	2
C20-408	345.65	346.65	1.00	1	0.01	0.00	0.02	2
C20-408	346.65	347.30	0.65	1	0.01	0.01	0.01	2
C20-408	347.30	348.10	0.80	1	0.01	0.01	0.03	3
C20-408	348.10	350.10	2.00	1	0.00	0.01	0.03	2
C20-408	350.10	352.10	2.00	0	0.00	0.00	0.01	1
C20-408	352.10	354.10	2.00	0	0.00	0.00	0.01	1
C20-408	354.10	356.10	2.00	0	0.00	0.00	0.01	1
C20-408	356.10	357.95	1.85	1	0.00	0.00	0.04	3
C20-408	357.95	358.95	1.00	7	0.01	0.21	1.51	77
C20-408	358.95	359.35	0.40	10	0.01	0.11	2.25	108
C20-408	359.35	360.65	1.30	1	0.00	0.02	0.09	5
C20-408	360.65	361.35	0.70	1	0.00	0.00	0.05	3
C20-408	361.35	362.00	0.65	5	0.02	0.00	0.03	8
C20-408	362.00	364.00	2.00	1	0.00	0.00	0.01	1
C20-408	364.00	366.00	2.00	0	0.00	0.00	0.00	1
C20-408	366.00	368.00	2.00	0	0.00	0.00	0.01	1
C20-408	368.00	369.10	1.10	0	0.00	0.00	0.00	1
C20-408	369.10	371.50	2.40	0	0.00	0.00	0.06	3
C20-408	371.50	372.35	0.85	1	0.00	0.00	0.06	4
C20-408	372.35	373.55	1.20			Void		
C20-408	373.55	375.30	1.75	23	0.00	0.61	0.13	50
C20-408	375.30	376.30	1.00	2	0.00	0.06	0.11	9
C20-408	376.30	376.70	0.40	1	0.00	0.00	0.03	2
C20-408	376.70	377.30	0.60	0	0.00	0.00	0.03	2
C20-408	377.30	379.30	2.00	0	0.00	0.00	0.09	4
C20-408	379.30	380.50	1.20	0	0.00	0.00	0.04	2
C20-408	380.50	381.20	0.70	0	0.00	0.00	0.04	2
C20-408	381.20	382.30	1.10	0	0.00	0.00	0.02	1

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-408	382.30	383.50	1.20	0	0.00	0.00	0.05	3
C20-408	383.50	384.50	1.00	0	0.00	0.00	0.04	2
C20-408	384.50	384.80	0.30	1	0.00	0.02	0.12	7
C20-408	384.80	385.70	0.90	0	0.00	0.00	0.11	5
C20-408	385.70	387.30	1.60	0	0.01	0.00	0.05	3
C20-408	387.30	388.55	1.25	0	0.00	0.00	0.04	2
C20-408	388.55	388.85	0.30	1	0.01	0.00	0.08	5
C20-408	388.85	390.50	1.65	0	0.00	0.00	0.00	1
C20-408	390.50	392.25	1.75	0	0.00	0.00	0.00	1
C20-408	392.25	394.25	2.00	0	0.00	0.00	0.02	1
C20-408	394.25	395.05	0.80	0	0.01	0.00	0.01	1
C20-408	395.05	395.50	0.45	0	0.00	0.00	0.00	1
C20-408	395.50	396.95	1.45	0	0.00	0.00	0.00	1
C20-408	396.95	397.90	0.95	0	0.00	0.00	0.03	2
C20-408	397.90	398.40	0.50	0	0.00	0.00	0.02	1
C20-408	398.40	399.80	1.40	0	0.00	0.00	0.02	2
C20-408	399.80	401.30	1.50	1	0.01	0.02	0.02	3
C20-408	401.30	402.70	1.40	1	0.00	0.11	0.52	27
C20-408	402.70	403.85	1.15	0	0.00	0.00	0.02	2
C20-408	403.85	404.95	1.10	1	0.00	0.01	0.02	2
C20-408	404.95	405.50	0.55	1	0.00	0.00	0.01	1
C20-408	405.50	406.60	1.10	1	0.01	0.01	0.02	2
C20-408	406.60	407.40	0.80	0	0.00	0.01	0.01	1
C20-408	407.40	408.15	0.75	1	0.00	0.01	0.02	2
C20-408	408.15	409.70	1.55	0	0.00	0.01	0.03	2
C20-408	409.70	410.10	0.40	3	0.01	0.05	1.22	56
C20-408	410.10	410.80	0.70	0	0.00	0.00	0.01	1
C20-408	410.80	411.70	0.90	0	0.01	0.00	0.02	2
C20-408	411.70	412.50	0.80	0	0.00	0.00	0.02	1
C20-408	412.50	412.90	0.40	0	0.01	0.01	0.03	2
C20-408	412.90	413.35	0.45	0	0.00	0.00	0.01	1
C20-408	413.35	414.05	0.70	1	0.00	0.01	0.11	6
C20-408	414.05	415.30	1.25	0	0.01	0.01	0.01	1
C20-408	415.30	416.60	1.30	5	0.01	0.17	0.24	21
C20-408	416.60	418.50	1.90	6	0.02	0.13	0.72	42
C20-408	418.50	418.85	0.35	0	0.00	0.00	0.01	1
C20-408	418.85	419.45	0.60	0	0.00	0.00	0.01	1
C20-408	419.45	419.90	0.45	0	0.00	0.01	0.02	1
C20-408	419.90	420.70	0.80	0	0.01	0.00	0.01	1
C20-408	420.70	421.85	1.15	0	0.01	0.00	0.01	1
C20-408	421.85	423.15	1.30	0	0.00	0.00	0.01	1
C20-408	423.15	423.65	0.50	0	0.01	0.00	0.01	1
C20-408	423.65	425.05	1.40	0	0.01	0.00	0.01	1
C20-408	425.05	425.40	0.35	0	0.01	0.00	0.01	1
C20-408	425.40	427.40	2.00	0	0.01	0.00	0.02	2
C20-408	427.40	429.20	1.80	0	0.01	0.00	0.00	1
C20-408	429.20	431.20	2.00	0	0.01	0.00	0.03	2
C20-408	431.20	433.20	2.00	0	0.02	0.00	0.00	2
C20-408	433.20	435.10	1.90	0	0.01	0.00	0.00	1
C20-408	435.10	436.80	1.70	0	0.01	0.00	0.01	2
C20-408	436.80	437.30	0.50	0	0.00	0.00	0.08	4
C20-408	437.30	438.45	1.15	0	0.00	0.00	0.03	2
C20-408	438.45	438.85	0.40	0	0.01	0.00	0.01	1
C20-408	438.85	439.15	0.30	0	0.00	0.01	0.02	2
C20-408	439.15	439.80	0.65	0	0.00	0.01	0.02	2

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-408	439.80	440.60	0.80	0	0.00	0.00	0.02	1
C20-408	440.60	441.35	0.75	0	0.00	0.00	0.02	1
C20-408	441.35	442.30	0.95	0	0.00	0.00	0.02	2
C20-408	442.30	444.20	1.90	0	0.00	0.00	0.01	1
C20-408	444.20	445.20	1.00	0	0.00	0.00	0.01	1
C20-408	445.20	446.05	0.85	0	0.00	0.00	0.02	1
C20-408	446.05	446.65	0.60	0	0.01	0.00	0.02	1
C20-408	446.65	447.00	0.35	0	0.01	0.00	0.02	1
C20-408	447.00	449.00	2.00	0	0.01	0.00	0.01	1
C20-408	449.00	451.00	2.00	0	0.00	0.00	0.01	1
C20-408	451.00	452.40	1.40	0	0.00	0.00	0.00	1
C20-408	452.40	453.00	0.60	0	0.01	0.00	0.01	2
C20-408	453.00	455.00	2.00	0	0.00	0.00	0.01	1
C20-408	455.00	456.20	1.20	0	0.01	0.00	0.01	1
C20-408	456.20	458.15	1.95	0	0.01	0.00	0.02	1
C20-408	458.15	459.15	1.00	0	0.00	0.00	0.02	1
C20-408	459.15	461.10	1.95	0	0.00	0.00	0.01	1
C20-408	461.10	463.00	1.90	0	0.00	0.00	0.02	1
C20-408	463.00	464.85	1.85	0	0.00	0.00	0.03	2
C20-408	464.85	465.60	0.75	0	0.01	0.00	0.02	2
C20-408	465.60	467.20	1.60	0	0.00	0.00	0.01	1
C20-408	467.20	468.65	1.45	0	0.01	0.00	0.00	1
C20-408	468.65	468.95	0.30	0	0.00	0.00	0.02	1
C20-408	468.95	469.45	0.50	0	0.00	0.00	0.02	1
C20-408	469.45	470.35	0.90	0	0	0	0	7
C20-408	470.35	471.75	1.40	0	0.00	0.00	0.02	1
C20-408	471.75	473.50	1.75	0	0.00	0.00	0.02	1
C20-408	473.50	474.25	0.75	0	0.00	0.00	0.02	1
C20-408	474.25	475.75	1.50	0	0.00	0.00	0.02	1
C20-408	475.75	477.75	2.00	0	0.00	0.00	0.00	1
C20-408	477.75	479.75	2.00	0	0.00	0.00	0.00	1
C20-408	479.75	481.40	1.65	0	0.00	0.00	0.00	1
C20-408	481.40	482.85	1.45	0	0.00	0.00	0.00	1
C20-408	482.85	483.85	1.00	0	0.00	0.00	0.00	1
C21-409	0.00	3.70	3.70	1	0.00	0.00	0.02	2
C21-409	3.70	5.00	1.30	1	0.00	0.00	0.05	4
C21-409	5.00	6.20	1.20	1	0.00	0.01	0.07	5
C21-409	6.20	7.95	1.75	1	0.00	0.01	0.05	4
C21-409	7.95	8.85	0.90	1	0.00	0.00	0.02	2
C21-409	8.85	9.90	1.05	1	0.00	0.00	0.02	2
C21-409	9.90	11.00	1.10	1	0.00	0.00	0.03	2
C21-409	11.00	11.95	0.95	2	0.00	0.01	0.04	4
C21-409	11.95	12.75	0.80	1	0.00	0.00	0.02	3
C21-409	12.75	13.65	0.90	1	0.00	0.00	0.01	1
C21-409	13.65	14.70	1.05	1	0.00	0.00	0.01	1
C21-409	14.70	15.95	1.25	0	0.00	0.00	0.01	1
C21-409	15.95	16.90	0.95	1	0.00	0.00	0.03	2
C21-409	16.90	18.30	1.40	1	0.00	0.00	0.02	2
C21-409	18.30	18.95	0.65	2	0.00	0.00	0.05	4
C21-409	18.95	20.30	1.35	2	0.00	0.00	0.03	3
C21-409	20.30	22.10	1.80	1	0.00	0.00	0.02	3
C21-409	22.10	23.75	1.65	1	0.00	0.00	0.03	2
C21-409	23.75	24.75	1.00	1	0.01	0.00	0.02	3
C21-409	24.75	26.05	1.30	1	0.00	0.00	0.02	2
C21-409	26.05	27.70	1.65	1	0.01	0.00	0.02	2

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-409	27.70	28.20	0.50	1	0.01	0.00	0.01	2
C21-409	28.20	29.30	1.10	1	0.01	0.00	0.02	2
C21-409	29.30	30.15	0.85	0	0.00	0.00	0.01	1
C21-409	30.15	31.00	0.85	1	0.00	0.00	0.01	1
C21-409	31.00	32.25	1.25	1	0.01	0.01	0.02	2
C21-409	32.25	33.60	1.35	0	0.00	0.00	0.00	1
C21-409	33.60	35.05	1.45	1	0.00	0.00	0.01	2
C21-409	35.05	35.85	0.80	0	0.00	0.00	0.01	1
C21-409	35.85	36.55	0.70	0	0.00	0.00	0.01	1
C21-409	36.55	37.40	0.85	1	0.00	0.00	0.01	1
C21-409	37.40	38.30	0.90	2	0.01	0.01	0.03	4
C21-409	38.30	40.30	2.00	1	0.00	0.03	0.02	3
C21-409	40.30	42.30	2.00	0	0.00	0.01	0.01	1
C21-409	42.30	43.45	1.15	0	0.00	0.00	0.01	1
C21-409	43.45	44.45	1.00	0	0.00	0.00	0.01	1
C21-409	44.45	45.90	1.45	1	0.01	0.01	0.02	2
C21-409	45.90	46.85	0.95	0	0.00	0.00	0.06	3
C21-409	46.85	48.10	1.25	1	0.01	0.02	0.07	5
C21-409	48.10	50.10	2.00	0	0.00	0.00	0.01	1
C21-409	50.10	52.10	2.00	0	0.00	0.00	0.02	1
C21-409	52.10	54.10	2.00	0	0.00	0.00	0.02	1
C21-409	54.10	55.65	1.55	0	0.01	0.00	0.02	1
C21-409	55.65	56.75	1.10	1	0.01	0.00	0.01	2
C21-409	56.75	58.30	1.55	1	0.00	0.00	0.02	2
C21-409	58.30	60.20	1.90	0	0.00	0.00	0.02	1
C21-409	60.20	61.05	0.85	1	0.00	0.01	0.03	2
C21-409	61.05	61.75	0.70	4	0.00	0.03	0.04	7
C21-409	61.75	62.40	0.65	1	0.00	0.00	0.02	2
C21-409	62.40	62.75	0.35	0	0.00	0.00	0.02	2
C21-409	62.75	63.60	0.85	1	0.00	0.00	0.02	2
C21-409	63.60	65.50	1.90	0	0.00	0.00	0.02	1
C21-409	65.50	67.30	1.80	0	0.00	0.00	0.02	1
C21-409	67.30	69.10	1.80	1	0.01	0.00	0.04	3
C21-409	69.10	70.80	1.70	1	0.00	0.01	0.07	4
C21-409	70.80	71.80	1.00	1	0.01	0.01	0.07	4
C21-409	71.80	73.25	1.45	1	0.00	0.04	0.12	7
C21-409	73.25	74.80	1.55	0	0.00	0.01	0.03	2
C21-409	74.80	76.80	2.00	1	0.00	0.00	0.02	2
C21-409	76.80	78.80	2.00	1	0.00	0.00	0.03	2
C21-409	78.80	80.85	2.05	0	0.00	0.00	0.02	2
C21-409	80.85	81.35	0.50	4	0.04	0.04	0.12	13
C21-409	81.35	82.75	1.40	4	0.01	0.02	0.09	9
C21-409	82.75	83.85	1.10	7	0.01	0.11	0.09	16
C21-409	83.85	84.95	1.10	2	0.02	0.02	0.04	5
C21-409	84.95	85.85	0.90	2	0.02	0.08	0.12	11
C21-409	85.85	87.15	1.30	1	0.01	0.02	0.06	5
C21-409	87.15	88.20	1.05	1	0.00	0.02	0.01	2
C21-409	88.20	89.35	1.15	0	0.01	0.01	0.03	2
C21-409	89.35	90.50	1.15	4	0.02	0.17	0.09	15
C21-409	90.50	92.50	2.00	1	0.01	0.02	0.06	5
C21-409	92.50	94.50	2.00	1	0.01	0.01	0.02	2
C21-409	94.50	95.85	1.35	0	0.00	0.00	0.02	1
C21-409	95.85	97.15	1.30	0	0.01	0.01	0.02	2
C21-409	97.15	97.95	0.80	1	0.01	0.01	0.02	2
C21-409	97.95	98.85	0.90	2	0.02	0.02	0.07	7

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-409	98.85	99.70	0.85	1	0.01	0.01	0.02	3
C21-409	99.70	100.95	1.25	3	0.00	0.05	0.11	10
C21-409	100.95	102.65	1.70	0	0.00	0.00	0.01	1
C21-409	102.65	103.20	0.55	0	0.01	0.01	0.02	2
C21-409	103.20	105.20	2.00	0	0.00	0.00	0.01	1
C21-409	105.20	107.20	2.00	0	0.01	0.00	0.01	1
C21-409	107.20	109.20	2.00	0	0.00	0.00	0.01	1
C21-409	109.20	110.45	1.25	1	0.01	0.01	0.01	2
C21-409	110.45	111.10	0.65	1	0.02	0.02	0.01	3
C21-409	111.10	111.55	0.45	4	0.13	0.13	0.08	23
C21-409	111.55	112.60	1.05	0	0.11	0.00	0.01	10
C21-409	112.60	113.65	1.05	1	0.02	0.00	0.01	2
C21-409	113.65	114.50	0.85	1	0.03	0.01	0.05	5
C21-409	114.50	115.70	1.20	1	0.03	0.00	0.01	3
C21-409	115.70	116.90	1.20	1	0.00	0.00	0.01	1
C21-409	116.90	117.60	0.70	1	0.01	0.01	0.04	4
C21-409	117.60	119.10	1.50	0	0.00	0.00	0.00	1
C21-409	119.10	121.10	2.00	0	0.00	0.01	0.01	1
C21-409	121.10	122.25	1.15	0	0.00	0.00	0.01	1
C21-409	122.25	123.25	1.00	0	0.00	0.00	0.00	1
C21-409	123.25	124.55	1.30	0	0.01	0.00	0.00	1
C21-409	124.55	125.80	1.25	0	0.01	0.00	0.01	1
C21-409	125.80	126.75	0.95	1	0.03	0.01	0.02	4
C21-409	126.75	128.75	2.00	1	0.01	0.01	0.08	5
C21-409	128.75	130.25	1.50	0	0.01	0.00	0.04	3
C21-409	130.25	131.45	1.20	2	0.01	0.02	0.13	8
C21-409	131.45	133.50	2.05	3	0.01	0.06	0.34	20
C21-409	133.50	135.00	1.50	1	0.01	0.01	0.10	5
C21-409	135.00	136.15	1.15	1	0.01	0.01	0.05	4
C21-409	136.15	137.80	1.65	1	0.01	0.02	0.12	7
C21-409	137.80	138.90	1.10	5	0.02	0.09	0.20	17
C21-409	138.90	140.90	2.00	1	0.00	0.02	0.15	8
C21-409	140.90	142.90	2.00	0	0.00	0.01	0.04	3
C21-409	142.90	144.10	1.20	0	0.00	0.01	0.05	3
C21-409	144.10	145.20	1.10	0	0.00	0.01	0.08	4
C21-409	145.20	146.85	1.65	1	0.00	0.01	0.14	7
C21-409	146.85	148.80	1.95	1	0.01	0.02	0.04	4
C21-409	148.80	149.60	0.80	5	0.04	0.06	0.89	47
C21-409	149.60	151.25	1.65	1	0.01	0.02	0.03	4
C21-409	151.25	152.50	1.25	1	0.04	0.01	0.05	6
C21-409	152.50	154.25	1.75	1	0.08	0.02	0.19	16
C21-409	154.25	156.00	1.75	1	0.02	0.03	0.13	9
C21-409	156.00	157.90	1.90	0	0.01	0.01	0.07	4
C21-409	157.90	158.75	0.85	14	0.24	0.34	0.41	63
C21-409	158.75	159.75	1.00	1	0.02	0.02	0.05	5
C21-409	159.75	160.75	1.00	1	0.02	0.05	0.30	16
C21-409	160.75	162.10	1.35	3	0.03	0.07	0.13	13
C21-409	162.10	163.50	1.40	1	0.01	0.07	0.11	8
C21-409	163.50	164.65	1.15	1	0.01	0.02	0.06	5
C21-409	164.65	166.35	1.70	1	0.01	0.01	0.08	5
C21-409	166.35	168.10	1.75	2	0.02	0.06	0.17	13
C21-409	168.10	170.05	1.95	1	0.01	0.02	0.14	8
C21-409	170.05	171.70	1.65	1	0.01	0.01	0.08	5
C21-409	171.70	173.05	1.35	2	0.00	0.01	0.08	6
C21-409	173.05	173.90	0.85	1	0.00	0.02	0.05	4

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-409	173.90	174.55	0.65	1	0.00	0.00	0.04	3
C21-409	174.55	175.70	1.15	1	0.00	0.01	0.03	3
C21-409	175.70	177.70	2.00	1	0.00	0.01	0.03	3
C21-409	177.70	179.50	1.80	1	0.01	0.00	0.23	11
C21-409	179.50	180.95	1.45	1	0.01	0.01	0.22	11
C21-409	180.95	182.60	1.65	2	0.00	0.05	0.24	14
C21-409	182.60	184.45	1.85	1	0.01	0.00	0.03	2
C21-409	184.45	186.10	1.65	0	0.00	0.00	0.01	1
C21-409	186.10	188.10	2.00	1	0.01	0.02	0.12	7
C21-409	188.10	190.00	1.90	0	0.01	0.00	0.00	1
C21-409	190.00	191.90	1.90	1	0.02	0.03	0.03	4
C21-409	191.90	193.70	1.80	0	0.01	0.02	0.01	2
C21-409	193.70	195.70	2.00	1	0.00	0.01	0.03	2
C21-409	195.70	197.25	1.55	1	0.01	0.00	0.01	2
C21-409	197.25	198.30	1.05	2	0.01	0.04	0.04	6
C21-409	198.30	199.85	1.55	0	0.00	0.01	0.01	1
C21-409	199.85	201.35	1.50	0	0.00	0.01	0.00	1
C21-409	201.35	202.60	1.25	0	0.00	0.01	0.01	1
C21-409	202.60	203.40	0.80	0	0.00	0.01	0.01	1
C21-409	203.40	204.70	1.30	2	0.01	0.06	0.01	5
C21-409	204.70	205.60	0.90	1	0.00	0.03	0.01	3
C21-409	205.60	207.25	1.65	0	0.00	0.00	0.00	1
C21-409	207.25	209.10	1.85	1	0.00	0.02	0.02	3
C21-409	209.10	210.60	1.50	0	0.00	0.00	0.06	3
C21-409	210.60	211.60	1.00	0	0.01	0.01	0.01	1
C21-409	211.60	213.05	1.45	0	0.00	0.00	0.00	1
C21-409	213.05	214.30	1.25	1	0.00	0.00	0.01	1
C21-409	214.30	215.25	0.95	1	0.01	0.02	0.15	9
C21-409	215.25	216.50	1.25	2	0.00	0.07	0.02	5
C21-409	216.50	217.55	1.05	11	0.13	0.30	0.49	53
C21-409	217.55	219.50	1.95	1	0.01	0.02	0.04	5
C21-409	219.50	221.05	1.55	1	0.00	0.01	0.01	2
C21-409	221.05	222.35	1.30	1	0.02	0.00	0.01	3
C21-409	222.35	224.00	1.65	1	0.01	0.02	0.01	3
C21-409	224.00	226.00	2.00	2	0.01	0.03	0.03	4
C21-409	226.00	227.50	1.50	6	0.03	0.08	0.10	15
C21-409	227.50	228.85	1.35	3	0.00	0.05	0.06	7
C21-409	228.85	230.60	1.75	5	0.01	0.10	0.11	14
C21-409	230.60	232.05	1.45	3	0.00	0.05	0.03	6
C21-409	232.05	232.70	0.65	2	0.01	0.01	0.01	4
C21-409	232.70	233.65	0.95	1	0.01	0.01	0.01	2
C21-409	233.65	235.10	1.45	0	0.00	0.00	0.00	1
C21-409	235.10	235.80	0.70	0	0.00	0.00	0.00	1
C21-409	235.80	236.75	0.95	0	0.00	0.00	0.00	1
C21-409	236.75	237.75	1.00	0	0.00	0.00	0.00	1
C21-409	237.75	238.80	1.05	1	0.05	0.01	0.01	5
C21-409	238.80	240.10	1.30	1	0.01	0.00	0.01	2
C21-409	240.10	241.35	1.25	0	0.00	0.00	0.01	1
C21-409	241.35	243.35	2.00	3	0.01	0.02	0.14	10
C21-409	243.35	244.95	1.60	0	0.00	0.00	0.02	1
C21-409	244.95	246.25	1.30	0	0.00	0.00	0.01	1
C21-409	246.25	247.55	1.30	1	0.00	0.00	0.02	2
C21-409	247.55	248.25	0.70	1	0.00	0.01	0.04	3
C21-409	248.25	250.00	1.75	1	0.00	0.01	0.02	2
C21-409	250.00	250.55	0.55	1	0.00	0.01	0.03	3

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-409	250.55	252.35	1.80	0	0.00	0.00	0.02	1
C21-409	252.35	253.55	1.20	1	0.00	0.00	0.03	2
C21-409	253.55	254.80	1.25	1	0.00	0.01	0.04	3
C21-409	254.80	256.20	1.40	1	0.00	0.00	0.01	1
C21-409	256.20	257.30	1.10	1	0.01	0.02	0.03	4
C21-409	257.30	258.10	0.80	24	0.02	0.73	0.91	89
C21-409	258.10	258.40	0.30	279	1.00	6.30	10.80	1,031
C21-409	258.40	259.15	0.75	113	0.14	2.75	4.60	412
C21-409	259.15	259.95	0.80	6	0.05	0.15	0.26	26
C21-409	259.95	260.80	0.85	30	0.08	1.04	1.42	132
C21-409	260.80	262.15	1.35	4	0.01	0.13	0.18	17
C21-409	262.15	263.25	1.10	8	0.01	0.19	0.11	19
C21-409	263.25	264.70	1.45	2	0.01	0.03	0.07	7
C21-409	264.70	265.95	1.25	3	0.01	0.02	0.09	8
C21-409	265.95	267.85	1.90	2	0.00	0.00	0.01	2
C21-409	267.85	268.20	0.35	0	0.01	0.00	0.00	1
C21-409	268.20	269.50	1.30	2	0.00	0.00	0.02	3
C21-409	269.50	270.45	0.95	5	0.01	0.03	0.20	15
C21-409	270.45	271.70	1.25	2	0.01	0.03	0.06	6
C21-409	271.70	272.70	1.00	6	0.02	0.17	0.15	20
C21-409	272.70	274.05	1.35	53	0.21	0.89	0.26	113
C21-409	274.05	274.80	0.75	2	0.02	0.04	0.12	11
C21-409	274.80	276.15	1.35	2	0.00	0.00	0.03	3
C21-409	276.15	277.30	1.15	3	0.00	0.01	0.01	3
C21-409	277.30	278.25	0.95	1	0.00	0.00	0.00	1
C21-409	278.25	279.85	1.60	1	0.00	0.00	0.01	2
C21-409	279.85	281.85	2.00	2	0.01	0.00	0.02	3
C21-409	281.85	283.60	1.75	2	0.01	0.00	0.01	2
C21-409	283.60	285.30	1.70	3	0.01	0.01	0.05	6
C21-409	285.30	286.60	1.30	4	0.01	0.05	0.09	10
C21-409	286.60	288.20	1.60	1	0.00	0.00	0.01	2
C21-409	288.20	289.85	1.65	1	0.01	0.00	0.01	2
C21-409	289.85	290.75	0.90	2	0.01	0.00	0.00	2
C21-409	290.75	291.90	1.15	2	0.01	0.04	0.05	6
C21-409	291.90	293.05	1.15	1	0.01	0.02	0.01	3
C21-409	293.05	293.75	0.70	4	0.01	0.07	0.06	10
C21-409	293.75	295.20	1.45	5	0.09	0.04	0.13	18
C21-409	295.20	296.75	1.55	2	0.02	0.04	0.16	11
C21-409	296.75	298.20	1.45	1	0.00	0.01	0.26	13
C21-409	298.20	299.45	1.25	3	0.01	0.12	0.52	29
C21-409	299.45	301.00	1.55	2	0.00	0.04	0.18	11
C21-409	301.00	301.85	0.85	6	0.01	0.12	1.04	54
C21-409	301.85	302.85	1.00	3	0.00	0.12	0.18	15
C21-409	302.85	303.95	1.10	1	0.00	0.01	0.10	6
C21-409	303.95	305.35	1.40	1	0.01	0.01	0.01	2
C21-409	305.35	306.25	0.90	0	0.00	0.00	0.01	1
C21-409	306.25	307.35	1.10	1	0.01	0.01	0.02	3
C21-409	307.35	309.10	1.75	1	0.00	0.00	0.01	1
C21-409	309.10	310.00	0.90	6	0.01	0.15	0.26	23
C21-409	310.00	311.60	1.60	1	0.00	0.00	0.01	2
C21-409	311.60	313.05	1.45	1	0.00	0.02	0.04	3
C21-409	313.05	313.85	0.80	12	0.01	0.52	0.65	58
C21-409	313.85	315.10	1.25	7	0.01	0.26	0.29	29
C21-409	315.10	316.20	1.10	11	0.01	0.47	0.55	51
C21-409	316.20	317.45	1.25	3	0.01	0.10	0.14	14

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-409	317.45	318.25	0.80	5	0.00	0.08	0.09	12
C21-409	318.25	319.50	1.25	3	0.00	0.03	0.04	6
C21-409	319.50	321.25	1.75	2	0.00	0.02	0.22	12
C21-409	321.25	322.70	1.45	7	0.01	0.06	0.85	45
C21-409	322.70	323.65	0.95	11	0.00	0.06	0.79	46
C21-409	323.65	325.35	1.70	1	0.01	0.04	0.07	6
C21-409	325.35	326.35	1.00	4	0.01	0.11	0.15	15
C21-409	326.35	326.95	0.60	2	0.01	0.05	0.06	6
C21-409	326.95	327.55	0.60	16	0.04	0.39	0.55	56
C21-409	327.55	328.95	1.40	1	0.00	0.02	0.05	4
C21-409	328.95	330.95	2.00	1	0.00	0.00	0.01	1
C21-409	330.95	332.85	1.90	0	0.00	0.00	0.02	1
C21-409	332.85	333.80	0.95	20	0.04	0.10	0.60	52
C21-409	333.80	334.10	0.30	56	0.07	0.27	3.21	204
C21-409	334.10	334.85	0.75	12	0.02	0.05	0.57	40
C21-409	334.85	336.10	1.25	13	0.04	0.05	0.13	23
C21-409	336.10	337.20	1.10	12	0.10	0.07	0.04	25
C21-409	337.20	338.25	1.05	16	0.13	0.06	0.01	29
C21-409	338.25	339.15	0.90	11	0.09	0.04	0.01	20
C21-409	339.15	340.05	0.90	4	0.01	0.03	0.03	7
C21-409	340.05	341.05	1.00	2	0.02	0.01	0.02	4
C21-409	341.05	342.60	1.55	9	0.01	0.03	0.16	18
C21-409	342.60	343.40	0.80	8	0.01	0.01	0.01	9
C21-409	343.40	345.35	1.95	2	0.00	0.00	0.02	3
C21-409	345.35	346.70	1.35	1	0.01	0.00	0.02	3
C21-409	346.70	347.90	1.20	2	0.02	0.01	0.03	5
C21-409	347.90	348.90	1.00	2	0.01	0.01	0.02	4
C21-409	348.90	349.75	0.85	5	0.01	0.02	0.01	7
C21-409	349.75	351.55	1.80	2	0.01	0.01	0.05	5
C21-409	351.55	352.65	1.10	1	0.01	0.01	0.05	4
C21-409	352.65	354.20	1.55	1	0.00	0.00	0.01	2
C21-409	354.20	355.70	1.50	1	0.00	0.00	0.01	2
C21-409	355.70	357.25	1.55	1	0.00	0.00	0.01	2
C21-409	357.25	358.35	1.10	2	0.00	0.01	0.04	4
C21-409	358.35	360.00	1.65	1	0.00	0.01	0.02	2
C21-409	360.00	361.65	1.65	2	0.00	0.02	0.03	3
C21-409	361.65	363.20	1.55	2	0.00	0.02	0.02	3
C21-409	363.20	364.55	1.35	2	0.00	0.01	0.03	3
C21-409	364.55	365.45	0.90	1	0.00	0.01	0.06	4
C21-409	365.45	367.05	1.60	1	0.00	0.01	0.05	3
C21-409	367.05	368.80	1.75	1	0.00	0.01	0.04	3
C21-409	368.80	370.80	2.00	2	0.00	0.01	0.07	5
C21-409	370.80	372.40	1.60	1	0.00	0.01	0.05	3
C21-409	372.40	374.35	1.95	1	0.01	0.00	0.03	2
C21-409	374.35	375.55	1.20	1	0.00	0.00	0.09	5
C21-409	375.55	376.80	1.25	8	0.02	0.01	0.02	11
C21-409	376.80	378.15	1.35	37	0.09	0.05	0.13	51
C21-409	378.15	379.15	1.00	9	0.02	0.01	0.11	16
C21-409	379.15	380.25	1.10	4	0.01	0.01	0.17	12
C21-409	380.25	382.05	1.80	11	0.01	0.01	0.05	14
C21-409	382.05	383.50	1.45	4	0.01	0.02	0.03	7
C21-409	383.50	384.35	0.85	2	0.00	0.01	0.10	6
C21-409	384.35	385.20	0.85	1	0.00	0.00	0.04	3
C21-409	385.20	386.20	1.00	12	0.01	0.03	0.12	18
C21-409	386.20	387.55	1.35	1	0.00	0.00	0.04	3

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-409	387.55	388.55	1.00	1	0.00	0.01	0.02	2
C21-413	0.00	2.50	2.50	1	0.00	0.00	0.02	2
C21-413	2.50	3.80	1.30	1	0.01	0.00	0.01	2
C21-413	3.80	5.80	2.00	2	0.01	0.02	0.04	6
C21-413	5.80	7.35	1.55	1	0.01	0.01	0.04	3
C21-413	7.35	9.35	2.00	1	0.00	0.00	0.03	2
C21-413	9.35	11.30	1.95	0	0.01	0.00	0.01	2
C21-413	11.30	13.00	1.70	1	0.01	0.00	0.03	2
C21-413	13.00	14.90	1.90	1	0.01	0.01	0.05	4
C21-413	14.90	16.40	1.50	1	0.00	0.00	0.05	3
C21-413	16.40	17.90	1.50	1	0.00	0.00	0.08	5
C21-413	17.90	18.50	0.60	2	0.01	0.00	0.03	4
C21-413	18.50	19.90	1.40	3	0.05	0.01	0.02	9
C21-413	19.90	21.25	1.35	3	0.02	0.01	0.04	6
C21-413	21.25	22.35	1.10	1	0.01	0.01	0.02	3
C21-413	22.35	23.00	0.65	1	0.03	0.00	0.03	5
C21-413	23.00	24.55	1.55	2	0.01	0.01	0.06	5
C21-413	24.55	26.40	1.85	1	0.02	0.00	0.03	4
C21-413	26.40	28.30	1.90	1	0.05	0.00	0.01	6
C21-413	28.30	29.55	1.25	1	0.10	0.01	0.03	11
C21-413	29.55	31.15	1.60	2	0.07	0.02	0.02	9
C21-413	31.15	32.65	1.50	1	0.06	0.01	0.02	7
C21-413	32.65	33.60	0.95	1	0.02	0.01	0.02	4
C21-413	33.60	34.50	0.90	1	0.02	0.03	0.03	5
C21-413	34.50	36.00	1.50	2	0.01	0.04	0.15	10
C21-413	36.00	36.95	0.95	2	0.01	0.04	0.17	10
C21-413	36.95	38.20	1.25	1	0.00	0.01	0.08	5
C21-413	38.20	39.35	1.15	1	0.01	0.00	0.02	3
C21-413	39.35	40.65	1.30	2	0.01	0.01	0.03	5
C21-413	40.65	42.35	1.70	1	0.01	0.01	0.03	3
C21-413	42.35	43.50	1.15	2	0.02	0.01	0.03	5
C21-413	43.50	44.85	1.35	3	0.01	0.03	0.05	7
C21-413	44.85	46.80	1.95	2	0.02	0.01	0.03	6
C21-413	46.80	48.20	1.40	1	0.03	0.00	0.01	4
C21-413	48.20	49.95	1.75	3	0.01	0.02	0.09	8
C21-413	49.95	50.95	1.00	4	0.01	0.03	0.07	8
C21-413	50.95	52.45	1.50	4	0.01	0.03	0.09	9
C21-413	52.45	52.95	0.50	25	0.01	0.20	0.37	48
C21-413	52.95	54.30	1.35	8	0.01	0.01	0.13	15
C21-413	54.30	55.50	1.20	6	0.03	0.03	0.13	15
C21-413	55.50	56.90	1.40	4	0.03	0.02	0.07	10
C21-413	56.90	58.15	1.25	3	0.01	0.03	0.03	6
C21-413	58.15	59.90	1.75	1	0.00	0.01	0.02	2
C21-413	59.90	61.10	1.20	1	0.01	0.01	0.01	2
C21-413	61.10	62.65	1.55	1	0.00	0.00	0.01	1
C21-413	62.65	64.00	1.35	2	0.00	0.02	0.06	5
C21-413	64.00	65.95	1.95	1	0.00	0.01	0.03	3
C21-413	65.95	66.95	1.00	3	0.01	0.03	0.16	12
C21-413	66.95	68.05	1.10	3	0.00	0.04	0.09	8
C21-413	68.05	68.60	0.55	4	0.00	0.05	0.24	16
C21-413	68.60	69.85	1.25	2	0.00	0.02	0.09	6
C21-413	69.85	70.70	0.85	2	0.00	0.02	0.09	6
C21-413	70.70	72.05	1.35	1	0.01	0.01	0.09	6
C21-413	72.05	73.40	1.35	1	0.00	0.01	0.06	4
C21-413	73.40	75.15	1.75	1	0.00	0.00	0.01	1

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-413	75.15	76.35	1.20	3	0.00	0.03	0.13	9
C21-413	76.35	78.15	1.80	1	0.00	0.02	0.02	2
C21-413	78.15	79.95	1.80	1	0.01	0.01	0.03	2
C21-413	79.95	81.25	1.30	2	0.01	0.02	0.05	5
C21-413	81.25	82.35	1.10	3	0.01	0.04	0.19	13
C21-413	82.35	82.85	0.50	1	0.01	0.01	0.03	3
C21-413	82.85	83.35	0.50	2	0.00	0.01	0.17	9
C21-413	83.35	84.90	1.55	0	0.00	0.00	0.00	1
C21-413	84.90	86.40	1.50	0	0.00	0.00	0.00	1
C21-413	86.40	87.30	0.90	1	0.00	0.02	0.08	6
C21-413	87.30	88.25	0.95	1	0.01	0.01	0.03	3
C21-413	88.25	88.80	0.55	1	0.00	0.00	0.02	2
C21-413	88.80	89.20	0.40	2	0.01	0.04	0.33	17
C21-413	89.20	90.65	1.45	1	0.00	0.02	0.16	8
C21-413	90.65	91.80	1.15	1	0.00	0.00	0.06	3
C21-413	91.80	93.00	1.20	0	0.00	0.00	0.01	1
C21-413	93.00	93.90	0.90	1	0.00	0.00	0.04	2
C21-413	93.90	95.85	1.95	0	0.00	0.00	0.01	1
C21-413	95.85	96.85	1.00	1	0.01	0.02	0.11	6
C21-413	96.85	98.00	1.15	1	0.00	0.03	0.08	6
C21-413	98.00	98.95	0.95	1	0.00	0.02	0.06	5
C21-413	98.95	99.50	0.55	3	0.00	0.05	0.07	8
C21-413	99.50	101.30	1.80	1	0.00	0.01	0.03	3
C21-413	101.30	102.75	1.45	1	0.00	0.01	0.02	3
C21-413	102.75	103.60	0.85	0	0.00	0.00	0.00	1
C21-413	103.60	104.90	1.30	1	0.01	0.00	0.00	1
C21-413	104.90	106.20	1.30	1	0.01	0.01	0.02	2
C21-413	106.20	108.20	2.00	1	0.01	0.00	0.01	2
C21-413	108.20	109.65	1.45	0	0.01	0.00	0.01	1
C21-413	109.65	110.40	0.75	1	0.01	0.00	0.00	1
C21-413	110.40	111.75	1.35	1	0.01	0.01	0.07	4
C21-413	111.75	112.80	1.05	1	0.01	0.02	0.13	8
C21-413	112.80	113.35	0.55	2	0.03	0.01	0.15	11
C21-413	113.35	114.40	1.05	1	0.00	0.01	0.04	3
C21-413	114.40	115.30	0.90	1	0.00	0.01	0.02	2
C21-413	115.30	116.00	0.70	1	0.00	0.00	0.00	1
C21-413	116.00	117.40	1.40	2	0.01	0.01	0.03	4
C21-413	117.40	118.90	1.50	3	0.01	0.11	0.10	12
C21-413	118.90	120.15	1.25	1	0.00	0.01	0.07	4
C21-413	120.15	121.00	0.85	2	0.03	0.03	0.06	7
C21-413	121.00	121.55	0.55	21	0.10	0.62	2.13	139
C21-413	121.55	121.95	0.40	6	0.00	0.08	0.42	26
C21-413	121.95	122.90	0.95	7	0.05	0.25	0.11	24
C21-413	122.90	123.90	1.00	5	0.04	0.11	0.15	19
C21-413	123.90	125.05	1.15	7	0.03	0.13	0.48	34
C21-413	125.05	125.95	0.90	2	0.01	0.04	0.24	14
C21-413	125.95	126.85	0.90	1	0.02	0.02	0.05	6
C21-413	126.85	127.50	0.65	3	0.02	0.12	0.12	13
C21-413	127.50	128.35	0.85	2	0.03	0.03	0.09	9
C21-413	128.35	129.60	1.25	1	0.04	0.01	0.02	5
C21-413	129.60	131.00	1.40	0	0.01	0.01	0.01	2
C21-413	131.00	131.60	0.60	1	0.03	0.02	0.27	16
C21-413	131.60	132.60	1.00	3	0.07	0.06	0.13	16
C21-413	132.60	133.50	0.90	3	0.02	0.05	0.08	10
C21-413	133.50	134.45	0.95	1	0.01	0.02	0.22	12

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-413	134.45	135.25	0.80	2	0.01	0.02	0.12	8
C21-413	135.25	135.95	0.70	1	0.01	0.02	0.05	4
C21-413	135.95	136.40	0.45	2	0.01	0.03	0.19	11
C21-413	136.40	137.40	1.00	1	0.01	0.01	0.08	5
C21-413	137.40	138.40	1.00	2	0.00	0.03	0.26	14
C21-413	138.40	139.50	1.10	3	0.00	0.02	0.60	29
C21-413	139.50	140.50	1.00	0	0.00	0.00	0.55	23
C21-413	140.50	141.65	1.15	0	0.00	0.03	0.12	6
C21-413	141.65	142.70	1.05	0	0.00	0.04	0.11	7
C21-413	142.70	144.10	1.40	2	0.00	0.05	0.18	11
C21-413	144.10	145.15	1.05	1	0.00	0.06	0.13	8
C21-413	145.15	146.20	1.05	1	0.00	0.14	0.24	17
C21-413	146.20	147.65	1.45	6	0.00	0.05	0.50	28
C21-413	147.65	149.10	1.45	0	0.00	0.00	0.04	2
C21-413	149.10	150.10	1.00	0	0.00	0.00	0.00	1
C21-413	150.10	150.95	0.85	0	0.00	0.00	0.00	1
C21-413	150.95	152.50	1.55	0	0.00	0.00	0.00	1
C21-413	152.50	154.00	1.50	0	0.00	0.00	0.03	2
C21-413	154.00	155.10	1.10	0	0.00	0.00	0.01	1
C21-413	155.10	156.60	1.50	0	0.01	0.00	0.01	2
C21-413	156.60	157.35	0.75	7	0.01	0.03	0.73	39
C21-413	157.35	158.20	0.85	2	0.02	0.01	0.12	9
C21-413	158.20	159.55	1.35	1	0.01	0.03	0.01	3
C21-413	159.55	160.75	1.20	1	0.03	0.02	0.02	5
C21-413	160.75	162.45	1.70	1	0.04	0.00	0.01	5
C21-413	162.45	163.85	1.40	0	0.01	0.01	0.07	4
C21-413	163.85	165.00	1.15	2	0.01	0.03	0.22	13
C21-413	165.00	166.35	1.35	3	0.01	0.06	0.18	13
C21-413	166.35	167.05	0.70	1	0.01	0.01	0.03	3
C21-413	167.05	168.35	1.30	1	0.01	0.01	0.01	2
C21-413	168.35	170.00	1.65	1	0.00	0.01	0.01	2
C21-413	170.00	171.05	1.05	1	0.01	0.01	0.05	3
C21-413	171.05	172.25	1.20	0	0.02	0.00	0.02	3
C21-413	172.25	172.85	0.60	0	0.01	0.01	0.01	1
C21-413	172.85	174.80	1.95	1	0.01	0.04	0.03	4
C21-413	174.80	175.55	0.75	4	0.02	0.09	0.06	12
C21-413	175.55	176.95	1.40	1	0.01	0.02	0.05	5
C21-413	176.95	178.40	1.45	0	0.01	0.00	0.01	2
C21-413	178.40	180.00	1.60	1	0.01	0.00	0.01	2
C21-413	180.00	181.30	1.30	1	0.01	0.01	0.02	3
C21-413	181.30	182.70	1.40	0	0.01	0.00	0.00	1
C21-413	182.70	183.95	1.25	0	0.03	0.01	0.02	4
C21-413	183.95	184.70	0.75	1	0.02	0.08	0.18	13
C21-413	184.70	186.20	1.50	0	0.01	0.01	0.01	2
C21-413	186.20	187.80	1.60	0	0.03	0.01	0.01	3
C21-413	187.80	189.20	1.40	0	0.03	0.01	0.02	3
C21-413	189.20	191.05	1.85	0	0.01	0.00	0.02	2
C21-413	191.05	192.35	1.30	1	0.01	0.01	0.01	2
C21-413	192.35	194.35	2.00	1	0.00	0.01	0.02	2
C21-413	194.35	196.00	1.65	1	0.01	0.00	0.01	2
C21-413	196.00	197.50	1.50	1	0.01	0.01	0.01	2
C21-413	197.50	199.15	1.65	1	0.03	0.00	0.02	4
C21-413	199.15	200.30	1.15	0	0.01	0.00	0.01	1
C21-413	200.30	201.30	1.00	0	0.01	0.01	0.01	2
C21-413	201.30	202.00	0.70	13	0.05	0.45	0.56	56

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-413	202.00	203.40	1.40	3	0.01	0.12	0.09	11
C21-413	203.40	204.30	0.90	0	0.01	0.01	0.10	5
C21-413	204.30	205.05	0.75	0	0.02	0.02	0.10	6
C21-413	205.05	206.30	1.25	0	0.01	0.00	0.01	2
C21-413	206.30	207.75	1.45	1	0.01	0.01	0.02	3
C21-413	207.75	208.60	0.85	13	0.07	0.34	0.21	40
C21-413	208.60	209.50	0.90	58	0.22	1.61	0.58	157
C21-413	209.50	210.60	1.10	2	0.02	0.04	0.11	10
C21-413	210.60	211.40	0.80	4	0.02	0.10	0.05	11
C21-413	211.40	212.60	1.20	1	0.01	0.01	0.02	3
C21-413	212.60	213.85	1.25	1	0.01	0.01	0.02	3
C21-413	213.85	214.45	0.60	1	0.01	0.00	0.00	1
C21-413	214.45	215.90	1.45	0	0.01	0.00	0.05	3
C21-413	215.90	217.75	1.85	0	0.00	0.00	0.00	1
C21-413	217.75	219.40	1.65	1	0.01	0.01	0.02	2
C21-413	219.40	220.60	1.20	1	0.00	0.00	0.01	1
C21-413	220.60	222.15	1.55	0	0.00	0.00	0.01	1
C21-413	222.15	223.25	1.10	1	0.01	0.01	0.05	4
C21-413	223.25	224.50	1.25	1	0.01	0.01	0.01	2
C21-413	224.50	225.50	1.00	16	0.03	0.39	0.24	42
C21-413	225.50	226.50	1.00	3	0.07	0.10	0.15	19
C21-413	226.50	227.55	1.05	1	0.01	0.01	0.02	2
C21-413	227.55	228.85	1.30	0	0.00	0.00	0.01	1
C21-413	228.85	230.40	1.55	0	0.00	0.00	0.04	2
C21-413	230.40	231.85	1.45	0	0.01	0.00	0.03	2
C21-413	231.85	232.90	1.05	1	0.01	0.04	0.11	8
C21-413	232.90	234.90	2.00	0	0.00	0.00	0.01	1
C21-413	234.90	236.20	1.30	0	0.00	0.00	0.02	1
C21-413	236.20	237.70	1.50	0	0.00	0.00	0.02	1
C21-413	237.70	238.45	0.75	1	0.00	0.01	0.03	2
C21-413	238.45	240.20	1.75	1	0.00	0.00	0.01	2
C21-413	240.20	241.70	1.50	1	0.00	0.01	0.00	1
C21-413	241.70	243.10	1.40	1	0.00	0.03	0.00	3
C21-413	243.10	244.85	1.75	6	0.01	0.18	0.16	20
C21-413	244.85	246.00	1.15	79	0.01	1.28	7.80	448
C21-413	246.00	247.05	1.05	15	0.04	0.12	0.11	27
C21-413	247.05	248.15	1.10	0	0.01	0.00	0.01	1
C21-413	248.15	249.35	1.20	1	0.01	0.01	0.03	3
C21-413	249.35	250.00	0.65	7	0.02	0.13	0.30	25
C21-413	250.00	250.80	0.80	19	0.03	0.33	0.77	65
C21-413	250.80	251.65	0.85	1	0.01	0.02	0.03	4
C21-413	251.65	253.40	1.75	1	0.01	0.01	0.04	3
C21-413	253.40	254.70	1.30	10	0.01	0.32	0.73	53
C21-413	254.70	255.90	1.20	4	0.01	0.21	0.62	38
C21-413	255.90	257.35	1.45	3	0.00	0.09	0.15	12
C21-413	257.35	257.85	0.50	31	0.01	0.96	0.82	100
C21-413	257.85	259.60	1.75	1	0.01	0.06	0.11	8
C21-413	259.60	261.45	1.85	2	0.01	0.09	0.17	13
C21-413	261.45	262.60	1.15	34	0.02	0.94	1.39	126
C21-413	262.60	263.30	0.70	244	0.08	4.82	6.24	679
C21-413	263.30	263.75	0.45	10	0.01	0.32	0.32	35
C21-413	263.75	264.10	0.35	11	0.01	0.19	0.96	58
C21-413	264.10	264.95	0.85	23	0.01	0.31	2.89	154
C21-413	264.95	266.40	1.45	38	0.02	0.77	2.63	175
C21-413	266.40	267.10	0.70	21	0.01	0.30	1.05	76

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-413	267.10	267.75	0.65	4	0.01	0.04	0.07	9
C21-413	267.75	269.50	1.75	3	0.01	0.03	0.16	12
C21-413	269.50	270.10	0.60	13	0.03	0.02	0.18	24
C21-413	270.10	270.80	0.70	5	0.03	0.01	0.09	11
C21-413	270.80	271.90	1.10	1	0.01	0.01	0.15	8
C21-413	271.90	272.95	1.05	17	0.09	0.06	0.25	37
C21-413	272.95	274.10	1.15	18	0.04	0.04	0.32	35
C21-413	274.10	275.00	0.90	13	0.04	0.07	0.47	38
C21-413	275.00	275.70	0.70	3	0.01	0.03	0.16	10
C21-413	275.70	276.55	0.85	4	0.02	0.02	0.13	11
C21-413	276.55	277.55	1.00	7	0.03	0.06	0.10	16
C21-413	277.55	278.70	1.15	7	0.02	0.08	0.12	16
C21-413	278.70	280.10	1.40	4	0.01	0.07	0.13	12
C21-413	280.10	280.90	0.80	4	0.02	0.05	0.22	16
C21-413	280.90	282.25	1.35	25	0.09	0.08	0.03	36
C21-413	282.25	283.30	1.05	9	0.05	0.03	0.01	14
C21-413	283.30	284.90	1.60	19	0.05	0.07	0.02	27
C21-413	284.90	285.25	0.35	17	0.04	0.06	0.10	26
C21-413	285.25	286.20	0.95	6	0.02	0.03	0.16	16
C21-413	286.20	287.35	1.15	8	0.05	0.07	0.13	21
C21-413	287.35	288.10	0.75	33	0.24	0.08	0.27	67
C21-413	288.10	288.95	0.85	9	0.01	0.05	0.06	15
C21-413	288.95	290.15	1.20	3	0.01	0.01	0.10	8
C21-413	290.15	291.45	1.30	3	0.01	0.01	0.08	8
C21-413	291.45	292.70	1.25	4	0.02	0.04	0.04	8
C21-413	292.70	294.10	1.40	2	0.01	0.00	0.04	4
C21-413	294.10	295.00	0.90	2	0.00	0.00	0.01	3
C21-413	295.00	295.60	0.60	14	0.03	0.20	0.26	34
C21-413	295.60	297.10	1.50	3	0.00	0.01	0.03	4
C21-413	297.10	298.45	1.35	3	0.01	0.00	0.00	4
C21-413	298.45	300.10	1.65	1	0.00	0.00	0.00	1
C21-413	300.10	301.35	1.25	1	0.00	0.00	0.02	2
C21-413	301.35	302.25	0.90	1	0.01	0.00	0.02	3
C21-413	302.25	303.20	0.95	0	0.00	0.00	0.02	1
C21-416	0.00	2.40	2.40	1	0.00	0.01	0.11	6
C21-416	2.40	4.40	2.00	2	0.00	0.01	0.10	6
C21-416	4.40	6.40	2.00	1	0.00	0.00	0.01	2
C21-416	6.40	8.40	2.00	1	0.00	0.00	0.03	3
C21-416	8.40	9.45	1.05	2	0.00	0.00	0.01	3
C21-416	9.45	10.35	0.90	2	0.00	0.00	0.01	3
C21-416	10.35	12.35	2.00	2	0.00	0.00	0.03	4
C21-416	12.35	14.05	1.70	1	0.00	0.00	0.01	2
C21-416	14.05	14.75	0.70	1	0.01	0.00	0.03	3
C21-416	14.75	15.40	0.65	1	0.00	0.00	0.03	3
C21-416	15.40	17.10	1.70	1	0.01	0.00	0.11	7
C21-416	17.10	17.65	0.55	1	0.06	0.00	0.29	18
C21-416	17.65	19.20	1.55	1	0.01	0.01	0.06	5
C21-416	19.20	20.80	1.60	0	0.00	0.00	0.00	1
C21-416	20.80	22.50	1.70	0	0.00	0.00	0.01	1
C21-416	22.50	23.65	1.15	0	0.00	0.00	0.00	1
C21-416	23.65	24.65	1.00	0	0.00	0.00	0.00	0
C21-416	24.65	26.10	1.45	1	0.00	0.00	0.02	2
C21-416	26.10	26.75	0.65	1	0.00	0.00	0.03	2
C21-416	26.75	28.40	1.65	1	0.00	0.01	0.10	5
C21-416	28.40	29.45	1.05	1	0.00	0.01	0.05	3

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-416	29.45	30.50	1.05	1	0.00	0.02	0.05	4
C21-416	30.50	31.65	1.15	3	0.00	0.05	0.20	13
C21-416	31.65	33.65	2.00	2	0.00	0.04	0.11	8
C21-416	33.65	35.65	2.00	2	0.00	0.03	0.08	6
C21-416	35.65	37.65	2.00	0	0.00	0.00	0.04	2
C21-416	37.65	39.65	2.00	1	0.00	0.00	0.16	8
C21-416	39.65	41.65	2.00	1	0.00	0.01	0.03	2
C21-416	41.65	43.65	2.00	1	0.00	0.02	0.08	6
C21-416	43.65	45.65	2.00	1	0.00	0.01	0.03	2
C21-416	45.65	47.65	2.00	1	0.00	0.01	0.06	4
C21-416	47.65	49.65	2.00	2	0.00	0.05	0.11	9
C21-416	49.65	51.65	2.00	1	0.00	0.00	0.01	1
C21-416	51.65	53.50	1.85	0	0.00	0.00	0.01	1
C21-416	53.50	55.50	2.00	1	0.00	0.00	0.02	2
C21-416	55.50	57.50	2.00	3	0.15	0.03	0.04	18
C21-416	57.50	59.50	2.00	1	0.00	0.00	0.00	1
C21-416	59.50	61.50	2.00	2	0.00	0.04	0.09	7
C21-416	61.50	63.50	2.00	0	0.00	0.00	0.00	1
C21-416	63.50	65.50	2.00	0	0.00	0.00	0.00	1
C21-416	65.50	67.50	2.00	1	0.01	0.00	0.03	3
C21-416	67.50	69.50	2.00	1	0.00	0.00	0.01	2
C21-416	69.50	71.20	1.70	2	0.01	0.02	0.07	6
C21-416	71.20	71.65	0.45	30	0.06	0.60	0.53	78
C21-416	71.65	71.95	0.30	36	0.18	0.68	13.40	631
C21-416	71.95	73.35	1.40	1	0.02	0.01	0.03	3
C21-416	73.35	74.35	1.00	5	0.04	0.08	0.19	18
C21-416	74.35	75.00	0.65	51	0.05	0.66	1.42	137
C21-416	75.00	76.30	1.30	7	0.05	0.08	0.15	20
C21-416	76.30	77.50	1.20	11	0.02	0.24	0.47	40
C21-416	77.50	78.35	0.85	9	0.01	0.13	0.24	24
C21-416	78.35	79.40	1.05	6	0.01	0.11	0.17	18
C21-416	79.40	80.25	0.85	9	0.01	0.08	0.21	22
C21-416	80.25	81.00	0.75	1	0.00	0.01	0.04	3
C21-416	81.00	82.35	1.35	13	0.02	0.31	0.08	28
C21-416	82.35	83.35	1.00	12	0.02	0.22	0.32	34
C21-416	83.35	84.25	0.90	64	0.13	1.05	1.21	161
C21-416	84.25	85.05	0.80	30	0.06	0.48	0.81	85
C21-416	85.05	85.65	0.60	76	0.44	1.35	6.55	431
C21-416	85.65	86.65	1.00	16	0.04	0.32	0.51	52
C21-416	86.65	88.00	1.35	1	0.00	0.02	0.05	4
C21-416	88.00	89.30	1.30	1	0.00	0.02	0.06	4
C21-416	89.30	90.70	1.40	3	0.00	0.05	0.09	8
C21-416	90.70	91.90	1.20	10	0.00	0.18	0.34	31
C21-416	91.90	92.90	1.00	8	0.00	0.09	0.30	24
C21-416	92.90	93.50	0.60	5	0.00	0.04	0.22	16
C21-416	93.50	95.25	1.75	5	0.00	0.03	0.25	17
C21-416	95.25	96.15	0.90	3	0.00	0.02	0.02	5
C21-416	96.15	97.50	1.35	2	0.00	0.02	0.03	4
C21-416	97.50	98.65	1.15	4	0.00	0.05	0.11	10
C21-416	98.65	100.00	1.35	2	0.01	0.01	0.03	4
C21-416	100.00	101.65	1.65	1	0.01	0.00	0.03	3
C21-416	101.65	102.80	1.15	1	0.02	0.00	0.19	11
C21-416	102.80	103.90	1.10	0	0.00	0.00	0.08	4
C21-416	103.90	104.90	1.00	0	0.00	0.00	0.01	1
C21-416	104.90	106.90	2.00	0	0.00	0.00	0.00	1

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-416	106.90	108.90	2.00	1	0.00	0.01	0.05	4
C21-416	108.90	110.90	2.00	1	0.00	0.00	0.02	2
C21-416	110.90	112.90	2.00	1	0.01	0.00	0.00	1
C21-416	112.90	114.90	2.00	3	0.00	0.02	0.07	7
C21-416	114.90	116.90	2.00	3	0.01	0.02	0.02	5
C21-416	116.90	118.90	2.00	0	0.00	0.00	0.00	1
C21-416	118.90	120.90	2.00	0	0.00	0.00	0.00	1
C21-416	120.90	122.90	2.00	5	0.01	0.03	0.20	14
C21-416	122.90	124.85	1.95	1	0.00	0.01	0.03	3
C21-416	124.85	125.50	0.65	0	0.01	0.00	0.01	1
C21-416	125.50	127.50	2.00	1	0.00	0.01	0.03	3
C21-416	127.50	129.50	2.00	1	0.00	0.01	0.02	2
C21-416	129.50	131.50	2.00	1	0.00	0.01	0.01	2
C21-416	131.50	133.50	2.00	2	0.01	0.01	0.07	6
C21-416	133.50	135.50	2.00	0	0.00	0.00	0.01	1
C21-416	135.50	137.50	2.00	0	0.00	0.00	0.00	1
C21-416	137.50	138.75	1.25	0	0.00	0.00	0.00	1
C21-416	138.75	139.90	1.15	0	0.00	0.00	0.00	1
C21-416	139.90	140.40	0.50	1	0.00	0.01	0.01	1
C21-416	140.40	141.45	1.05	2	0.01	0.01	0.02	4
C21-416	141.45	142.75	1.30	0	0.00	0.00	0.01	1
C21-416	142.75	144.05	1.30	0	0.01	0.00	0.02	2
C21-416	144.05	145.50	1.45	2	0.00	0.03	0.18	11
C21-416	145.50	146.75	1.25	0	0.01	0.00	0.15	7
C21-416	146.75	148.25	1.50	1	0.01	0.00	0.59	26
C21-416	148.25	149.65	1.40	1	0.01	0.00	0.37	17
C21-416	149.65	150.90	1.25	1	0.02	0.00	0.26	13
C21-416	150.90	151.90	1.00	1	0.03	0.00	0.13	8
C21-416	151.90	152.85	0.95	1	0.03	0.00	0.17	11
C21-416	152.85	154.20	1.35	1	0.01	0.00	0.00	2
C21-416	154.20	155.00	0.80	0	0.02	0.00	0.22	11
C21-416	155.00	156.25	1.25	0	0.01	0.00	0.02	2
C21-416	156.25	157.25	1.00	0	0.01	0.00	0.01	1
C21-416	157.25	158.50	1.25	0	0.00	0.00	0.00	1
C21-416	158.50	159.55	1.05	3	0.01	0.03	0.26	16
C21-416	159.55	160.60	1.05	0	0.00	0.00	1.09	46
C21-416	160.60	161.20	0.60	1	0.01	0.00	1.51	64
C21-416	161.20	162.05	0.85	1	0.00	0.00	2.05	86
C21-416	162.05	163.10	1.05	0	0.01	0.00	0.68	29
C21-416	163.10	163.95	0.85	1	0.02	0.00	0.95	42
C21-416	163.95	164.85	0.90	1	0.02	0.00	0.34	17
C21-416	164.85	165.40	0.55	1	0.02	0.00	0.83	37
C21-416	165.40	166.30	0.90	0	0.00	0.00	0.13	6
C21-416	166.30	167.65	1.35	1	0.01	0.00	1.02	43
C21-416	167.65	168.50	0.85	1	0.02	0.00	0.31	15
C21-416	168.50	169.55	1.05	1	0.01	0.00	0.02	3
C21-416	169.55	170.75	1.20	1	0.12	0.00	0.03	12
C21-416	170.75	171.80	1.05	1	0.11	0.00	0.01	10
C21-416	171.80	172.60	0.80	3	0.07	0.00	0.00	9
C21-416	172.60	173.25	0.65	1	0.01	0.00	0.37	17
C21-416	173.25	175.25	2.00	0	0.00	0.00	0.01	1
C21-416	175.25	177.25	2.00	0	0.00	0.00	0.01	1
C21-416	177.25	179.25	2.00	1	0.01	0.00	0.01	2
C21-416	179.25	181.25	2.00	0	0.00	0.00	0.00	1
C21-416	181.25	183.25	2.00	1	0.01	0.00	0.00	2

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-416	183.25	183.95	0.70	120	0.18	0.56	5.04	363
C21-416	183.95	185.80	1.85	11	0.05	0.04	0.09	19
C21-416	185.80	185.95	0.15	6	0.06	0.02	0.01	11
C21-416	185.95	186.65	0.70	3	0.02	0.02	0.01	5
C21-416	186.65	187.15	0.50	11	0.06	0.04	0.01	18
C21-416	187.15	189.15	2.00	3	0.07	0.02	0.06	12
C21-416	189.15	190.20	1.05	4	0.02	0.01	2.94	128
C21-416	190.20	191.00	0.80	2	0.01	0.01	0.24	13
C21-416	191.00	191.75	0.75	2	0.01	0.01	0.01	3
C21-416	191.75	192.55	0.80	2	0.02	0.01	0.02	4
C21-416	192.55	192.95	0.40	1	0.01	0.00	0.01	2
C21-416	192.95	193.80	0.85	2	0.04	0.01	0.89	43
C21-416	193.80	194.75	0.95	2	0.04	0.01	0.40	22
C21-416	194.75	195.55	0.80	4	0.04	0.03	0.10	13
C21-416	195.55	196.20	0.65	9	0.02	0.01	1.18	59
C21-416	196.20	196.70	0.50	21	0.25	0.03	2.54	147
C21-416	196.70	197.35	0.65	5	0.04	0.01	0.17	16
C21-416	197.35	198.10	0.75	0	0.02	0.00	0.03	3
C21-416	198.10	199.00	0.90	0	0.04	0.00	0.01	4
C21-416	199.00	199.90	0.90	0	0.14	0.00	0.00	12
C21-416	199.90	200.25	0.35	0	0.24	0.00	0.02	21
C21-416	200.25	201.25	1.00	0	0.12	0.00	0.00	11
C21-416	201.25	202.30	1.05	0	0.09	0.00	0.01	8
C21-416	202.30	203.20	0.90	0	0.10	0.00	0.02	9
C21-416	203.20	204.25	1.05	0	0.03	0.00	0.75	34
C21-416	204.25	205.25	1.00	7	0.11	0.01	0.94	56
C21-416	205.25	206.35	1.10	2	0.16	0.00	0.94	54
C21-416	206.35	206.85	0.50	1	0.03	0.00	1.14	50
C21-416	206.85	208.50	1.65	1	0.26	0.00	0.29	34
C21-416	208.50	209.35	0.85	0	0.05	0.00	0.40	21
C21-416	209.35	210.95	1.60	0	0.03	0.00	0.19	10
C21-416	210.95	212.45	1.50	2	0.02	0.00	0.46	22
C21-416	212.45	213.55	1.10	4	0.08	0.00	0.88	47
C21-416	213.55	214.45	0.90	1	0.04	0.00	0.33	18
C21-416	214.45	215.90	1.45	7	0.10	0.35	1.65	96
C21-416	215.90	216.95	1.05	3	0.06	0.00	0.09	11
C21-416	216.95	217.95	1.00	1	0.01	0.00	0.14	7
C21-416	217.95	218.95	1.00	3	0.06	0.00	0.00	8
C21-416	218.95	219.85	0.90	3	0.01	0.00	0.00	4
C21-416	219.85	221.00	1.15	8	0.07	0.02	0.00	14
C21-416	221.00	221.45	0.45	0	0.00	0.00	0.01	1
C21-416	221.45	222.60	1.15	1	0.00	0.00	0.00	1
C21-416	222.60	224.60	2.00	0	0.00	0.00	0.00	1
C21-416	224.60	226.60	2.00	0	0.01	0.00	0.00	1
C21-416	226.60	228.60	2.00	0	0.00	0.00	0.00	1
C21-416	228.60	229.35	0.75	0	0.00	0.00	0.01	1
C21-416	229.35	230.80	1.45	0	0.01	0.00	0.01	1
C21-416	230.80	232.75	1.95	0	0.01	0.00	0.00	1
C21-416	232.75	234.10	1.35	0	0.02	0.00	0.00	2
C21-416	234.10	234.65	0.55	14	0.06	0.22	0.01	27
C21-416	234.65	236.25	1.60	2	0.02	0.02	0.01	4
C21-416	236.25	237.65	1.40	0	0.01	0.00	0.00	1
C21-416	237.65	239.65	2.00	0	0.01	0.00	0.00	1
C21-416	239.65	241.10	1.45	1	0.01	0.01	0.00	2
C21-416	241.10	242.10	1.00	7	0.02	0.05	0.06	13

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-416	242.10	244.10	2.00	0	0.00	0.00	0.00	1
C21-416	244.10	245.60	1.50	0	0.01	0.00	0.00	1
C21-416	245.60	246.35	0.75	0	0.00	0.00	0.00	1
C21-416	246.35	247.55	1.20	4	0.03	0.04	0.08	11
C21-416	247.55	248.25	0.70	5	0.08	0.09	0.03	16
C21-416	248.25	249.55	1.30	4	0.05	0.03	0.02	11
C21-416	249.55	250.35	0.80	9	0.11	0.10	0.14	27
C21-416	250.35	250.95	0.60	269	0.94	3.08	2.64	564
C21-416	250.95	252.00	1.05	1	0.01	0.01	0.02	3
C21-416	252.00	253.55	1.55	2	0.01	0.03	0.07	7
C21-416	253.55	254.75	1.20	1	0.02	0.01	0.01	3
C21-416	254.75	255.75	1.00	1	0.01	0.00	0.02	2
C21-416	255.75	256.50	0.75	2	0.06	0.01	0.02	8
C21-416	256.50	256.95	0.45	5	0.10	0.02	0.01	14
C21-416	256.95	257.95	1.00	2	0.04	0.01	0.01	6
C21-416	257.95	258.90	0.95	1	0.02	0.00	0.00	3
C21-416	258.90	259.85	0.95	1	0.01	0.00	0.00	1
C21-416	259.85	261.50	1.65	7	0.03	0.10	0.06	16
C21-416	261.50	263.30	1.80	0	0.00	0.00	0.00	1
C21-416	263.30	264.40	1.10	0	0.00	0.00	0.00	1
C21-416	264.40	265.70	1.30	1	0.01	0.00	0.01	2
C21-416	265.70	266.20	0.50	8	0.06	0.16	3.32	156
C21-416	266.20	267.20	1.00	0	0.01	0.01	0.07	4
C21-416	267.20	268.55	1.35	0	0.00	0.00	0.01	1
C21-416	268.55	269.90	1.35	0	0.01	0.00	0.02	2
C21-416	269.90	271.00	1.10	5	0.05	0.08	0.72	42
C21-416	271.00	271.55	0.55	40	0.38	0.80	0.98	140
C21-416	271.55	273.15	1.60	1	0.01	0.01	0.02	3
C21-416	273.15	275.15	2.00	1	0.01	0.01	0.02	2
C21-416	275.15	277.15	2.00	0	0.01	0.00	0.02	2
C21-416	277.15	278.35	1.20	1	0.00	0.02	0.06	4
C21-416	278.35	279.80	1.45	0	0.02	0.01	0.03	3
C21-416	279.80	281.80	2.00	1	0.01	0.01	0.02	3
C21-416	281.80	283.45	1.65	1	0.00	0.00	0.02	2
C21-416	283.45	284.85	1.40	1	0.00	0.01	0.06	4
C21-416	284.85	286.85	2.00	1	0.01	0.03	0.23	13
C21-416	286.85	287.45	0.60	2	0.02	0.02	0.08	8
C21-416	287.45	289.15	1.70	2	0.01	0.03	0.06	6
C21-416	289.15	289.65	0.50	97	0.14	2.63	0.36	216
C21-416	289.65	291.05	1.40	8	0.06	0.21	0.32	34
C21-416	291.05	291.75	0.70	2	0.02	0.03	0.33	18
C21-416	291.75	292.85	1.10	4	0.02	0.11	0.14	15
C21-416	292.85	293.90	1.05	1	0.01	0.11	0.08	10
C21-416	293.90	294.25	0.35	1	0.01	0.01	0.07	6
C21-416	294.25	295.55	1.30	2	0.02	0.01	0.03	5
C21-416	295.55	296.35	0.80	2	0.04	0.01	0.01	6
C21-416	296.35	297.30	0.95	1	0.01	0.00	0.01	2
C21-416	297.30	298.55	1.25	1	0.01	0.01	0.03	2
C21-416	298.55	298.90	0.35	1	0.00	0.02	0.04	3
C21-416	298.90	300.30	1.40	1	0.00	0.02	0.04	3
C21-416	300.30	300.90	0.60	1	0.02	0.01	0.02	4
C21-416	300.90	302.35	1.45	2	0.01	0.05	0.09	8
C21-416	302.35	302.95	0.60	3	0.03	0.03	0.05	9
C21-416	302.95	303.55	0.60	47	0.03	0.75	2.22	168
C21-416	303.55	304.55	1.00	5	0.03	0.08	0.14	16

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-416	304.55	305.45	0.90	24	0.04	0.46	0.35	57
C21-416	305.45	306.50	1.05	3	0.04	0.02	0.14	13
C21-416	306.50	308.25	1.75	1	0.01	0.01	0.02	3
C21-416	308.25	309.30	1.05	2	0.00	0.01	0.21	11
C21-416	309.30	311.30	2.00	1	0.00	0.01	0.10	5
C21-416	311.30	313.05	1.75	1	0.01	0.00	0.23	11
C21-416	313.05	314.15	1.10	1	0.02	0.01	0.03	4
C21-416	314.15	315.20	1.05	1	0.01	0.01	0.05	4
C21-416	315.20	316.90	1.70	1	0.00	0.01	0.08	5
C21-416	316.90	317.90	1.00	2	0.01	0.02	0.23	12
C21-416	317.90	318.35	0.45	4	0.01	0.00	0.03	6
C21-416	318.35	319.85	1.50	4	0.03	0.06	0.27	20
C21-416	319.85	320.65	0.80	2	0.03	0.04	0.06	8
C21-416	320.65	321.70	1.05	9	0.05	0.29	0.29	35
C21-416	321.70	322.30	0.60	6	0.03	0.19	0.20	23
C21-416	322.30	323.40	1.10	2	0.01	0.00	0.01	2
C21-416	323.40	324.40	1.00	1	0.00	0.00	0.01	2
C21-416	324.40	325.30	0.90	4	0.00	0.01	0.01	5
C21-416	325.30	325.95	0.65	2	0.00	0.00	0.17	9
C21-416	325.95	327.20	1.25	4	0.01	0.00	0.06	7
C21-416	327.20	328.15	0.95	2	0.00	0.00	0.05	4
C21-416	328.15	329.35	1.20	1	0.00	0.00	0.01	1
C21-416	329.35	331.10	1.75	1	0.00	0.02	0.06	4
C21-416	331.10	332.45	1.35	0	0.00	0.00	0.00	1
C21-416	332.45	334.45	2.00	0	0.00	0.00	0.00	1
C21-416	334.45	336.45	2.00	0	0.00	0.00	0.01	1
C21-416	336.45	338.40	1.95	0	0.00	0.00	0.00	1
C21-416	338.40	340.40	2.00	1	0.00	0.00	0.01	1
C21-416	340.40	341.95	1.55	1	0.01	0.00	0.00	2
C21-416	341.95	343.60	1.65	0	0.04	0.00	0.00	4
C21-416	343.60	345.60	2.00	1	0.01	0.00	0.00	2
C21-416	345.60	347.60	2.00	1	0.00	0.00	0.00	1
C21-416	347.60	349.30	1.70	1	0.01	0.00	0.00	2
C21-416	349.30	351.05	1.75	2	0.01	0.02	0.08	6
C21-416	351.05	352.25	1.20	153	0.08	2.88	5.32	482
C21-416	352.25	353.60	1.35	6	0.02	0.09	0.14	16
C21-416	353.60	354.20	0.60	105	0.13	1.89	2.88	302
C21-416	354.20	354.75	0.55	186	0.08	3.64	4.95	526
C21-416	354.75	355.60	0.85	1	0.00	0.01	0.03	3
C21-416	355.60	356.40	0.80	7	0.01	0.14	0.26	24
C21-416	356.40	357.00	0.60	99	0.18	2.16	6.32	452
C21-416	357.00	357.90	0.90	18	0.03	0.36	0.69	62
C21-416	357.90	358.90	1.00	50	0.20	1.39	3.33	253
C21-416	358.90	359.50	0.60	16	0.02	0.38	1.11	77
C21-416	359.50	360.30	0.80	53	0.04	0.98	2.67	202
C21-416	360.30	361.70	1.40	2	0.01	0.04	0.17	11
C21-416	361.70	363.20	1.50	2	0.00	0.01	0.12	7
C21-416	363.20	364.00	0.80	5	0.03	0.17	0.37	29
C21-416	364.00	365.60	1.60	1	0.00	0.01	0.06	4
C21-416	365.60	366.20	0.60	4	0.04	0.10	0.93	49
C21-416	366.20	367.05	0.85	1	0.00	0.01	0.04	3
C21-416	367.05	367.70	0.65	6	0.03	0.21	0.59	40
C21-416	367.70	368.50	0.80	3	0.01	0.05	0.10	9
C21-416	368.50	369.10	0.60	17	0.05	0.52	0.61	65
C21-416	369.10	370.65	1.55	2	0.00	0.01	0.05	4

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-416	370.65	371.75	1.10	1	0.01	0.00	0.09	5
C21-416	371.75	373.35	1.60	2	0.02	0.01	0.05	7
C21-416	373.35	374.60	1.25	9	0.02	0.03	0.06	14
C21-416	374.60	376.15	1.55	3	0.01	0.01	0.10	9
C21-416	376.15	377.70	1.55	1	0.01	0.01	0.09	6
C21-416	377.70	378.95	1.25	1	0.00	0.01	0.08	5
C21-416	378.95	380.20	1.25	2	0.00	0.04	0.12	9
C21-416	380.20	380.80	0.60	4	0.00	0.06	0.72	36
C21-416	380.80	382.20	1.40	2	0.00	0.03	0.09	7
C21-416	382.20	382.90	0.70	3	0.01	0.04	0.21	14
C21-416	382.90	384.20	1.30	2	0.00	0.05	0.11	9
C21-416	384.20	385.65	1.45	2	0.00	0.05	0.13	9
C21-416	385.65	387.20	1.55	1	0.00	0.01	0.07	4
C21-416	387.20	388.80	1.60	3	0.00	0.09	0.43	24
C21-416	388.80	390.65	1.85	2	0.00	0.04	0.32	17
C21-416	390.65	392.45	1.80	3	0.01	0.10	0.25	18
C21-416	392.45	394.35	1.90	2	0.00	0.02	0.15	9
C21-416	394.35	396.05	1.70	3	0.00	0.05	0.46	23
C21-416	396.05	398.05	2.00	2	0.00	0.08	0.19	13
C21-416	398.05	400.05	2.00	1	0.00	0.01	0.08	5
C21-416	400.05	402.05	2.00	2	0.01	0.01	0.08	6
C21-416	402.05	403.30	1.25	0	0.00	0.00	0.02	1
C21-416	403.30	404.05	0.75	1	0.01	0.02	0.04	4
C21-416	404.05	406.05	2.00	3	0.02	0.02	0.05	7
C21-416	406.05	408.00	1.95	9	0.04	0.00	0.01	13
C21-416	408.00	408.65	0.65	1	0.02	0.02	0.03	5
C21-416	408.65	409.65	1.00	2	0.01	0.02	0.02	5
C21-416	409.65	410.85	1.20	1	0.03	0.02	0.07	7
C21-416	410.85	412.35	1.50	2	0.02	0.06	0.09	9
C21-416	412.35	413.85	1.50	3	0.01	0.08	0.10	10
C21-416	413.85	415.50	1.65	1	0.01	0.01	0.04	3
C21-416	415.50	416.65	1.15	1	0.01	0.04	0.11	7
C21-416	416.65	417.30	0.65	3	0.00	0.16	0.07	12
C21-416	417.30	418.75	1.45	1	0.00	0.02	0.08	5
C21-416	418.75	419.95	1.20	1	0.00	0.02	0.03	3
C21-416	419.95	421.25	1.30	1	0.00	0.02	0.04	4
C21-416	421.25	422.95	1.70	1	0.00	0.02	0.05	4
C21-416	422.95	424.65	1.70	1	0.00	0.00	0.01	1
C21-416	424.65	425.95	1.30	2	0.02	0.00	0.01	3
C21-418	0.00	2.40	2.40	1	0.00	0.01	0.02	2
C21-418	2.40	3.20	0.80	1	0.01	0.01	0.02	3
C21-418	3.20	4.00	0.80	2	0.00	0.02	0.03	3
C21-418	4.00	4.85	0.85	1	0.00	0.02	0.01	3
C21-418	4.85	6.85	2.00	1	0.00	0.01	0.03	3
C21-418	6.85	7.80	0.95	1	0.00	0.01	0.02	3
C21-418	7.80	9.10	1.30	1	0.00	0.01	0.03	3
C21-418	9.10	10.15	1.05	2	0.00	0.02	0.08	6
C21-418	10.15	10.90	0.75	1	0.00	0.01	0.10	6
C21-418	10.90	12.10	1.20	2	0.01	0.02	0.07	6
C21-418	12.10	13.05	0.95	1	0.00	0.01	0.13	7
C21-418	13.05	14.50	1.45	1	0.00	0.01	0.10	6
C21-418	14.50	16.05	1.55	1	0.00	0.01	0.06	4
C21-418	16.05	16.70	0.65	1	0.00	0.03	0.11	7
C21-418	16.70	18.10	1.40	1	0.00	0.01	0.03	3
C21-418	18.10	19.10	1.00	1	0.00	0.01	0.06	4

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-418	19.10	19.60	0.50	1	0.00	0.01	0.18	9
C21-418	19.60	20.55	0.95	2	0.00	0.01	0.12	7
C21-418	20.55	22.55	2.00	1	0.00	0.01	0.03	3
C21-418	22.55	23.75	1.20	0	0.00	0.01	0.01	1
C21-418	23.75	25.00	1.25	1	0.00	0.00	0.04	2
C21-418	25.00	26.00	1.00	1	0.00	0.01	0.07	4
C21-418	26.00	26.65	0.65	1	0.00	0.01	0.09	5
C21-418	26.65	27.80	1.15	1	0.00	0.01	0.09	5
C21-418	27.80	28.90	1.10	1	0.01	0.01	0.10	6
C21-418	28.90	29.65	0.75	1	0.01	0.00	0.03	2
C21-418	29.65	30.85	1.20	0	0.00	0.00	0.10	5
C21-418	30.85	32.35	1.50	0	0.00	0.00	0.04	2
C21-418	32.35	33.30	0.95	0	0.00	0.00	0.03	2
C21-418	33.30	35.30	2.00	1	0.01	0.00	0.05	3
C21-418	35.30	36.50	1.20	1	0.00	0.00	0.05	3
C21-418	36.50	37.20	0.70	1	0.00	0.02	0.08	5
C21-418	37.20	39.20	2.00	1	0.00	0.03	0.16	9
C21-418	39.20	41.20	2.00	1	0.00	0.01	0.12	7
C21-418	41.20	42.35	1.15	1	0.00	0.01	0.03	3
C21-418	42.35	43.50	1.15	1	0.00	0.01	0.04	3
C21-418	43.50	44.60	1.10	2	0.00	0.01	0.11	7
C21-418	44.60	46.60	2.00	1	0.01	0.01	0.10	7
C21-418	46.60	48.60	2.00	2	0.00	0.02	0.14	9
C21-418	48.60	49.85	1.25	2	0.00	0.02	0.17	10
C21-418	49.85	52.20	2.35	2	0.01	0.01	0.26	14
C21-418	52.20	53.20	1.00	3	0.05	0.01	0.21	16
C21-418	53.20	55.20	2.00	3	0.01	0.03	0.53	27
C21-418	55.20	56.80	1.60	3	0.01	0.06	0.68	34
C21-418	56.80	57.80	1.00	2	0.01	0.02	0.68	32
C21-418	57.80	58.80	1.00	3	0.00	0.04	0.39	21
C21-418	58.80	59.50	0.70	3	0.01	0.03	0.50	26
C21-418	59.50	60.55	1.05	5	0.04	0.02	0.14	14
C21-418	60.55	62.00	1.45	3	0.01	0.01	0.07	7
C21-418	62.00	63.40	1.40	2	0.03	0.01	0.10	9
C21-418	63.40	64.75	1.35	1	0.02	0.01	0.06	5
C21-418	64.75	66.20	1.45	4	0.02	0.02	0.09	10
C21-418	66.20	68.05	1.85	3	0.02	0.04	0.62	31
C21-418	68.05	68.50	0.45	67	0.34	1.14	1.61	201
C21-418	68.50	70.15	1.65	10	0.01	0.21	0.50	39
C21-418	70.15	72.10	1.95	13	0.01	0.21	0.39	38
C21-418	72.10	73.30	1.20	6	0.09	0.13	0.17	25
C21-418	73.30	74.15	0.85	320	0.56	6.55	12.40	1,111
C21-418	74.15	75.35	1.20	47	0.06	0.92	1.99	167
C21-418	75.35	76.90	1.55	2	0.01	0.03	0.21	13
C21-418	76.90	78.50	1.60	1	0.02	0.02	0.10	8
C21-418	78.50	79.20	0.70	1	0.00	0.01	0.09	5
C21-418	79.20	79.50	0.30	2	0.00	0.02	0.17	10
C21-418	79.50	80.90	1.40	0	0.00	0.00	0.02	1
C21-418	80.90	82.10	1.20	0	0.00	0.00	0.03	2
C21-418	82.10	83.60	1.50	1	0.00	0.01	0.03	3
C21-418	83.60	84.45	0.85	3	0.01	0.02	0.18	12
C21-418	84.45	85.60	1.15	1	0.01	0.00	0.03	3
C21-418	85.60	86.45	0.85	1	0.00	0.01	0.03	3
C21-418	86.45	87.45	1.00	1	0.00	0.01	0.04	3
C21-418	87.45	88.10	0.65	1	0.00	0.00	0.19	9

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-418	88.10	88.95	0.85	1	0.00	0.01	0.01	2
C21-418	88.95	89.95	1.00	1	0.00	0.01	0.07	5
C21-418	89.95	90.25	0.30	1	0.01	0.01	0.14	7
C21-418	90.25	91.95	1.70	1	0.00	0.01	0.03	2
C21-418	91.95	92.75	0.80	1	0.00	0.01	0.03	2
C21-418	92.75	93.15	0.40	0	0.00	0.01	0.09	4
C21-418	93.15	94.40	1.25	0	0.00	0.01	0.02	2
C21-418	94.40	95.45	1.05	1	0.01	0.01	0.04	3
C21-418	95.45	96.65	1.20	1	0.00	0.01	0.05	3
C21-418	96.65	98.00	1.35	1	0.00	0.01	0.08	5
C21-418	98.00	98.45	0.45	0	0.00	0.01	0.11	5
C21-418	98.45	99.65	1.20	1	0.00	0.01	0.09	5
C21-418	99.65	101.25	1.60	1	0.00	0.01	0.05	3
C21-418	101.25	102.45	1.20	1	0.00	0.01	0.04	3
C21-418	102.45	103.45	1.00	1	0.01	0.01	0.04	3
C21-418	103.45	103.85	0.40	1	0.00	0.07	0.14	9
C21-418	103.85	105.05	1.20	3	0.01	0.03	0.11	9
C21-418	105.05	106.55	1.50	3	0.01	0.01	0.11	9
C21-418	106.55	107.70	1.15	5	0.01	0.03	0.14	13
C21-418	107.70	108.65	0.95	2	0.02	0.01	0.12	9
C21-418	108.65	109.05	0.40	1	0.02	0.01	0.09	6
C21-418	109.05	110.30	1.25	1	0.07	0.01	0.07	10
C21-418	110.30	111.25	0.95	4	0.01	0.01	0.07	8
C21-418	111.25	112.55	1.30	10	0.02	0.02	0.07	15
C21-418	112.55	114.00	1.45	2	0.08	0.01	0.18	15
C21-418	114.00	114.95	0.95	13	0.09	0.05	0.21	31
C21-418	114.95	116.50	1.55	19	0.10	0.17	0.54	56
C21-418	116.50	117.40	0.90	47	0.13	0.40	0.56	95
C21-418	117.40	118.25	0.85	36	0.13	0.19	0.19	62
C21-418	118.25	118.85	0.60	39	0.14	0.36	0.52	84
C21-418	118.85	119.85	1.00	14	0.09	0.12	0.17	33
C21-418	119.85	121.05	1.20	7	0.05	0.04	0.16	19
C21-418	121.05	121.90	0.85	6	0.02	0.03	0.18	16
C21-418	121.90	122.60	0.70	30	0.07	0.23	0.18	51
C21-418	122.60	123.20	0.60	10	0.05	0.02	0.03	16
C21-418	123.20	123.85	0.65	8	0.05	0.01	0.03	14
C21-418	123.85	125.10	1.25	6	0.02	0.01	0.02	9
C21-418	125.10	125.95	0.85	4	0.03	0.01	0.02	7
C21-418	125.95	127.10	1.15	4	0.06	0.00	0.01	9
C21-418	127.10	127.95	0.85	2	0.01	0.01	0.02	4
C21-418	127.95	129.15	1.20	4	0.01	0.01	0.04	7
C21-418	129.15	129.65	0.50	2	0.00	0.01	0.02	4
C21-418	129.65	130.70	1.05	13	0.01	0.03	0.54	37
C21-418	130.70	132.35	1.65	1	0.00	0.01	0.01	2
C21-418	132.35	133.45	1.10	1	0.00	0.01	0.03	2
C21-418	133.45	135.00	1.55	1	0.00	0.00	0.04	3
C21-418	135.00	136.10	1.10	1	0.01	0.01	0.05	5
C21-418	136.10	137.55	1.45	0	0.00	0.00	0.01	1
C21-418	137.55	138.80	1.25	2	0.01	0.03	0.05	6
C21-418	138.80	140.80	2.00	0	0.00	0.00	0.00	1
C21-418	140.80	142.80	2.00	1	0.01	0.01	0.05	4
C21-418	142.80	144.80	2.00	1	0.00	0.01	0.01	2
C21-418	144.80	146.80	2.00	1	0.04	0.01	0.04	6
C21-418	146.80	148.75	1.95	0	0.00	0.00	0.00	1
C21-418	148.75	150.10	1.35	0	0.00	0.00	0.00	1

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-419	0.00	2.10	2.10	1	0.00	0.01	0.04	3
C21-419	2.10	4.10	2.00	1	0.00	0.01	0.08	5
C21-419	4.10	5.10	1.00	2	0.00	0.02	0.05	5
C21-419	5.10	7.10	2.00	2	0.00	0.02	0.08	6
C21-419	7.10	8.80	1.70	2	0.00	0.02	0.07	5
C21-419	8.80	10.45	1.65	1	0.00	0.01	0.03	3
C21-419	10.45	12.45	2.00	2	0.00	0.04	0.04	5
C21-419	12.45	14.15	1.70	2	0.01	0.01	0.01	3
C21-419	14.15	16.15	2.00	3	0.01	0.01	0.02	4
C21-419	16.15	18.15	2.00	1	0.00	0.00	0.02	2
C21-419	18.15	19.30	1.15	1	0.00	0.04	0.05	4
C21-419	19.30	21.30	2.00	1	0.01	0.02	0.05	4
C21-419	21.30	23.30	2.00	1	0.00	0.01	0.02	2
C21-419	23.30	24.80	1.50	1	0.02	0.01	0.01	3
C21-419	24.80	26.30	1.50	0	0.01	0.00	0.02	2
C21-419	26.30	27.80	1.50	1	0.00	0.01	0.05	3
C21-419	27.80	29.30	1.50	1	0.00	0.00	0.06	4
C21-419	29.30	30.30	1.00	1	0.01	0.00	0.02	2
C21-419	30.30	31.30	1.00	1	0.01	0.00	0.01	2
C21-419	31.30	32.30	1.00	0	0.00	0.00	0.00	1
C21-419	32.30	32.70	0.40	1	0.01	0.00	0.01	2
C21-419	32.70	34.20	1.50	0	0.00	0.00	0.02	1
C21-419	34.20	35.70	1.50	0	0.00	0.00	0.01	1
C21-419	35.70	36.75	1.05	1	0.00	0.01	0.01	3
C21-419	36.75	37.80	1.05	1	0.00	0.01	0.01	2
C21-419	37.80	38.15	0.35	1	0.00	0.01	0.04	3
C21-419	38.15	40.15	2.00	1	0.00	0.01	0.03	3
C21-419	40.15	41.30	1.15	2	0.00	0.03	0.02	4
C21-419	41.30	42.30	1.00	1	0.00	0.01	0.01	2
C21-419	42.30	43.35	1.05	2	0.00	0.01	0.02	3
C21-419	43.35	44.45	1.10	2	0.00	0.02	0.05	5
C21-419	44.45	45.80	1.35	1	0.00	0.01	0.03	3
C21-419	45.80	46.60	0.80	3	0.11	0.02	0.04	14
C21-419	46.60	47.70	1.10	1	0.00	0.01	0.05	4
C21-419	47.70	49.15	1.45	1	0.00	0.03	0.10	7
C21-419	49.15	50.50	1.35	1	0.00	0.01	0.08	5
C21-419	50.50	51.80	1.30	1	0.00	0.01	0.03	3
C21-419	51.80	53.50	1.70	2	0.00	0.01	0.04	4
C21-419	53.50	54.10	0.60	4	0.01	0.04	0.05	8
C21-419	54.10	55.10	1.00	4	0.01	0.04	0.13	11
C21-419	55.10	55.85	0.75	2	0.01	0.02	0.05	6
C21-419	55.85	56.80	0.95	2	0.00	0.03	0.05	6
C21-419	56.80	58.25	1.45	2	0.01	0.02	0.03	4
C21-419	58.25	60.20	1.95	1	0.01	0.02	0.06	5
C21-419	60.20	61.55	1.35	1	0.00	0.01	0.03	3
C21-419	61.55	63.40	1.85	1	0.00	0.00	0.02	2
C21-419	63.40	65.25	1.85	1	0.00	0.01	0.01	2
C21-419	65.25	65.85	0.60	1	0.00	0.01	0.03	3
C21-419	65.85	67.15	1.30	1	0.00	0.01	0.02	2
C21-419	67.15	68.85	1.70	1	0.03	0.00	0.01	4
C21-419	68.85	69.95	1.10	1	0.00	0.01	0.02	2
C21-419	69.95	71.00	1.05	1	0.00	0.00	0.00	1
C21-419	71.00	71.55	0.55	0	0.00	0.00	0.00	1
C21-419	71.55	73.40	1.85	1	0.01	0.00	0.01	2
C21-419	73.40	74.70	1.30	1	0.00	0.01	0.05	4

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-419	74.70	76.35	1.65	1	0.00	0.01	0.06	4
C21-419	76.35	77.70	1.35	2	0.00	0.01	0.12	8
C21-419	77.70	78.50	0.80	2	0.01	0.01	0.12	7
C21-419	78.50	78.80	0.30	9	0.01	0.05	0.30	24
C21-419	78.80	80.60	1.80	8	0.01	0.06	0.25	21
C21-419	80.60	82.45	1.85	2	0.01	0.02	0.07	6
C21-419	82.45	83.75	1.30	9	0.01	0.06	0.29	24
C21-419	83.75	84.60	0.85	103	0.07	1.94	5.32	397
C21-419	84.60	85.30	0.70	3	0.01	0.02	0.07	7
C21-419	85.30	86.45	1.15	7	0.01	0.04	0.17	17
C21-419	86.45	87.90	1.45	26	0.11	0.30	0.51	66
C21-419	87.90	88.60	0.70	48	0.22	0.62	1.19	137
C21-419	88.60	89.10	0.50	73	0.16	0.61	2.83	225
C21-419	89.10	89.80	0.70	61	0.13	0.70	2.17	186
C21-419	89.80	90.55	0.75	60	0.14	0.97	2.73	218
C21-419	90.55	91.40	0.85	45	0.09	0.56	0.98	113
C21-419	91.40	91.95	0.55	212	0.17	3.30	3.59	491
C21-419	91.95	93.30	1.35	13	0.02	0.19	0.21	30
C21-419	93.30	93.80	0.50	45	0.09	0.80	1.48	142
C21-419	93.80	95.65	1.85	2	0.01	0.03	0.08	7
C21-419	95.65	97.40	1.75	3	0.01	0.04	0.15	11
C21-419	97.40	98.75	1.35	4	0.04	0.07	0.20	18
C21-419	98.75	99.20	0.45	36	0.44	0.50	0.96	130
C21-419	99.20	100.00	0.80	113	0.11	1.95	1.11	236
C21-419	100.00	100.90	0.90	13	0.03	0.16	0.30	33
C21-419	100.90	101.45	0.55	2	0.01	0.02	0.13	9
C21-419	101.45	103.00	1.55	1	0.00	0.01	0.09	5
C21-419	103.00	105.00	2.00	3	0.01	0.05	0.19	13
C21-419	105.00	105.90	0.90	5	0.01	0.08	0.22	17
C21-419	105.90	107.55	1.65	2	0.00	0.03	0.10	7
C21-419	107.55	109.00	1.45	4	0.00	0.01	0.20	13
C21-419	109.00	110.70	1.70	1	0.00	0.01	0.10	6
C21-419	110.70	112.10	1.40	2	0.01	0.00	0.22	12
C21-419	112.10	112.80	0.70	1	0.00	0.00	0.07	4
C21-419	112.80	113.15	0.35	10	0.05	0.03	1.19	64
C21-419	113.15	114.50	1.35	1	0.01	0.00	0.20	10
C21-419	114.50	116.50	2.00	0	0.00	0.00	0.01	1
C21-419	116.50	118.50	2.00	0	0.00	0.00	0.00	1
C21-419	118.50	120.50	2.00	0	0.00	0.00	0.01	1
C21-419	120.50	122.50	2.00	1	0.00	0.00	0.01	1
C21-419	122.50	124.50	2.00	1	0.00	0.00	0.00	1
C21-419	124.50	126.50	2.00	0	0.00	0.00	0.00	1
C21-419	126.50	128.50	2.00	0	0.00	0.00	0.00	1
C21-419	128.50	130.50	2.00	1	0.01	0.01	0.02	3
C21-419	130.50	132.50	2.00	1	0.00	0.00	0.01	1
C21-419	132.50	134.50	2.00	0	0.01	0.00	0.01	1
C21-419	134.50	136.50	2.00	0	0.00	0.00	0.00	1
C21-419	136.50	138.50	2.00	0	0.00	0.00	0.00	1
C21-419	138.50	139.60	1.10	0	0.00	0.00	0.00	1
C21-419	139.60	141.10	1.50	0	0.00	0.00	0.00	1
C21-419	141.10	142.60	1.50	0	0.00	0.00	0.00	1
C21-419	142.60	143.70	1.10	0	0.00	0.00	0.00	1
C21-419	143.70	144.75	1.05	0	0.00	0.00	0.00	1
C21-419	144.75	146.75	2.00	0	0.00	0.00	0.00	1
C21-419	146.75	148.75	2.00	0	0.00	0.00	0.01	1

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-419	148.75	150.75	2.00	0	0.00	0.00	0.00	1
C21-419	150.75	152.75	2.00	0	0.00	0.00	0.00	1
C21-419	152.75	154.45	1.70	0	0.00	0.00	0.01	1
C21-419	154.45	154.85	0.40	2	0.00	0.02	0.14	8
C21-419	154.85	156.85	2.00	0	0.00	0.00	0.01	1
C21-419	156.85	158.85	2.00	0	0.00	0.00	0.01	1
C21-419	158.85	160.70	1.85	0	0.00	0.00	0.02	1
C21-419	160.70	162.20	1.50	1	0.00	0.00	0.05	3
C21-419	162.20	163.60	1.40	0	0.00	0.00	0.05	3
C21-419	163.60	164.60	1.00	0	0.00	0.00	0.01	1
C21-419	164.60	165.95	1.35	0	0.00	0.00	0.08	4
C21-419	165.95	167.95	2.00	1	0.01	0.00	0.08	5
C21-419	167.95	169.95	2.00	0	0.00	0.00	0.02	1
C21-419	169.95	171.95	2.00	0	0.00	0.00	0.02	1
C21-419	171.95	173.95	2.00	0	0.00	0.00	0.02	1
C21-419	173.95	175.95	2.00	0	0.00	0.00	0.01	1
C21-419	175.95	177.95	2.00	0	0.00	0.00	0.02	1
C21-419	177.95	179.95	2.00	0	0.00	0.00	0.01	1
C21-419	179.95	181.95	2.00	0	0.00	0.00	0.01	1
C21-419	181.95	183.95	2.00	0	0.00	0.00	0.01	1
C21-419	183.95	185.95	2.00	0	0.00	0.00	0.01	1
C21-419	185.95	187.95	2.00	0	0.00	0.02	0.02	2
C21-419	187.95	189.95	2.00	0	0.00	0.00	0.01	1
C21-419	189.95	191.95	2.00	0	0.00	0.01	0.08	4
C21-419	191.95	193.95	2.00	0	0.00	0.00	0.02	1
C21-419	193.95	195.95	2.00	0	0.00	0.00	0.00	1
C21-419	195.95	197.95	2.00	0	0.00	0.00	0.00	1
C21-419	197.95	198.35	0.40	0	0.01	0.00	0.00	1
C21-419	198.35	198.90	0.55	0	0.00	0.01	0.01	1
C21-419	198.90	200.90	2.00	0	0.00	0.00	0.02	1
C21-419	200.90	202.90	2.00	0	0.00	0.00	0.00	1
C21-419	202.90	204.90	2.00	0	0.00	0.00	0.00	1
C21-419	204.90	206.90	2.00	0	0.00	0.00	0.00	1
C21-419	206.90	208.90	2.00	4	0.01	0.05	0.32	19
C21-419	208.90	210.90	2.00	0	0.01	0.00	0.01	1
C21-419	210.90	212.45	1.55	0	0.01	0.01	0.09	5
C21-419	212.45	212.95	0.50	14	0.03	0.10	0.26	30
C21-419	212.95	214.00	1.05	2	0.02	0.03	0.06	7
C21-419	214.00	214.55	0.55	32	0.94	0.56	0.27	140
C21-419	214.55	215.80	1.25	1	0.03	0.01	0.01	4
C21-419	215.80	216.70	0.90	0	0.00	0.00	0.00	1
C21-419	216.70	217.80	1.10	0	0.00	0.00	0.02	2
C21-419	217.80	219.20	1.40	0	0.00	0.00	0.00	1
C21-419	219.20	221.20	2.00	0	0.01	0.00	0.01	1
C21-419	221.20	223.20	2.00	0	0.00	0.00	0.00	1
C21-419	223.20	225.20	2.00	0	0.00	0.00	0.00	1
C21-419	225.20	227.20	2.00	1	0.00	0.01	0.06	4
C21-419	227.20	228.25	1.05	0	0.00	0.00	0.04	2
C21-419	228.25	228.95	0.70	0	0.00	0.00	0.01	1
C21-419	228.95	230.35	1.40	0	0.00	0.00	0.05	3
C21-419	230.35	232.25	1.90	0	0.00	0.00	0.02	1
C21-419	232.25	233.80	1.55	1	0.00	0.00	0.01	1
C21-419	233.80	234.85	1.05	0	0.00	0.00	0.01	1
C21-419	234.85	236.05	1.20	0	0.00	0.00	0.05	3
C21-419	236.05	237.45	1.40	0	0.00	0.00	0.05	3

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-419	237.45	238.65	1.20	1	0.00	0.00	0.03	2
C21-419	238.65	239.80	1.15	0	0.00	0.00	0.02	2
C21-419	239.80	241.40	1.60	0	0.00	0.00	0.01	1
C21-419	241.40	242.65	1.25	0	0.01	0.00	0.02	2
C21-419	242.65	243.65	1.00	1	0.02	0.00	0.04	4
C21-419	243.65	245.30	1.65	1	0.00	0.00	0.02	2
C21-419	245.30	246.85	1.55	0	0.00	0.00	0.00	1
C21-419	246.85	248.70	1.85	1	0.00	0.00	0.00	1
C21-419	248.70	250.70	2.00	1	0.00	0.00	0.00	1
C21-419	250.70	252.45	1.75	1	0.00	0.00	0.00	1
C21-419	252.45	254.40	1.95	1	0.00	0.00	0.01	1
C21-419	254.40	256.10	1.70	0	0.00	0.00	0.00	1
C21-419	256.10	257.55	1.45	1	0.00	0.00	0.00	1
C21-419	257.55	258.70	1.15	0	0.00	0.00	0.01	1
C21-419	258.70	259.80	1.10	0	0.00	0.00	0.00	1
C21-419	259.80	260.85	1.05	0	0.00	0.00	0.01	1
C21-419	260.85	261.50	0.65	1	0.00	0.00	0.01	1
C21-419	261.50	262.85	1.35	0	0.00	0.00	0.01	1
C21-419	262.85	264.40	1.55	0	0.00	0.00	0.02	1
C21-419	264.40	265.85	1.45	1	0.00	0.02	0.07	5
C21-419	265.85	266.35	0.50	4	0.00	0.05	0.71	35
C21-419	266.35	268.15	1.80	1	0.00	0.00	0.01	1
C21-419	268.15	269.60	1.45	1	0.00	0.01	0.05	3
C21-419	269.60	270.65	1.05	1	0.00	0.00	0.01	2
C21-419	270.65	272.65	2.00	1	0.01	0.01	0.02	3
C21-419	272.65	274.30	1.65	1	0.01	0.00	0.02	2
C21-419	274.30	276.30	2.00	1	0.00	0.00	0.01	1
C21-419	276.30	277.25	0.95	0	0.01	0.00	0.01	1
C21-419	277.25	278.90	1.65	1	0.00	0.00	0.04	3
C21-419	278.90	279.95	1.05	2	0.04	0.00	0.11	10
C21-419	279.95	281.95	2.00	1	0.00	0.01	0.04	4
C21-419	281.95	283.40	1.45	1	0.00	0.00	0.03	2
C21-419	283.40	285.15	1.75	5	0.01	0.22	0.15	19
C21-419	285.15	286.45	1.30	2	0.00	0.05	0.11	8
C21-419	286.45	287.70	1.25	1	0.00	0.02	0.07	4
C21-419	287.70	288.60	0.90	1	0.00	0.08	0.09	7
C21-419	288.60	289.75	1.15	1	0.01	0.01	0.06	4
C21-419	289.75	291.30	1.55	1	0.00	0.00	0.07	4
C21-419	291.30	292.80	1.50	1	0.00	0.01	0.13	7
C21-419	292.80	293.70	0.90	1	0.00	0.01	0.09	5
C21-419	293.70	295.60	1.90	1	0.00	0.00	0.07	4
C21-419	295.60	297.30	1.70	1	0.00	0.02	0.17	9
C21-419	297.30	298.90	1.60	1	0.00	0.01	0.11	6
C21-419	298.90	300.80	1.90	1	0.02	0.01	0.07	7
C21-421	0.00	1.50	1.50	10	0.02	0.06	0.30	26
C21-421	1.50	2.95	1.45	5	0.05	0.13	0.17	21
C21-421	2.95	3.95	1.00	3	0.06	0.05	0.31	22
C21-421	3.95	5.05	1.10	7	0.01	0.02	0.33	22
C21-421	5.05	6.85	1.80	9	0.09	0.48	0.18	40
C21-421	6.85	8.30	1.45	7	0.03	0.08	0.30	25
C21-421	8.30	9.50	1.20	6	0.02	0.03	0.29	21
C21-421	9.50	11.10	1.60	6	0.02	0.10	0.20	19
C21-421	11.10	12.55	1.45	10	0.01	0.02	0.29	23
C21-421	12.55	13.95	1.40	9	0.03	0.07	0.28	25
C21-421	13.95	15.05	1.10	13	0.04	0.14	0.12	26

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-421	15.05	16.55	1.50	34	0.19	0.69	0.26	85
C21-421	16.55	17.75	1.20	41	0.05	0.34	0.10	61
C21-421	17.75	18.10	0.35	11	0.06	0.48	0.08	36
C21-421	18.10	18.45	0.35	13	0.05	0.27	0.24	37
C21-421	18.45	20.45	2.00	10	0.01	0.05	0.37	28
C21-421	20.45	21.00	0.55	7	0.02	0.08	0.33	25
C21-421	21.00	22.85	1.85	7	0.01	0.05	0.31	23
C21-421	22.85	24.30	1.45	8	0.01	0.07	0.37	27
C21-421	24.30	24.65	0.35	7	0.01	0.11	0.28	23
C21-421	24.65	26.25	1.60	9	0.06	0.10	0.27	29
C21-421	26.25	28.00	1.75	4	0.01	0.04	0.16	12
C21-421	28.00	29.35	1.35	5	0.03	0.10	0.06	13
C21-421	29.35	31.15	1.80	5	0.03	0.05	0.05	11
C21-421	31.15	32.50	1.35	2	0.02	0.04	0.03	6
C21-421	32.50	34.20	1.70	9	0.03	0.09	0.03	16
C21-421	34.20	36.00	1.80	3	0.03	0.08	0.02	9
C21-421	36.00	37.10	1.10	8	0.07	0.15	0.02	20
C21-421	37.10	38.85	1.75	3	0.08	0.17	0.02	16
C21-421	38.85	39.80	0.95	16	0.08	0.33	0.09	37
C21-421	39.80	40.15	0.35	96	0.18	0.50	0.16	135
C21-421	40.15	40.45	0.30	102	0.19	0.96	0.08	155
C21-421	40.45	41.10	0.65	18	0.08	0.22	0.01	33
C21-421	41.10	41.85	0.75	1	0.02	0.10	0.01	7
C21-421	41.85	43.70	1.85	4	0.03	0.09	0.03	11
C21-421	43.70	44.25	0.55	1	0.01	0.01	0.06	4
C21-421	44.25	44.65	0.40	0	0.01	0.00	0.06	4
C21-421	44.65	46.20	1.55	0	0.01	0.00	0.07	4
C21-421	46.20	47.65	1.45	1	0.02	0.01	0.10	7
C21-421	47.65	49.20	1.55	4	0.01	0.04	0.10	11
C21-421	49.20	51.00	1.80	3	0.01	0.05	0.06	8
C21-421	51.00	53.00	2.00	1	0.01	0.02	0.08	6
C21-421	53.00	55.00	2.00	0	0.01	0.01	0.20	9
C21-421	55.00	55.90	0.90	3	0.02	0.04	0.17	13
C21-421	55.90	57.00	1.10	0	0.01	0.01	0.23	11
C21-421	57.00	59.00	2.00	0	0.01	0.00	0.06	3
C21-421	59.00	61.00	2.00	5	0.01	0.05	0.06	10
C21-421	61.00	63.00	2.00	2	0.02	0.03	0.02	5
C21-421	63.00	65.00	2.00	1	0.01	0.01	0.02	3
C21-421	65.00	67.00	2.00	2	0.01	0.02	0.10	8
C21-421	67.00	69.00	2.00	2	0.01	0.02	0.09	8
C21-421	69.00	71.00	2.00	2	0.03	0.04	0.08	9
C21-421	71.00	72.00	1.00	1	0.02	0.02	0.03	4
C21-421	72.00	73.20	1.20	3	0.03	0.06	0.35	23
C21-421	73.20	73.50	0.30	237	0.58	4.11	8.71	791
C21-421	73.50	74.10	0.60	5	0.08	0.09	0.38	30
C21-421	74.10	74.50	0.40	222	0.22	4.69	4.11	575
C21-421	74.50	76.00	1.50	4	0.03	0.10	0.15	17
C21-421	76.00	77.50	1.50	1	0.02	0.03	0.05	6
C21-421	77.50	77.85	0.35	9	0.04	0.19	0.28	31
C21-421	77.85	78.20	0.35	61	0.32	1.61	1.02	185
C21-421	78.20	80.10	1.90	4	0.02	0.04	0.05	8
C21-421	80.10	80.40	0.30	1	0.10	0.03	0.09	14
C21-421	80.40	81.30	0.90	4	0.04	0.08	0.14	15
C21-421	81.30	81.60	0.30	5	0.04	0.06	0.09	13
C21-421	81.60	81.90	0.30	236	0.30	1.39	0.90	347

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-421	81.90	82.20	0.30	1	0.02	0.02	0.12	8
C21-421	82.20	83.50	1.30	1	0.04	0.01	0.03	5
C21-421	83.50	84.55	1.05	1	0.04	0.01	0.02	6
C21-421	84.55	85.20	0.65	14	0.07	0.50	0.25	48
C21-421	85.20	86.60	1.40	11	0.06	0.20	0.34	38
C21-421	86.60	87.35	0.75	1	0.01	0.01	0.01	2
C21-421	87.35	88.10	0.75	0	0.03	0.01	0.01	4
C21-421	88.10	89.95	1.85	1	0.04	0.01	0.01	5
C21-421	89.95	90.65	0.70	1	0.02	0.00	0.01	3
C21-421	90.65	91.50	0.85	4	0.02	0.07	0.13	13
C21-421	91.50	91.85	0.35	1	0.02	0.01	0.14	9
C21-421	91.85	92.40	0.55	12	0.07	0.27	0.63	53
C21-421	92.40	92.85	0.45	20	0.09	0.42	0.44	60
C21-421	92.85	93.65	0.80	2	0.01	0.01	0.02	4
C21-421	93.65	95.65	2.00	1	0.01	0.01	0.01	3
C21-421	95.65	97.50	1.85	2	0.02	0.03	0.02	6
C21-421	97.50	98.80	1.30	6	0.03	0.13	0.27	24
C21-421	98.80	99.25	0.45	50	0.15	1.34	2.98	234
C21-421	99.25	100.20	0.95	1	0.01	0.02	0.03	4
C21-421	100.20	100.50	0.30	38	0.05	0.66	1.45	126
C21-421	100.50	101.35	0.85	7	0.03	0.06	0.07	14
C21-421	101.35	101.80	0.45	1,565	0.39	8.16	19.60	2,697
C21-421	101.80	102.45	0.65	15	0.03	0.12	0.20	30
C21-421	102.45	104.15	1.70	4	0.01	0.06	0.16	13
C21-421	104.15	105.65	1.50	6	0.01	0.02	0.03	9
C21-421	105.65	106.75	1.10	2	0.02	0.02	0.04	6
C21-421	106.75	107.05	0.30	2	0.03	0.02	0.02	6
C21-421	107.05	107.80	0.75	2	0.01	0.06	0.13	10
C21-421	107.80	108.10	0.30	2	0.02	0.03	0.08	8
C21-421	108.10	109.80	1.70	2	0.01	0.05	0.10	9
C21-421	109.80	111.25	1.45	2	0.02	0.03	0.03	7
C21-421	111.25	112.50	1.25	2	0.03	0.02	0.04	6
C21-421	112.50	114.35	1.85	2	0.02	0.01	0.15	10
C21-421	114.35	115.40	1.05	8	0.16	0.21	1.06	72
C21-421	115.40	116.00	0.60	12	0.07	0.14	1.40	81
C21-421	116.00	117.10	1.10	5	0.02	0.09	0.19	17
C21-421	117.10	117.45	0.35	1	0.01	0.01	0.02	2
C21-421	117.45	118.50	1.05	1	0.01	0.01	0.01	2
C21-421	118.50	120.50	2.00	1	0.01	0.02	0.03	3
C21-421	120.50	122.50	2.00	1	0.00	0.00	0.01	1
C21-421	122.50	124.50	2.00	1	0.00	0.01	0.02	2
C21-421	124.50	126.50	2.00	1	0.00	0.00	0.01	1
C21-421	126.50	128.50	2.00	0	0.01	0.00	0.00	1
C21-421	128.50	130.50	2.00	0	0.00	0.00	0.00	1
C21-421	130.50	130.80	0.30	71	0.03	0.02	0.04	76
C21-421	130.80	132.80	2.00	1	0.01	0.01	0.01	2
C21-421	132.80	134.80	2.00	2	0.01	0.03	0.03	4
C21-421	134.80	135.90	1.10	1	0.02	0.01	0.01	3
C21-421	135.90	136.20	0.30	34	0.63	0.62	0.53	130
C21-421	136.20	138.20	2.00	1	0.00	0.02	0.04	3
C21-421	138.20	139.85	1.65	0	0.01	0.01	0.02	2
C21-421	139.85	140.30	0.45	8	0.04	0.35	0.24	33
C21-421	140.30	141.90	1.60	1	0.01	0.03	0.02	3
C21-421	141.90	142.40	0.50	5	0.17	0.29	0.41	46
C21-421	142.40	143.55	1.15	0	0.01	0.01	0.01	2

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-421	143.55	144.45	0.90	1	0.10	0.06	0.10	15
C21-421	144.45	144.75	0.30	6	0.52	0.49	0.85	101
C21-421	144.75	145.75	1.00	1	0.01	0.00	0.01	2
C21-421	145.75	146.75	1.00	1	0.02	0.05	0.09	8
C21-421	146.75	148.75	2.00	2	0.06	0.11	0.19	19
C21-421	148.75	150.35	1.60	2	0.01	0.04	0.05	6
C21-421	150.35	151.50	1.15	33	0.08	0.21	0.28	59
C21-421	151.50	152.80	1.30	2	0.01	0.02	0.05	5
C21-421	152.80	154.10	1.30	2	0.12	0.07	0.12	20
C21-421	154.10	154.50	0.40	117	2.42	2.02	1.99	469
C21-421	154.50	156.50	2.00	1	0.04	0.04	0.05	8
C21-421	156.50	157.30	0.80	14	0.01	0.32	0.14	31
C21-421	157.30	159.30	2.00	4	0.01	0.10	0.14	14
C21-421	159.30	161.30	2.00	1	0.01	0.03	0.05	5
C21-421	161.30	163.25	1.95	1	0.02	0.01	0.10	7
C21-421	163.25	163.60	0.35	7	0.64	0.66	0.44	101
C21-421	163.60	165.10	1.50	2	0.12	0.07	0.07	17
C21-421	165.10	165.40	0.30	69	1.47	1.36	4.49	423
C21-421	165.40	165.80	0.40	13	0.04	0.24	0.73	55
C21-421	165.80	167.80	2.00	2	0.01	0.06	0.08	8
C21-421	167.80	169.70	1.90	4	0.01	0.09	0.19	16
C21-421	169.70	171.70	2.00	2	0.00	0.02	0.03	4
C21-421	171.70	172.90	1.20	1	0.00	0.02	0.03	3
C21-421	172.90	173.20	0.30	39	0.08	0.43	3.11	190
C21-421	173.20	175.20	2.00	5	0.01	0.08	0.16	16
C21-421	175.20	176.70	1.50	1	0.01	0.01	0.03	3
C21-421	176.70	177.00	0.30	1	0.00	0.01	0.01	2
C21-421	177.00	178.15	1.15	5	0.01	0.05	0.37	23
C21-421	178.15	179.00	0.85	3	0.01	0.02	0.05	6
C21-421	179.00	180.55	1.55	3	0.00	0.02	0.04	5
C21-421	180.55	181.50	0.95	6	0.01	0.07	0.22	17
C21-421	181.50	182.60	1.10	6	0.01	0.07	0.19	17
C21-421	182.60	183.75	1.15	23	0.04	0.29	1.45	96
C21-421	183.75	184.90	1.15	7	0.01	0.08	0.26	21
C21-421	184.90	185.40	0.50	13	0.01	0.17	0.22	29
C21-421	185.40	187.40	2.00	9	0.01	0.11	0.06	16
C21-421	187.40	189.40	2.00	4	0.00	0.05	0.06	8
C21-421	189.40	191.40	2.00	4	0.02	0.04	0.02	7
C21-421	191.40	193.40	2.00	1	0.04	0.01	0.03	5
C21-421	193.40	195.40	2.00	1	0.01	0.01	0.02	3
C21-421	195.40	197.40	2.00	2	0.02	0.02	0.02	5
C21-421	197.40	199.40	2.00	2	0.00	0.02	0.12	8
C21-421	199.40	200.90	1.50	2	0.01	0.03	0.03	5
C21-421	200.90	202.00	1.10	3	0.00	0.04	0.02	6
C21-421	202.00	203.05	1.05	2	0.00	0.02	0.01	4
C21-421	203.05	205.05	2.00	2	0.00	0.03	0.01	4
C21-421	205.05	206.30	1.25	3	0.01	0.03	0.02	6
C21-421	206.30	206.60	0.30	32	0.02	0.48	0.36	65
C21-421	206.60	208.60	2.00	2	0.01	0.02	0.05	5
C21-421	208.60	210.60	2.00	1	0.01	0.01	0.05	4
C21-421	210.60	212.60	2.00	1	0.00	0.00	0.04	3
C21-421	212.60	214.60	2.00	1	0.03	0.01	0.05	6
C21-421	214.60	216.60	2.00	3	0.01	0.05	0.09	9
C21-421	216.60	218.60	2.00	1	0.01	0.00	0.02	3
C21-421	218.60	220.60	2.00	1	0.01	0.00	0.02	3

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-421	220.60	222.60	2.00	1	0.01	0.02	0.03	4
C21-421	222.60	222.90	0.30	80	0.04	1.33	4.41	313
C21-421	222.90	223.45	0.55	1	0.00	0.01	0.08	5
C21-421	223.45	223.75	0.30	2	0.00	0.02	0.04	4
C21-421	223.75	225.75	2.00	2	0.00	0.02	0.06	5
C21-421	225.75	227.75	2.00	1	0.00	0.01	0.03	3
C21-421	227.75	229.75	2.00	2	0.00	0.02	0.04	4
C21-421	229.75	231.75	2.00	1	0.00	0.02	0.06	4
C21-421	231.75	233.75	2.00	1	0.00	0.01	0.06	5
C21-421	233.75	235.35	1.60	3	0.01	0.03	0.08	8
C21-421	235.35	235.65	0.30	3	0.01	0.03	0.27	17
C21-421	235.65	236.75	1.10	2	0.01	0.03	0.10	8
C21-421	236.75	237.05	0.30	2	0.01	0.01	0.06	5
C21-421	237.05	238.15	1.10	2	0.01	0.04	0.08	8
C21-421	238.15	238.45	0.30	14	0.00	0.23	1.50	84
C21-421	238.45	238.75	0.30	3	0.01	0.08	0.23	16
C21-421	238.75	239.15	0.40	30	0.03	0.79	2.41	160
C21-421	239.15	240.00	0.85	11	0.01	0.26	0.75	52
C21-421	240.00	241.15	1.15	10	0.00	0.20	0.92	56
C21-421	241.15	242.00	0.85	1,250	0.09	2.61	2.89	1,469
C21-421	242.00	242.70	0.70	5	0.02	0.07	0.12	14
C21-421	242.70	243.05	0.35	302	0.22	5.67	1.09	565
C21-421	243.05	244.00	0.95	50	0.07	0.57	1.93	155
C21-421	244.00	244.35	0.35	38	0.03	0.71	1.24	116
C21-421	244.35	244.80	0.45	37	0.02	0.32	0.54	71
C21-421	244.80	246.80	2.00	1	0.01	0.00	0.01	2
C21-421	246.80	247.30	0.50	1	0.00	0.00	0.01	1
C21-421	247.30	249.30	2.00	6	0.01	0.05	0.24	18
C21-421	249.30	251.30	2.00	3	0.01	0.04	0.05	7
C21-421	251.30	253.30	2.00	1	0.00	0.00	0.02	2
C21-421	253.30	254.50	1.20	1	0.00	0.00	0.01	1
C21-421	254.50	254.90	0.40	1	0.00	0.00	0.02	2
C21-421	254.90	256.45	1.55	0	0.00	0.00	0.01	1
C21-421	256.45	258.00	1.55	1	0.00	0.00	0.01	2
C21-421	258.00	259.85	1.85	5	0.01	0.04	0.11	12
C21-421	259.85	260.25	0.40	290	0.08	4.42	6.48	721
C21-421	260.25	260.55	0.30	128	0.03	0.72	2.09	242
C21-421	260.55	262.55	2.00	7	0.02	0.14	0.19	21
C21-421	262.55	263.95	1.40	5	0.03	0.02	0.01	8
C21-421	263.95	265.50	1.55	1	0.03	0.03	0.07	7
C21-421	265.50	267.45	1.95	1	0.02	0.02	0.19	11
C21-421	267.45	268.20	0.75	1	0.01	0.03	0.04	4
C21-421	268.20	269.05	0.85	1	0.00	0.01	0.02	2
C21-421	269.05	269.45	0.40	1	0.00	0.00	0.02	2
C21-421	269.45	271.45	2.00	1	0.00	0.01	0.02	2
C21-421	271.45	273.45	2.00	1	0.00	0.00	0.01	2
C21-421	273.45	275.45	2.00	1	0.00	0.01	0.02	3
C21-421	275.45	277.45	2.00	2	0.01	0.00	0.01	3
C21-421	277.45	279.45	2.00	3	0.01	0.01	0.02	5
C21-421	279.45	281.45	2.00	3	0.04	0.01	0.02	7
C21-421	281.45	283.45	2.00	2	0.01	0.00	0.02	3
C21-421	283.45	285.45	2.00	1	0.00	0.00	0.01	2
C21-421	285.45	287.45	2.00	2	0.01	0.00	0.02	3
C21-421	287.45	289.45	2.00	2	0.01	0.00	0.02	3
C21-421	289.45	291.45	2.00	1	0.01	0.00	0.02	3

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-421	291.45	293.45	2.00	2	0.02	0.00	0.02	5
C21-421	293.45	295.40	1.95	1	0.01	0.00	0.03	3
C21-421	295.40	297.00	1.60	1	0.01	0.00	0.02	2
C21-421	297.00	298.60	1.60	1	0.01	0.00	0.02	3
C21-421	298.60	298.90	0.30	1	0.02	0.00	0.03	4
C21-421	298.90	299.90	1.00	1	0.02	0.01	0.05	5
C21-421	299.90	300.20	0.30	3	0.02	0.01	0.04	6
C21-421	300.20	301.95	1.75	1	0.01	0.01	0.08	6
C21-421	301.95	303.25	1.30	7	0.01	0.18	0.80	48
C21-421	303.25	304.50	1.25	5	0.03	0.04	0.12	13
C21-421	304.50	304.85	0.35	890	0.20	6.46	15.70	1,785
C21-421	304.85	305.70	0.85	105	0.07	1.68	2.31	266
C21-421	305.70	306.20	0.50	1,830	0.27	6.79	16.70	2,784
C21-421	306.20	306.85	0.65	45	0.04	0.64	2.67	181
C21-421	306.85	307.50	0.65	52	0.01	0.92	1.62	152
C21-421	307.50	308.55	1.05	693	0.12	4.02	20.20	1,682
C21-421	308.55	309.00	0.45	65	0.06	0.88	1.95	181
C21-421	309.00	310.00	1.00	11	0.03	0.16	0.95	59
C21-421	310.00	311.75	1.75	2	0.01	0.06	0.28	17
C21-421	311.75	312.10	0.35	6	0.01	0.26	0.56	39
C21-421	312.10	313.15	1.05	1	0.01	0.02	0.04	4
C21-421	313.15	313.45	0.30	7	0.01	0.09	0.34	25
C21-421	313.45	315.20	1.75	3	0.02	0.03	0.12	10
C21-421	315.20	316.60	1.40	21	0.01	0.32	0.50	53
C21-421	316.60	317.70	1.10	7	0.02	0.11	0.19	20
C21-421	317.70	318.00	0.30	748	0.10	5.35	9.08	1,322
C21-421	318.00	318.70	0.70	10	0.03	0.03	0.13	19
C21-421	318.70	319.00	0.30	3	0.04	0.01	0.03	8
C21-421	319.00	319.50	0.50	35	0.06	0.24	0.68	77
C21-421	319.50	321.10	1.60	2	0.04	0.03	0.08	10
C21-421	321.10	322.55	1.45	38	0.01	0.22	0.24	57
C21-421	322.55	323.60	1.05	5	0.00	0.12	0.70	38
C21-421	323.60	324.65	1.05	21	0.01	0.78	3.17	181
C21-421	324.65	325.90	1.25	7	0.01	0.16	0.98	53
C21-421	325.90	326.50	0.60	964	0.10	9.38	12.70	1,829
C21-421	326.50	326.95	0.45	15	0.02	0.38	0.82	64
C21-421	326.95	328.15	1.20	32	0.04	0.47	0.94	90
C21-421	328.15	328.50	0.35	126	0.09	2.06	18.95	991
C21-421	328.50	329.95	1.45	3	0.02	0.01	0.10	9
C21-421	329.95	330.25	0.30	1	0.00	0.00	0.10	5
C21-421	330.25	331.70	1.45	3	0.01	0.05	0.20	14
C21-421	331.70	332.00	0.30	187	0.07	2.36	3.67	428
C21-421	332.00	332.90	0.90	8	0.02	0.15	0.39	31
C21-421	332.90	333.65	0.75	56	0.05	1.48	3.02	238
C21-421	333.65	334.05	0.40	65	0.06	1.52	9.77	528
C21-421	334.05	334.95	0.90	9	0.02	0.18	0.47	36
C21-421	334.95	335.25	0.30	17	0.03	0.56	1.26	91
C21-421	335.25	336.40	1.15	2	0.01	0.01	0.07	5
C21-421	336.40	337.25	0.85	1	0.01	0.00	0.09	6
C21-421	337.25	338.10	0.85	18	0.05	0.50	1.16	87
C21-421	338.10	340.10	2.00	2	0.01	0.02	0.07	7
C21-421	340.10	341.70	1.60	9	0.04	0.15	0.60	42
C21-421	341.70	342.90	1.20	162	0.13	4.04	11.95	810
C21-421	342.90	343.40	0.50	191	0.06	3.67	6.77	606
C21-421	343.40	344.70	1.30	120	0.06	1.87	2.66	301

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-421	344.70	345.00	0.30	519	0.06	7.40	7.56	1,098
C21-421	345.00	346.00	1.00	17	0.01	0.35	0.73	60
C21-421	346.00	347.00	1.00	11	0.01	0.30	0.55	45
C21-421	347.00	347.65	0.65	3	0.02	0.03	0.04	7
C21-421	347.65	348.55	0.90	1	0.00	0.03	0.12	7
C21-421	348.55	349.30	0.75	3	0.00	0.06	1.72	76
C21-421	349.30	350.65	1.35	2	0.00	0.01	0.20	10
C21-421	350.65	351.55	0.90	3	0.01	0.01	0.37	19
C21-421	351.55	351.90	0.35	3	0.02	0.01	0.02	6
C21-421	351.90	352.90	1.00	2	0.01	0.00	0.07	5
C21-421	352.90	354.50	1.60	2	0.01	0.00	0.06	6
C21-421	354.50	354.80	0.30	3	0.01	0.00	0.05	6
C21-421	354.80	356.80	2.00	1	0.00	0.00	0.10	6
C21-421	356.80	357.80	1.00	1	0.00	0.00	0.09	5
C21-421	357.80	358.10	0.30	1	0.00	0.00	0.04	3
C21-421	358.10	358.65	0.55	1	0.00	0.00	0.01	2
C21-421	358.65	360.35	1.70	3	0.00	0.00	0.04	5
C21-421	360.35	361.10	0.75	2	0.00	0.01	0.07	6
C21-421	361.10	361.40	0.30	1	0.01	0.00	0.03	3
C21-421	361.40	363.00	1.60	2	0.01	0.00	0.05	5
C21-421	363.00	364.95	1.95	1	0.00	0.00	0.03	2
C21-421	364.95	365.50	0.55	1	0.01	0.00	0.00	2
C21-421	365.50	367.50	2.00	1	0.01	0.01	0.05	4
C21-421	367.50	370.95	3.45	52	0.01	0.51	0.43	89
C21-421	370.95	372.90	1.95	1	0.01	0.01	0.03	3
C21-421	372.90	375.00	2.10	1	0.01	0.02	0.05	5
C21-421	375.00	376.85	1.85	2	0.02	0.05	0.16	12
C21-421	376.85	378.85	2.00	1	0.02	0.00	0.01	3
C21-421	378.85	380.85	2.00	1	0.02	0.00	0.01	3
C21-421	380.85	382.85	2.00	0	0.01	0.00	0.01	1
C21-421	382.85	384.85	2.00	7	0.00	0.03	0.12	14
C21-421	384.85	386.85	2.00	0	0.01	0.00	0.02	2
C21-421	386.85	388.85	2.00	1	0.03	0.03	0.05	7
C21-421	388.85	389.85	1.00	1	0.03	0.00	0.01	3
C21-421	389.85	390.95	1.10	1	0.04	0.00	0.01	4
C21-421	390.95	391.25	0.30	189	0.14	1.61	10.20	680
C21-421	391.25	391.55	0.30	51	0.07	0.80	3.86	245
C21-421	391.55	392.80	1.25	35	0.03	0.94	2.05	156
C21-421	392.80	393.70	0.90	476	1.16	2.91	3.48	817
C21-421	393.70	395.70	2.00	2	0.01	0.02	0.06	6
C21-421	395.70	397.60	1.90	1	0.02	0.01	0.04	5
C21-421	397.60	398.90	1.30	1	0.03	0.01	0.02	5
C21-421	398.90	400.05	1.15	1	0.02	0.00	0.01	3
C21-421	400.05	400.35	0.30	13	0.04	0.23	0.56	47
C21-421	400.35	400.85	0.50	6	0.05	0.19	0.09	20
C21-421	400.85	401.15	0.30	193	0.46	6.09	6.52	716
C21-421	401.15	401.45	0.30	4	0.04	0.06	0.10	14
C21-421	401.45	402.80	1.35	173	0.04	2.95	4.69	475
C21-421	402.80	403.10	0.30	1,430	0.24	14.65	16.35	2,644
C21-421	403.10	403.75	0.65	157	0.12	1.70	3.46	370
C21-421	403.75	404.05	0.30	293	0.22	5.10	9.68	892
C21-421	404.05	405.40	1.35	6	0.02	0.03	0.07	11
C21-421	405.40	406.70	1.30	1	0.00	0.01	0.03	3
C21-421	406.70	407.95	1.25	1	0.00	0.01	0.03	2
C21-421	407.95	408.30	0.35	1	0.00	0.00	0.03	2

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-421	408.30	409.50	1.20	1	0.00	0.00	0.03	2
C21-421	409.50	411.45	1.95	1	0.01	0.01	0.04	3
C21-421	411.45	412.60	1.15	1	0.01	0.01	0.10	6
C21-421	412.60	414.60	2.00	0	0.01	0.00	0.01	2
C21-421	414.60	416.60	2.00	1	0.02	0.00	0.01	3
C21-421	416.60	418.60	2.00	1	0.02	0.01	0.01	3
C21-421	418.60	419.70	1.10	1	0.01	0.01	0.01	2
C21-421	419.70	420.75	1.05	1	0.01	0.00	0.01	2
C21-421	420.75	422.75	2.00	1	0.01	0.01	0.01	3
C21-421	422.75	424.75	2.00	2	0.02	0.02	0.05	6
C21-421	424.75	426.75	2.00	1	0.02	0.02	0.03	4
C21-421	426.75	428.10	1.35	2	0.02	0.01	0.03	5
C21-421	428.10	429.45	1.35	0	0.02	0.00	0.01	3
C21-421	429.45	429.75	0.30	1	0.03	0.01	0.04	5
C21-421	429.75	431.75	2.00	1	0.02	0.01	0.03	4
C21-421	431.75	433.75	2.00	1	0.01	0.01	0.08	5
C21-421	433.75	435.35	1.60	1	0.01	0.00	0.01	2
C21-421	435.35	436.90	1.55	1	0.01	0.00	0.02	3
C21-421	436.90	438.10	1.20	2	0.01	0.01	0.13	8
C21-421	438.10	438.40	0.30	2	0.02	0.00	0.04	5
C21-421	438.40	440.05	1.65	2	0.01	0.00	0.06	5
C21-421	440.05	441.55	1.50	2	0.01	0.01	0.06	5
C21-421	441.55	441.85	0.30	7	0.01	0.12	0.69	41
C21-421	441.85	442.20	0.35	4	0.01	0.01	0.22	14
C21-421	442.20	442.65	0.45	6	0.01	0.12	0.41	29
C21-421	442.65	443.60	0.95	2	0.00	0.00	0.04	4
C21-421	443.60	443.90	0.30	8	0.01	0.09	2.55	118
C21-421	443.90	445.90	2.00	3	0.01	0.01	0.03	6
C21-421	445.90	447.90	2.00	2	0.01	0.00	0.04	5
C21-421	447.90	449.90	2.00	1	0.00	0.00	0.02	2
C21-421	449.90	451.90	2.00	1	0.00	0.00	0.03	2
C21-421	451.90	453.90	2.00	1	0.00	0.00	0.03	2
C21-421	453.90	455.15	1.25	1	0.00	0.00	0.04	3
C21-421	455.15	456.35	1.20	2	0.00	0.00	0.04	4
C21-421	456.35	457.50	1.15	1	0.00	0.00	0.07	4
C21-421	457.50	459.50	2.00	1	0.00	0.00	0.04	3
C21-421	459.50	461.50	2.00	2	0.01	0.00	0.02	3
C21-421	461.50	463.50	2.00	2	0.01	0.00	0.03	4
C21-421	463.50	465.50	2.00	2	0.01	0.01	0.04	5
C21-421	465.50	467.50	2.00	4	0.02	0.01	0.04	8
C21-421	467.50	469.50	2.00	2	0.01	0.01	0.09	7
C21-421	469.50	471.50	2.00	3	0.04	0.01	0.05	9
C21-421	471.50	473.50	2.00	1	0.01	0.00	0.01	2
C21-421	473.50	475.50	2.00	1	0.01	0.00	0.00	2
C21-421	475.50	477.00	1.50	1	0.00	0.00	0.00	1
C21-427	1.20	2.85	1.65	3	0.06	0.01	0.15	15
C21-427	2.85	4.85	2.00	3	0.05	0.03	0.17	16
C21-427	4.85	6.85	2.00	4	0.03	0.04	0.17	15
C21-427	6.85	8.85	2.00	4	0.09	0.04	0.26	23
C21-427	8.85	10.85	2.00	3	0.10	0.03	0.33	26
C21-427	10.85	12.85	2.00	3	0.13	0.03	0.41	32
C21-427	12.85	14.85	2.00	4	0.13	0.04	0.34	29
C21-427	14.85	16.50	1.65	6	0.18	0.06	0.09	27
C21-427	16.50	18.00	1.50	4	0.16	0.08	0.11	24
C21-427	18.00	20.00	2.00	4	0.19	0.05	0.20	29

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-427	20.00	21.20	1.20	4	0.20	0.08	0.25	33
C21-427	21.20	23.20	2.00	4	0.23	0.06	0.22	34
C21-427	23.20	25.20	2.00	4	0.06	0.04	0.23	20
C21-427	25.20	27.20	2.00	4	0.13	0.02	0.23	25
C21-427	27.20	29.20	2.00	5	0.15	0.05	0.16	26
C21-427	29.20	31.20	2.00	7	0.32	0.07	0.20	44
C21-427	31.20	33.20	2.00	7	0.12	0.04	0.23	28
C21-427	33.20	35.20	2.00	9	0.19	0.04	0.23	35
C21-427	35.20	36.00	0.80	20	0.27	0.05	0.12	49
C21-427	36.00	38.00	2.00	39	0.06	0.08	0.14	53
C21-427	38.00	40.00	2.00	46	0.03	0.08	0.17	58
C21-427	40.00	41.30	1.30	79	0.08	0.03	0.10	90
C21-427	41.30	42.40	1.10	74	0.12	0.05	0.18	92
C21-427	42.40	43.85	1.45	37	0.03	0.03	0.10	44
C21-427	43.85	45.85	2.00	33	0.06	0.05	0.12	44
C21-427	45.85	47.70	1.85	16	0.02	0.03	0.13	24
C21-427	47.70	48.40	0.70	21	0.03	0.03	0.11	30
C21-427	48.40	49.60	1.20	25	0.05	0.05	0.13	37
C21-427	49.60	51.45	1.85	19	0.06	0.03	0.19	33
C21-427	51.45	52.10	0.65	24	0.04	0.04	0.24	39
C21-427	52.10	54.00	1.90	15	0.06	0.04	0.31	34
C21-427	54.00	56.00	2.00	24	0.02	0.02	0.36	41
C21-427	56.00	57.10	1.10	22	0.03	0.05	0.35	42
C21-427	57.10	58.90	1.80	19	0.06	0.06	0.43	44
C21-427	58.90	60.80	1.90	41	0.05	0.07	0.42	65
C21-427	60.80	62.80	2.00	12	0.01	0.05	0.38	30
C21-427	62.80	64.80	2.00	6	0.01	0.04	0.37	24
C21-427	64.80	66.80	2.00	18	0.03	0.05	0.44	40
C21-427	66.80	68.25	1.45	4	0.02	0.02	0.34	20
C21-427	68.25	69.50	1.25	7	0.03	0.09	0.72	42
C21-427	69.50	70.45	0.95	15	0.12	0.07	0.16	34
C21-427	70.45	70.75	0.30	93	0.68	0.61	0.07	173
C21-427	70.75	71.05	0.30	160	0.63	1.77	0.04	275
C21-427	71.05	71.40	0.35	77	0.43	0.42	0.05	129
C21-427	71.40	73.40	2.00	24	0.10	0.08	0.38	51
C21-427	73.40	75.10	1.70	7	0.05	0.03	0.15	18
C21-427	75.10	75.60	0.50	112	0.26	0.28	0.21	152
C21-427	75.60	76.35	0.75	4	0.04	0.05	0.08	12
C21-427	76.35	76.80	0.45	33	0.31	0.04	0.06	63
C21-427	76.80	77.35	0.55	22	0.20	0.07	0.19	48
C21-427	77.35	77.75	0.40	53	0.19	0.53	0.92	125
C21-427	77.75	78.30	0.55	40	0.23	0.23	0.69	95
C21-427	78.30	78.85	0.55	46	0.26	0.28	0.34	91
C21-427	78.85	80.60	1.75	11	0.08	0.06	0.47	40
C21-427	80.60	81.50	0.90	19	0.08	0.21	2.20	124
C21-427	81.50	82.60	1.10	13	0.12	0.05	0.28	36
C21-427	82.60	83.05	0.45	16	0.34	0.56	0.29	76
C21-427	83.05	84.00	0.95	13	0.20	0.04	0.19	39
C21-427	84.00	85.15	1.15	10	0.07	0.04	0.27	28
C21-427	85.15	85.45	0.30	6	0.06	0.06	0.24	23
C21-427	85.45	86.45	1.00	4	0.04	0.02	0.17	16
C21-427	86.45	86.80	0.35	13	0.07	0.06	0.20	29
C21-427	86.80	87.10	0.30	2	0.03	0.01	0.21	13
C21-427	87.10	89.05	1.95	0	0.01	0.01	0.19	9
C21-427	89.05	91.05	2.00	2	0.01	0.02	0.28	16

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-427	91.05	91.70	0.65	1	0.02	0.01	0.27	14
C21-427	91.70	93.65	1.95	3	0.02	0.02	0.19	13
C21-427	93.65	94.35	0.70	3	0.03	0.02	0.29	18
C21-427	94.35	94.65	0.30	26	0.08	0.09	0.29	47
C21-427	94.65	95.95	1.30	8	0.11	0.03	0.31	31
C21-427	95.95	96.45	0.50	39	0.34	0.06	0.83	104
C21-427	96.45	97.60	1.15	24	0.26	0.05	0.21	55
C21-427	97.60	98.10	0.50	8	0.08	0.04	0.33	30
C21-427	98.10	99.00	0.90	10	0.09	0.04	0.26	30
C21-427	99.00	100.05	1.05	19	0.15	0.04	0.11	37
C21-427	100.05	100.80	0.75	5	0.05	0.04	0.16	17
C21-427	100.80	101.45	0.65	15	0.09	0.08	0.30	38
C21-427	101.45	102.25	0.80	8	0.01	0.10	0.33	26
C21-427	102.25	103.65	1.40	12	0.11	0.09	0.10	28
C21-427	103.65	104.10	0.45	26	0.10	0.56	0.77	86
C21-427	104.10	106.10	2.00	21	0.04	0.14	0.36	44
C21-427	106.10	106.55	0.45	7	0.07	0.10	0.53	38
C21-427	106.55	106.90	0.35	6	0.06	0.08	0.23	24
C21-427	106.90	108.90	2.00	12	0.04	0.08	0.21	27
C21-427	108.90	110.90	2.00	21	0.06	0.06	1.28	81
C21-427	110.90	112.90	2.00	39	0.04	0.07	2.24	138
C21-427	112.90	114.85	1.95	26	0.02	0.11	0.95	71
C21-427	114.85	116.70	1.85	236	0.06	0.86	0.89	309
C21-427	116.70	117.00	0.30	16	0.03	0.05	1.00	61
C21-427	117.00	117.70	0.70	358	0.08	1.03	11.00	857
C21-427	117.70	118.00	0.30	45	0.02	0.34	0.53	80
C21-427	118.00	118.40	0.40	1,720	0.16	5.44	5.77	2,164
C21-427	118.40	118.75	0.35	407	0.08	8.09	3.44	841
C21-427	118.75	120.30	1.55	9	0.05	0.10	0.10	20
C21-427	120.30	120.60	0.30	373	0.09	2.51	0.12	474
C21-427	120.60	122.00	1.40	76	0.20	0.41	0.97	147
C21-427	122.00	123.25	1.25	15	0.04	0.07	1.13	67
C21-427	123.25	123.75	0.50	11	0.03	0.07	0.51	37
C21-427	123.75	124.55	0.80	22	0.09	0.04	1.09	75
C21-427	124.55	126.10	1.55	14	0.06	0.08	0.78	54
C21-427	126.10	126.85	0.75	19	0.15	0.21	0.99	80
C21-427	126.85	128.85	2.00	10	0.09	0.09	1.15	69
C21-427	128.85	129.90	1.05	6	0.03	0.04	0.34	24
C21-427	129.90	130.20	0.30	8	0.10	0.04	0.20	26
C21-427	130.20	130.50	0.30	3	0.04	0.01	0.65	33
C21-427	130.50	131.45	0.95	2	0.03	0.01	0.05	7
C21-427	131.45	132.40	0.95	8	0.05	0.04	0.33	27
C21-427	132.40	132.70	0.30	41	0.22	0.12	2.27	158
C21-427	132.70	134.70	2.00	14	0.07	0.07	0.18	30
C21-427	134.70	135.00	0.30	13	0.03	0.09	0.23	29
C21-427	135.00	135.65	0.65	79	0.42	0.18	0.09	122
C21-427	135.65	135.95	0.30	57	0.26	0.34	0.30	103
C21-427	135.95	136.75	0.80	51	0.51	0.07	0.03	97
C21-427	136.75	137.05	0.30	25	0.17	0.07	0.04	43
C21-427	137.05	138.15	1.10	45	0.27	0.13	0.30	84
C21-427	138.15	139.30	1.15	28	0.24	0.10	0.11	56
C21-427	139.30	141.30	2.00	12	0.12	0.02	0.03	23
C21-427	141.30	143.30	2.00	10	0.07	0.03	0.03	18
C21-427	143.30	143.95	0.65	8	0.03	0.01	0.03	12
C21-427	143.95	144.40	0.45	7	0.01	0.03	0.34	23

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-427	144.40	145.30	0.90	50	0.04	0.21	1.16	109
C21-427	145.30	145.90	0.60	28	0.04	0.08	0.17	41
C21-427	145.90	147.30	1.40	3	0.02	0.01	0.02	5
C21-427	147.30	147.65	0.35	5	0.07	0.03	0.10	16
C21-427	147.65	148.50	0.85	2	0.02	0.01	0.04	5
C21-427	148.50	148.80	0.30	49	0.04	0.86	0.03	84
C21-427	148.80	150.80	2.00	4	0.02	0.04	0.03	9
C21-427	150.80	152.80	2.00	2	0.01	0.01	0.02	4
C21-427	152.80	154.80	2.00	1	0.01	0.01	0.04	4
C21-427	154.80	155.90	1.10	0	0.01	0.00	0.02	2
C21-427	155.90	156.20	0.30	1	0.01	0.04	0.10	8
C21-427	156.20	158.10	1.90	1	0.01	0.01	0.17	10
C21-427	158.10	158.45	0.35	22	0.04	0.22	0.31	46
C21-427	158.45	158.80	0.35	4	0.01	0.05	0.06	10
C21-427	158.80	160.80	2.00	17	0.08	0.17	0.19	37
C21-427	160.80	162.80	2.00	29	0.05	0.14	0.78	70
C21-427	162.80	164.80	2.00	15	0.02	0.07	0.48	39
C21-427	164.80	166.05	1.25	7	0.02	0.06	0.13	15
C21-427	166.05	168.05	2.00	22	0.09	0.14	0.78	67
C21-427	168.05	170.05	2.00	18	0.02	0.09	0.75	54
C21-427	170.05	172.05	2.00	10	0.02	0.06	0.69	42
C21-427	172.05	173.90	1.85	16	0.04	0.12	1.12	70
C21-427	173.90	174.20	0.30	32	0.14	0.29	1.44	113
C21-427	174.20	176.20	2.00	24	0.14	0.15	1.71	111
C21-427	176.20	176.50	0.30	24	0.08	0.09	1.49	96
C21-427	176.50	176.85	0.35	30	0.09	0.14	2.68	154
C21-427	176.85	178.50	1.65	25	0.14	0.15	1.68	111
C21-427	178.50	180.50	2.00	13	0.03	0.08	1.21	69
C21-427	180.50	182.50	2.00	28	0.04	0.17	1.55	101
C21-427	182.50	183.80	1.30	16	0.10	0.17	0.97	70
C21-427	183.80	184.15	0.35	57	0.25	0.20	9.04	460
C21-427	184.15	186.15	2.00	12	0.14	0.14	0.42	46
C21-427	186.15	188.15	2.00	23	0.08	0.19	0.86	72
C21-427	188.15	188.45	0.30	61	0.14	0.57	1.71	163
C21-427	188.45	189.20	0.75	44	0.17	0.35	0.73	101
C21-427	189.20	190.30	1.10	163	0.56	1.48	1.62	328
C21-427	190.30	192.30	2.00	14	0.06	0.20	1.06	69
C21-427	192.30	192.90	0.60	7	0.04	0.08	0.85	48
C21-427	192.90	193.20	0.30	34	0.10	0.25	3.38	191
C21-427	193.20	194.55	1.35	6	0.03	0.04	1.12	55
C21-427	194.55	194.85	0.30	29	0.26	0.22	5.64	291
C21-427	194.85	195.20	0.35	54	0.39	0.64	6.02	358
C21-427	195.20	196.05	0.85	10	0.11	0.10	0.79	54
C21-427	196.05	196.45	0.40	14	0.06	0.22	0.19	35
C21-427	196.45	196.75	0.30	97	0.42	1.71	2.34	288
C21-427	196.75	197.05	0.30	71	0.03	0.36	0.38	102
C21-427	197.05	198.00	0.95	22	0.03	0.16	0.33	43
C21-427	198.00	199.20	1.20	8	0.02	0.05	0.07	14
C21-427	199.20	199.50	0.30	114	0.08	0.67	0.31	157
C21-427	199.50	199.85	0.35	2,100	0.18	8.78	10.60	2,863
C21-427	199.85	200.15	0.30	140	0.05	0.68	1.99	251
C21-427	200.15	201.40	1.25	14	0.03	0.15	0.72	51
C21-427	201.40	201.80	0.40	54	0.06	0.88	2.29	185
C21-427	201.80	203.50	1.70	7	0.03	0.11	0.41	30
C21-427	203.50	203.80	0.30	8	0.02	0.07	1.13	59

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-427	203.80	205.70	1.90	3	0.00	0.01	0.04	5
C21-427	205.70	206.25	0.55	1	0.01	0.01	0.05	4
C21-427	206.25	206.95	0.70	25	0.03	0.08	1.90	109
C21-427	206.95	207.35	0.40	147	0.13	0.81	2.59	293
C21-427	207.35	208.50	1.15	22	0.04	0.15	0.86	66
C21-427	208.50	209.10	0.60	59	0.04	0.35	2.13	162
C21-427	209.10	211.10	2.00	37	0.07	0.11	3.80	204
C21-427	211.10	213.10	2.00	29	0.06	0.13	2.64	148
C21-427	213.10	215.10	2.00	32	0.06	0.16	1.83	119
C21-427	215.10	216.95	1.85	23	0.05	0.10	2.18	121
C21-427	216.95	217.50	0.55	2	0.01	0.02	0.08	7
C21-427	217.50	219.30	1.80	32	0.06	0.25	0.76	77
C21-427	219.30	220.50	1.20	14	0.02	0.15	0.72	50
C21-427	220.50	222.55	2.05	17	0.03	0.17	0.47	45
C21-427	222.55	223.50	0.95	11	0.02	0.18	0.18	27
C21-427	223.50	223.80	0.30	42	0.06	0.66	1.80	145
C21-427	223.80	225.80	2.00	4	0.05	0.05	0.08	13
C21-427	225.80	226.80	1.00	3	0.02	0.07	0.44	26
C21-427	226.80	228.75	1.95	3	0.01	0.04	0.15	12
C21-427	228.75	229.05	0.30	4	0.05	0.05	0.14	16
C21-427	229.05	229.35	0.30	337	0.08	0.96	1.42	436
C21-427	229.35	231.35	2.00	5	0.02	0.08	0.10	14
C21-427	231.35	232.75	1.40	7	0.01	0.07	0.03	12
C21-427	232.75	234.75	2.00	3	0.01	0.05	0.10	10
C21-427	234.75	236.00	1.25	2	0.01	0.04	0.06	7
C21-427	236.00	237.15	1.15	8	0.05	0.12	0.44	34
C21-427	237.15	238.85	1.70	79	0.12	0.81	0.19	125
C21-427	238.85	239.15	0.30	37	0.12	0.36	0.24	70
C21-427	239.15	240.00	0.85	164	0.15	1.11	0.79	248
C21-427	240.00	240.50	0.50	8	0.04	0.11	0.10	19
C21-427	240.50	241.60	1.10	175	0.16	1.86	0.60	278
C21-427	241.60	242.35	0.75	7	0.02	0.08	0.09	15
C21-427	242.35	244.35	2.00	4	0.01	0.05	0.09	10
C21-427	244.35	245.80	1.45	4	0.02	0.06	0.08	10
C21-427	245.80	247.35	1.55	12	0.01	0.15	0.13	23
C21-427	247.35	248.20	0.85	358	0.10	0.67	1.55	454
C21-427	248.20	249.45	1.25	25	0.01	0.16	0.21	40
C21-427	249.45	251.45	2.00	5	0.01	0.02	0.05	9
C21-427	251.45	253.45	2.00	2	0.02	0.02	0.04	6
C21-427	253.45	254.40	0.95	1	0.01	0.00	0.01	2
C21-427	254.40	254.70	0.30	7	0.02	0.05	0.03	12
C21-427	254.70	256.70	2.00	1	0.01	0.01	0.04	3
C21-427	256.70	258.70	2.00	0	0.01	0.00	0.01	1
C21-427	258.70	260.70	2.00	0	0.01	0.00	0.01	1
C21-427	260.70	261.25	0.55	1	0.02	0.02	0.02	4
C21-427	261.25	261.80	0.55	31	0.25	0.70	0.07	79
C21-427	261.80	263.80	2.00	3	0.02	0.08	0.03	9
C21-427	263.80	264.30	0.50	10	0.01	0.23	0.33	32
C21-427	264.30	264.60	0.30	78	0.58	1.13	1.99	247
C21-427	264.60	264.90	0.30	4	0.01	0.06	0.50	27
C21-427	264.90	266.90	2.00	0	0.01	0.01	0.01	1
C21-427	266.90	268.90	2.00	3	0.01	0.07	0.04	7
C21-427	268.90	270.90	2.00	1	0.01	0.02	0.00	3
C21-427	270.90	272.90	2.00	0	0.01	0.01	0.00	1
C21-427	272.90	274.90	2.00	0	0.01	0.00	0.00	1

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-427	274.90	276.75	1.85	0	0.00	0.00	0.03	2
C21-427	276.75	277.20	0.45	1	0.01	0.00	0.00	2
C21-427	277.20	278.85	1.65	1	0.01	0.00	0.06	4
C21-427	278.85	279.30	0.45	79	0.01	0.62	1.35	158
C21-427	279.30	280.00	0.70	6	0.01	0.15	0.22	21
C21-427	280.00	281.30	1.30	1	0.01	0.02	0.02	3
C21-427	281.30	282.30	1.00	5	0.01	0.13	0.58	35
C21-427	282.30	284.15	1.85	1	0.01	0.02	0.04	4
C21-427	284.15	285.65	1.50	2	0.01	0.04	0.11	9
C21-427	285.65	287.30	1.65	2	0.01	0.04	0.21	13
C21-427	287.30	289.30	2.00	5	0.01	0.08	0.29	20
C21-427	289.30	290.05	0.75	3	0.01	0.04	0.53	28
C21-427	290.05	290.35	0.30	6	0.01	0.07	2.00	92
C21-427	290.35	291.20	0.85	1	0.01	0.02	0.17	10
C21-427	291.20	292.50	1.30	5	0.01	0.11	0.36	24
C21-427	292.50	294.50	2.00	2	0.01	0.05	0.10	8
C21-427	294.50	295.70	1.20	0	0.01	0.01	0.02	2
C21-427	295.70	296.35	0.65	32	0.03	0.59	0.48	75
C21-427	296.35	297.15	0.80	1	0.01	0.02	0.05	5
C21-427	297.15	297.45	0.30	13	0.02	0.22	0.44	41
C21-427	297.45	299.45	2.00	7	0.01	0.12	0.13	18
C21-427	299.45	300.95	1.50	1	0.01	0.03	0.03	4
C21-427	300.95	302.95	2.00	2	0.01	0.04	0.11	8
C21-427	302.95	304.90	1.95	1	0.00	0.01	0.03	2
C21-427	304.90	306.15	1.25	1	0.01	0.01	0.01	2
C21-427	306.15	308.15	2.00	2	0.01	0.07	0.10	9
C21-427	308.15	308.70	0.55	1	0.01	0.03	0.12	7
C21-427	308.70	309.40	0.70	9	0.01	0.25	0.63	45
C21-427	309.40	310.00	0.60	4	0.01	0.11	0.43	26
C21-427	310.00	311.05	1.05	11	0.01	0.32	1.40	80
C21-427	311.05	312.30	1.25	21	0.01	0.22	2.21	121
C21-427	312.30	313.00	0.70	13	0.00	0.14	1.19	68
C21-427	313.00	313.30	0.30	22	0.01	0.48	2.67	150
C21-427	313.30	313.60	0.30	72	0.03	0.97	4.33	289
C21-427	313.60	315.05	1.45	35	0.01	0.57	2.02	140
C21-427	315.05	315.45	0.40	15	0.01	0.19	1.94	103
C21-427	315.45	316.70	1.25	16	0.01	0.16	1.72	93
C21-427	316.70	318.00	1.30	15	0.00	0.16	0.73	50
C21-427	318.00	319.65	1.65	8	0.00	0.07	0.55	34
C21-427	319.65	320.50	0.85	2	0.00	0.01	0.09	6
C21-427	320.50	321.20	0.70	2	0.00	0.03	0.04	5
C21-427	321.20	321.65	0.45	1	0.00	0.01	0.08	4
C21-427	321.65	323.55	1.90	1	0.00	0.01	0.02	2
C21-427	323.55	323.85	0.30	3	0.00	0.03	0.03	5
C21-427	323.85	325.30	1.45	0	0.00	0.01	0.04	2
C21-427	325.30	325.75	0.45	2	0.01	0.03	0.13	9
C21-427	325.75	327.75	2.00	1	0.01	0.01	0.05	4
C21-427	327.75	329.75	2.00	1	0.00	0.00	0.05	3
C21-427	329.75	331.75	2.00	1	0.01	0.01	0.05	4
C21-427	331.75	333.75	2.00	1	0.01	0.01	0.07	4
C21-427	333.75	334.30	0.55	2	0.00	0.02	0.19	11
C21-427	334.30	336.20	1.90	0	0.00	0.00	0.03	2
C21-427	336.20	336.90	0.70	2	0.01	0.02	0.10	7
C21-427	336.90	338.90	2.00	0	0.00	0.01	0.08	4
C21-427	338.90	340.85	1.95	0	0.00	0.00	0.03	2

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-427	340.85	342.85	2.00	0	0.00	0.00	0.04	2
C21-427	342.85	344.85	2.00	0	0.00	0.00	0.03	2
C21-427	344.85	346.85	2.00	1	0.00	0.01	0.10	6
C21-427	346.85	348.85	2.00	1	0.01	0.02	0.04	5
C21-427	348.85	350.85	2.00	1	0.00	0.02	0.05	4
C21-427	350.85	352.85	2.00	1	0.01	0.02	0.03	3
C21-427	352.85	354.85	2.00	1	0.01	0.02	0.02	3
C21-427	354.85	356.85	2.00	1	0.00	0.01	0.02	2
C21-427	356.85	358.85	2.00	0	0.00	0.00	0.01	1
C21-427	358.85	360.85	2.00	0	0.00	0.00	0.01	1
C21-427	360.85	362.85	2.00	0	0.00	0.00	0.03	2
C21-427	362.85	364.85	2.00	1	0.00	0.01	0.07	4
C21-427	364.85	365.45	0.60	1	0.01	0.01	0.03	4
C21-427	365.45	365.75	0.30	14	0.06	0.32	0.37	45
C21-427	365.75	367.10	1.35	5	0.02	0.11	0.14	16
C21-427	367.10	369.10	2.00	1	0.00	0.01	0.04	3
C21-427	369.10	371.10	2.00	0	0.00	0.00	0.02	1
C21-427	371.10	372.10	1.00	1	0.00	0.00	0.03	2
C21-427	372.10	372.60	0.50	10	0.02	0.18	0.74	49
C21-427	372.60	372.90	0.30	47	0.05	0.79	2.68	190
C21-427	372.90	373.75	0.85	11	0.05	0.15	2.18	111
C21-427	373.75	374.90	1.15	4	0.03	0.02	1.22	57
C21-427	374.90	375.20	0.30	6	0.02	0.01	0.90	45
C21-427	375.20	375.65	0.45	7	0.05	0.00	0.09	15
C21-427	375.65	376.65	1.00	6	0.02	0.01	0.03	10
C21-427	376.65	376.95	0.30	65	0.14	0.53	1.45	155
C21-427	376.95	377.25	0.30	40	0.13	0.22	1.39	115
C21-427	377.25	377.90	0.65	5	0.02	0.03	0.07	11
C21-427	377.90	378.20	0.30	1	0.01	0.01	0.04	4
C21-427	378.20	378.55	0.35	3	0.00	0.04	0.07	7
C21-427	378.55	379.30	0.75	24	0.08	0.33	0.39	58
C21-427	379.30	381.00	1.70	1	0.00	0.01	0.05	3
C21-427	381.00	381.40	0.40	3	0.01	0.04	0.17	12
C21-427	381.40	383.40	2.00	1	0.01	0.01	0.06	5
C21-427	383.40	383.90	0.50	1	0.00	0.01	0.03	3
C21-427	383.90	384.30	0.40	19	0.02	0.02	0.04	22
C21-427	384.30	385.50	1.20	1	0.00	0.01	0.02	2
C21-427	385.50	385.80	0.30	1	0.01	0.00	0.10	6
C21-427	385.80	386.20	0.40	2	0.00	0.03	0.11	8
C21-427	386.20	386.65	0.45	1	0.01	0.01	0.07	5
C21-427	386.65	387.70	1.05	2	0.00	0.01	0.30	15
C21-427	387.70	388.75	1.05	3	0.01	0.03	0.18	12
C21-427	388.75	389.35	0.60	3	0.01	0.02	0.25	15
C21-427	389.35	390.10	0.75	1	0.00	0.02	0.14	8
C21-427	390.10	391.50	1.40	1	0.01	0.01	0.13	7
C21-427	391.50	393.50	2.00	1	0.00	0.01	0.05	4
C21-428	0.00	2.40	2.40	18	0.03	0.02	0.06	23
C21-428	2.40	3.65	1.25	24	0.02	0.02	0.10	30
C21-428	3.65	5.65	2.00	13	0.03	0.05	0.10	21
C21-428	5.65	7.65	2.00	6	0.03	0.08	0.09	15
C21-428	7.65	9.65	2.00	6	0.04	0.07	0.09	15
C21-428	9.65	11.65	2.00	19	0.02	0.04	0.08	26
C21-428	11.65	12.50	0.85	10	0.03	0.03	0.08	16
C21-428	12.50	13.50	1.00	10	0.05	0.07	0.08	19
C21-428	13.50	14.40	0.90	13	0.12	0.19	0.05	32

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-428	14.40	15.50	1.10	16	0.17	0.17	0.07	39
C21-428	15.50	17.45	1.95	17	0.17	0.16	0.16	43
C21-428	17.45	19.40	1.95	98	0.18	0.23	0.08	124
C21-428	19.40	20.30	0.90	6	0.02	0.07	0.12	15
C21-428	20.30	21.60	1.30	13	0.03	0.05	0.09	21
C21-428	21.60	23.60	2.00	15	0.09	0.05	0.16	31
C21-428	23.60	25.60	2.00	39	0.07	0.04	0.20	55
C21-428	25.60	26.40	0.80	36	0.12	0.14	0.34	65
C21-428	26.40	28.40	2.00	40	0.04	0.03	0.23	54
C21-428	28.40	30.40	2.00	14	0.01	0.03	0.16	22
C21-428	30.40	32.40	2.00	20	0.01	0.01	0.09	25
C21-428	32.40	34.30	1.90	7	0.01	0.01	0.13	14
C21-428	34.30	34.65	0.35	26	0.02	0.09	0.30	43
C21-428	34.65	36.35	1.70	7	0.01	0.01	0.13	14
C21-428	36.35	37.20	0.85	13	0.06	0.06	0.29	32
C21-428	37.20	39.30	2.10	8	0.02	0.02	0.15	16
C21-428	39.30	41.40	2.10	5	0.02	0.02	0.14	14
C21-428	41.40	43.20	1.80	7	0.01	0.02	0.08	13
C21-428	43.20	44.45	1.25	2	0.01	0.02	0.04	6
C21-428	44.45	46.45	2.00	1	0.01	0.02	0.05	5
C21-428	46.45	48.45	2.00	1	0.01	0.01	0.05	3
C21-428	48.45	49.65	1.20	3	0.01	0.12	0.14	14
C21-428	49.65	50.90	1.25	11	0.01	0.34	0.23	33
C21-428	50.90	52.90	2.00	7	0.02	0.12	0.16	19
C21-428	52.90	54.90	2.00	6	0.01	0.08	0.11	15
C21-428	54.90	56.40	1.50	1	0.01	0.01	0.07	5
C21-428	56.40	57.10	0.70	36	0.01	0.03	0.25	48
C21-428	57.10	57.70	0.60	33	0.02	0.12	0.81	72
C21-428	57.70	59.50	1.80	7	0.01	0.04	0.25	19
C21-428	59.50	61.00	1.50	1	0.01	0.02	0.15	9
C21-428	61.00	61.95	0.95	7	0.01	0.01	0.14	14
C21-428	61.95	63.95	2.00	1	0.01	0.01	0.04	4
C21-428	63.95	65.95	2.00	0	0.01	0.01	0.03	2
C21-428	65.95	67.95	2.00	2	0.01	0.02	0.03	5
C21-428	67.95	69.95	2.00	0	0.01	0.02	0.03	2
C21-428	69.95	71.85	1.90	0	0.01	0.00	0.03	2
C21-428	71.85	72.30	0.45	16	0.01	0.11	0.21	29
C21-428	72.30	73.70	1.40	0	0.01	0.02	0.05	4
C21-428	73.70	74.40	0.70	0	0.01	0.02	0.08	5
C21-428	74.40	75.20	0.80	4	0.01	0.05	0.14	13
C21-428	75.20	77.20	2.00	0	0.00	0.00	0.02	2
C21-428	77.20	79.10	1.90	0	0.01	0.01	0.01	1
C21-428	79.10	81.10	2.00	6	0.02	0.17	0.04	14
C21-428	81.10	82.40	1.30	2	0.01	0.05	0.02	5
C21-428	82.40	82.80	0.40	54	0.03	1.49	0.84	143
C21-428	82.80	84.80	2.00	2	0.01	0.07	0.04	7
C21-428	84.80	86.65	1.85	4	0.01	0.13	0.07	12
C21-428	86.65	88.00	1.35	2	0.05	0.05	0.08	11
C21-428	88.00	89.40	1.40	1	0.02	0.01	0.07	6
C21-428	89.40	91.05	1.65	1	0.01	0.01	0.02	3
C21-428	91.05	91.45	0.40	16	0.05	0.36	0.19	41
C21-428	91.45	92.85	1.40	1	0.01	0.02	0.03	4
C21-428	92.85	93.85	1.00	3	0.01	0.08	0.04	8
C21-428	93.85	95.40	1.55	1	0.01	0.01	0.03	3
C21-428	95.40	95.90	0.50	11	0.01	0.04	0.05	15

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-428	95.90	96.50	0.60	20	0.01	0.06	0.12	29
C21-428	96.50	97.10	0.60	0	0.01	0.02	0.05	4
C21-428	97.10	97.40	0.30	0	0.01	0.01	0.07	4
C21-428	97.40	98.10	0.70	22	0.02	0.05	0.19	33
C21-428	98.10	98.75	0.65	0	0.02	0.01	0.06	5
C21-428	98.75	100.15	1.40	0	0.01	0.00	0.02	2
C21-428	100.15	100.55	0.40	1	0.02	0.00	0.04	4
C21-428	100.55	102.55	2.00	0	0.01	0.00	0.01	2
C21-428	102.55	104.40	1.85	1	0.01	0.01	0.02	2
C21-428	104.40	106.40	2.00	1	0.01	0.01	0.03	3
C21-428	106.40	106.70	0.30	308	0.46	3.18	4.96	664
C21-428	106.70	108.70	2.00	4	0.01	0.05	0.07	9
C21-428	108.70	109.90	1.20	4	0.01	0.03	0.08	9
C21-428	109.90	110.95	1.05	1	0.01	0.01	0.02	2
C21-428	110.95	112.05	1.10	4	0.01	0.03	0.06	9
C21-428	112.05	113.65	1.60	4	0.01	0.03	0.07	9
C21-428	113.65	115.45	1.80	13	0.01	0.20	0.70	51
C21-428	115.45	115.75	0.30	2	0.01	0.02	0.04	4
C21-428	115.75	117.75	2.00	1	0.01	0.00	0.01	2
C21-428	117.75	119.55	1.80	2	0.01	0.06	0.05	7
C21-428	119.55	119.85	0.30	9	0.02	0.15	0.15	22
C21-428	119.85	120.60	0.75	40	0.03	0.60	1.15	111
C21-428	120.60	120.90	0.30	48	0.04	0.71	1.14	124
C21-428	120.90	121.25	0.35	7	0.02	0.10	0.17	19
C21-428	121.25	121.55	0.30	26	0.04	0.53	0.82	82
C21-428	121.55	123.55	2.00	3	0.01	0.07	0.06	9
C21-428	123.55	125.55	2.00	1	0.01	0.02	0.02	3
C21-428	125.55	126.60	1.05	1	0.01	0.01	0.02	2
C21-428	126.60	127.65	1.05	5	0.01	0.10	0.09	13
C21-428	127.65	128.50	0.85	32	0.05	0.59	0.24	67
C21-428	128.50	129.00	0.50	7	0.01	0.12	0.07	15
C21-428	129.00	131.00	2.00	1	0.01	0.02	0.03	3
C21-428	131.00	132.20	1.20	1	0.01	0.02	0.03	4
C21-428	132.20	132.75	0.55	8	0.02	0.11	0.28	25
C21-428	132.75	134.40	1.65	3	0.01	0.03	0.13	10
C21-428	134.40	135.05	0.65	3	0.01	0.03	0.09	8
C21-428	135.05	137.45	2.40	38	0.06	0.09	0.31	59
C21-428	137.45	138.05	0.60	3	0.01	0.05	0.19	13
C21-428	138.05	138.60	0.55	2	0.02	0.03	0.15	11
C21-428	138.60	140.40	1.80	1	0.01	0.01	0.06	4
C21-428	140.40	142.00	1.60	4	0.01	0.06	0.10	12
C21-428	142.00	142.35	0.35	25	0.02	0.38	0.70	69
C21-428	142.35	143.25	0.90	438	0.09	2.95	3.11	679
C21-428	143.25	143.55	0.30	773	0.44	2.40	6.70	1,171
C21-428	143.55	144.40	0.85	93	0.04	0.40	0.84	145
C21-428	144.40	145.30	0.90	18	0.02	0.15	0.34	39
C21-428	145.30	145.60	0.30	200	0.11	1.68	1.83	344
C21-428	145.60	145.90	0.30	1,450	0.29	5.02	10.90	2,103
C21-428	145.90	146.60	0.70	18	0.02	0.30	0.33	44
C21-428	146.60	148.10	1.50	9	0.01	0.18	0.34	30
C21-428	148.10	149.10	1.00	6	0.02	0.11	0.25	22
C21-428	149.10	150.75	1.65	2	0.02	0.02	0.06	7
C21-428	150.75	152.10	1.35	1	0.02	0.01	0.04	5
C21-428	152.10	152.45	0.35	3	0.02	0.04	0.10	10
C21-428	152.45	154.40	1.95	1	0.02	0.01	0.02	3

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-428	154.40	156.40	2.00	1	0.01	0.00	0.01	2
C21-428	156.40	158.40	2.00	1	0.02	0.00	0.01	2
C21-428	158.40	160.40	2.00	1	0.02	0.00	0.01	2
C21-428	160.40	162.40	2.00	1	0.03	0.02	0.07	6
C21-428	162.40	164.40	2.00	1	0.02	0.04	0.04	6
C21-428	164.40	166.40	2.00	0	0.02	0.00	0.04	4
C21-428	166.40	167.90	1.50	2	0.03	0.02	0.16	12
C21-428	167.90	169.90	2.00	1	0.02	0.00	0.11	6
C21-428	169.90	171.90	2.00	0	0.01	0.00	0.05	3
C21-428	171.90	173.90	2.00	2	0.01	0.01	0.03	4
C21-428	173.90	175.90	2.00	4	0.01	0.04	0.02	6
C21-428	175.90	177.90	2.00	3	0.01	0.04	0.02	6
C21-428	177.90	179.85	1.95	2	0.01	0.02	0.02	3
C21-428	179.85	180.40	0.55	7	0.01	0.09	0.71	40
C21-428	180.40	180.75	0.35	1	0.00	0.01	0.09	5
C21-428	180.75	181.30	0.55	1	0.01	0.00	0.03	2
C21-428	181.30	183.30	2.00	1	0.01	0.01	0.07	5
C21-428	183.30	185.30	2.00	1	0.01	0.01	0.04	3
C21-428	185.30	186.55	1.25	1	0.01	0.01	0.05	4
C21-428	186.55	187.15	0.60	0	0.02	0.00	0.01	2
C21-428	187.15	187.50	0.35	2	0.01	0.01	0.17	10
C21-428	187.50	188.40	0.90	1	0.02	0.02	0.17	11
C21-428	188.40	189.00	0.60	0	0.03	0.01	0.02	4
C21-428	189.00	189.30	0.30	11	0.10	0.03	0.13	25
C21-428	189.30	190.15	0.85	1	0.03	0.02	0.06	7
C21-428	190.15	190.80	0.65	1	0.02	0.01	0.04	4
C21-428	190.80	191.95	1.15	1	0.02	0.01	0.05	5
C21-428	191.95	193.00	1.05	7	0.03	0.20	0.18	24
C21-428	193.00	193.60	0.60	42	0.27	1.35	1.03	154
C21-428	193.60	195.20	1.60	7	0.09	0.16	0.34	34
C21-428	195.20	195.80	0.60	176	0.09	4.38	8.66	697
C21-428	195.80	196.35	0.55	201	0.08	5.34	1.34	451
C21-428	196.35	197.15	0.80	14	0.04	0.30	0.74	59
C21-428	197.15	198.60	1.45	9	0.04	0.21	0.93	58
C21-428	198.60	200.10	1.50	13	0.03	0.22	0.53	46
C21-428	200.10	200.40	0.30	76	0.02	0.97	1.32	166
C21-428	200.40	201.65	1.25	9	0.02	0.16	0.41	33
C21-428	201.65	202.00	0.35	11	0.04	0.25	1.09	68
C21-428	202.00	202.65	0.65	6	0.02	0.17	0.38	29
C21-428	202.65	203.00	0.35	4	0.01	0.12	0.44	27
C21-428	203.00	203.30	0.30	25	0.06	0.35	2.05	127
C21-428	203.30	203.85	0.55	12	0.03	0.28	0.63	50
C21-428	203.85	204.75	0.90	14	0.03	0.38	0.56	54
C21-428	204.75	205.05	0.30	98	0.05	1.57	5.57	389
C21-428	205.05	205.70	0.65	14	0.05	0.37	0.51	53
C21-428	205.70	206.80	1.10	33	0.05	0.47	0.77	86
C21-428	206.80	207.10	0.30	34	0.09	0.30	3.35	191
C21-428	207.10	207.55	0.45	17	0.08	0.32	1.12	81
C21-428	207.55	208.15	0.60	47	0.14	0.91	2.24	184
C21-428	208.15	209.65	1.50	17	0.08	0.22	0.68	59
C21-428	209.65	210.25	0.60	99	0.10	0.99	2.96	265
C21-428	210.25	211.45	1.20	32	0.05	0.68	1.77	134
C21-428	211.45	211.95	0.50	292	0.13	1.38	4.42	535
C21-428	211.95	212.25	0.30	21	0.10	0.46	1.96	127
C21-428	212.25	213.60	1.35	3	0.02	0.07	0.21	16

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-428	213.60	214.90	1.30	2	0.02	0.03	0.08	8
C21-428	214.90	215.60	0.70	1	0.01	0.01	0.03	3
C21-428	215.60	217.30	1.70	1	0.02	0.01	0.03	4
C21-428	217.30	218.45	1.15	1	0.02	0.02	0.03	4
C21-428	218.45	218.85	0.40	10	0.07	0.35	0.93	66
C21-428	218.85	220.10	1.25	6	0.02	0.19	0.02	16
C21-428	220.10	221.65	1.55	14	0.03	0.33	0.26	39
C21-428	221.65	222.25	0.60	95	0.07	2.20	0.89	215
C21-428	222.25	223.45	1.20	4	0.03	0.08	0.09	13
C21-428	223.45	224.40	0.95	7	0.02	0.14	0.20	22
C21-428	224.40	226.30	1.90	2	0.01	0.03	0.04	6
C21-428	226.30	227.40	1.10	1	0.02	0.01	0.01	4
C21-428	227.40	228.70	1.30	1	0.01	0.01	0.01	3
C21-428	228.70	230.40	1.70	1	0.01	0.01	0.01	3
C21-428	230.40	231.70	1.30	1	0.01	0.01	0.01	2
C21-428	231.70	232.25	0.55	2	0.01	0.03	0.27	14
C21-428	232.25	233.70	1.45	1	0.03	0.01	0.08	7
C21-428	233.70	234.80	1.10	1	0.01	0.01	0.14	8
C21-428	234.80	235.80	1.00	3	0.01	0.02	0.20	13
C21-428	235.80	237.60	1.80	2	0.02	0.03	0.40	21
C21-428	237.60	238.15	0.55	3	0.02	0.05	0.15	12
C21-428	238.15	240.10	1.95	2	0.02	0.02	0.02	5
C21-428	240.10	242.10	2.00	1	0.04	0.02	0.03	7
C21-428	242.10	243.35	1.25	1	0.01	0.03	0.04	5
C21-428	243.35	244.00	0.65	4	0.07	0.08	0.28	24
C21-428	244.00	245.05	1.05	1	0.02	0.01	0.05	5
C21-428	245.05	246.25	1.20	2	0.03	0.03	0.03	7
C21-428	246.25	248.25	2.00	1	0.04	0.01	0.04	7
C21-428	248.25	249.85	1.60	0	0.01	0.00	0.02	2
C21-428	249.85	250.45	0.60	1	0.03	0.01	0.02	4
C21-428	250.45	250.80	0.35	2	0.04	0.06	0.18	15
C21-428	250.80	252.70	1.90	0	0.01	0.00	0.00	2
C21-428	252.70	253.00	0.30	2	0.01	0.04	0.18	11
C21-428	253.00	254.30	1.30	2	0.01	0.04	0.04	5
C21-428	254.30	255.05	0.75	5	0.01	0.07	0.12	14
C21-428	255.05	255.45	0.40	4	0.01	0.14	0.35	25
C21-428	255.45	255.75	0.30	7	0.01	0.22	0.55	38
C21-428	255.75	257.55	1.80	1	0.01	0.02	0.08	6
C21-428	257.55	259.55	2.00	0	0.01	0.00	0.05	3
C21-428	259.55	260.95	1.40	2	0.01	0.01	0.06	6
C21-428	260.95	262.75	1.80	1	0.02	0.01	0.11	8
C21-428	262.75	263.05	0.30	1	0.01	0.00	0.02	3
C21-428	263.05	263.45	0.40	2	0.02	0.01	0.10	8
C21-428	263.45	264.35	0.90	1	0.00	0.01	0.01	2
C21-428	264.35	264.85	0.50	1	0.01	0.01	0.01	3
C21-428	264.85	266.85	2.00	1	0.00	0.01	0.04	3
C21-428	266.85	268.85	2.00	1	0.00	0.01	0.04	3
C21-428	268.85	270.85	2.00	1	0.00	0.01	0.02	2
C21-428	270.85	272.80	1.95	1	0.00	0.01	0.02	3
C21-428	272.80	274.80	2.00	1	0.00	0.01	0.01	2
C21-428	274.80	276.80	2.00	1	0.00	0.01	0.03	3
C21-428	276.80	278.50	1.70	2	0.00	0.03	0.01	3
C21-428	278.50	279.50	1.00	5	0.00	0.09	0.52	30
C21-428	279.50	280.85	1.35	0	0.01	0.00	0.01	1
C21-428	280.85	282.20	1.35	0	0.00	0.00	0.00	1

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-428	282.20	284.20	2.00	0	0.00	0.00	0.01	1
C21-428	284.20	286.20	2.00	0	0.00	0.00	0.02	1
C21-428	286.20	288.20	2.00	0	0.00	0.00	0.01	1
C21-428	288.20	290.20	2.00	0	0.00	0.00	0.03	2
C21-428	290.20	292.20	2.00	0	0.00	0.00	0.02	1
C21-428	292.20	294.20	2.00	0	0.00	0.00	0.01	1
C21-428	294.20	296.20	2.00	0	0.00	0.00	0.03	2
C21-428	296.20	298.20	2.00	0	0.00	0.00	0.01	1
C21-428	298.20	300.20	2.00	0	0.00	0.00	0.00	1
C21-428	300.20	302.20	2.00	0	0.00	0.00	0.00	1
C21-428	302.20	304.00	1.80	0	0.00	0.00	0.01	1
C21-428	304.00	305.45	1.45	0	0.00	0.00	0.01	1
C21-428	305.45	307.45	2.00	0	0.01	0.00	0.01	1
C21-428	307.45	309.45	2.00	0	0.01	0.00	0.00	1
C21-428	309.45	311.40	1.95	0	0.01	0.00	0.01	1
C21-428	311.40	313.40	2.00	0	0.01	0.00	0.01	1
C21-428	313.40	315.40	2.00	0	0.01	0.00	0.01	1
C21-428	315.40	317.40	2.00	0	0.01	0.00	0.01	1
C21-428	317.40	319.20	1.80	0	0.00	0.00	0.01	1
C21-428	319.20	321.20	2.00	1	0.01	0.00	0.01	1
C21-428	321.20	321.50	0.30	1	0.01	0.01	0.12	7
C21-428	321.50	323.40	1.90	0	0.00	0.00	0.02	1
C21-428	323.40	324.70	1.30	0	0.01	0.00	0.02	2
C21-428	324.70	326.60	1.90	0	0.01	0.01	0.02	2
C21-428	326.60	328.00	1.40	1	0.01	0.00	0.06	4
C21-428	328.00	329.40	1.40	1	0.01	0.01	0.04	3
C21-428	329.40	331.30	1.90	1	0.00	0.00	0.02	2
C21-428	331.30	333.30	2.00	0	0.00	0.00	0.01	1
C21-428	333.30	335.20	1.90	0	0.00	0.00	0.01	1
C21-428	335.20	336.55	1.35	0	0.00	0.00	0.01	1
C21-428	336.55	337.45	0.90	1	0.00	0.03	0.14	8
C21-428	337.45	338.65	1.20	1	0.00	0.02	0.11	6
C21-428	338.65	340.80	2.15	0	0.00	0.02	0.05	3
C21-428	340.80	342.75	1.95	0	0.00	0.00	0.01	1
C21-428	342.75	343.90	1.15	1	0.00	0.01	0.03	3
C21-428	343.90	344.80	0.90	0	0.00	0.01	0.03	2
C21-428	344.80	345.10	0.30	1	0.00	0.02	0.12	7
C21-428	345.10	345.95	0.85	0	0.00	0.00	0.02	1
C21-428	345.95	346.85	0.90	0	0.00	0.00	0.06	3
C21-428	346.85	348.50	1.65	0	0.00	0.00	0.02	1
C21-428	348.50	350.25	1.75	0	0.00	0.00	0.00	1
C21-431	0.00	1.50	1.50	23	0.13	0.18	0.02	40
C21-431	1.50	3.50	2.00	34	0.13	0.21	0.03	53
C21-431	3.50	4.15	0.65	23	0.21	0.21	0.03	49
C21-431	4.15	5.40	1.25	17	0.20	0.24	0.07	45
C21-431	5.40	7.10	1.70	64	0.57	0.28	0.08	123
C21-431	7.10	7.65	0.55	37	0.62	0.64	0.22	119
C21-431	7.65	9.65	2.00	86	0.44	0.26	0.06	133
C21-431	9.65	11.65	2.00	33	0.28	0.23	0.06	66
C21-431	11.65	13.65	2.00	27	0.23	0.32	0.06	59
C21-431	13.65	14.70	1.05	30	0.28	0.23	0.04	63
C21-431	14.70	15.30	0.60	30	0.69	0.89	0.20	126
C21-431	15.30	16.85	1.55	50	0.21	0.27	0.02	77
C21-431	16.85	17.30	0.45	15	0.09	0.62	0.03	45
C21-431	17.30	19.15	1.85	39	0.37	0.35	0.03	83

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

*Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-431	19.15	20.15	1.00	59	0.48	0.35	0.04	112
C21-431	20.15	21.55	1.40	40	0.42	0.29	0.11	89
C21-431	21.55	23.55	2.00	25	0.08	0.09	0.40	52
C21-431	23.55	25.55	2.00	22	0.04	0.03	0.43	44
C21-431	25.55	26.40	0.85	113	0.01	0.02	0.48	134
C21-431	26.40	27.10	0.70	6	0.04	0.05	0.51	32
C21-431	27.10	29.10	2.00	18	0.05	0.04	0.33	37
C21-431	29.10	30.40	1.30	23	0.04	0.05	0.52	50
C21-431	30.40	32.40	2.00	12	0.15	0.07	0.31	40
C21-431	32.40	34.00	1.60	42	0.37	0.08	0.13	80
C21-431	34.00	36.00	2.00	97	0.58	0.06	0.14	152
C21-431	36.00	38.00	2.00	46	0.10	0.03	0.14	62
C21-431	38.00	40.00	2.00	17	0.05	0.02	0.12	27
C21-431	40.00	41.60	1.60	28	0.04	0.04	0.14	38
C21-431	41.60	42.00	0.40	18	0.05	0.05	0.16	31
C21-431	42.00	43.25	1.25	18	0.01	0.04	0.15	27
C21-431	43.25	43.70	0.45	20	0.30	0.20	0.08	55
C21-431	43.70	45.00	1.30	12	0.02	0.05	0.17	23
C21-431	45.00	45.60	0.60	4	0.01	0.02	0.25	16
C21-431	45.60	47.40	1.80	4	0.01	0.03	0.15	12
C21-431	47.40	49.10	1.70	1	0.01	0.00	0.11	6
C21-431	49.10	49.45	0.35	5	0.02	0.02	0.19	14
C21-431	49.45	51.45	2.00	2	0.01	0.01	0.19	11
C21-431	51.45	53.45	2.00	2	0.02	0.01	0.13	9
C21-431	53.45	55.45	2.00	4	0.04	0.01	0.13	13
C21-431	55.45	57.45	2.00	0	0.01	0.00	0.04	3
C21-431	57.45	58.60	1.15	0	0.01	0.00	0.03	2
C21-431	58.60	59.70	1.10	0	0.02	0.00	0.05	4
C21-431	59.70	61.10	1.40	2	0.02	0.01	0.12	9
C21-431	61.10	62.10	1.00	2	0.01	0.01	0.07	6
C21-431	62.10	64.10	2.00	1	0.01	0.01	0.08	5
C21-431	64.10	66.10	2.00	0	0.01	0.00	0.05	4
C21-431	66.10	67.50	1.40	0	0.00	0.00	0.07	3
C21-431	67.50	69.30	1.80	1	0.01	0.01	0.11	6
C21-431	69.30	70.50	1.20	6	0.04	0.05	0.14	17
C21-431	70.50	72.20	1.70	0	0.01	0.01	0.08	4
C21-431	72.20	72.50	0.30	3	0.03	0.05	0.06	9
C21-431	72.50	73.95	1.45	4	0.03	0.02	0.07	10
C21-431	73.95	74.60	0.65	7	0.03	0.09	0.14	19
C21-431	74.60	75.75	1.15	2	0.02	0.02	0.11	8
C21-431	75.75	76.05	0.30	4	0.03	0.03	0.14	13
C21-431	76.05	76.80	0.75	8	0.06	0.06	0.66	42
C21-431	76.80	77.10	0.30	10	0.14	0.11	1.12	72
C21-431	77.10	77.45	0.35	15	0.10	0.19	0.84	65
C21-431	77.45	78.20	0.75	2	0.02	0.03	0.09	8
C21-431	78.20	78.85	0.65	20	0.01	0.10	0.72	54
C21-431	78.85	79.50	0.65	13	0.09	0.09	0.70	52
C21-431	79.50	80.35	0.85	8	0.04	0.16	1.16	65
C21-431	80.35	80.75	0.40	29	0.10	0.58	0.16	64
C21-431	80.75	81.05	0.30	13	0.07	0.21	0.85	61
C21-431	81.05	81.50	0.45	11	0.05	0.13	0.98	60
C21-431	81.50	82.00	0.50	7	0.04	0.09	0.61	39
C21-431	82.00	84.00	2.00	12	0.05	0.09	0.85	54
C21-431	84.00	86.00	2.00	11	0.05	0.08	0.84	52
C21-431	86.00	88.00	2.00	8	0.04	0.06	0.31	26

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-431	88.00	89.00	1.00	7	0.06	0.03	0.11	17
C21-431	89.00	89.30	0.30	1	0.01	0.01	0.04	3
C21-431	89.30	91.20	1.90	1	0.01	0.01	0.04	4
C21-431	91.20	92.20	1.00	2	0.01	0.02	0.04	5
C21-431	92.20	92.70	0.50	3	0.02	0.03	0.06	8
C21-431	92.70	93.20	0.50	1	0.01	0.02	0.04	4
C21-431	93.20	95.20	2.00	3	0.03	0.06	0.08	11
C21-431	95.20	95.75	0.55	1	0.01	0.02	0.09	6
C21-431	95.75	96.80	1.05	3	0.02	0.05	0.10	11
C21-431	96.80	97.55	0.75	1	0.00	0.01	0.08	4
C21-431	97.55	98.10	0.55	0	0.00	0.03	0.11	6
C21-431	98.10	98.50	0.40	1	0.01	0.04	0.07	6
C21-431	98.50	99.00	0.50	7	0.01	0.08	0.14	17
C21-431	99.00	99.70	0.70	2	0.01	0.02	0.04	5
C21-431	99.70	100.25	0.55	5	0.01	0.05	0.11	11
C21-431	100.25	101.15	0.90	1	0.00	0.02	0.03	3
C21-431	101.15	102.65	1.50	2	0.00	0.02	0.06	5
C21-431	102.65	104.65	2.00	5	0.00	0.10	0.07	12
C21-431	104.65	106.65	2.00	5	0.00	0.12	0.06	12
C21-431	106.65	107.20	0.55	22	0.01	0.53	0.12	46
C21-431	107.20	107.55	0.35	9	0.01	0.24	0.09	21
C21-431	107.55	108.20	0.65	3	0.00	0.06	0.06	8
C21-431	108.20	108.70	0.50	5	0.00	0.08	0.18	15
C21-431	108.70	110.70	2.00	1	0.00	0.02	0.02	3
C21-431	110.70	112.65	1.95	1	0.00	0.02	0.03	3
C21-431	112.65	113.70	1.05	2	0.00	0.05	0.06	7
C21-431	113.70	115.70	2.00	2	0.00	0.04	0.03	5
C21-431	115.70	116.25	0.55	1	0.00	0.01	0.03	2
C21-431	116.25	116.75	0.50	13	0.03	0.25	0.77	56
C21-431	116.75	117.65	0.90	11	0.03	0.16	0.23	28
C21-431	117.65	118.50	0.85	2	0.01	0.02	0.07	6
C21-431	118.50	120.40	1.90	1	0.01	0.01	0.04	4
C21-431	120.40	121.10	0.70	1	0.01	0.01	0.02	3
C21-431	121.10	122.55	1.45	12	0.02	0.09	0.06	20
C21-431	122.55	123.00	0.45	1	0.00	0.01	0.04	3
C21-431	123.00	123.35	0.35	2	0.03	0.02	0.10	9
C21-431	123.35	124.70	1.35	1	0.00	0.01	0.10	5
C21-431	124.70	125.00	0.30	1	0.00	0.01	0.04	3
C21-431	125.00	126.00	1.00	1	0.00	0.03	0.07	5
C21-431	126.00	126.30	0.30	11	0.03	0.08	0.12	21
C21-431	126.30	126.75	0.45	0	0.00	0.01	0.02	1
C21-431	126.75	128.55	1.80	1	0.00	0.01	0.05	3
C21-431	128.55	130.10	1.55	2	0.01	0.02	0.13	9
C21-431	130.10	130.50	0.40	124	0.40	1.66	5.62	448
C21-431	130.50	130.85	0.35	52	0.10	0.61	1.64	149
C21-431	130.85	132.55	1.70	2	0.01	0.02	0.09	7
C21-431	132.55	132.85	0.30	49	0.06	0.57	0.15	80
C21-431	132.85	133.15	0.30	1	0.01	0.01	0.03	3
C21-431	133.15	133.45	0.30	2	0.01	0.03	0.06	6
C21-431	133.45	134.20	0.75	12	0.02	0.16	0.57	42
C21-431	134.20	135.10	0.90	3	0.02	0.04	0.15	12
C21-431	135.10	135.40	0.30	7	0.07	0.07	0.26	26
C21-431	135.40	136.25	0.85	2	0.01	0.02	0.14	10
C21-431	136.25	138.25	2.00	1	0.01	0.01	0.09	6
C21-431	138.25	140.10	1.85	1	0.01	0.01	0.07	5

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-431	140.10	142.10	2.00	2	0.02	0.03	0.18	11
C21-431	142.10	142.70	0.60	33	0.04	0.44	0.31	64
C21-431	142.70	144.50	1.80	1	0.02	0.01	0.10	7
C21-431	144.50	144.90	0.40	1	0.01	0.01	0.06	4
C21-431	144.90	146.90	2.00	2	0.01	0.02	0.19	11
C21-431	146.90	147.55	0.65	4	0.02	0.06	0.17	15
C21-431	147.55	148.10	0.55	10	0.04	0.14	0.31	31
C21-431	148.10	148.65	0.55	16	0.12	0.29	0.37	51
C21-431	148.65	148.95	0.30	9	0.06	0.19	0.15	27
C21-431	148.95	149.25	0.30	7	0.03	0.12	0.61	39
C21-431	149.25	150.10	0.85	13	0.10	0.18	0.50	48
C21-431	150.10	150.40	0.30	10	0.08	0.14	2.00	104
C21-431	150.40	151.35	0.95	7	0.04	0.06	1.13	58
C21-431	151.35	151.65	0.30	2	0.02	0.02	0.11	9
C21-431	151.65	152.30	0.65	2	0.02	0.02	0.20	12
C21-431	152.30	153.05	0.75	1	0.01	0.01	0.28	14
C21-431	153.05	154.60	1.55	1	0.01	0.02	0.20	11
C21-431	154.60	154.90	0.30	6	0.04	0.07	2.90	132
C21-431	154.90	155.65	0.75	3	0.03	0.05	0.51	29
C21-431	155.65	156.40	0.75	11	0.06	0.17	0.68	50
C21-431	156.40	156.75	0.35	8	0.02	0.14	0.78	47
C21-431	156.75	157.35	0.60	1	0.01	0.03	0.50	24
C21-431	157.35	157.70	0.35	11	0.05	0.16	1.90	99
C21-431	157.70	158.30	0.60	3	0.03	0.02	0.44	24
C21-431	158.30	158.65	0.35	2	0.01	0.03	0.25	14
C21-431	158.65	159.35	0.70	1	0.01	0.02	0.37	18
C21-431	159.35	161.25	1.90	2	0.00	0.02	0.06	5
C21-431	161.25	162.80	1.55	5	0.01	0.06	0.32	21
C21-431	162.80	163.15	0.35	17	0.13	0.35	0.58	64
C21-431	163.15	163.85	0.70	7	0.02	0.09	0.20	20
C21-431	163.85	164.90	1.05	10	0.03	0.15	0.53	40
C21-431	164.90	165.20	0.30	225	0.33	1.41	11.00	758
C21-431	165.20	165.50	0.30	426	0.10	3.29	3.48	694
C21-431	165.50	166.05	0.55	1,730	0.28	16.10	12.45	2,836
C21-431	166.05	167.10	1.05	8	0.03	0.15	0.22	25
C21-431	167.10	167.80	0.70	12	0.02	0.26	0.05	24
C21-431	167.80	168.75	0.95	4	0.01	0.05	0.15	13
C21-431	168.75	169.20	0.45	14	0.02	0.29	0.34	40
C21-431	169.20	170.20	1.00	2	0.01	0.03	0.26	15
C21-431	170.20	170.50	0.30	33	0.06	0.17	0.83	78
C21-431	170.50	171.10	0.60	38	0.05	0.31	0.39	69
C21-431	171.10	171.40	0.30	11	0.04	0.07	0.94	55
C21-431	171.40	172.50	1.10	4	0.03	0.04	0.30	20
C21-431	172.50	172.80	0.30	10	0.05	0.20	0.25	31
C21-431	172.80	173.40	0.60	4	0.02	0.08	0.11	13
C21-431	173.40	175.40	2.00	11	0.06	0.17	0.82	56
C21-431	175.40	177.40	2.00	31	0.04	0.36	1.07	91
C21-431	177.40	178.50	1.10	60	0.08	1.08	2.60	212
C21-431	178.50	179.00	0.50	1,290	0.65	12.85	4.51	1,983
C21-431	179.00	179.50	0.50	19	0.04	0.46	1.00	80
C21-431	179.50	180.60	1.10	18	0.02	0.29	1.35	86
C21-431	180.60	180.90	0.30	70	0.14	1.26	3.53	272
C21-431	180.90	181.30	0.40	38	0.06	0.72	1.54	132
C21-431	181.30	181.60	0.30	20	0.02	0.39	0.58	60
C21-431	181.60	183.60	2.00	149	0.24	1.49	2.72	334

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-431	183.60	185.50	1.90	154	0.15	4.45	4.49	509
C21-431	185.50	185.80	0.30	365	0.17	7.11	9.04	1,004
C21-431	185.80	186.20	0.40	129	0.10	1.59	5.57	424
C21-431	186.20	186.55	0.35	314	0.21	1.80	9.18	775
C21-431	186.55	187.00	0.45	1,050	0.28	3.77	6.69	1,483
C21-431	187.00	187.30	0.30	229	0.12	2.34	4.72	517
C21-431	187.30	188.30	1.00	22	0.10	0.16	0.29	47
C21-431	188.30	189.40	1.10	11	0.02	0.11	0.19	24
C21-431	189.40	190.40	1.00	5	0.01	0.07	0.25	19
C21-431	190.40	190.70	0.30	1	0.00	0.01	0.09	5
C21-431	190.70	191.35	0.65	2	0.01	0.03	0.34	18
C21-431	191.35	191.70	0.35	3	0.01	0.04	0.54	27
C21-431	191.70	192.00	0.30	3	0.01	0.03	4.46	190
C21-431	192.00	193.15	1.15	11	0.02	0.11	0.57	39
C21-431	193.15	193.80	0.65	2	0.01	0.03	0.34	18
C21-431	193.80	195.80	2.00	4	0.02	0.06	0.25	18
C21-431	195.80	196.10	0.30	5	0.01	0.08	0.53	31
C21-431	196.10	198.10	2.00	1	0.01	0.01	0.03	3
C21-431	198.10	198.75	0.65	1	0.01	0.02	0.09	6
C21-431	198.75	199.05	0.30	1	0.01	0.00	0.01	2
C21-431	199.05	201.00	1.95	3	0.01	0.06	0.18	13
C21-431	201.00	201.30	0.30	9	0.01	0.14	0.36	29
C21-431	201.30	203.30	2.00	1	0.01	0.02	0.03	3
C21-431	203.30	205.30	2.00	1	0.01	0.01	0.01	2
C21-431	205.30	207.30	2.00	1	0.01	0.02	0.02	3
C21-431	207.30	209.30	2.00	4	0.02	0.08	0.08	12
C21-431	209.30	211.30	2.00	6	0.02	0.11	0.39	27
C21-431	211.30	213.30	2.00	2	0.01	0.04	0.20	12
C21-431	213.30	214.15	0.85	2	0.01	0.04	0.12	9
C21-431	214.15	214.50	0.35	5	0.02	0.11	0.31	23
C21-431	214.50	215.35	0.85	2	0.01	0.04	0.15	10
C21-431	215.35	217.00	1.65	2	0.01	0.05	0.31	18
C21-431	217.00	217.30	0.30	6	0.02	0.16	0.42	31
C21-431	217.30	217.75	0.45	3	0.00	0.08	0.48	26
C21-431	217.75	218.15	0.40	4	0.02	0.08	0.54	30
C21-431	218.15	218.45	0.30	32	0.05	0.72	0.51	82
C21-431	218.45	220.00	1.55	21	0.11	0.49	0.99	88
C21-431	220.00	222.00	2.00	1	0.00	0.02	0.06	4
C21-431	222.00	222.55	0.55	0	0.00	0.00	0.01	1
C21-431	222.55	224.25	1.70	0	0.01	0.01	0.03	2
C21-431	224.25	226.25	2.00	1	0.00	0.04	0.08	6
C21-431	226.25	228.25	2.00	1	0.00	0.02	0.13	7
C21-431	228.25	230.25	2.00	1	0.00	0.04	0.02	4
C21-431	230.25	231.20	0.95	1	0.00	0.04	0.08	6
C21-431	231.20	232.15	0.95	28	0.00	0.56	0.83	82
C21-431	232.15	234.15	2.00	1	0.00	0.03	0.04	5
C21-431	234.15	236.05	1.90	1	0.00	0.02	0.04	3
C21-431	236.05	238.05	2.00	3	0.00	0.07	0.11	10
C21-431	238.05	240.05	2.00	1	0.01	0.01	0.03	3
C21-431	240.05	240.50	0.45	1	0.01	0.00	0.01	2
C21-431	240.50	240.80	0.30	5	0.01	0.18	0.16	19
C21-431	240.80	241.20	0.40	206	0.18	2.15	6.14	551
C21-431	241.20	242.20	1.00	227	0.15	2.83	6.79	621
C21-431	242.20	242.50	0.30	17	0.04	0.25	2.66	139
C21-431	242.50	242.80	0.30	11	0.04	0.08	0.35	31

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-431	242.80	243.60	0.80	5	0.01	0.07	0.15	14
C21-431	243.60	244.15	0.55	8	0.03	0.16	0.79	49
C21-431	244.15	246.15	2.00	3	0.02	0.04	0.21	15
C21-431	246.15	248.15	2.00	3	0.02	0.03	0.02	6
C21-431	248.15	250.15	2.00	1	0.01	0.01	0.01	2
C21-431	250.15	250.65	0.50	5	0.02	0.10	0.13	15
C21-431	250.65	251.80	1.15	2	0.00	0.06	0.05	6
C21-431	251.80	252.10	0.30	10	0.01	0.18	1.88	94
C21-431	252.10	252.90	0.80	2	0.01	0.04	0.04	5
C21-431	252.90	253.20	0.30	1	0.00	0.04	0.13	8
C21-431	253.20	254.20	1.00	1	0.01	0.04	0.15	9
C21-431	254.20	254.60	0.40	8	0.01	0.22	0.12	21
C21-431	254.60	256.30	1.70	2	0.01	0.05	0.12	9
C21-431	256.30	256.80	0.50	1	0.02	0.02	0.02	3
C21-431	256.80	257.10	0.30	0	0.01	0.02	0.05	4
C21-431	257.10	257.55	0.45	3	0.04	0.06	0.08	12
C21-431	257.55	257.90	0.35	4	0.01	0.15	0.51	32
C21-431	257.90	258.60	0.70	0	0.01	0.01	0.01	2
C21-431	258.60	258.90	0.30	1	0.01	0.01	0.30	15
C21-431	258.90	260.35	1.45	0	0.01	0.01	0.02	2
C21-431	260.35	260.90	0.55	5	0.01	0.02	0.61	32
C21-431	260.90	262.10	1.20	3	0.01	0.04	0.36	19
C21-431	262.10	262.40	0.30	13	0.01	0.29	1.53	87
C21-431	262.40	263.30	0.90	8	0.01	0.12	0.92	51
C21-431	263.30	264.00	0.70	22	0.01	0.12	4.07	195
C21-431	264.00	264.35	0.35	32	0.01	0.73	4.34	238
C21-431	264.35	266.35	2.00	7	0.01	0.23	1.07	60
C21-431	266.35	268.05	1.70	3	0.00	0.10	0.54	29
C21-431	268.05	270.05	2.00	3	0.01	0.14	0.36	23
C21-431	270.05	272.05	2.00	2	0.01	0.08	0.32	18
C21-431	272.05	272.80	0.75	2	0.01	0.10	0.35	20
C21-431	272.80	273.10	0.30	14	0.01	0.25	2.99	148
C21-431	273.10	273.40	0.30	25	0.01	0.35	5.23	255
C21-431	273.40	273.70	0.30	6	0.01	0.22	0.95	53
C21-431	273.70	275.60	1.90	0	0.01	0.01	0.03	2
C21-431	275.60	277.60	2.00	1	0.00	0.01	0.02	2
C21-431	277.60	279.25	1.65	0	0.00	0.00	0.01	1
C21-431	279.25	280.20	0.95	1	0.01	0.02	0.10	7
C21-431	280.20	282.20	2.00	0	0.00	0.00	0.01	1
C21-431	282.20	282.55	0.35	4	0.03	0.11	0.13	16
C21-431	282.55	282.85	0.30	9	0.05	0.18	0.08	23
C21-431	282.85	284.85	2.00	0	0.00	0.01	0.01	1
C21-431	284.85	286.40	1.55	0	0.00	0.01	0.03	2
C21-431	286.40	287.05	0.65	0	0.00	0.00	0.06	3
C21-431	287.05	289.05	2.00	0	0.00	0.00	0.02	2
C21-431	289.05	290.45	1.40	1	0.01	0.03	0.05	5
C21-431	290.45	290.75	0.30	4	0.04	0.08	0.04	13
C21-431	290.75	291.45	0.70	0	0.00	0.01	0.02	2
C21-431	291.45	293.45	2.00	0	0.00	0.00	0.01	1
C21-431	293.45	295.45	2.00	0	0.00	0.00	0.02	1
C21-431	295.45	297.45	2.00	1	0.01	0.01	0.03	3
C21-431	297.45	299.45	2.00	1	0.00	0.01	0.02	2
C21-431	299.45	301.45	2.00	1	0.00	0.01	0.03	2
C21-431	301.45	303.45	2.00	0	0.00	0.00	0.01	1
C21-431	303.45	304.80	1.35	0	0.00	0.00	0.01	1

Complete Assay Results For Cordero Drill Holes - May 26, 2021 Press Release**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C21-431	304.80	305.20	0.40	1	0.01	0.02	0.04	3
C21-431	305.20	305.50	0.30			Void		
C21-431	305.50	305.95	0.45	0	0.00	0.01	0.05	3
C21-431	305.95	307.70	1.75	1	0.00	0.02	0.08	5
C21-431	307.70	308.65	0.95	1	0.01	0.02	0.03	3
C21-431	308.65	310.65	2.00	5	0.01	0.13	0.40	27
C21-431	310.65	312.65	2.00	3	0.01	0.08	0.23	17
C21-431	312.65	314.65	2.00	1	0.01	0.01	0.06	4
C21-431	314.65	316.65	2.00	1	0.01	0.01	0.06	4
C21-431	316.65	318.25	1.60	1	0.01	0.02	0.08	6
C21-431	318.25	320.25	2.00	1	0.03	0.01	0.09	7
C21-431	320.25	320.85	0.60	3	0.04	0.08	0.28	20
C21-431	320.85	321.15	0.30	3	0.02	0.06	0.27	18
C21-431	321.15	321.80	0.65	1	0.01	0.03	0.17	11
C21-431	321.80	322.50	0.70	9	0.01	0.25	0.59	44
C21-431	322.50	323.30	0.80	1	0.01	0.05	0.12	9
C21-431	323.30	324.65	1.35	1	0.05	0.02	0.09	9
C21-431	324.65	326.65	2.00	2	0.01	0.01	0.10	7
C21-431	326.65	327.20	0.55	2	0.01	0.01	0.14	9
C21-431	327.20	327.95	0.75	3	0.00	0.02	0.07	7
C21-431	327.95	328.85	0.90	6	0.04	0.15	0.38	30
C21-431	328.85	329.70	0.85	25	0.06	0.59	2.10	138
C21-431	329.70	330.50	0.80	2	0.00	0.01	0.04	4
C21-431	330.50	330.95	0.45	1	0.01	0.01	0.05	4
C21-431	330.95	331.45	0.50	6	0.03	0.08	0.28	23
C21-431	331.45	333.10	1.65	2	0.01	0.01	0.03	4
C21-431	333.10	333.40	0.30	4	0.01	0.03	0.03	7
C21-431	333.40	334.65	1.25	2	0.02	0.02	0.04	6
C21-431	334.65	334.95	0.30	4	0.02	0.08	0.26	19
C21-431	334.95	336.95	2.00	4	0.01	0.05	0.08	10
C21-431	336.95	338.95	2.00	1	0.00	0.01	0.04	3
C21-431	338.95	340.95	2.00	4	0.01	0.02	0.06	8
C21-431	340.95	342.95	2.00	2	0.01	0.03	0.04	5
C21-431	342.95	344.95	2.00	3	0.01	0.01	0.05	6
C21-431	344.95	346.95	2.00	3	0.02	0.03	0.15	12
C21-431	346.95	348.95	2.00	1	0.01	0.01	0.08	5
C21-431	348.95	350.20	1.25	0	0.00	0.01	0.03	2