

 Mine workings

Discovery Drillholes


 Assays current release



 Pending release



 Assays previously released

 PEA Pit

 Vein Trend







Drill hole locations of Cordero holes - November 21, 2022 Press Release

Hole ID	Easting	Northing	Elevation (m)	Azimuth (deg)	Dip (deg)	Depth (m)
C22-633	443,736	3,015,286	1,593	135	-65	525
C22-646	443,640	3,014,530	1,600	135	-62	650
C22-647	442,775	3,014,749	1,582	135	-60	369
C22-648	442,970	3,014,634	1,598	135	-65	302
C22-649	443,344	3,014,825	1,608	135	-65	880
C22-650	443,299	3,014,370	1,636	135	-65	501
C22-651	442,931	3,014,180	1,602	135	-65	504
C22-652	443,194	3,014,684	1,619	135	-65	622
C22-653	443,378	3,014,291	1,634	135	-65	450
C22-654	443,149	3,014,593	1,624	135	-65	703
C22-655	443,544	3,015,054	1,584	135	-65	356
C22-656	443,176	3,014,352	1,628	135	-65	575
C22-657	443,458	3,015,063	1,590	135	-60	451
C22-658	443,555	3,015,400	1,591	135	-64	800
C22-660	443,658	3,015,511	1,604	135	-63	502

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-633	0.00	3.00	3.00	6	0.01	0.03	0.07	10
C22-633	3.00	4.60	1.60	5	0.02	0.08	0.08	12
C22-633	4.60	6.70	2.10	5	0.01	0.03	0.08	10
C22-633	6.70	7.45	0.75	13	0.03	0.12	0.09	22
C22-633	7.45	8.30	0.85	2	0.01	0.01	0.06	5
C22-633	8.30	9.00	0.70	1	0.01	0.00	0.03	2
C22-633	9.00	9.85	0.85	0	0.01	0.00	0.03	2
C22-633	9.85	10.90	1.05	0	0.01	0.00	0.02	2
C22-633	10.90	11.80	0.90	1	0.01	0.00	0.04	3
C22-633	11.80	13.30	1.50	0	0.00	0.00	0.02	1
C22-633	13.30	14.35	1.05	1	0.00	0.01	0.02	2
C22-633	14.35	15.50	1.15	0	0.00	0.01	0.02	1
C22-633	15.50	16.25	0.75	1	0.00	0.00	0.02	2
C22-633	16.25	17.25	1.00	2	0.00	0.01	0.04	3
C22-633	17.25	17.85	0.60	6	0.01	0.06	0.08	12
C22-633	17.85	18.40	0.55	2	0.00	0.03	0.16	9
C22-633	18.40	18.90	0.50	3	0.00	0.02	0.08	6
C22-633	18.90	20.15	1.25	5	0.01	0.02	0.08	9
C22-633	20.15	21.10	0.95	2	0.01	0.01	0.07	5
C22-633	21.10	22.20	1.10	15	0.02	0.07	0.13	23
C22-633	22.20	23.30	1.10	10	0.01	0.04	0.29	23
C22-633	23.30	24.20	0.90	7	0.01	0.03	0.31	20
C22-633	24.20	25.15	0.95	8	0.01	0.09	0.25	21
C22-633	25.15	26.85	1.70	11	0.01	0.02	0.14	17
C22-633	26.85	27.80	0.95	2	0.01	0.01	0.05	4
C22-633	27.80	29.00	1.20	14	0.01	0.06	0.14	21
C22-633	29.00	30.40	1.40	20	0.00	0.03	0.16	27
C22-633	30.40	32.55	2.15	11	0.01	0.12	0.13	20
C22-633	32.55	33.80	1.25	20	0.02	0.28	0.27	40
C22-633	33.80	35.35	1.55	17	0.01	0.28	0.22	35
C22-633	35.35	36.80	1.45	10	0.01	0.19	0.18	23
C22-633	36.80	38.05	1.25	5	0.01	0.05	0.04	9
C22-633	38.05	38.85	0.80	4	0.01	0.04	0.02	6
C22-633	38.85	39.15	0.30	14	0.01	0.26	0.10	27
C22-633	39.15	40.00	0.85	4	0.01	0.06	0.25	15
C22-633	40.00	40.85	0.85	7	0.00	0.18	0.08	16
C22-633	40.85	41.90	1.05	11	0.01	0.20	0.11	22
C22-633	41.90	42.55	0.65	6	0.01	0.25	0.16	21
C22-633	42.55	43.50	0.95	7	0.02	0.33	0.14	24
C22-633	43.50	43.80	0.30	13	0.02	0.45	0.11	32
C22-633	43.80	44.30	0.50	8	0.01	0.29	0.31	29
C22-633	44.30	45.75	1.45	6	0.01	0.06	0.27	18
C22-633	45.75	46.45	0.70	0	0.00	0.01	0.22	9
C22-633	46.45	46.85	0.40	12	0.00	0.03	0.15	19
C22-633	46.85	47.85	1.00	2	0.00	0.01	0.07	5
C22-633	47.85	48.25	0.40	2	0.00	0.01	0.09	6
C22-633	48.25	49.05	0.80	1	0.01	0.01	0.05	4
C22-633	49.05	49.35	0.30	2	0.00	0.02	0.08	6
C22-633	49.35	49.75	0.40	1	0.00	0.01	0.03	3

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-633	49.75	50.05	0.30	15	0.00	0.03	0.81	46
C22-633	50.05	50.75	0.70	2	0.01	0.01	0.02	3
C22-633	50.75	51.45	0.70	8	0.13	0.02	0.05	20
C22-633	51.45	51.75	0.30	24	0.11	0.15	0.96	73
C22-633	51.75	52.70	0.95	8	0.02	0.09	0.13	17
C22-633	52.70	53.25	0.55	15	0.01	0.12	0.62	42
C22-633	53.25	54.70	1.45	9	0.03	0.09	0.08	18
C22-633	54.70	55.20	0.50	2	0.01	0.02	0.04	5
C22-633	55.20	56.45	1.25	33	0.02	0.16	0.57	60
C22-633	56.45	57.20	0.75	12	0.00	0.05	0.15	19
C22-633	57.20	58.30	1.10	91	0.01	0.30	2.26	186
C22-633	58.30	58.65	0.35	8	0.01	0.07	0.31	23
C22-633	58.65	58.95	0.30	32	0.01	0.20	0.97	75
C22-633	58.95	60.00	1.05	27	0.01	0.15	0.65	57
C22-633	60.00	61.45	1.45	5	0.01	0.03	0.12	12
C22-633	61.45	61.75	0.30	33	0.01	0.21	0.81	70
C22-633	61.75	63.10	1.35	5	0.02	0.05	0.08	11
C22-633	63.10	63.40	0.30	47	0.13	0.33	2.40	157
C22-633	63.40	63.75	0.35	16	0.02	0.14	0.42	38
C22-633	63.75	65.15	1.40	7	0.03	0.06	0.09	14
C22-633	65.15	65.60	0.45	29	0.01	0.30	0.26	48
C22-633	65.60	66.00	0.40	32	0.00	0.26	0.95	75
C22-633	66.00	66.40	0.40	7	0.01	0.12	0.12	15
C22-633	66.40	67.30	0.90	3	0.01	0.03	0.07	7
C22-633	67.30	68.15	0.85	3	0.01	0.01	0.02	4
C22-633	68.15	69.95	1.80	3	0.02	0.02	0.03	6
C22-633	69.95	71.50	1.55	3	0.01	0.03	0.02	6
C22-633	71.50	72.00	0.50	3	0.01	0.07	0.06	8
C22-633	72.00	72.30	0.30	37	0.04	0.70	4.55	232
C22-633	72.30	73.40	1.10	7	0.01	0.14	0.24	21
C22-633	73.40	74.05	0.65	8	0.01	0.14	0.29	24
C22-633	74.05	74.70	0.65	5	0.02	0.06	0.11	12
C22-633	74.70	75.00	0.30	11	0.04	0.08	0.04	18
C22-633	75.00	75.90	0.90	2	0.01	0.03	0.03	4
C22-633	75.90	77.15	1.25	4	0.01	0.06	0.05	9
C22-633	77.15	78.45	1.30	1	0.01	0.05	0.18	10
C22-633	78.45	79.15	0.70	3	0.01	0.03	0.05	6
C22-633	79.15	81.00	1.85	5	0.01	0.05	0.17	13
C22-633	81.00	83.00	2.00	2	0.01	0.01	0.04	5
C22-633	83.00	83.85	0.85	2	0.02	0.01	0.03	5
C22-633	83.85	85.05	1.20	1	0.01	0.00	0.01	2
C22-633	85.05	86.85	1.80	1	0.01	0.00	0.01	2
C22-633	86.85	88.75	1.90	2	0.02	0.00	0.04	5
C22-633	88.75	90.35	1.60	2	0.01	0.03	0.07	7
C22-633	90.35	91.75	1.40	3	0.01	0.02	0.02	5
C22-633	91.75	92.50	0.75	4	0.02	0.03	0.02	7
C22-633	92.50	93.50	1.00	4	0.01	0.02	0.03	6
C22-633	93.50	94.40	0.90	2	0.01	0.01	0.01	3
C22-633	94.40	94.75	0.35	6	0.02	0.02	0.02	8

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release

*Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-633	94.75	96.75	2.00	5	0.01	0.02	0.06	9
C22-633	96.75	98.10	1.35	2	0.00	0.01	0.14	8
C22-633	98.10	98.40	0.30	5	0.01	0.02	1.95	79
C22-633	98.40	99.50	1.10	2	0.01	0.02	0.11	7
C22-633	99.50	100.35	0.85	3	0.00	0.01	0.02	4
C22-633	100.35	101.55	1.20	2	0.00	0.01	0.08	6
C22-633	101.55	102.00	0.45	6	0.01	0.05	0.06	10
C22-633	102.00	103.70	1.70	2	0.00	0.01	0.01	2
C22-633	103.70	104.70	1.00	5	0.04	0.02	0.01	9
C22-633	104.70	105.10	0.40	4	0.05	0.01	0.01	8
C22-633	105.10	106.50	1.40	4	0.02	0.03	0.01	7
C22-633	106.50	107.20	0.70	2	0.03	0.01	0.01	5
C22-633	107.20	108.00	0.80	2	0.02	0.01	0.04	6
C22-633	108.00	110.00	2.00	1	0.01	0.01	0.01	2
C22-633	110.00	112.00	2.00	0	0.01	0.00	0.00	1
C22-633	112.00	113.05	1.05	0	0.01	0.00	0.00	1
C22-633	113.05	113.55	0.50	1	0.01	0.00	0.00	2
C22-633	113.55	114.70	1.15	1	0.01	0.00	0.00	1
C22-633	114.70	115.60	0.90	1	0.01	0.00	0.01	1
C22-633	115.60	116.80	1.20	1	0.02	0.00	0.00	2
C22-633	116.80	118.25	1.45	1	0.01	0.01	0.01	2
C22-633	118.25	118.55	0.30	1	0.01	0.01	0.01	3
C22-633	118.55	120.50	1.95	1	0.01	0.00	0.00	1
C22-633	120.50	121.70	1.20	1	0.00	0.00	0.00	1
C22-633	121.70	123.70	2.00	1	0.00	0.00	0.01	1
C22-633	123.70	125.20	1.50	2	0.00	0.01	0.01	2
C22-633	125.20	125.60	0.40	1	0.01	0.01	0.00	2
C22-633	125.60	126.00	0.40	1	0.01	0.00	0.01	2
C22-633	126.00	126.50	0.50	1	0.01	0.00	0.00	2
C22-633	126.50	127.70	1.20	1	0.00	0.01	0.01	2
C22-633	127.70	129.10	1.40	1	0.00	0.01	0.01	2
C22-633	129.10	130.45	1.35	1	0.01	0.01	0.01	2
C22-633	130.45	130.75	0.30	3	0.01	0.01	0.00	4
C22-633	130.75	132.60	1.85	1	0.00	0.01	0.01	2
C22-633	132.60	132.90	0.30	1	0.00	0.00	0.00	1
C22-633	132.90	134.40	1.50	2	0.00	0.03	0.02	4
C22-633	134.40	134.70	0.30	0	0.00	0.00	0.00	1
C22-633	134.70	135.80	1.10	4	0.00	0.02	0.06	7
C22-633	135.80	136.45	0.65	1	0.00	0.01	0.01	2
C22-633	136.45	137.80	1.35	2	0.01	0.02	0.01	4
C22-633	137.80	138.90	1.10	1	0.01	0.01	0.02	2
C22-633	138.90	139.40	0.50	18	0.01	0.01	0.03	20
C22-633	139.40	141.30	1.90	3	0.00	0.01	0.01	4
C22-633	141.30	142.25	0.95	1	0.00	0.01	0.02	3
C22-633	142.25	143.45	1.20	9	0.00	0.01	0.01	10
C22-633	143.45	145.10	1.65	13	0.01	0.02	0.04	15
C22-633	145.10	145.95	0.85	2	0.00	0.01	0.09	6
C22-633	145.95	147.95	2.00	2	0.00	0.01	0.11	6
C22-633	147.95	149.60	1.65	2	0.00	0.01	0.01	3

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-633	149.60	150.00	0.40	7	0.01	0.06	0.31	21
C22-633	150.00	152.00	2.00	2	0.01	0.01	0.01	4
C22-633	152.00	152.95	0.95	3	0.01	0.01	0.01	5
C22-633	152.95	153.80	0.85	2	0.02	0.03	0.20	12
C22-633	153.80	154.80	1.00	2	0.01	0.02	0.09	6
C22-633	154.80	155.65	0.85	7	0.03	0.12	0.82	43
C22-633	155.65	156.00	0.35	1	0.02	0.01	0.04	4
C22-633	156.00	156.55	0.55	1	0.00	0.03	0.08	5
C22-633	156.55	157.50	0.95	3	0.01	0.03	0.01	5
C22-633	157.50	158.05	0.55	10	0.06	0.03	0.00	15
C22-633	158.05	159.00	0.95	6	0.01	0.02	0.01	7
C22-633	159.00	159.80	0.80	9	0.02	0.17	0.30	27
C22-633	159.80	161.80	2.00	3	0.02	0.01	0.01	5
C22-633	161.80	163.15	1.35	3	0.02	0.01	0.01	5
C22-633	163.15	164.40	1.25	2	0.01	0.01	0.00	3
C22-633	164.40	165.85	1.45	3	0.01	0.04	0.00	5
C22-633	165.85	166.70	0.85	15	0.01	0.20	0.00	21
C22-633	166.70	168.70	2.00	2	0.01	0.01	0.01	3
C22-633	168.70	170.05	1.35	2	0.01	0.01	0.00	3
C22-633	170.05	171.20	1.15	1	0.01	0.01	0.00	2
C22-633	171.20	172.70	1.50	1	0.01	0.00	0.00	2
C22-633	172.70	174.10	1.40	1	0.01	0.01	0.00	2
C22-633	174.10	175.35	1.25	1	0.01	0.00	0.00	1
C22-633	175.35	175.65	0.30	2	0.02	0.01	0.00	3
C22-633	175.65	177.10	1.45	1	0.01	0.00	0.00	2
C22-633	177.10	177.45	0.35	3	0.01	0.02	0.01	5
C22-633	177.45	179.30	1.85	1	0.00	0.00	0.00	2
C22-633	179.30	180.00	0.70	1	0.00	0.00	0.00	2
C22-633	180.00	180.95	0.95	1	0.00	0.00	0.01	1
C22-633	180.95	181.95	1.00	1	0.00	0.01	0.00	2
C22-633	181.95	183.00	1.05	1	0.01	0.01	0.00	2
C22-633	183.00	184.05	1.05	1	0.02	0.01	0.00	3
C22-633	184.05	185.20	1.15	1	0.01	0.00	0.00	1
C22-633	185.20	186.10	0.90	2	0.02	0.01	0.05	5
C22-633	186.10	186.50	0.40	1	0.01	0.00	0.01	2
C22-633	186.50	187.35	0.85	2	0.01	0.00	0.00	3
C22-633	187.35	187.65	0.30	2	0.03	0.03	0.04	7
C22-633	187.65	188.40	0.75	1	0.03	0.03	0.02	5
C22-633	188.40	189.70	1.30	1	0.04	0.01	0.01	4
C22-633	189.70	191.10	1.40	1	0.03	0.01	0.04	5
C22-633	191.10	192.00	0.90	0	0.01	0.00	0.03	2
C22-633	192.00	192.50	0.50	1	0.01	0.01	0.11	6
C22-633	192.50	193.35	0.85	1	0.02	0.01	0.21	11
C22-633	193.35	195.00	1.65	1	0.03	0.01	0.01	3
C22-633	195.00	196.50	1.50	2	0.02	0.02	0.02	5
C22-633	196.50	197.20	0.70	2	0.03	0.09	0.18	14
C22-633	197.20	197.60	0.40	2	0.03	0.09	0.12	11
C22-633	197.60	198.10	0.50	1	0.00	0.00	0.01	1
C22-633	198.10	198.40	0.30	4	0.02	0.03	0.03	8

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-633	198.40	199.40	1.00	1	0.00	0.00	0.03	2
C22-633	199.40	200.20	0.80	3	0.02	0.01	0.00	5
C22-633	200.20	201.30	1.10	4	0.03	0.01	0.00	6
C22-633	201.30	201.90	0.60	2	0.01	0.01	0.00	3
C22-633	201.90	203.00	1.10	1	0.03	0.00	0.00	4
C22-633	203.00	204.00	1.00	2	0.01	0.00	0.00	3
C22-633	204.00	205.15	1.15	2	0.03	0.00	0.01	4
C22-633	205.15	205.65	0.50	1	0.03	0.00	0.00	3
C22-633	205.65	207.25	1.60	4	0.01	0.01	0.01	6
C22-633	207.25	208.20	0.95	4	0.01	0.02	0.01	5
C22-633	208.20	209.35	1.15	2	0.01	0.01	0.00	3
C22-633	209.35	209.90	0.55	2	0.01	0.01	0.00	3
C22-633	209.90	211.15	1.25	1	0.00	0.00	0.00	1
C22-633	211.15	212.35	1.20	1	0.01	0.00	0.01	2
C22-633	212.35	212.65	0.30	2	0.00	0.01	0.00	2
C22-633	212.65	213.75	1.10	1	0.01	0.01	0.01	3
C22-633	213.75	215.60	1.85	3	0.00	0.01	0.01	3
C22-633	215.60	217.60	2.00	3	0.00	0.02	0.02	4
C22-633	217.60	218.75	1.15	2	0.00	0.01	0.01	2
C22-633	218.75	220.60	1.85	1	0.00	0.00	0.01	2
C22-633	220.60	221.30	0.70					0
C22-633	221.30	222.00	0.70	31	0.01	0.13	0.32	48
C22-633	222.00	222.55	0.55	30	0.00	0.26	1.82	106
C22-633	222.55	224.50	1.95	47	0.01	0.15	0.50	71
C22-633	224.50	225.10	0.60	9	0.01	0.09	1.79	79
C22-633	225.10	225.60	0.50	2	0.00	0.03	0.38	18
C22-633	225.60	226.45	0.85	1	0.00	0.01	0.06	4
C22-633	226.45	228.00	1.55	31	0.01	0.19	0.64	61
C22-633	228.00	228.80	0.80	140	0.02	0.20	0.94	183
C22-633	228.80	230.30	1.50	5	0.00	0.03	0.02	6
C22-633	230.30	232.00	1.70	7	0.01	0.02	0.01	8
C22-633	232.00	232.85	0.85	8	0.00	0.07	0.03	12
C22-633	232.85	234.80	1.95	8	0.01	0.02	0.01	10
C22-633	234.80	236.15	1.35	4	0.03	0.01	0.00	7
C22-633	236.15	237.30	1.15	3	0.01	0.01	0.00	4
C22-633	237.30	238.75	1.45	2	0.01	0.01	0.00	3
C22-633	238.75	239.50	0.75	1	0.01	0.00	0.00	1
C22-633	239.50	241.25	1.75	1	0.00	0.00	0.01	1
C22-633	241.25	243.25	2.00	1	0.01	0.00	0.01	2
C22-633	243.25	245.00	1.75	1	0.01	0.00	0.00	2
C22-633	245.00	246.70	1.70	2	0.00	0.01	0.01	3
C22-633	246.70	247.55	0.85	1	0.01	0.01	0.00	3
C22-633	247.55	249.25	1.70	11	0.01	0.02	0.02	13
C22-633	249.25	250.75	1.50	9	0.01	0.10	0.05	14
C22-633	250.75	252.75	2.00	1	0.00	0.00	0.00	2
C22-633	252.75	254.50	1.75	2	0.00	0.00	0.00	2
C22-633	254.50	256.45	1.95	2	0.01	0.00	0.00	3
C22-633	256.45	257.85	1.40	1	0.01	0.00	0.00	1
C22-633	257.85	259.15	1.30	1	0.00	0.00	0.00	1

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release

*Metal Prices used for AgEQ calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-633	259.15	259.95	0.80	1	0.02	0.01	0.00	2
C22-633	259.95	261.00	1.05	1	0.01	0.00	0.00	2
C22-633	261.00	262.75	1.75	1	0.00	0.00	0.00	1
C22-633	262.75	264.45	1.70	2	0.01	0.01	0.00	3
C22-633	264.45	265.95	1.50	4	0.01	0.01	0.01	5
C22-633	265.95	267.10	1.15	2	0.01	0.00	0.00	3
C22-633	267.10	269.10	2.00	2	0.02	0.00	0.01	4
C22-633	269.10	270.25	1.15	1	0.01	0.01	0.01	3
C22-633	270.25	271.80	1.55	6	0.01	0.01	0.01	7
C22-633	271.80	272.40	0.60	8	0.01	0.05	0.11	14
C22-633	272.40	273.80	1.40	1	0.01	0.00	0.00	2
C22-633	273.80	274.65	0.85	1	0.00	0.00	0.00	1
C22-633	274.65	276.65	2.00	3	0.00	0.00	0.01	4
C22-633	276.65	278.25	1.60	1	0.00	0.00	0.01	2
C22-633	278.25	280.15	1.90	6	0.01	0.03	0.01	8
C22-633	280.15	281.20	1.05	4	0.02	0.02	0.00	6
C22-633	281.20	282.70	1.50	5	0.01	0.01	0.01	7
C22-633	282.70	283.80	1.10	3	0.02	0.02	0.01	5
C22-633	283.80	285.00	1.20	1	0.02	0.00	0.00	3
C22-633	285.00	286.05	1.05	2	0.01	0.02	0.00	3
C22-633	286.05	286.85	0.80	1	0.01	0.00	0.00	2
C22-633	286.85	288.85	2.00	1	0.01	0.00	0.00	2
C22-633	288.85	290.85	2.00	1	0.00	0.01	0.06	4
C22-633	290.85	292.20	1.35	2	0.00	0.01	0.01	2
C22-633	292.20	292.90	0.70	3	0.01	0.02	0.01	5
C22-633	292.90	293.60	0.70	0	0.00	0.00	0.00	1
C22-633	293.60	294.00	0.40	25	0.01	0.07	0.01	29
C22-633	294.00	295.40	1.40	3	0.01	0.01	0.00	4
C22-633	295.40	297.00	1.60	12	0.01	0.00	0.01	13
C22-633	297.00	298.00	1.00	5	0.01	0.00	0.01	6
C22-633	298.00	299.15	1.15	2	0.01	0.00	0.00	2
C22-633	299.15	300.25	1.10	1	0.00	0.00	0.00	1
C22-633	300.25	301.10	0.85	1	0.00	0.00	0.00	1
C22-633	301.10	301.95	0.85	1	0.00	0.00	0.01	2
C22-633	301.95	302.30	0.35	1	0.00	0.00	0.00	1
C22-633	302.30	304.10	1.80	5	0.00	0.01	0.01	5
C22-633	304.10	305.15	1.05	8	0.01	0.03	0.08	13
C22-633	305.15	306.75	1.60	16	0.01	0.02	0.17	23
C22-633	306.75	307.15	0.40	6	0.00	0.01	0.01	7
C22-633	307.15	307.60	0.45	2	0.00	0.01	0.30	14
C22-633	307.60	308.00	0.40	21	0.01	0.05	1.55	81
C22-633	308.00	309.10	1.10	7	0.00	0.01	0.04	9
C22-633	309.10	309.60	0.50	20	0.01	0.06	0.58	44
C22-633	309.60	310.80	1.20	32	0.01	0.02	0.14	38
C22-633	310.80	312.05	1.25	12	0.01	0.01	0.03	14
C22-633	312.05	312.95	0.90	1	0.01	0.00	0.01	2
C22-633	312.95	314.10	1.15	0	0.00	0.00	0.00	1
C22-633	314.10	315.35	1.25	0	0.01	0.01	0.01	1
C22-633	315.35	316.25	0.90	1	0.00	0.00	0.01	2

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-633	316.25	317.70	1.45	0	0.02	0.00	0.00	2
C22-633	317.70	318.85	1.15	1	0.01	0.00	0.01	1
C22-633	318.85	319.70	0.85	1	0.00	0.00	0.00	1
C22-633	319.70	320.35	0.65	3	0.01	0.01	0.00	4
C22-633	320.35	320.80	0.45	9	0.02	0.03	0.01	11
C22-633	320.80	321.55	0.75	4	0.02	0.00	0.01	5
C22-633	321.55	322.45	0.90	11	0.01	0.01	0.03	13
C22-633	322.45	322.75	0.30	14	0.01	0.04	0.48	33
C22-633	322.75	323.55	0.80	4	0.01	0.01	0.15	10
C22-633	323.55	324.60	1.05	6	0.02	0.01	0.01	8
C22-633	324.60	326.10	1.50	9	0.03	0.02	0.01	12
C22-633	326.10	327.40	1.30	3	0.04	0.01	0.00	6
C22-633	327.40	329.05	1.65	2	0.02	0.00	0.00	4
C22-633	329.05	330.70	1.65	1	0.03	0.00	0.01	4
C22-633	330.70	331.65	0.95	4	0.02	0.00	0.00	5
C22-633	331.65	332.70	1.05	1	0.05	0.00	0.00	5
C22-633	332.70	333.80	1.10	2	0.15	0.00	0.01	13
C22-633	333.80	334.65	0.85	12	0.07	0.01	0.00	18
C22-633	334.65	336.00	1.35	20	0.04	0.02	0.00	24
C22-633	336.00	337.00	1.00	15	0.03	0.02	0.01	18
C22-633	337.00	338.05	1.05	10	0.02	0.01	0.01	12
C22-633	338.05	338.90	0.85	1	0.01	0.00	0.00	2
C22-633	338.90	340.25	1.35	5	0.02	0.01	0.01	7
C22-633	340.25	341.35	1.10	3	0.01	0.00	0.01	4
C22-633	341.35	342.35	1.00	4	0.01	0.02	0.11	9
C22-633	342.35	342.75	0.40	8	0.02	0.03	0.06	13
C22-633	342.75	343.90	1.15	6	0.01	0.02	0.02	9
C22-633	343.90	345.70	1.80	18	0.01	0.06	0.09	24
C22-633	345.70	346.40	0.70	6	0.01	0.02	0.36	21
C22-633	346.40	348.10	1.70	8	0.01	0.09	0.40	26
C22-633	348.10	348.80	0.70	2	0.02	0.02	0.07	7
C22-633	348.80	350.70	1.90	2	0.01	0.01	0.02	4
C22-633	350.70	351.25	0.55	1	0.01	0.00	0.01	3
C22-633	351.25	352.35	1.10	2	0.02	0.03	0.03	6
C22-633	352.35	353.70	1.35	2	0.03	0.01	0.01	5
C22-633	353.70	354.05	0.35	2	0.03	0.02	0.02	5
C22-633	354.05	354.35	0.30	2	0.06	0.00	0.02	7
C22-633	354.35	355.25	0.90	2	0.03	0.00	0.01	5
C22-633	355.25	356.60	1.35	1	0.03	0.00	0.01	3
C22-633	356.60	357.50	0.90	2	0.00	0.01	0.03	3
C22-633	357.50	358.10	0.60	1	0.00	0.00	0.04	3
C22-633	358.10	358.90	0.80	1	0.01	0.00	0.01	2
C22-633	358.90	359.50	0.60	1	0.02	0.00	0.01	3
C22-633	359.50	359.80	0.30	1	0.01	0.01	0.01	3
C22-633	359.80	360.45	0.65	1	0.01	0.00	0.01	2
C22-633	360.45	361.40	0.95	2	0.01	0.01	0.05	5
C22-633	361.40	362.75	1.35	1	0.00	0.00	0.01	1
C22-633	362.75	363.75	1.00	4	0.05	0.02	0.02	8
C22-633	363.75	365.20	1.45	5	0.06	0.01	0.01	9

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release

*Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-633	365.20	366.20	1.00	4	0.02	0.07	0.08	11
C22-633	366.20	367.00	0.80	1	0.04	0.01	0.03	5
C22-633	367.00	368.70	1.70	2	0.03	0.02	0.06	7
C22-633	368.70	369.35	0.65	1	0.02	0.01	0.09	7
C22-633	369.35	370.60	1.25	1	0.03	0.02	0.04	5
C22-633	370.60	371.45	0.85	1	0.04	0.01	0.06	7
C22-633	371.45	371.85	0.40	1	0.05	0.00	0.01	5
C22-633	371.85	373.45	1.60	1	0.01	0.01	0.01	2
C22-633	373.45	374.70	1.25	2	0.03	0.01	0.01	5
C22-633	374.70	376.20	1.50	1	0.01	0.01	0.03	3
C22-633	376.20	377.70	1.50	1	0.00	0.00	0.01	2
C22-633	377.70	378.85	1.15	1	0.01	0.01	0.01	2
C22-633	378.85	380.50	1.65	1	0.00	0.00	0.01	1
C22-633	380.50	381.85	1.35	0	0.01	0.00	0.01	2
C22-633	381.85	383.05	1.20	2	0.02	0.02	0.03	5
C22-633	383.05	384.65	1.60	0	0.04	0.00	0.00	3
C22-633	384.65	386.20	1.55	0	0.02	0.00	0.00	2
C22-633	386.20	386.70	0.50	1	0.04	0.00	0.00	4
C22-633	386.70	387.30	0.60	2	0.07	0.00	0.01	7
C22-633	387.30	387.65	0.35	1	0.01	0.00	0.01	2
C22-633	387.65	389.20	1.55	1	0.01	0.00	0.00	2
C22-633	389.20	390.25	1.05	1	0.01	0.00	0.01	2
C22-633	390.25	390.95	0.70	3	0.03	0.01	0.01	6
C22-633	390.95	392.95	2.00	1	0.01	0.01	0.00	2
C22-633	392.95	394.20	1.25	1	0.01	0.01	0.01	3
C22-633	394.20	395.10	0.90	1	0.02	0.00	0.00	2
C22-633	395.10	395.70	0.60	1	0.02	0.00	0.00	3
C22-633	395.70	396.70	1.00	4	0.07	0.01	0.00	9
C22-633	396.70	398.70	2.00	1	0.01	0.00	0.01	2
C22-633	398.70	400.10	1.40	1	0.02	0.00	0.01	2
C22-633	400.10	401.45	1.35	1	0.03	0.00	0.01	3
C22-633	401.45	402.45	1.00	2	0.03	0.03	0.01	5
C22-633	402.45	403.55	1.10	4	0.01	0.02	0.02	6
C22-633	403.55	404.60	1.05	11	0.03	0.29	0.01	23
C22-633	404.60	406.60	2.00	3	0.03	0.01	0.00	5
C22-633	406.60	407.80	1.20	3	0.03	0.00	0.00	5
C22-633	407.80	408.85	1.05	1	0.03	0.00	0.00	4
C22-633	408.85	409.75	0.90	1	0.02	0.00	0.00	3
C22-633	409.75	411.35	1.60	1	0.02	0.00	0.00	2
C22-633	411.35	412.85	1.50	1	0.01	0.00	0.00	2
C22-633	412.85	413.80	0.95	1	0.02	0.00	0.00	2
C22-633	413.80	414.25	0.45	3	0.02	0.00	0.01	5
C22-633	414.25	415.60	1.35	1	0.01	0.01	0.00	2
C22-633	415.60	416.25	0.65	1	0.02	0.00	0.00	3
C22-633	416.25	417.40	1.15	1	0.02	0.00	0.00	3
C22-633	417.40	418.30	0.90	2	0.03	0.01	0.00	4
C22-633	418.30	420.00	1.70	1	0.02	0.01	0.00	3
C22-633	420.00	420.75	0.75	2	0.01	0.00	0.01	4
C22-633	420.75	422.40	1.65	2	0.01	0.01	0.01	3

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release

*Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-633	422.40	423.70	1.30	2	0.01	0.00	0.00	3
C22-633	423.70	424.70	1.00	2	0.01	0.00	0.01	4
C22-633	424.70	425.85	1.15	2	0.01	0.00	0.01	3
C22-633	425.85	426.65	0.80	3	0.01	0.01	0.01	5
C22-633	426.65	427.45	0.80	3	0.01	0.01	0.01	4
C22-633	427.45	428.80	1.35	1	0.01	0.00	0.01	2
C22-633	428.80	429.90	1.10	2	0.01	0.00	0.01	3
C22-633	429.90	430.90	1.00	2	0.04	0.01	0.00	5
C22-633	430.90	432.00	1.10	1	0.01	0.00	0.00	3
C22-633	432.00	432.60	0.60	2	0.01	0.01	0.01	3
C22-633	432.60	434.00	1.40	1	0.01	0.00	0.01	2
C22-633	434.00	435.00	1.00	2	0.01	0.01	0.01	4
C22-633	435.00	436.40	1.40	1	0.02	0.00	0.01	3
C22-633	436.40	437.45	1.05	3	0.03	0.01	0.01	6
C22-633	437.45	439.10	1.65	3	0.01	0.01	0.01	5
C22-633	439.10	440.35	1.25	2	0.03	0.01	0.00	5
C22-633	440.35	441.00	0.65	3	0.02	0.00	0.00	5
C22-633	441.00	441.80	0.80	2	0.02	0.01	0.00	3
C22-633	441.80	442.95	1.15	4	0.06	0.01	0.00	8
C22-633	442.95	444.00	1.05	3	0.03	0.02	0.03	7
C22-633	444.00	445.05	1.05	3	0.03	0.02	0.03	7
C22-633	445.05	445.75	0.70	6	0.05	0.02	0.01	10
C22-633	445.75	446.30	0.55	4	0.05	0.02	0.05	9
C22-633	446.30	446.65	0.35	4	0.03	0.02	0.02	8
C22-633	446.65	448.30	1.65	3	0.03	0.02	0.01	6
C22-633	448.30	449.30	1.00	2	0.01	0.01	0.02	4
C22-633	449.30	450.00	0.70	4	0.01	0.04	0.04	7
C22-633	450.00	450.65	0.65	2	0.01	0.02	0.05	6
C22-633	450.65	452.10	1.45	2	0.02	0.02	0.03	5
C22-633	452.10	452.70	0.60	2	0.01	0.02	0.03	5
C22-633	452.70	453.70	1.00	4	0.02	0.08	0.11	12
C22-633	453.70	454.90	1.20	5	0.03	0.08	0.08	12
C22-633	454.90	455.40	0.50	5	0.03	0.08	0.09	13
C22-633	455.40	456.25	0.85	5	0.01	0.08	0.08	11
C22-633	456.25	457.25	1.00	2	0.02	0.03	0.03	5
C22-633	457.25	457.80	0.55	2	0.06	0.00	0.00	7
C22-633	457.80	458.55	0.75	4	0.02	0.08	0.14	13
C22-633	458.55	459.30	0.75	3	0.10	0.03	0.01	11
C22-633	459.30	460.45	1.15	1	0.03	0.01	0.00	4
C22-633	460.45	462.00	1.55	1	0.01	0.00	0.00	2
C22-633	462.00	463.35	1.35	1	0.02	0.00	0.00	3
C22-633	463.35	463.75	0.40	1	0.07	0.00	0.00	6
C22-633	463.75	465.25	1.50	1	0.02	0.01	0.01	4
C22-633	465.25	466.55	1.30	2	0.03	0.01	0.01	4
C22-633	466.55	467.75	1.20	1	0.01	0.01	0.00	3
C22-633	467.75	469.00	1.25	1	0.01	0.00	0.00	1
C22-633	469.00	470.30	1.30	2	0.01	0.01	0.02	3
C22-633	470.30	470.70	0.40	3	0.02	0.05	0.02	6
C22-633	470.70	472.05	1.35	2	0.03	0.04	0.04	7

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-633	472.05	473.30	1.25	21	0.03	0.23	0.31	42
C22-633	473.30	474.85	1.55	1	0.01	0.01	0.02	3
C22-633	474.85	475.15	0.30	0	0.00	0.00	0.00	1
C22-633	475.15	475.70	0.55	1	0.00	0.00	0.00	1
C22-633	475.70	476.85	1.15	4	0.01	0.10	0.13	12
C22-633	476.85	477.95	1.10	1	0.00	0.01	0.01	2
C22-633	477.95	479.55	1.60	1	0.01	0.01	0.01	2
C22-633	479.55	480.70	1.15	4	0.01	0.07	0.10	10
C22-633	480.70	481.20	0.50	2	0.01	0.03	0.03	5
C22-633	481.20	482.15	0.95	3	0.01	0.03	0.04	6
C22-633	482.15	483.20	1.05	4	0.00	0.06	0.09	10
C22-633	483.20	484.20	1.00	3	0.00	0.02	0.02	4
C22-633	484.20	486.20	2.00	3	0.00	0.02	0.03	5
C22-633	486.20	487.60	1.40	4	0.01	0.02	0.03	6
C22-633	487.60	489.10	1.50	5	0.01	0.07	0.09	11
C22-633	489.10	490.05	0.95	1	0.00	0.01	0.01	2
C22-633	490.05	492.00	1.95	2	0.00	0.02	0.02	3
C22-633	492.00	492.40	0.40	1	0.00	0.00	0.01	2
C22-633	492.40	493.60	1.20	3	0.01	0.01	0.01	4
C22-633	493.60	494.40	0.80	2	0.01	0.01	0.03	4
C22-633	494.40	495.00	0.60	2	0.01	0.01	0.03	4
C22-633	495.00	495.50	0.50	1	0.00	0.02	0.03	3
C22-633	495.50	496.80	1.30	15	0.03	0.02	0.05	19
C22-633	496.80	498.00	1.20	2	0.01	0.01	0.03	4
C22-633	498.00	499.10	1.10	3	0.01	0.01	0.02	5
C22-633	499.10	500.25	1.15	2	0.00	0.01	0.02	3
C22-633	500.25	501.00	0.75	2	0.01	0.01	0.01	4
C22-633	501.00	502.40	1.40	2	0.01	0.01	0.02	4
C22-633	502.40	503.75	1.35	2	0.01	0.01	0.00	3
C22-633	503.75	504.90	1.15	1	0.01	0.00	0.00	2
C22-633	504.90	505.80	0.90	1	0.01	0.00	0.00	1
C22-633	505.80	506.35	0.55	1	0.01	0.00	0.00	2
C22-633	506.35	507.50	1.15	1	0.01	0.00	0.00	1
C22-633	507.50	508.15	0.65	1	0.00	0.00	0.01	2
C22-633	508.15	509.45	1.30	1	0.01	0.00	0.01	3
C22-633	509.45	510.10	0.65	1	0.01	0.00	0.01	3
C22-633	510.10	511.85	1.75	1	0.01	0.01	0.02	3
C22-633	511.85	513.00	1.15	1	0.02	0.01	0.01	3
C22-633	513.00	514.20	1.20	2	0.02	0.01	0.01	4
C22-633	514.20	516.00	1.80	5	0.04	0.11	0.02	12
C22-633	516.00	516.85	0.85	3	0.01	0.04	0.08	8
C22-633	516.85	517.60	0.75	4	0.03	0.06	0.05	10
C22-633	517.60	518.20	0.60	3	0.03	0.10	0.14	14
C22-633	518.20	519.00	0.80	4	0.01	0.04	0.09	10
C22-633	519.00	520.20	1.20	2	0.01	0.01	0.03	4
C22-633	520.20	520.75	0.55	2	0.00	0.00	0.02	3
C22-633	520.75	521.40	0.65	1	0.00	0.00	0.01	2
C22-633	521.40	521.80	0.40	1	0.02	0.02	0.05	5
C22-633	521.80	522.70	0.90	2	0.01	0.01	0.02	3

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release

*Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-633	522.70	523.70	1.00	1	0.01	0.00	0.01	2
C22-633	523.70	525.00	1.30	1	0.00	0.00	0.00	1
C22-646	0.00	2.20	2.20	10	0.06	0.15	0.04	20
C22-646	2.20	3.45	1.25	43	0.14	0.23	0.04	62
C22-646	3.45	4.60	1.15	9	0.08	0.28	0.05	25
C22-646	4.60	4.95	0.35	7	0.06	0.34	0.12	25
C22-646	4.95	5.80	0.85	7	0.03	0.14	0.04	15
C22-646	5.80	7.75	1.95	11	0.02	0.06	0.03	16
C22-646	7.75	9.75	2.00	12	0.02	0.06	0.05	17
C22-646	9.75	10.75	1.00	13	0.02	0.06	0.06	18
C22-646	10.75	11.20	0.45	6	0.02	0.06	0.05	11
C22-646	11.20	12.55	1.35	10	0.03	0.09	0.05	17
C22-646	12.55	12.85	0.30	25	0.16	0.16	0.16	48
C22-646	12.85	14.70	1.85	10	0.03	0.11	0.07	18
C22-646	14.70	15.00	0.30	17	0.05	0.17	0.13	31
C22-646	15.00	16.20	1.20	12	0.03	0.05	0.07	18
C22-646	16.20	17.60	1.40	6	0.02	0.08	0.07	13
C22-646	17.60	18.60	1.00	11	0.04	0.11	0.08	21
C22-646	18.60	19.15	0.55	17	0.02	0.05	0.07	23
C22-646	19.15	20.45	1.30	6	0.04	0.08	0.10	15
C22-646	20.45	22.45	2.00	10	0.01	0.07	0.06	16
C22-646	22.45	23.10	0.65	6	0.03	0.04	0.04	11
C22-646	23.10	23.90	0.80	8	0.02	0.06	0.09	15
C22-646	23.90	25.20	1.30	14	0.02	0.05	0.08	19
C22-646	25.20	25.50	0.30	13	0.02	0.13	0.08	22
C22-646	25.50	26.50	1.00	25	0.03	0.16	0.09	35
C22-646	26.50	28.00	1.50	24	0.12	0.58	0.14	55
C22-646	28.00	29.70	1.70	16	0.02	0.07	0.03	21
C22-646	29.70	31.55	1.85	10	0.03	0.13	0.08	20
C22-646	31.55	32.50	0.95	22	0.07	0.20	0.08	36
C22-646	32.50	32.90	0.40	6	0.03	0.14	0.09	16
C22-646	32.90	34.80	1.90	6	0.03	0.11	0.06	13
C22-646	34.80	35.90	1.10	4	0.04	0.13	0.10	14
C22-646	35.90	37.00	1.10	10	0.03	0.09	0.10	19
C22-646	37.00	38.15	1.15	6	0.04	0.15	0.10	17
C22-646	38.15	39.20	1.05	6	0.05	0.16	0.08	18
C22-646	39.20	40.30	1.10	9	0.04	0.18	0.04	20
C22-646	40.30	41.45	1.15	23	0.05	0.12	0.10	33
C22-646	41.45	42.65	1.20	15	0.06	0.15	0.18	31
C22-646	42.65	44.60	1.95	9	0.11	0.14	0.13	26
C22-646	44.60	45.50	0.90	9	0.06	0.17	0.09	22
C22-646	45.50	46.70	1.20	38	0.06	0.23	0.14	54
C22-646	46.70	48.00	1.30	5	0.05	0.10	0.06	14
C22-646	48.00	49.90	1.90	10	0.05	0.17	0.17	25
C22-646	49.90	51.20	1.30	14	0.06	0.24	0.29	36
C22-646	51.20	51.90	0.70	8	0.04	0.11	0.29	25
C22-646	51.90	53.40	1.50	4	0.04	0.08	0.20	17
C22-646	53.40	54.70	1.30	12	0.07	0.20	0.29	34
C22-646	54.70	56.10	1.40	9	0.05	0.10	0.28	26

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-646	56.10	56.95	0.85	15	0.08	0.09	0.64	48
C22-646	56.95	57.40	0.45	62	0.20	0.19	0.70	109
C22-646	57.40	57.75	0.35	46	0.37	0.36	0.84	115
C22-646	57.75	58.65	0.90	4	0.03	0.13	0.33	22
C22-646	58.65	59.10	0.45	9	0.02	0.19	0.44	32
C22-646	59.10	60.35	1.25	14	0.04	0.15	0.54	41
C22-646	60.35	61.45	1.10	14	0.13	0.23	0.63	54
C22-646	61.45	62.20	0.75	11	0.10	0.21	0.54	45
C22-646	62.20	62.50	0.30	26	0.20	0.36	0.72	78
C22-646	62.50	63.10	0.60	5	0.03	0.11	0.46	27
C22-646	63.10	63.40	0.30	32	0.16	0.65	0.39	79
C22-646	63.40	64.10	0.70	3	0.05	0.08	0.33	21
C22-646	64.10	64.40	0.30	61	0.04	1.14	0.30	110
C22-646	64.40	65.75	1.35	5	0.03	0.08	0.16	16
C22-646	65.75	67.55	1.80	3	0.02	0.06	0.17	12
C22-646	67.55	67.90	0.35	3	0.02	0.06	0.04	8
C22-646	67.90	68.75	0.85	9	0.05	0.16	0.42	33
C22-646	68.75	69.15	0.40	6	0.01	0.11	0.12	15
C22-646	69.15	70.80	1.65	1	0.01	0.02	0.03	3
C22-646	70.80	71.30	0.50	0	0.01	0.00	0.00	1
C22-646	71.30	72.40	1.10	0	0.01	0.00	0.00	1
C22-646	72.40	73.75	1.35	6	0.03	0.09	0.13	16
C22-646	73.75	74.50	0.75	14	0.20	0.09	0.61	54
C22-646	74.50	75.30	0.80	4	0.05	0.08	0.21	18
C22-646	75.30	75.75	0.45	19	0.08	0.20	0.34	43
C22-646	75.75	77.20	1.45	2	0.03	0.02	0.04	6
C22-646	77.20	78.05	0.85	6	0.04	0.11	0.30	24
C22-646	78.05	79.70	1.65	5	0.03	0.07	0.18	15
C22-646	79.70	80.05	0.35	8	0.05	0.08	0.05	16
C22-646	80.05	81.30	1.25	3	0.02	0.06	0.15	12
C22-646	81.30	82.00	0.70	17	0.02	0.11	0.40	37
C22-646	82.00	83.85	1.85	19	0.04	0.10	0.15	31
C22-646	83.85	84.35	0.50	18	0.01	0.06	0.38	34
C22-646	84.35	85.40	1.05	7	0.03	0.05	0.08	13
C22-646	85.40	86.35	0.95	7	0.03	0.06	0.18	17
C22-646	86.35	87.30	0.95	17	0.01	0.09	0.15	26
C22-646	87.30	87.70	0.40	7	0.03	0.15	0.27	24
C22-646	87.70	88.05	0.35	18	0.01	0.04	0.14	25
C22-646	88.05	89.35	1.30	5	0.02	0.07	0.12	13
C22-646	89.35	90.45	1.10	7	0.02	0.11	0.27	22
C22-646	90.45	91.20	0.75	1	0.02	0.02	0.05	5
C22-646	91.20	93.20	2.00	2	0.02	0.01	0.02	4
C22-646	93.20	94.25	1.05	2	0.02	0.02	0.06	6
C22-646	94.25	95.50	1.25	2	0.01	0.04	0.04	5
C22-646	95.50	97.10	1.60	3	0.01	0.04	0.08	8
C22-646	97.10	98.50	1.40	0	0.01	0.01	0.01	2
C22-646	98.50	100.00	1.50	0	0.01	0.00	0.02	1
C22-646	100.00	100.35	0.35	0	0.01	0.00	0.03	2
C22-646	100.35	101.50	1.15	4	0.03	0.01	0.06	8

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-646	101.50	101.80	0.30	22	0.22	0.28	0.87	79
C22-646	101.80	102.40	0.60	1	0.01	0.01	0.03	2
C22-646	102.40	102.95	0.55	2	0.01	0.01	0.02	4
C22-646	102.95	103.50	0.55	1	0.01	0.02	0.03	3
C22-646	103.50	105.00	1.50	3	0.01	0.03	0.11	9
C22-646	105.00	105.80	0.80	8	0.01	0.19	0.34	27
C22-646	105.80	106.60	0.80	1	0.01	0.00	0.00	2
C22-646	106.60	108.20	1.60	0	0.01	0.00	0.00	1
C22-646	108.20	109.80	1.60	0	0.00	0.00	0.00	1
C22-646	109.80	110.85	1.05	0	0.00	0.00	0.00	1
C22-646	110.85	111.40	0.55	0	0.01	0.00	0.00	1
C22-646	111.40	113.00	1.60	0	0.00	0.00	0.00	1
C22-646	113.00	114.05	1.05	1	0.00	0.00	0.00	1
C22-646	114.05	115.20	1.15	1	0.01	0.01	0.03	3
C22-646	115.20	116.10	0.90	1	0.01	0.01	0.02	3
C22-646	116.10	116.95	0.85	5	0.01	0.04	0.11	11
C22-646	116.95	117.75	0.80	5	0.01	0.05	0.07	9
C22-646	117.75	118.75	1.00	16	0.01	0.17	0.24	31
C22-646	118.75	119.40	0.65	1	0.01	0.02	0.02	3
C22-646	119.40	120.65	1.25	3	0.01	0.05	0.04	6
C22-646	120.65	121.05	0.40	3	0.01	0.04	0.02	5
C22-646	121.05	122.60	1.55	3	0.01	0.04	0.02	5
C22-646	122.60	124.60	2.00	14	0.02	0.11	0.08	22
C22-646	124.60	125.00	0.40	377	0.23	0.98	2.17	505
C22-646	125.00	126.20	1.20	17	0.01	0.21	0.23	33
C22-646	126.20	127.00	0.80	4	0.01	0.04	0.11	10
C22-646	127.00	128.00	1.00	5	0.01	0.07	0.10	11
C22-646	128.00	128.85	0.85	10	0.01	0.10	0.16	19
C22-646	128.85	129.55	0.70	10	0.02	0.11	0.13	19
C22-646	129.55	131.20	1.65	2	0.02	0.03	0.08	7
C22-646	131.20	131.70	0.50	5	0.02	0.03	0.04	8
C22-646	131.70	132.35	0.65	43	0.05	1.23	0.17	91
C22-646	132.35	133.20	0.85	3	0.02	0.03	0.06	7
C22-646	133.20	133.85	0.65	4	0.04	0.02	0.02	8
C22-646	133.85	134.80	0.95	3	0.01	0.04	0.01	6
C22-646	134.80	136.15	1.35	4	0.02	0.06	0.01	7
C22-646	136.15	137.10	0.95	1	0.05	0.01	0.01	5
C22-646	137.10	138.05	0.95	1	0.07	0.03	0.03	9
C22-646	138.05	139.00	0.95	18	0.13	0.09	0.03	31
C22-646	139.00	140.10	1.10	24	0.08	0.03	0.01	31
C22-646	140.10	141.30	1.20	26	0.14	0.03	0.03	38
C22-646	141.30	142.20	0.90	17	0.03	0.05	0.03	22
C22-646	142.20	143.00	0.80	5	0.02	0.02	0.06	9
C22-646	143.00	143.90	0.90	3	0.02	0.02	0.04	7
C22-646	143.90	144.75	0.85	4	0.04	0.02	0.01	8
C22-646	144.75	145.15	0.40	5	0.43	0.03	0.01	38
C22-646	145.15	146.30	1.15	2	0.05	0.02	0.01	7
C22-646	146.30	147.20	0.90	4	0.15	0.02	0.01	16
C22-646	147.20	148.15	0.95	10	0.25	0.03	0.01	30

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-646	148.15	148.55	0.40	5	0.17	0.02	0.02	18
C22-646	148.55	148.95	0.40	7	0.09	0.02	0.07	17
C22-646	148.95	149.65	0.70	8	0.15	0.03	0.07	23
C22-646	149.65	150.85	1.20	9	0.09	0.04	0.05	18
C22-646	150.85	151.90	1.05	1	0.02	0.02	0.01	4
C22-646	151.90	153.05	1.15	2	0.02	0.03	0.02	5
C22-646	153.05	153.55	0.50	8	0.02	0.04	0.07	13
C22-646	153.55	154.20	0.65	12	0.08	0.07	0.10	24
C22-646	154.20	155.45	1.25	9	0.02	0.02	0.32	23
C22-646	155.45	156.10	0.65	2	0.02	0.01	0.05	5
C22-646	156.10	157.60	1.50	10	0.02	0.03	0.04	14
C22-646	157.60	158.50	0.90	15	0.10	0.05	0.02	24
C22-646	158.50	159.35	0.85	14	0.03	0.02	0.01	17
C22-646	159.35	159.75	0.40	45	0.08	0.01	0.01	52
C22-646	159.75	160.65	0.90	5	0.09	0.02	0.01	12
C22-646	160.65	161.00	0.35	1	0.05	0.01	0.02	5
C22-646	161.00	162.40	1.40	2	0.03	0.03	0.02	6
C22-646	162.40	163.20	0.80	1	0.01	0.01	0.01	2
C22-646	163.20	164.15	0.95	1	0.02	0.01	0.02	4
C22-646	164.15	166.15	2.00	4	0.03	0.04	0.04	9
C22-646	166.15	167.55	1.40	11	0.02	0.10	0.14	21
C22-646	167.55	168.40	0.85	4	0.02	0.05	0.07	10
C22-646	168.40	169.70	1.30	7	0.01	0.11	0.16	18
C22-646	169.70	170.80	1.10	5	0.01	0.07	0.12	13
C22-646	170.80	172.80	2.00	6	0.02	0.07	0.07	12
C22-646	172.80	173.70	0.90	4	0.01	0.06	0.10	10
C22-646	173.70	174.50	0.80	8	0.01	0.14	0.28	24
C22-646	174.50	175.60	1.10	5	0.01	0.07	0.11	12
C22-646	175.60	176.85	1.25	6	0.01	0.06	0.10	12
C22-646	176.85	177.25	0.40	6	0.01	0.06	0.09	12
C22-646	177.25	178.30	1.05	16	0.01	0.09	0.17	26
C22-646	178.30	179.00	0.70	9	0.03	0.06	0.02	14
C22-646	179.00	180.00	1.00	5	0.02	0.05	0.10	12
C22-646	180.00	181.20	1.20	9	0.02	0.09	0.36	27
C22-646	181.20	182.30	1.10	7	0.03	0.03	0.10	14
C22-646	182.30	183.20	0.90	21	0.02	0.20	0.73	56
C22-646	183.20	184.20	1.00	11	0.03	0.08	0.49	34
C22-646	184.20	184.90	0.70	13	0.02	0.10	0.32	29
C22-646	184.90	185.55	0.65	7	0.01	0.03	0.09	12
C22-646	185.55	186.10	0.55	74	0.03	0.70	0.30	109
C22-646	186.10	187.30	1.20	12	0.02	0.12	0.47	35
C22-646	187.30	187.90	0.60	32	0.51	0.16	0.02	75
C22-646	187.90	188.20	0.30					0
C22-646	188.20	189.00	0.80	15	0.02	0.11	0.60	42
C22-646	189.00	189.40	0.40	73	0.10	0.72	2.47	194
C22-646	189.40	190.50	1.10	14	0.02	0.17	0.98	57
C22-646	190.50	191.95	1.45	15	0.02	0.12	0.44	36
C22-646	191.95	192.80	0.85	9	0.03	0.07	0.25	23
C22-646	192.80	193.70	0.90	38	0.05	0.22	1.17	92

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release

*Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-646	193.70	194.70	1.00	14	0.14	0.19	0.13	35
C22-646	194.70	196.05	1.35	47	0.09	0.27	1.49	117
C22-646	196.05	197.00	0.95	32	0.04	0.22	0.94	77
C22-646	197.00	197.80	0.80	10	0.03	0.06	0.17	20
C22-646	197.80	198.60	0.80	8	0.08	0.04	0.06	18
C22-646	198.60	198.90	0.30	8	0.07	0.05	0.06	17
C22-646	198.90	200.00	1.10	20	0.10	0.28	0.11	40
C22-646	200.00	201.85	1.85	9	0.05	0.04	0.12	19
C22-646	201.85	202.30	0.45	15	0.09	0.04	0.18	29
C22-646	202.30	203.30	1.00	62	0.07	0.20	0.63	97
C22-646	203.30	204.40	1.10	29	0.04	0.04	0.49	51
C22-646	204.40	205.50	1.10	43	0.04	0.04	0.28	58
C22-646	205.50	206.10	0.60	31	0.03	0.13	1.14	79
C22-646	206.10	206.40	0.30	58	0.05	0.38	4.77	252
C22-646	206.40	207.25	0.85	55	0.03	0.08	2.31	146
C22-646	207.25	208.40	1.15	51	0.02	0.06	1.49	110
C22-646	208.40	209.00	0.60	26	0.03	0.20	1.93	106
C22-646	209.00	209.35	0.35	121	0.14	0.86	7.94	454
C22-646	209.35	210.10	0.75	22	0.07	0.48	0.71	68
C22-646	210.10	211.15	1.05	23	0.04	0.28	2.59	131
C22-646	211.15	212.35	1.20	20	0.02	0.22	2.18	110
C22-646	212.35	213.05	0.70	19	0.03	0.22	2.67	127
C22-646	213.05	214.00	0.95	24	0.03	0.27	1.85	103
C22-646	214.00	214.90	0.90	22	0.07	0.22	1.65	95
C22-646	214.90	215.85	0.95	23	0.04	0.22	1.05	71
C22-646	215.85	217.10	1.25	13	0.04	0.25	0.54	44
C22-646	217.10	217.50	0.40	31	0.08	0.63	2.23	140
C22-646	217.50	218.15	0.65	17	0.03	0.34	1.46	84
C22-646	218.15	219.30	1.15	76	0.10	0.90	1.99	185
C22-646	219.30	220.05	0.75	42	0.06	0.47	1.58	120
C22-646	220.05	221.15	1.10	36	0.06	0.39	1.57	112
C22-646	221.15	222.80	1.65	14	0.04	0.10	0.85	51
C22-646	222.80	223.20	0.40	8	0.02	0.12	0.48	31
C22-646	223.20	224.20	1.00	12	0.02	0.18	0.64	43
C22-646	224.20	225.00	0.80	7	0.03	0.11	0.41	28
C22-646	225.00	226.20	1.20	14	0.04	0.15	0.43	38
C22-646	226.20	226.75	0.55	85	0.06	1.59	2.94	248
C22-646	226.75	227.65	0.90	21	0.06	0.31	1.78	101
C22-646	227.65	228.20	0.55	49	0.04	0.18	4.11	211
C22-646	228.20	228.90	0.70	58	0.04	0.09	2.96	174
C22-646	228.90	229.20	0.30	26	0.02	0.05	1.08	69
C22-646	229.20	230.30	1.10	23	0.05	0.19	2.07	110
C22-646	230.30	231.80	1.50	25	0.06	0.04	1.21	76
C22-646	231.80	232.85	1.05	29	0.22	0.09	0.39	62
C22-646	232.85	233.30	0.45	20	0.15	0.04	0.68	57
C22-646	233.30	234.60	1.30	18	0.03	0.03	0.42	36
C22-646	234.60	235.75	1.15	17	0.09	0.03	1.94	96
C22-646	235.75	236.75	1.00	10	0.03	0.02	0.25	22
C22-646	236.75	237.80	1.05	22	0.06	0.24	0.40	48

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-646	237.80	238.80	1.00	16	0.03	0.11	0.30	33
C22-646	238.80	240.05	1.25	12	0.04	0.12	0.45	36
C22-646	240.05	241.00	0.95	5	0.01	0.06	0.07	10
C22-646	241.00	241.85	0.85	4	0.01	0.02	0.04	6
C22-646	241.85	243.20	1.35	4	0.01	0.03	0.27	16
C22-646	243.20	244.30	1.10	14	0.04	0.14	1.46	76
C22-646	244.30	245.40	1.10	3	0.01	0.02	1.13	47
C22-646	245.40	246.10	0.70	4	0.01	0.02	0.54	25
C22-646	246.10	247.25	1.15	4	0.02	0.03	0.69	32
C22-646	247.25	248.20	0.95	4	0.01	0.05	0.74	34
C22-646	248.20	249.50	1.30	4	0.01	0.02	0.17	12
C22-646	249.50	251.25	1.75	4	0.01	0.03	0.39	19
C22-646	251.25	252.35	1.10	1	0.00	0.01	0.13	6
C22-646	252.35	253.25	0.90	1	0.00	0.01	0.12	6
C22-646	253.25	254.05	0.80	6	0.01	0.03	0.74	35
C22-646	254.05	255.40	1.35	5	0.01	0.08	0.92	42
C22-646	255.40	257.00	1.60	6	0.02	0.05	1.10	50
C22-646	257.00	257.60	0.60	5	0.03	0.02	1.06	46
C22-646	257.60	259.50	1.90	2	0.01	0.01	0.46	20
C22-646	259.50	260.10	0.60	1	0.00	0.00	0.25	10
C22-646	260.10	261.45	1.35	2	0.04	0.01	1.59	64
C22-646	261.45	261.75	0.30	3	0.09	0.01	2.63	107
C22-646	261.75	263.00	1.25	1	0.12	0.01	1.43	63
C22-646	263.00	263.50	0.50	1	0.01	0.00	0.32	14
C22-646	263.50	264.15	0.65	1	0.01	0.00	0.86	34
C22-646	264.15	264.70	0.55	1	0.01	0.01	0.04	3
C22-646	264.70	265.15	0.45	1	0.00	0.01	0.14	7
C22-646	265.15	265.85	0.70	3	0.01	0.01	1.85	74
C22-646	265.85	266.95	1.10	4	0.01	0.01	0.03	6
C22-646	266.95	267.35	0.40	15	0.04	0.04	0.24	28
C22-646	267.35	267.95	0.60	5	0.02	0.01	0.13	12
C22-646	267.95	268.35	0.40	15	0.03	0.03	1.09	59
C22-646	268.35	268.90	0.55	3	0.02	0.01	0.10	8
C22-646	268.90	269.65	0.75	6	0.02	0.02	0.65	32
C22-646	269.65	270.05	0.40	2	0.01	0.01	0.06	4
C22-646	270.05	271.60	1.55	4	0.01	0.01	0.39	20
C22-646	271.60	272.25	0.65	10	0.02	0.02	2.75	114
C22-646	272.25	273.15	0.90	5	0.03	0.02	1.14	50
C22-646	273.15	274.05	0.90	4	0.05	0.01	1.13	50
C22-646	274.05	275.20	1.15	4	0.02	0.02	1.16	49
C22-646	275.20	275.95	0.75	6	0.05	0.03	1.56	68
C22-646	275.95	276.40	0.45	16	0.04	0.13	3.78	164
C22-646	276.40	277.35	0.95	15	0.02	0.16	3.93	169
C22-646	277.35	278.40	1.05	20	0.01	0.07	1.51	79
C22-646	278.40	278.90	0.50	11	0.01	0.03	2.60	109
C22-646	278.90	279.20	0.30	7	0.01	0.04	2.92	118
C22-646	279.20	280.20	1.00	15	0.01	0.12	2.38	108
C22-646	280.20	280.50	0.30	14	0.02	0.08	0.48	35
C22-646	280.50	281.20	0.70	16	0.02	0.07	1.11	61

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-646	281.20	281.90	0.70	13	0.02	0.08	1.89	88
C22-646	281.90	282.85	0.95	8	0.04	0.09	2.37	102
C22-646	282.85	283.60	0.75	4	0.03	0.04	1.19	52
C22-646	283.60	284.15	0.55	4	0.12	0.05	0.19	21
C22-646	284.15	285.05	0.90	8	0.08	0.07	0.18	22
C22-646	285.05	285.95	0.90	21	0.05	0.57	3.71	181
C22-646	285.95	287.00	1.05	12	0.02	0.18	1.81	87
C22-646	287.00	288.00	1.00	7	0.03	0.03	2.82	116
C22-646	288.00	288.50	0.50	16	0.03	0.05	5.82	237
C22-646	288.50	289.40	0.90	9	0.03	0.05	3.55	145
C22-646	289.40	289.70	0.30	5	0.02	0.03	1.33	57
C22-646	289.70	290.35	0.65	30	0.01	0.47	4.57	216
C22-646	290.35	290.70	0.35	30	0.00	0.53	3.14	163
C22-646	290.70	291.15	0.45	67	0.02	0.81	6.87	350
C22-646	291.15	291.80	0.65	39	0.02	0.51	5.98	279
C22-646	291.80	292.75	0.95	20	0.00	0.33	2.98	142
C22-646	292.75	293.45	0.70	56	0.01	1.01	3.86	232
C22-646	293.45	294.40	0.95	66	0.01	1.18	8.42	417
C22-646	294.40	295.05	0.65	15	0.01	0.23	1.20	67
C22-646	295.05	296.15	1.10	7	0.01	0.10	0.68	36
C22-646	296.15	296.80	0.65	10	0.00	0.14	0.96	51
C22-646	296.80	297.75	0.95	21	0.01	0.17	2.97	137
C22-646	297.75	298.50	0.75	22	0.00	0.32	2.64	130
C22-646	298.50	298.85	0.35	6	0.00	0.07	0.85	40
C22-646	298.85	299.15	0.30	29	0.01	0.19	4.86	217
C22-646	299.15	299.70	0.55	39	0.01	0.57	4.37	221
C22-646	299.70	301.70	2.00	4	0.01	0.09	0.33	20
C22-646	301.70	302.85	1.15	2	0.00	0.01	0.06	5
C22-646	302.85	303.60	0.75	18	0.05	0.09	1.72	88
C22-646	303.60	305.60	2.00	2	0.00	0.01	0.06	4
C22-646	305.60	306.25	0.65	2	0.00	0.01	0.37	16
C22-646	306.25	306.60	0.35	23	0.04	0.07	0.81	58
C22-646	306.60	308.00	1.40	9	0.05	0.03	0.14	18
C22-646	308.00	309.30	1.30	14	0.07	0.03	0.17	26
C22-646	309.30	310.00	0.70	2	0.02	0.01	0.05	6
C22-646	310.00	311.80	1.80	4	0.01	0.02	0.31	17
C22-646	311.80	312.15	0.35	12	0.46	0.08	0.52	67
C22-646	312.15	312.55	0.40	1	0.01	0.01	0.08	5
C22-646	312.55	312.85	0.30	10	0.17	0.03	0.98	60
C22-646	312.85	314.00	1.15	2	0.00	0.04	0.19	11
C22-646	314.00	315.80	1.80	15	0.01	0.19	1.63	82
C22-646	315.80	318.20	2.40	11	0.00	0.08	0.77	42
C22-646	318.20	319.20	1.00	8	0.00	0.06	0.40	25
C22-646	319.20	319.50	0.30	81	0.08	0.67	1.50	164
C22-646	319.50	320.25	0.75	4	0.00	0.02	0.04	6
C22-646	320.25	320.55	0.30	32	0.03	0.34	0.53	65
C22-646	320.55	322.35	1.80	5	0.01	0.05	0.19	14
C22-646	322.35	323.05	0.70	105	0.05	0.50	2.68	224
C22-646	323.05	324.95	1.90	14	0.01	0.05	0.33	28

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-646	324.95	326.90	1.95	8	0.01	0.05	0.30	21
C22-646	326.90	329.30	2.40	7	0.00	0.03	0.22	16
C22-646	329.30	330.90	1.60	12	0.03	0.04	0.13	21
C22-646	330.90	332.80	1.90	5	0.01	0.03	0.06	8
C22-646	332.80	334.60	1.80	18	0.02	0.12	0.32	35
C22-646	334.60	338.50	3.90	3	0.01	0.02	0.08	7
C22-646	338.50	340.60	2.10	1	0.00	0.01	0.06	4
C22-646	340.60	343.20	2.60	1	0.00	0.00	0.12	5
C22-646	343.20	344.70	1.50	1	0.00	0.01	0.05	3
C22-646	344.70	345.70	1.00	0	0.00	0.00	0.05	3
C22-646	345.70	347.70	2.00	1	0.00	0.01	0.06	3
C22-646	347.70	349.70	2.00	0	0.00	0.00	0.07	3
C22-646	349.70	351.70	2.00	1	0.00	0.01	0.05	3
C22-646	351.70	353.70	2.00	0	0.00	0.00	0.02	1
C22-646	353.70	354.45	0.75	0	0.00	0.00	0.01	1
C22-646	354.45	355.60	1.15	1	0.00	0.00	0.02	1
C22-646	355.60	356.95	1.35	1	0.00	0.01	0.04	3
C22-646	356.95	357.95	1.00	2	0.00	0.01	0.10	6
C22-646	357.95	358.45	0.50	1	0.00	0.00	0.02	2
C22-646	358.45	360.35	1.90	2	0.01	0.01	0.10	6
C22-646	360.35	361.40	1.05	1	0.00	0.01	0.06	4
C22-646	361.40	361.80	0.40	10	0.15	0.12	1.94	96
C22-646	361.80	362.10	0.30	3	0.03	0.02	0.89	39
C22-646	362.10	363.80	1.70	1	0.00	0.01	0.03	2
C22-646	363.80	364.50	0.70	1	0.00	0.01	0.06	4
C22-646	364.50	365.35	0.85	2	0.01	0.02	0.31	15
C22-646	365.35	366.15	0.80	2	0.01	0.01	0.15	9
C22-646	366.15	368.15	2.00	1	0.00	0.00	0.03	2
C22-646	368.15	369.20	1.05	1	0.01	0.00	0.16	7
C22-646	369.20	369.65	0.45	2	0.01	0.01	1.19	47
C22-646	369.65	370.45	0.80	1	0.00	0.00	0.30	13
C22-646	370.45	372.30	1.85	1	0.00	0.00	0.23	10
C22-646	372.30	374.30	2.00	1	0.00	0.00	0.04	3
C22-646	374.30	375.45	1.15	1	0.00	0.00	0.01	1
C22-646	375.45	375.95	0.50	1	0.00	0.00	0.60	24
C22-646	375.95	377.05	1.10	1	0.01	0.00	0.24	11
C22-646	377.05	378.60	1.55	1	0.01	0.00	0.27	12
C22-646	378.60	379.10	0.50	2	0.01	0.01	0.34	15
C22-646	379.10	380.30	1.20	3	0.01	0.01	0.57	25
C22-646	380.30	381.50	1.20	2	0.02	0.00	0.98	40
C22-646	381.50	382.50	1.00	1	0.01	0.00	0.08	4
C22-646	382.50	384.40	1.90	2	0.01	0.01	0.04	5
C22-646	384.40	386.40	2.00	2	0.01	0.01	0.03	3
C22-646	386.40	387.10	0.70	1	0.01	0.00	0.00	1
C22-646	387.10	388.95	1.85	2	0.01	0.01	0.01	3
C22-646	388.95	390.25	1.30	2	0.01	0.00	0.02	3
C22-646	390.25	390.65	0.40	2	0.06	0.00	0.64	30
C22-646	390.65	391.70	1.05	2	0.01	0.01	0.26	12
C22-646	391.70	392.00	0.30	2	0.04	0.00	1.92	76

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-646	392.00	393.90	1.90	2	0.01	0.01	0.31	15
C22-646	393.90	394.60	0.70	1	0.01	0.00	0.04	3
C22-646	394.60	394.90	0.30	11	0.05	0.20	0.03	22
C22-646	394.90	396.90	2.00	3	0.01	0.02	0.04	6
C22-646	396.90	397.95	1.05	3	0.01	0.01	0.01	4
C22-646	397.95	399.20	1.25	3	0.01	0.01	0.02	5
C22-646	399.20	400.30	1.10	2	0.01	0.02	0.03	5
C22-646	400.30	401.30	1.00	3	0.01	0.01	0.03	5
C22-646	401.30	402.30	1.00	8	0.02	0.12	0.25	22
C22-646	402.30	403.50	1.20	8	0.05	0.09	0.31	26
C22-646	403.50	404.75	1.25	5	0.01	0.05	0.30	19
C22-646	404.75	405.70	0.95	1	0.01	0.01	0.02	2
C22-646	405.70	406.05	0.35	5	0.02	0.04	0.13	12
C22-646	406.05	408.05	2.00	1	0.01	0.01	0.02	2
C22-646	408.05	408.95	0.90	1	0.01	0.01	0.03	3
C22-646	408.95	410.10	1.15	4	0.04	0.05	0.19	15
C22-646	410.10	411.45	1.35	3	0.01	0.03	0.04	6
C22-646	411.45	411.80	0.35	35	0.06	0.66	0.52	79
C22-646	411.80	413.80	2.00	2	0.01	0.03	0.04	6
C22-646	413.80	415.80	2.00	1	0.01	0.01	0.02	3
C22-646	415.80	416.30	0.50	2	0.01	0.01	0.02	4
C22-646	416.30	416.65	0.35	4	0.01	0.08	0.14	12
C22-646	416.65	418.20	1.55	8	0.01	0.13	0.23	21
C22-646	418.20	419.35	1.15	3	0.01	0.03	0.05	6
C22-646	419.35	420.75	1.40	2	0.00	0.03	0.05	5
C22-646	420.75	422.00	1.25	2	0.00	0.02	0.02	3
C22-646	422.00	423.30	1.30	60	0.06	1.23	0.63	126
C22-646	423.30	423.90	0.60	40	0.02	0.69	1.34	112
C22-646	423.90	425.90	2.00	5	0.01	0.08	0.14	14
C22-646	425.90	427.90	2.00	7	0.01	0.07	0.05	12
C22-646	427.90	429.50	1.60	1	0.00	0.03	0.03	4
C22-646	429.50	429.80	0.30	10	0.02	0.25	0.73	46
C22-646	429.80	431.50	1.70	4	0.01	0.10	0.11	12
C22-646	431.50	431.80	0.30	28	0.02	0.49	0.90	78
C22-646	431.80	432.20	0.40	27	0.03	0.54	0.44	63
C22-646	432.20	433.05	0.85	107	0.07	1.54	0.85	191
C22-646	433.05	435.05	2.00	5	0.02	0.05	0.03	9
C22-646	435.05	436.95	1.90	4	0.01	0.07	0.11	11
C22-646	436.95	438.95	2.00	1	0.01	0.01	0.02	2
C22-646	438.95	440.10	1.15	1	0.00	0.01	0.05	3
C22-646	440.10	440.90	0.80	4	0.01	0.06	0.13	11
C22-646	440.90	442.15	1.25	1	0.00	0.01	0.03	2
C22-646	442.15	443.40	1.25	1	0.00	0.00	0.04	3
C22-646	443.40	444.60	1.20	1	0.00	0.01	0.02	2
C22-646	444.60	446.55	1.95	1	0.01	0.01	0.03	3
C22-646	446.55	447.65	1.10	3	0.01	0.01	0.05	6
C22-646	447.65	448.80	1.15	1	0.00	0.00	0.01	2
C22-646	448.80	449.10	0.30	1	0.00	0.00	0.04	3
C22-646	449.10	450.30	1.20	1	0.00	0.00	0.03	2

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release

*Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-646	450.30	451.50	1.20	1	0.00	0.00	0.09	4
C22-646	451.50	453.00	1.50	1	0.00	0.00	0.02	2
C22-646	453.00	454.20	1.20	1	0.00	0.00	0.06	3
C22-646	454.20	455.30	1.10	1	0.01	0.00	0.04	3
C22-646	455.30	456.35	1.05	1	0.00	0.00	0.01	2
C22-646	456.35	457.70	1.35	2	0.00	0.02	0.03	4
C22-646	457.70	458.70	1.00	3	0.01	0.04	0.02	6
C22-646	458.70	459.50	0.80	1	0.00	0.01	0.03	2
C22-646	459.50	461.00	1.50	1	0.00	0.00	0.02	2
C22-646	461.00	462.50	1.50	1	0.01	0.00	0.03	3
C22-646	462.50	464.10	1.60	2	0.01	0.01	0.02	4
C22-646	464.10	465.35	1.25	2	0.01	0.02	0.04	5
C22-646	465.35	466.20	0.85	1	0.01	0.01	0.02	3
C22-646	466.20	467.05	0.85	3	0.01	0.05	0.04	7
C22-646	467.05	468.40	1.35	1	0.01	0.01	0.02	3
C22-646	468.40	469.20	0.80	1	0.01	0.00	0.02	2
C22-646	469.20	470.70	1.50	2	0.01	0.01	0.01	3
C22-646	470.70	471.00	0.30	21	0.02	0.16	0.02	28
C22-646	471.00	471.50	0.50	3	0.01	0.02	0.01	5
C22-646	471.50	471.80	0.30	1	0.01	0.01	0.02	3
C22-646	471.80	472.30	0.50	1	0.01	0.01	0.02	3
C22-646	472.30	473.15	0.85	1	0.01	0.01	0.02	3
C22-646	473.15	474.50	1.35	0	0.00	0.00	0.01	1
C22-646	474.50	476.00	1.50	1	0.00	0.00	0.01	1
C22-646	476.00	477.00	1.00	0	0.00	0.00	0.02	1
C22-646	477.00	478.65	1.65	1	0.01	0.00	0.01	1
C22-646	478.65	479.55	0.90	1	0.01	0.00	0.01	2
C22-646	479.55	481.00	1.45	1	0.01	0.00	0.01	1
C22-646	481.00	482.20	1.20	3	0.01	0.02	0.01	4
C22-646	482.20	483.25	1.05	2	0.00	0.01	0.01	2
C22-646	483.25	484.55	1.30	1	0.00	0.00	0.00	1
C22-646	484.55	484.95	0.40	1	0.00	0.00	0.00	1
C22-646	484.95	486.10	1.15	1	0.00	0.01	0.00	2
C22-646	486.10	486.40	0.30	10	0.01	0.28	0.03	20
C22-646	486.40	486.80	0.40	2	0.00	0.05	0.01	4
C22-646	486.80	487.80	1.00	2	0.01	0.02	0.00	3
C22-646	487.80	488.80	1.00	3	0.01	0.05	0.01	5
C22-646	488.80	489.40	0.60	2	0.01	0.05	0.00	5
C22-646	489.40	490.15	0.75	0	0.01	0.00	0.00	1
C22-646	490.15	491.00	0.85	1	0.01	0.01	0.00	1
C22-646	491.00	492.20	1.20	0	0.00	0.00	0.01	1
C22-646	492.20	493.55	1.35	0	0.01	0.00	0.00	1
C22-646	493.55	494.90	1.35	1	0.01	0.00	0.00	1
C22-646	494.90	495.95	1.05	1	0.00	0.00	0.00	1
C22-646	495.95	497.85	1.90	0	0.00	0.00	0.00	1
C22-646	497.85	499.25	1.40	0	0.00	0.00	0.01	1
C22-646	499.25	500.95	1.70	1	0.00	0.00	0.01	1
C22-646	500.95	502.20	1.25	1	0.00	0.01	0.01	2
C22-646	502.20	502.55	0.35	27	0.01	0.84	0.25	64

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-646	502.55	503.65	1.10	2	0.01	0.03	0.01	4
C22-646	503.65	505.05	1.40	1	0.00	0.01	0.00	1
C22-646	505.05	506.30	1.25	2	0.01	0.05	0.08	7
C22-646	506.30	506.80	0.50	2	0.05	0.05	0.08	10
C22-646	506.80	507.50	0.70	1	0.01	0.01	0.04	3
C22-646	507.50	507.80	0.30	26	0.07	0.47	0.61	68
C22-646	507.80	508.90	1.10	1	0.00	0.01	0.01	1
C22-646	508.90	509.20	0.30	10	0.01	0.24	0.03	19
C22-646	509.20	511.20	2.00	1	0.00	0.01	0.01	1
C22-646	511.20	513.20	2.00	0	0.00	0.00	0.01	1
C22-646	513.20	515.20	2.00	1	0.00	0.01	0.01	2
C22-646	515.20	516.50	1.30	0	0.00	0.00	0.01	1
C22-646	516.50	517.60	1.10	2	0.00	0.04	0.02	4
C22-646	517.60	519.25	1.65	1	0.00	0.01	0.02	2
C22-646	519.25	520.40	1.15	1	0.01	0.01	0.01	3
C22-646	520.40	521.80	1.40	2	0.01	0.01	0.01	3
C22-646	521.80	523.00	1.20	2	0.01	0.02	0.02	3
C22-646	523.00	524.60	1.60	2	0.01	0.01	0.01	3
C22-646	524.60	525.55	0.95	6	0.01	0.04	0.01	9
C22-646	525.55	526.05	0.50	6	0.01	0.04	0.02	9
C22-646	526.05	528.05	2.00	2	0.01	0.02	0.02	4
C22-646	528.05	529.65	1.60	3	0.01	0.02	0.01	5
C22-646	529.65	529.95	0.30	17	0.05	0.20	0.19	34
C22-646	529.95	531.20	1.25	6	0.01	0.04	0.03	9
C22-646	531.20	531.55	0.35	3	0.01	0.02	0.03	5
C22-646	531.55	532.25	0.70	6	0.01	0.03	0.06	9
C22-646	532.25	533.35	1.10	13	0.01	0.08	0.15	22
C22-646	533.35	533.75	0.40	8	0.00	0.03	0.25	19
C22-646	533.75	534.40	0.65	13	0.00	0.04	0.24	23
C22-646	534.40	534.75	0.35	3	0.00	0.01	0.18	10
C22-646	534.75	536.10	1.35	3	0.00	0.01	0.08	6
C22-646	536.10	538.10	2.00	3	0.00	0.01	0.08	6
C22-646	538.10	538.50	0.40	9	0.01	0.11	0.35	26
C22-646	538.50	540.40	1.90	8	0.00	0.27	0.13	22
C22-646	540.40	541.60	1.20	2	0.01	0.02	0.05	4
C22-646	541.60	543.15	1.55	2	0.01	0.01	0.03	4
C22-646	543.15	543.75	0.60	2	0.01	0.01	0.04	5
C22-646	543.75	545.70	1.95	2	0.01	0.01	0.04	4
C22-646	545.70	547.70	2.00	2	0.01	0.01	0.06	5
C22-646	547.70	549.65	1.95	1	0.01	0.01	0.04	4
C22-646	549.65	550.20	0.55	2	0.01	0.01	0.06	6
C22-646	550.20	550.90	0.70	13	0.07	0.14	0.51	41
C22-646	550.90	552.80	1.90	2	0.02	0.01	0.07	6
C22-646	552.80	554.70	1.90	2	0.01	0.01	0.07	6
C22-646	554.70	556.70	2.00	3	0.01	0.02	0.08	7
C22-646	556.70	558.70	2.00	2	0.01	0.02	0.07	6
C22-646	558.70	560.70	2.00	1	0.00	0.00	0.01	1
C22-646	560.70	561.60	0.90	2	0.00	0.01	0.03	3
C22-646	561.60	563.50	1.90	1	0.00	0.01	0.03	3

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-646	563.50	565.30	1.80	2	0.01	0.01	0.05	5
C22-646	565.30	566.40	1.10	2	0.01	0.01	0.05	5
C22-646	566.40	567.70	1.30	12	0.08	0.14	0.72	49
C22-646	567.70	568.95	1.25	6	0.07	0.04	0.45	28
C22-646	568.95	570.95	2.00	2	0.01	0.01	0.05	5
C22-646	570.95	572.60	1.65	2	0.01	0.01	0.05	4
C22-646	572.60	573.60	1.00	6	0.04	0.12	0.23	21
C22-646	573.60	575.60	2.00	1	0.01	0.01	0.06	4
C22-646	575.60	576.65	1.05	1	0.01	0.00	0.02	2
C22-646	576.65	578.40	1.75	1	0.01	0.01	0.25	12
C22-646	578.40	579.05	0.65	4	0.05	0.02	0.88	41
C22-646	579.05	580.30	1.25	1	0.01	0.01	0.04	4
C22-646	580.30	581.05	0.75	9	0.06	0.03	1.82	82
C22-646	581.05	582.25	1.20	2	0.01	0.01	0.27	13
C22-646	582.25	582.55	0.30	111	0.32	1.75	3.74	329
C22-646	582.55	583.00	0.45	17	0.03	0.19	1.95	98
C22-646	583.00	583.85	0.85	111	0.10	1.76	7.23	442
C22-646	583.85	585.50	1.65	3	0.01	0.04	0.18	11
C22-646	585.50	586.55	1.05	10	0.01	0.13	0.45	32
C22-646	586.55	587.10	0.55	253	0.03	1.66	1.90	377
C22-646	587.10	589.20	2.10	18	0.04	0.10	0.24	33
C22-646	589.20	590.20	1.00	6	0.02	0.03	0.22	16
C22-646	590.20	591.35	1.15	4	0.01	0.01	0.09	8
C22-646	591.35	591.80	0.45	27	0.08	0.04	0.20	41
C22-646	591.80	593.70	1.90	50	0.09	0.06	0.57	80
C22-646	593.70	594.65	0.95	6	0.02	0.02	0.19	15
C22-646	594.65	594.95	0.30	79	0.22	0.11	0.76	126
C22-646	594.95	595.25	0.30	37	0.11	0.06	0.58	69
C22-646	595.25	595.60	0.35	6	0.03	0.02	0.14	14
C22-646	595.60	596.40	0.80	4	0.04	0.04	0.27	19
C22-646	596.40	597.95	1.55	7	0.02	0.09	0.41	26
C22-646	597.95	598.50	0.55	5	0.02	0.05	0.15	13
C22-646	598.50	598.80	0.30	16	0.04	0.18	0.44	41
C22-646	598.80	599.60	0.80	2	0.00	0.03	0.15	8
C22-646	599.60	600.10	0.50	2	0.00	0.05	0.44	20
C22-646	600.10	601.70	1.60	6	0.01	0.14	0.43	27
C22-646	601.70	602.25	0.55	10	0.04	0.08	1.94	88
C22-646	602.25	603.50	1.25	2	0.02	0.02	0.06	6
C22-646	603.50	603.80	0.30	2	0.02	0.02	0.19	11
C22-646	603.80	604.45	0.65	1	0.01	0.01	0.11	6
C22-646	604.45	605.90	1.45	4	0.02	0.04	0.11	11
C22-646	605.90	607.20	1.30	10	0.03	0.10	0.09	18
C22-646	607.20	607.50	0.30	195	0.42	2.26	3.17	414
C22-646	607.50	609.05	1.55	5	0.02	0.07	0.04	10
C22-646	609.05	610.70	1.65	2	0.01	0.02	0.02	4
C22-646	610.70	611.75	1.05	2	0.01	0.02	0.04	4
C22-646	611.75	612.05	0.30	32	0.04	0.39	0.72	74
C22-646	612.05	612.90	0.85	31	0.02	0.47	0.59	69
C22-646	612.90	613.35	0.45	11	0.06	0.18	0.11	25

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-646	613.35	614.00	0.65	67	0.05	0.51	0.80	117
C22-646	614.00	614.90	0.90	6	0.02	0.05	0.08	12
C22-646	614.90	615.25	0.35	4	0.02	0.03	0.05	8
C22-646	615.25	616.20	0.95	3	0.01	0.03	0.04	7
C22-646	616.20	616.75	0.55	23	0.08	0.23	0.56	57
C22-646	616.75	617.90	1.15	2	0.00	0.02	0.03	4
C22-646	617.90	618.85	0.95	5	0.02	0.06	0.07	10
C22-646	618.85	619.15	0.30	18	0.04	0.16	0.06	28
C22-646	619.15	620.75	1.60	16	0.02	0.15	0.13	27
C22-646	620.75	622.75	2.00	4	0.01	0.03	0.02	6
C22-646	622.75	624.10	1.35	2	0.01	0.03	0.06	6
C22-646	624.10	626.10	2.00	2	0.01	0.02	0.15	9
C22-646	626.10	627.60	1.50	1	0.00	0.01	0.05	3
C22-646	627.60	628.10	0.50	7	0.03	0.11	0.08	16
C22-646	628.10	630.00	1.90	3	0.00	0.04	0.04	6
C22-646	630.00	631.10	1.10	0	0.00	0.00	0.03	1
C22-646	631.10	632.15	1.05	1	0.00	0.00	0.02	2
C22-646	632.15	633.45	1.30	0	0.00	0.00	0.05	2
C22-646	633.45	634.15	0.70	2	0.02	0.00	0.03	4
C22-646	634.15	635.15	1.00	3	0.02	0.01	0.02	5
C22-646	635.15	636.40	1.25	3	0.01	0.03	0.05	7
C22-646	636.40	637.20	0.80	6	0.02	0.05	0.07	11
C22-646	637.20	638.55	1.35	2	0.01	0.02	0.03	4
C22-646	638.55	639.30	0.75	2	0.01	0.04	0.04	6
C22-646	639.30	640.05	0.75	8	0.01	0.15	0.13	18
C22-646	640.05	641.35	1.30	2	0.01	0.03	0.07	6
C22-646	641.35	643.45	2.10	3	0.01	0.06	0.05	7
C22-646	643.45	645.30	1.85	4	0.01	0.06	0.10	10
C22-646	645.30	646.10	0.80	2	0.01	0.02	0.05	5
C22-646	646.10	647.60	1.50	2	0.01	0.02	0.05	5
C22-646	647.60	649.00	1.40	0	0.00	0.00	0.01	1
C22-646	649.00	650.20	1.20	2	0.01	0.04	0.05	6
C22-647	0.00	1.75	1.75	4	0.00	0.02	0.07	7
C22-647	1.75	2.75	1.00	2	0.01	0.01	0.09	7
C22-647	2.75	3.80	1.05	1	0.00	0.01	0.04	3
C22-647	3.80	5.40	1.60	1	0.00	0.01	0.04	3
C22-647	5.40	6.40	1.00	1	0.00	0.01	0.02	2
C22-647	6.40	7.65	1.25	1	0.00	0.01	0.03	3
C22-647	7.65	8.60	0.95	1	0.00	0.01	0.06	4
C22-647	8.60	10.60	2.00	0	0.01	0.00	0.01	1
C22-647	10.60	12.15	1.55	0	0.01	0.00	0.01	2
C22-647	12.15	13.65	1.50	0	0.01	0.00	0.01	1
C22-647	13.65	14.80	1.15	0	0.01	0.00	0.02	2
C22-647	14.80	16.15	1.35	0	0.02	0.00	0.02	2
C22-647	16.15	17.70	1.55	2	0.02	0.01	0.06	6
C22-647	17.70	18.50	0.80	1	0.01	0.01	0.04	4
C22-647	18.50	20.50	2.00	2	0.01	0.01	0.06	4
C22-647	20.50	21.55	1.05	2	0.00	0.02	0.10	7
C22-647	21.55	22.70	1.15	3	0.00	0.05	0.17	12

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-647	22.70	24.00	1.30	18	0.00	0.05	0.18	26
C22-647	24.00	25.00	1.00	6	0.00	0.02	0.15	12
C22-647	25.00	27.00	2.00	79	0.01	0.10	0.24	91
C22-647	27.00	28.85	1.85	55	0.01	0.15	0.25	70
C22-647	28.85	30.80	1.95	32	0.01	0.08	0.16	40
C22-647	30.80	31.25	0.45	41	0.01	0.09	0.17	50
C22-647	31.25	33.15	1.90	34	0.01	0.11	0.20	45
C22-647	33.15	35.15	2.00	75	0.01	0.09	0.16	84
C22-647	35.15	36.50	1.35	20	0.00	0.08	0.13	28
C22-647	36.50	37.90	1.40	1	0.00	0.01	0.06	4
C22-647	37.90	39.10	1.20	1	0.01	0.01	0.08	4
C22-647	39.10	41.10	2.00	1	0.00	0.01	0.10	5
C22-647	41.10	43.10	2.00	1	0.00	0.01	0.08	4
C22-647	43.10	45.10	2.00	1	0.01	0.01	0.12	6
C22-647	45.10	47.10	2.00	1	0.00	0.01	0.11	5
C22-647	47.10	48.95	1.85	0	0.00	0.01	0.11	5
C22-647	48.95	50.70	1.75	0	0.00	0.01	0.14	6
C22-647	50.70	52.70	2.00	1	0.00	0.00	0.07	4
C22-647	52.70	54.40	1.70	1	0.00	0.01	0.07	4
C22-647	54.40	55.85	1.45	1	0.00	0.01	0.07	3
C22-647	55.85	56.35	0.50	1	0.00	0.01	0.13	6
C22-647	56.35	57.00	0.65	0	0.00	0.00	0.02	1
C22-647	57.00	58.65	1.65	1	0.00	0.02	0.12	6
C22-647	58.65	60.60	1.95	1	0.00	0.07	0.11	8
C22-647	60.60	61.75	1.15	3	0.00	0.26	0.18	18
C22-647	61.75	62.35	0.60	5	0.01	0.49	0.11	25
C22-647	62.35	63.40	1.05	22	0.03	0.59	0.29	54
C22-647	63.40	65.00	1.60	2	0.01	0.06	0.10	8
C22-647	65.00	66.60	1.60	14	0.16	0.11	0.15	34
C22-647	66.60	68.00	1.40	93	0.31	1.05	0.26	158
C22-647	68.00	68.30	0.30	5	0.04	0.02	0.05	11
C22-647	68.30	69.70	1.40	53	0.38	0.95	0.73	137
C22-647	69.70	70.25	0.55	240	1.02	3.34	5.58	626
C22-647	70.25	71.65	1.40	8	0.03	0.20	0.15	22
C22-647	71.65	72.35	0.70	2	0.01	0.07	0.09	9
C22-647	72.35	73.85	1.50	2	0.01	0.15	0.12	12
C22-647	73.85	75.85	2.00	2	0.01	0.18	0.20	16
C22-647	75.85	77.85	2.00	1	0.01	0.02	0.27	12
C22-647	77.85	79.85	2.00	1	0.01	0.06	0.21	11
C22-647	79.85	81.85	2.00	0	0.00	0.00	0.06	3
C22-647	81.85	83.85	2.00	0	0.00	0.00	0.09	4
C22-647	83.85	85.85	2.00	0	0.00	0.00	0.06	3
C22-647	85.85	87.85	2.00	1	0.00	0.00	0.04	2
C22-647	87.85	89.85	2.00	1	0.00	0.02	0.24	11
C22-647	89.85	91.85	2.00	2	0.00	0.01	0.26	12
C22-647	91.85	93.85	2.00	1	0.00	0.00	0.06	3
C22-647	93.85	95.85	2.00	1	0.00	0.00	0.08	4
C22-647	95.85	97.85	2.00	1	0.00	0.00	0.05	3
C22-647	97.85	99.85	2.00	1	0.00	0.01	0.04	3

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-647	99.85	101.00	1.15	1	0.01	0.01	0.08	5
C22-647	101.00	102.10	1.10	1	0.01	0.02	0.05	4
C22-647	102.10	102.60	0.50	1	0.01	0.01	0.05	3
C22-647	102.60	103.75	1.15	1	0.01	0.01	0.09	5
C22-647	103.75	105.75	2.00	1	0.00	0.01	0.07	4
C22-647	105.75	107.75	2.00	1	0.00	0.01	0.04	3
C22-647	107.75	109.75	2.00	1	0.00	0.01	0.03	3
C22-647	109.75	111.00	1.25	2	0.01	0.04	0.07	6
C22-647	111.00	111.40	0.40	1	0.00	0.01	0.04	3
C22-647	111.40	112.50	1.10	2	0.01	0.01	0.04	4
C22-647	112.50	113.50	1.00	2	0.01	0.01	0.01	3
C22-647	113.50	114.10	0.60	1	0.00	0.00	0.02	2
C22-647	114.10	114.95	0.85	1	0.01	0.00	0.05	3
C22-647	114.95	116.90	1.95	1	0.00	0.01	0.05	3
C22-647	116.90	118.20	1.30	1	0.01	0.01	0.06	4
C22-647	118.20	119.70	1.50	1	0.00	0.02	0.13	7
C22-647	119.70	120.70	1.00	1	0.01	0.01	0.04	3
C22-647	120.70	121.70	1.00	2	0.01	0.15	0.14	12
C22-647	121.70	123.00	1.30	2	0.02	0.03	0.11	8
C22-647	123.00	123.45	0.45	4	0.04	0.07	0.14	14
C22-647	123.45	125.45	2.00	1	0.01	0.01	0.07	5
C22-647	125.45	127.00	1.55	3	0.01	0.06	0.10	9
C22-647	127.00	128.15	1.15	1	0.01	0.02	0.17	9
C22-647	128.15	129.10	0.95	2	0.00	0.02	0.20	10
C22-647	129.10	131.10	2.00	2	0.01	0.03	0.05	5
C22-647	131.10	133.00	1.90	1	0.01	0.01	0.05	4
C22-647	133.00	134.30	1.30	1	0.01	0.03	0.10	6
C22-647	134.30	136.30	2.00	1	0.01	0.01	0.05	3
C22-647	136.30	137.75	1.45	1	0.00	0.01	0.06	3
C22-647	137.75	138.65	0.90	2	0.00	0.03	0.15	9
C22-647	138.65	139.25	0.60	4	0.01	0.07	0.28	18
C22-647	139.25	141.25	2.00	1	0.01	0.01	0.05	3
C22-647	141.25	142.25	1.00	2	0.00	0.02	0.16	8
C22-647	142.25	143.40	1.15	2	0.01	0.02	0.13	8
C22-647	143.40	145.40	2.00	1	0.00	0.01	0.05	3
C22-647	145.40	147.20	1.80	1	0.00	0.01	0.08	4
C22-647	147.20	148.90	1.70	1	0.00	0.01	0.05	3
C22-647	148.90	150.90	2.00	1	0.00	0.01	0.06	4
C22-647	150.90	152.90	2.00	1	0.00	0.01	0.10	5
C22-647	152.90	154.20	1.30	1	0.00	0.01	0.10	5
C22-647	154.20	155.55	1.35	1	0.00	0.01	0.14	6
C22-647	155.55	157.00	1.45	5	0.00	0.10	0.18	15
C22-647	157.00	157.85	0.85	22	0.01	0.39	3.18	153
C22-647	157.85	158.15	0.30	6	0.02	0.07	0.92	44
C22-647	158.15	158.80	0.65	19	0.01	0.41	1.35	83
C22-647	158.80	159.60	0.80	18	0.00	0.17	3.01	136
C22-647	159.60	160.20	0.60	11	0.00	0.57	2.30	115
C22-647	160.20	160.80	0.60	17	0.00	0.52	4.35	196
C22-647	160.80	162.35	1.55	18	0.00	0.65	2.54	133

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-647	162.35	163.70	1.35	1	0.00	0.02	0.24	11
C22-647	163.70	164.30	0.60	1	0.00	0.01	0.04	3
C22-647	164.30	165.50	1.20	1	0.01	0.01	0.03	3
C22-647	165.50	166.50	1.00	1	0.00	0.01	0.03	2
C22-647	166.50	167.90	1.40	2	0.00	0.01	0.06	4
C22-647	167.90	168.75	0.85	1	0.00	0.03	0.12	7
C22-647	168.75	170.75	2.00	2	0.01	0.02	0.12	8
C22-647	170.75	171.90	1.15	1	0.01	0.00	0.01	2
C22-647	171.90	172.95	1.05	1	0.00	0.00	0.01	1
C22-647	172.95	174.10	1.15	2	0.01	0.00	0.01	3
C22-647	174.10	174.70	0.60	11	0.01	0.31	1.00	59
C22-647	174.70	176.55	1.85	2	0.01	0.03	0.10	7
C22-647	176.55	177.80	1.25	14	0.01	0.13	1.46	73
C22-647	177.80	179.00	1.20	4	0.02	0.09	0.24	17
C22-647	179.00	180.65	1.65	2	0.01	0.03	0.06	5
C22-647	180.65	181.50	0.85	18	0.00	0.30	2.10	106
C22-647	181.50	183.50	2.00	1	0.01	0.01	0.06	4
C22-647	183.50	184.60	1.10	5	0.01	0.11	0.25	18
C22-647	184.60	185.65	1.05	10	0.01	0.29	0.88	53
C22-647	185.65	186.50	0.85	9	0.00	0.21	1.23	61
C22-647	186.50	187.65	1.15	3	0.00	0.06	0.24	14
C22-647	187.65	188.50	0.85	4	0.00	0.15	0.55	29
C22-647	188.50	190.50	2.00	1	0.00	0.00	0.03	2
C22-647	190.50	191.55	1.05	2	0.01	0.01	0.04	4
C22-647	191.55	191.90	0.35	458	0.23	9.60	12.50	1,240
C22-647	191.90	193.10	1.20	1	0.01	0.01	0.03	3
C22-647	193.10	194.70	1.60	1	0.01	0.01	0.05	4
C22-647	194.70	195.00	0.30	934	1.68	8.70	8.19	1,632
C22-647	195.00	195.40	0.40	54	0.05	1.32	2.68	199
C22-647	195.40	196.20	0.80	14	0.02	0.21	0.46	40
C22-647	196.20	196.90	0.70	55	0.08	1.16	2.44	188
C22-647	196.90	197.90	1.00	46	0.17	1.07	1.80	159
C22-647	197.90	198.20	0.30	159	0.13	3.48	7.30	549
C22-647	198.20	198.75	0.55	82	0.14	2.22	6.46	402
C22-647	198.75	199.05	0.30	30	0.05	0.89	1.95	133
C22-647	199.05	199.40	0.35	41	0.03	1.34	2.35	173
C22-647	199.40	199.70	0.30	228	0.13	4.38	13.40	874
C22-647	199.70	201.00	1.30	1	0.02	0.02	0.06	5
C22-647	201.00	202.65	1.65	1	0.01	0.01	0.06	4
C22-647	202.65	204.35	1.70	1	0.00	0.01	0.06	4
C22-647	204.35	205.35	1.00	2	0.04	0.03	0.06	8
C22-647	205.35	206.10	0.75	1	0.00	0.01	0.02	2
C22-647	206.10	207.00	0.90	1	0.01	0.01	0.02	2
C22-647	207.00	209.00	2.00	2	0.01	0.03	0.04	5
C22-647	209.00	210.90	1.90	2	0.00	0.05	0.11	8
C22-647	210.90	211.20	0.30	2	0.01	0.03	1.22	49
C22-647	211.20	212.00	0.80	2	0.01	0.00	0.02	3
C22-647	212.00	212.35	0.35	1	0.01	0.00	0.03	3
C22-647	212.35	213.60	1.25	1	0.00	0.01	0.06	4

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release

**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-647	213.60	215.60	2.00	0	0.00	0.00	0.03	2
C22-647	215.60	216.10	0.50	1	0.01	0.00	0.05	3
C22-647	216.10	218.10	2.00	0	0.00	0.00	0.03	2
C22-647	218.10	220.10	2.00	0	0.00	0.00	0.03	2
C22-647	220.10	220.40	0.30	5	0.00	0.19	0.64	35
C22-647	220.40	221.10	0.70	0	0.00	0.00	0.03	2
C22-647	221.10	222.55	1.45	0	0.00	0.01	0.05	3
C22-647	222.55	224.55	2.00	0	0.00	0.00	0.01	1
C22-647	224.55	226.55	2.00	0	0.00	0.00	0.01	1
C22-647	226.55	228.55	2.00	0	0.00	0.00	0.02	1
C22-647	228.55	230.55	2.00	3	0.01	0.01	0.10	8
C22-647	230.55	232.20	1.65	2	0.01	0.05	0.16	9
C22-647	232.20	234.20	2.00	0	0.00	0.00	0.02	1
C22-647	234.20	236.20	2.00	0	0.00	0.00	0.02	1
C22-647	236.20	237.20	1.00	1	0.00	0.00	0.02	2
C22-647	237.20	238.25	1.05	2	0.00	0.05	0.63	27
C22-647	238.25	238.55	0.30	9	0.00	0.33	1.97	93
C22-647	238.55	239.40	0.85	1	0.00	0.01	0.02	2
C22-647	239.40	239.75	0.35	4	0.02	0.12	0.68	34
C22-647	239.75	240.55	0.80	0	0.01	0.00	0.01	1
C22-647	240.55	242.55	2.00	1	0.01	0.00	0.02	2
C22-647	242.55	244.55	2.00	1	0.00	0.01	0.05	3
C22-647	244.55	246.55	2.00	1	0.00	0.01	0.09	5
C22-647	246.55	248.55	2.00	1	0.00	0.00	0.03	2
C22-647	248.55	250.55	2.00	1	0.00	0.02	0.08	4
C22-647	250.55	252.30	1.75	2	0.00	0.06	0.11	9
C22-647	252.30	253.50	1.20	2	0.00	0.04	0.29	14
C22-647	253.50	253.95	0.45	3	0.00	0.09	0.59	28
C22-647	253.95	255.95	2.00	1	0.00	0.00	0.01	1
C22-647	255.95	257.95	2.00	1	0.00	0.01	0.05	3
C22-647	257.95	259.75	1.80	1	0.01	0.00	0.02	2
C22-647	259.75	260.15	0.40	1	0.00	0.00	0.00	1
C22-647	260.15	260.65	0.50	1	0.00	0.00	0.02	2
C22-647	260.65	262.65	2.00	1	0.01	0.00	0.04	3
C22-647	262.65	264.00	1.35	1	0.00	0.01	0.03	2
C22-647	264.00	264.80	0.80	4	0.01	0.05	0.07	8
C22-647	264.80	265.15	0.35	540	0.35	9.00	9.00	1,182
C22-647	265.15	266.10	0.95	37	0.04	0.62	1.36	110
C22-647	266.10	266.50	0.40	515	0.98	9.70	27.10	1,900
C22-647	266.50	268.25	1.75	12	0.02	0.15	0.30	29
C22-647	268.25	269.85	1.60	7	0.02	0.16	0.28	23
C22-647	269.85	271.05	1.20	7	0.03	0.12	0.27	23
C22-647	271.05	273.00	1.95	1	0.01	0.01	0.06	4
C22-647	273.00	273.90	0.90	1	0.01	0.02	0.04	4
C22-647	273.90	274.30	0.40	5	0.06	0.09	0.07	14
C22-647	274.30	275.05	0.75	409	1.44	6.51	14.95	1,274
C22-647	275.05	275.55	0.50	87	0.42	1.44	2.96	272
C22-647	275.55	276.20	0.65	26	0.33	0.33	0.37	74
C22-647	276.20	277.85	1.65	3	0.02	0.04	0.15	11

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-647	277.85	278.15	0.30	29	0.06	0.58	2.03	127
C22-647	278.15	279.00	0.85	9	0.01	0.21	0.41	32
C22-647	279.00	280.00	1.00	26	0.01	0.45	0.77	69
C22-647	280.00	280.85	0.85	1	0.01	0.01	0.03	2
C22-647	280.85	282.00	1.15	4	0.01	0.06	0.04	8
C22-647	282.00	283.20	1.20	2	0.01	0.03	0.06	6
C22-647	283.20	283.50	0.30	29	0.05	0.50	1.28	95
C22-647	283.50	285.50	2.00	2	0.01	0.02	0.05	5
C22-647	285.50	286.50	1.00	1	0.00	0.00	0.03	2
C22-647	286.50	287.65	1.15	2	0.01	0.01	0.04	4
C22-647	287.65	288.05	0.40	7	0.06	0.04	0.19	19
C22-647	288.05	289.85	1.80	1	0.01	0.01	0.04	3
C22-647	289.85	290.25	0.40	5	0.02	0.10	0.13	14
C22-647	290.25	292.10	1.85	1	0.01	0.01	0.03	2
C22-647	292.10	292.70	0.60	2	0.03	0.07	0.15	11
C22-647	292.70	293.30	0.60	5	0.05	0.12	0.58	34
C22-647	293.30	293.90	0.60	7	0.00	0.21	0.10	17
C22-647	293.90	294.65	0.75	12	0.02	0.11	0.26	27
C22-647	294.65	295.55	0.90	14	0.02	0.07	0.11	21
C22-647	295.55	297.55	2.00	0	0.00	0.00	0.00	1
C22-647	297.55	299.05	1.50	0	0.00	0.00	0.01	1
C22-647	299.05	300.00	0.95	1	0.00	0.01	0.01	2
C22-647	300.00	301.00	1.00	0	0.00	0.00	0.00	0
C22-647	301.00	302.00	1.00	0	0.00	0.00	0.00	0
C22-647	302.00	304.00	2.00	0	0.00	0.00	0.00	1
C22-647	304.00	306.00	2.00	0	0.00	0.00	0.00	0
C22-647	306.00	307.15	1.15	0	0.00	0.00	0.00	1
C22-647	307.15	307.75	0.60	0	0.00	0.00	0.01	1
C22-647	307.75	309.50	1.75	0	0.00	0.00	0.00	0
C22-647	309.50	311.20	1.70	0	0.00	0.00	0.00	1
C22-647	311.20	313.10	1.90	0	0.00	0.00	0.00	1
C22-647	313.10	315.00	1.90	0	0.01	0.00	0.00	1
C22-647	315.00	317.35	2.35	0	0.00	0.00	0.00	1
C22-647	317.35	318.55	1.20	12	0.12	0.19	0.43	43
C22-647	318.55	319.25	0.70	4	0.06	0.13	0.13	17
C22-647	319.25	320.50	1.25	1	0.03	0.01	0.05	5
C22-647	320.50	321.55	1.05	0	0.02	0.00	0.02	3
C22-647	321.55	322.45	0.90	0	0.02	0.01	0.04	4
C22-647	322.45	324.00	1.55	2	0.03	0.15	0.02	9
C22-647	324.00	325.55	1.55	3	0.01	0.06	0.31	17
C22-647	325.55	327.25	1.70	1	0.01	0.01	0.04	3
C22-647	327.25	328.40	1.15	1	0.02	0.03	0.06	6
C22-647	328.40	330.00	1.60	1	0.01	0.01	0.02	3
C22-647	330.00	331.00	1.00	1	0.01	0.01	0.04	4
C22-647	331.00	331.30	0.30	1	0.01	0.01	0.03	3
C22-647	331.30	333.00	1.70	0	0.00	0.01	0.00	1
C22-647	333.00	334.45	1.45	1	0.00	0.03	0.04	3
C22-647	334.45	335.35	0.90	6	0.03	0.26	0.03	18
C22-647	335.35	336.30	0.95	1	0.02	0.02	0.07	6

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-647	336.30	337.40	1.10	1	0.03	0.00	0.03	4
C22-647	337.40	338.20	0.80	0	0.00	0.00	0.01	1
C22-647	338.20	338.50	0.30	54	0.02	1.13	3.37	216
C22-647	338.50	339.00	0.50	1	0.00	0.00	0.02	2
C22-647	339.00	339.30	0.30	1	0.01	0.02	0.31	14
C22-647	339.30	341.30	2.00	1	0.01	0.01	0.02	2
C22-647	341.30	343.00	1.70	1	0.02	0.01	0.04	4
C22-647	343.00	343.30	0.30	1	0.04	0.00	0.03	5
C22-647	343.30	344.70	1.40	1	0.01	0.00	0.02	2
C22-647	344.70	346.40	1.70	2	0.01	0.04	0.08	6
C22-647	346.40	346.70	0.30	379	0.04	10.70	8.40	1,028
C22-647	346.70	347.00	0.30	194	0.02	4.99	4.62	523
C22-647	347.00	347.85	0.85	33	0.03	0.57	0.63	76
C22-647	347.85	348.15	0.30	122	0.83	1.91	4.75	419
C22-647	348.15	349.05	0.90	26	0.03	0.40	1.09	81
C22-647	349.05	349.55	0.50	665	0.28	14.00	7.22	1,390
C22-647	349.55	350.75	1.20	22	0.01	0.51	0.92	73
C22-647	350.75	351.95	1.20	2	0.01	0.02	0.05	5
C22-647	351.95	353.00	1.05	5	0.07	0.02	0.02	11
C22-647	353.00	354.00	1.00	1	0.01	0.00	0.04	3
C22-647	354.00	355.55	1.55	1	0.01	0.00	0.03	2
C22-647	355.55	357.15	1.60	2	0.01	0.03	0.06	6
C22-647	357.15	357.45	0.30	44	0.60	0.76	1.46	166
C22-647	357.45	359.35	1.90	2	0.01	0.02	0.05	5
C22-647	359.35	359.75	0.40	8	0.12	0.18	0.37	35
C22-647	359.75	360.15	0.40	25	0.26	0.54	0.45	77
C22-647	360.15	360.90	0.75	3	0.01	0.08	0.09	10
C22-647	360.90	361.25	0.35	0	0.01	0.00	0.01	1
C22-647	361.25	363.00	1.75	0	0.01	0.00	0.01	1
C22-647	363.00	363.80	0.80	0	0.01	0.00	0.01	1
C22-647	363.80	364.10	0.30	1	0.01	0.00	0.01	1
C22-647	364.10	366.00	1.90	0	0.00	0.00	0.01	1
C22-647	366.00	367.30	1.30	0	0.01	0.00	0.01	1
C22-647	367.30	367.80	0.50	0	0.14	0.00	0.01	11
C22-647	367.80	369.00	1.20	0	0.01	0.00	0.01	1
C22-648	0.00	3.00	3.00	13	0.03	0.13	0.10	22
C22-648	3.00	3.95	0.95	15	0.03	0.17	0.21	30
C22-648	3.95	5.10	1.15	17	0.22	0.29	0.24	51
C22-648	5.10	6.00	0.90	4	0.03	0.13	0.16	16
C22-648	6.00	6.55	0.55	6	0.01	0.11	0.09	13
C22-648	6.55	6.90	0.35	8	0.02	0.05	0.10	14
C22-648	6.90	8.25	1.35	9	0.02	0.03	0.11	15
C22-648	8.25	8.90	0.65	4	0.02	0.02	0.07	9
C22-648	8.90	9.90	1.00	5	0.02	0.02	0.07	10
C22-648	9.90	11.10	1.20	5	0.02	0.07	0.05	10
C22-648	11.10	11.80	0.70	6	0.03	0.02	0.04	10
C22-648	11.80	13.50	1.70	2	0.02	0.02	0.03	6
C22-648	13.50	15.00	1.50	2	0.02	0.01	0.04	5
C22-648	15.00	15.55	0.55	4	0.20	0.01	0.02	20

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release

*Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-648	15.55	16.00	0.45	7	0.18	0.01	0.01	21
C22-648	16.00	18.00	2.00	2	0.02	0.01	0.02	5
C22-648	18.00	19.00	1.00	7	0.09	0.13	0.09	21
C22-648	19.00	19.70	0.70	7	0.10	0.09	0.13	22
C22-648	19.70	22.20	2.50	6	0.03	0.04	0.04	11
C22-648	22.20	24.00	1.80	7	0.03	0.03	0.06	12
C22-648	24.00	24.75	0.75	2	0.00	0.02	0.03	4
C22-648	24.75	27.00	2.25	7	0.01	0.03	0.11	13
C22-648	27.00	27.90	0.90	5	0.02	0.01	0.15	12
C22-648	27.90	28.40	0.50	2	0.01	0.01	0.11	7
C22-648	28.40	30.55	2.15	7	0.01	0.03	0.17	15
C22-648	30.55	32.90	2.35	11	0.01	0.01	0.15	18
C22-648	32.90	34.85	1.95	7	0.02	0.01	0.11	13
C22-648	34.85	36.20	1.35	1	0.01	0.00	0.06	5
C22-648	36.20	36.95	0.75	3	0.01	0.02	0.05	6
C22-648	36.95	37.80	0.85	35	0.07	0.42	0.36	66
C22-648	37.80	38.75	0.95	0	0.01	0.00	0.05	3
C22-648	38.75	39.65	0.90	1	0.01	0.00	0.03	3
C22-648	39.65	41.40	1.75	4	0.04	0.01	0.08	10
C22-648	41.40	42.00	0.60	2	0.02	0.00	0.06	5
C22-648	42.00	43.35	1.35	9	0.04	0.04	0.15	19
C22-648	43.35	45.00	1.65	21	0.05	0.06	0.19	33
C22-648	45.00	46.45	1.45	14	0.03	0.01	0.21	24
C22-648	46.45	47.90	1.45	25	0.18	0.05	0.18	46
C22-648	47.90	49.10	1.20	5	0.06	0.05	0.22	19
C22-648	49.10	50.90	1.80	5	0.08	0.01	0.14	16
C22-648	50.90	51.24	0.34	4	0.09	0.01	0.17	17
C22-648	51.24	52.00	0.76	15	0.14	0.15	0.47	48
C22-648	52.00	52.90	0.90	4	0.03	0.01	1.10	47
C22-648	52.90	53.60	0.70	3	0.04	0.02	1.31	55
C22-648	53.60	56.60	3.00	22	0.08	0.14	0.41	47
C22-648	56.60	57.35	0.75	6	0.03	0.40	0.33	33
C22-648	57.35	60.20	2.85	17	0.11	0.05	0.08	30
C22-648	60.20	60.60	0.40	206	0.62	3.52	1.21	406
C22-648	60.60	60.95	0.35	50	0.15	0.59	0.95	114
C22-648	60.95	62.65	1.70	27	0.09	0.12	0.27	47
C22-648	62.65	63.00	0.35	37	0.07	0.44	0.38	70
C22-648	63.00	64.00	1.00	20	0.08	0.17	0.27	42
C22-648	64.00	65.45	1.45	5	0.02	0.05	0.09	11
C22-648	65.45	65.75	0.30	17	0.03	0.26	0.38	42
C22-648	65.75	67.75	2.00	2	0.02	0.01	0.04	5
C22-648	67.75	68.45	0.70	9	0.02	0.00	0.01	10
C22-648	68.45	70.25	1.80	10	0.01	0.12	0.10	19
C22-648	70.25	71.10	0.85	28	0.03	0.48	0.56	66
C22-648	71.10	72.15	1.05	10	0.02	0.15	0.16	22
C22-648	72.15	73.25	1.10	5	0.02	0.06	0.11	12
C22-648	73.25	73.70	0.45	1	0.01	0.02	0.15	8
C22-648	73.70	74.65	0.95	1	0.01	0.01	0.03	3
C22-648	74.65	74.95	0.30	2	0.04	0.01	0.05	7

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release

*Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-648	74.95	76.55	1.60	5	0.02	0.09	0.12	14
C22-648	76.55	77.05	0.50	1	0.01	0.01	0.06	5
C22-648	77.05	77.60	0.55	2	0.01	0.03	0.04	5
C22-648	77.60	78.25	0.65	5	0.01	0.06	0.14	12
C22-648	78.25	79.20	0.95	16	0.02	0.20	0.14	29
C22-648	79.20	81.00	1.80	4	0.02	0.05	0.05	8
C22-648	81.00	82.70	1.70	4	0.02	0.05	0.02	8
C22-648	82.70	84.55	1.85	2	0.02	0.03	0.04	6
C22-648	84.55	85.45	0.90	22	0.06	0.34	0.30	48
C22-648	85.45	86.30	0.85	15	0.03	0.24	0.31	36
C22-648	86.30	86.75	0.45	17	0.02	0.27	0.27	36
C22-648	86.75	88.45	1.70	42	0.10	0.60	0.32	79
C22-648	88.45	88.95	0.50	23	0.04	0.35	0.44	54
C22-648	88.95	90.50	1.55	3	0.05	0.07	0.09	12
C22-648	90.50	91.45	0.95	23	0.06	0.37	0.41	54
C22-648	91.45	91.95	0.50	63	0.23	0.99	0.45	127
C22-648	91.95	93.45	1.50	25	0.08	0.43	0.35	57
C22-648	93.45	95.00	1.55	4	0.03	0.06	0.05	10
C22-648	95.00	96.50	1.50	4	0.05	0.05	0.09	13
C22-648	96.50	98.00	1.50	6	0.04	0.05	0.06	12
C22-648	98.00	99.00	1.00	3	0.02	0.03	0.02	7
C22-648	99.00	99.50	0.50	20	0.01	0.12	0.11	28
C22-648	99.50	100.30	0.80	11	0.01	0.04	0.03	14
C22-648	100.30	100.95	0.65	6	0.02	0.03	0.05	10
C22-648	100.95	101.75	0.80	33	0.03	0.28	0.37	57
C22-648	101.75	102.45	0.70	47	0.14	0.59	0.81	106
C22-648	102.45	103.15	0.70	34	0.09	0.54	0.97	94
C22-648	103.15	103.85	0.70	38	0.06	0.47	0.81	88
C22-648	103.85	104.50	0.65	65	0.14	1.06	1.63	169
C22-648	104.50	105.00	0.50	61	0.06	0.56	0.34	96
C22-648	105.00	105.75	0.75	3	0.02	0.05	0.07	9
C22-648	105.75	106.10	0.35	2	0.01	0.04	0.05	6
C22-648	106.10	106.60	0.50	2	0.01	0.02	0.03	4
C22-648	106.60	106.95	0.35	5	0.01	0.06	0.05	10
C22-648	106.95	108.95	2.00	3	0.01	0.04	0.04	7
C22-648	108.95	110.05	1.10	4	0.02	0.05	0.04	8
C22-648	110.05	110.75	0.70	2	0.02	0.02	0.02	5
C22-648	110.75	111.85	1.10	2	0.02	0.03	0.02	5
C22-648	111.85	113.10	1.25	1	0.02	0.01	0.02	3
C22-648	113.10	114.00	0.90	1	0.01	0.02	0.02	3
C22-648	114.00	116.00	2.00	3	0.02	0.04	0.08	9
C22-648	116.00	117.10	1.10	3	0.04	0.04	0.03	8
C22-648	117.10	118.45	1.35	2	0.02	0.02	0.02	5
C22-648	118.45	119.45	1.00	19	0.26	0.31	0.28	58
C22-648	119.45	119.85	0.40	2	0.01	0.03	0.04	5
C22-648	119.85	120.15	0.30	6	0.04	0.09	0.02	12
C22-648	120.15	121.50	1.35	2	0.03	0.05	0.02	6
C22-648	121.50	121.90	0.40	1	0.02	0.04	0.02	5
C22-648	121.90	123.25	1.35	7	0.05	0.21	0.17	24

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-648	123.25	123.90	0.65	1	0.05	0.02	0.01	6
C22-648	123.90	125.55	1.65	2	0.02	0.03	0.03	6
C22-648	125.55	126.25	0.70	12	0.03	0.10	0.05	19
C22-648	126.25	127.25	1.00	14	0.05	0.26	0.06	29
C22-648	127.25	128.55	1.30	29	0.02	0.54	0.41	63
C22-648	128.55	129.35	0.80	5	0.01	0.09	0.01	9
C22-648	129.35	130.20	0.85	21	0.06	0.40	0.44	54
C22-648	130.20	132.00	1.80	9	0.04	0.16	0.15	22
C22-648	132.00	132.40	0.40	55	0.07	1.08	0.71	120
C22-648	132.40	133.40	1.00	20	0.05	0.35	0.57	56
C22-648	133.40	134.35	0.95	22	0.04	0.41	1.31	87
C22-648	134.35	134.85	0.50	31	0.03	0.54	1.01	88
C22-648	134.85	136.05	1.20	18	0.07	0.34	0.75	62
C22-648	136.05	136.40	0.35	20	0.04	0.41	1.15	78
C22-648	136.40	137.20	0.80	50	0.12	0.88	1.11	127
C22-648	137.20	138.20	1.00	15	0.06	0.27	0.44	44
C22-648	138.20	139.30	1.10	37	0.06	0.70	0.72	90
C22-648	139.30	141.30	2.00	6	0.03	0.11	0.07	14
C22-648	141.30	142.80	1.50	7	0.02	0.12	0.03	13
C22-648	142.80	143.20	0.40	5	0.01	0.07	0.04	10
C22-648	143.20	144.00	0.80	7	0.01	0.08	0.16	16
C22-648	144.00	145.75	1.75	11	0.03	0.19	0.10	23
C22-648	145.75	146.50	0.75	29	0.04	0.57	0.42	65
C22-648	146.50	147.25	0.75	14	0.04	0.26	0.38	39
C22-648	147.25	148.90	1.65	4	0.06	0.07	0.09	14
C22-648	148.90	149.65	0.75	4	0.02	0.05	0.05	9
C22-648	149.65	150.15	0.50	30	0.01	0.13	0.22	43
C22-648	150.15	151.15	1.00	10	0.01	0.18	0.25	26
C22-648	151.15	152.80	1.65	16	0.03	0.32	0.19	35
C22-648	152.80	154.20	1.40	15	0.02	0.43	0.42	46
C22-648	154.20	155.25	1.05	7	0.02	0.13	0.18	19
C22-648	155.25	156.00	0.75	6	0.05	0.09	0.32	24
C22-648	156.00	157.00	1.00	13	0.04	0.22	0.25	32
C22-648	157.00	158.05	1.05	7	0.06	0.11	0.15	20
C22-648	158.05	158.50	0.45	11	0.04	0.21	0.05	23
C22-648	158.50	159.50	1.00	20	0.06	0.37	0.23	44
C22-648	159.50	159.85	0.35	40	0.03	0.68	0.62	86
C22-648	159.85	161.25	1.40	34	0.09	0.62	0.81	90
C22-648	161.25	161.95	0.70	14	0.04	0.23	0.40	39
C22-648	161.95	163.05	1.10	10	0.05	0.20	0.35	33
C22-648	163.05	163.35	0.30	12	0.02	0.25	0.23	30
C22-648	163.35	164.10	0.75	5	0.03	0.08	0.20	17
C22-648	164.10	165.15	1.05	6	0.04	0.13	0.23	21
C22-648	165.15	166.15	1.00	6	0.01	0.15	0.11	15
C22-648	166.15	166.90	0.75	76	0.09	1.50	4.75	306
C22-648	166.90	168.55	1.65	1	0.02	0.02	0.01	3
C22-648	168.55	169.75	1.20	3	0.02	0.06	0.06	8
C22-648	169.75	170.30	0.55	52	0.01	1.08	0.52	105
C22-648	170.30	171.65	1.35	3	0.03	0.04	0.16	12

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-648	171.65	173.30	1.65	14	0.05	0.26	0.27	35
C22-648	173.30	174.50	1.20	14	0.05	0.28	0.53	46
C22-648	174.50	175.65	1.15	10	0.06	0.18	0.33	32
C22-648	175.65	176.35	0.70	322	0.18	6.05	2.40	613
C22-648	176.35	176.75	0.40	35	0.08	0.45	0.62	79
C22-648	176.75	177.25	0.50	4	0.02	0.07	0.12	12
C22-648	177.25	177.80	0.55	52	0.10	0.84	0.72	112
C22-648	177.80	178.30	0.50	37	0.31	0.68	0.11	85
C22-648	178.30	178.85	0.55	42	0.16	0.81	0.37	92
C22-648	178.85	179.15	0.30	67	0.07	1.28	0.38	126
C22-648	179.15	179.45	0.30	46	0.04	0.93	0.50	96
C22-648	179.45	180.15	0.70	146	0.07	2.91	1.49	297
C22-648	180.15	180.65	0.50	5	0.03	0.08	0.93	45
C22-648	180.65	181.60	0.95	12	0.04	0.21	0.67	47
C22-648	181.60	182.20	0.60	13	0.05	0.26	0.36	38
C22-648	182.20	183.20	1.00	20	0.04	0.38	0.44	51
C22-648	183.20	183.50	0.30	23	0.08	0.40	1.48	96
C22-648	183.50	183.80	0.30	16	0.05	0.29	0.82	59
C22-648	183.80	184.15	0.35	6	0.03	0.09	0.03	12
C22-648	184.15	185.25	1.10	9	0.03	0.17	0.25	25
C22-648	185.25	185.70	0.45	34	0.06	0.66	1.20	104
C22-648	185.70	186.05	0.35	7	0.03	0.14	0.12	18
C22-648	186.05	186.65	0.60	29	0.04	0.53	1.00	85
C22-648	186.65	187.60	0.95	16	0.03	0.33	0.38	43
C22-648	187.60	189.40	1.80	4	0.02	0.06	0.09	11
C22-648	189.40	190.55	1.15	13	0.06	0.24	0.41	40
C22-648	190.55	191.25	0.70	11	0.03	0.22	0.14	25
C22-648	191.25	191.60	0.35	557	0.09	9.95	1.42	926
C22-648	191.60	193.00	1.40	13	0.03	0.25	0.32	34
C22-648	193.00	193.50	0.50	200	0.09	3.90	0.95	364
C22-648	193.50	194.85	1.35	9	0.03	0.16	0.14	21
C22-648	194.85	196.25	1.40	4	0.04	0.07	0.02	10
C22-648	196.25	196.75	0.50	3	0.06	0.03	0.01	9
C22-648	196.75	197.10	0.35	2	0.02	0.02	0.02	5
C22-648	197.10	197.75	0.65	2	0.03	0.03	0.12	9
C22-648	197.75	198.20	0.45	17	0.03	0.33	0.28	40
C22-648	198.20	199.40	1.20	3	0.02	0.05	0.04	7
C22-648	199.40	200.70	1.30	8	0.04	0.16	0.23	24
C22-648	200.70	201.65	0.95	14	0.06	0.29	0.32	40
C22-648	201.65	202.25	0.60	21	0.11	0.41	0.17	48
C22-648	202.25	203.40	1.15	7	0.05	0.15	0.11	20
C22-648	203.40	204.55	1.15	162	0.09	3.16	2.36	355
C22-648	204.55	205.35	0.80	83	0.07	1.66	0.75	168
C22-648	205.35	206.05	0.70	24	0.06	0.50	0.21	51
C22-648	206.05	206.80	0.75	11	0.05	0.22	0.09	24
C22-648	206.80	207.75	0.95	133	0.08	3.11	0.25	245
C22-648	207.75	209.65	1.90	8	0.07	0.13	0.10	21
C22-648	209.65	210.30	0.65	20	0.05	0.50	0.30	50
C22-648	210.30	211.05	0.75	8	0.03	0.18	0.22	24

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-648	211.05	212.20	1.15	8	0.07	0.15	0.05	19
C22-648	212.20	212.90	0.70	23	0.07	0.47	0.45	59
C22-648	212.90	213.75	0.85	234	0.24	4.97	3.67	543
C22-648	213.75	214.45	0.70	24	0.09	0.44	0.44	60
C22-648	214.45	214.90	0.45	418	0.12	8.62	1.30	743
C22-648	214.90	215.70	0.80	28	0.09	0.56	0.28	63
C22-648	215.70	216.20	0.50	5	0.07	0.10	0.07	15
C22-648	216.20	217.40	1.20	7	0.11	0.16	0.14	25
C22-648	217.40	218.45	1.05	5	0.07	0.14	0.04	16
C22-648	218.45	219.45	1.00	2	0.06	0.02	0.02	7
C22-648	219.45	220.30	0.85	1	0.06	0.02	0.02	7
C22-648	220.30	222.00	1.70	2	0.03	0.03	0.02	6
C22-648	222.00	222.30	0.30	2	0.04	0.02	0.02	6
C22-648	222.30	224.30	2.00	13	0.12	0.26	0.10	33
C22-648	224.30	225.25	0.95	1	0.03	0.02	0.02	5
C22-648	225.25	225.55	0.30	2	0.03	0.02	0.02	5
C22-648	225.55	227.55	2.00	2	0.06	0.03	0.02	7
C22-648	227.55	228.30	0.75	5	0.06	0.11	0.04	14
C22-648	228.30	229.70	1.40	26	0.14	0.60	0.27	65
C22-648	229.70	230.90	1.20	14	0.05	0.30	0.26	37
C22-648	230.90	232.10	1.20	26	0.04	0.57	0.43	62
C22-648	232.10	232.60	0.50	184	0.09	4.04	2.82	421
C22-648	232.60	233.10	0.50	58	0.06	1.41	2.10	184
C22-648	233.10	234.20	1.10	175	0.24	4.03	3.61	453
C22-648	234.20	234.50	0.30	82	0.24	1.70	4.73	329
C22-648	234.50	235.70	1.20	105	0.22	2.20	3.81	332
C22-648	235.70	236.70	1.00	402	0.27	9.73	7.02	987
C22-648	236.70	237.55	0.85	267	0.21	5.93	9.96	838
C22-648	237.55	238.75	1.20	175	0.31	3.87	6.02	543
C22-648	238.75	239.50	0.75	135	0.17	3.18	8.34	557
C22-648	239.50	240.25	0.75	135	0.23	3.28	8.56	573
C22-648	240.25	240.70	0.45	28	0.09	0.76	1.29	106
C22-648	240.70	241.40	0.70	10	0.03	0.30	0.33	34
C22-648	241.40	243.35	1.95	7	0.05	0.21	0.32	29
C22-648	243.35	243.80	0.45	13	0.42	0.29	0.49	70
C22-648	243.80	244.85	1.05	11	0.04	0.26	0.33	34
C22-648	244.85	245.45	0.60	61	0.15	1.11	1.49	161
C22-648	245.45	246.10	0.65	92	0.13	1.72	1.64	216
C22-648	246.10	247.00	0.90	3	0.08	0.06	0.38	25
C22-648	247.00	247.50	0.50	24	0.09	0.57	0.46	66
C22-648	247.50	248.90	1.40	4	0.02	0.10	0.15	15
C22-648	248.90	250.25	1.35	1	0.02	0.04	0.01	4
C22-648	250.25	250.70	0.45	7	0.03	0.26	0.18	23
C22-648	250.70	251.15	0.45	2	0.01	0.06	0.06	7
C22-648	251.15	252.35	1.20	7	0.06	0.16	0.55	36
C22-648	252.35	253.05	0.70	6	0.04	0.16	0.15	19
C22-648	253.05	254.05	1.00	3	0.03	0.07	0.20	14
C22-648	254.05	254.70	0.65	2	0.01	0.04	0.01	4
C22-648	254.70	255.50	0.80	35	0.20	0.99	1.15	123

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-648	255.50	256.30	0.80	8	0.03	0.22	0.38	31
C22-648	256.30	256.70	0.40	30	0.04	0.82	0.92	93
C22-648	256.70	257.15	0.45	5	0.03	0.13	0.14	16
C22-648	257.15	257.75	0.60	3	0.02	0.06	0.12	11
C22-648	257.75	258.30	0.55	1	0.01	0.02	0.04	4
C22-648	258.30	259.95	1.65	2	0.02	0.03	0.08	7
C22-648	259.95	260.90	0.95	105	0.10	1.95	0.79	202
C22-648	260.90	261.45	0.55	135	0.07	3.20	4.20	396
C22-648	261.45	262.25	0.80	5	0.02	0.12	0.21	18
C22-648	262.25	263.35	1.10	25	0.05	0.36	1.43	93
C22-648	263.35	264.55	1.20	10	0.03	0.24	0.24	28
C22-648	264.55	265.15	0.60	169	0.22	4.08	4.65	486
C22-648	265.15	265.65	0.50	45	0.16	1.24	2.68	195
C22-648	265.65	266.30	0.65	76	0.16	1.86	3.81	287
C22-648	266.30	266.85	0.55	60	0.08	1.14	1.37	152
C22-648	266.85	267.80	0.95	44	0.09	1.21	1.50	143
C22-648	267.80	268.10	0.30	24	0.03	0.58	0.62	67
C22-648	268.10	270.20	2.10	139	0.13	3.32	0.62	275
C22-648	270.20	270.90	0.70	73	0.81	1.53	1.75	244
C22-648	270.90	272.00	1.10	3	0.11	0.06	0.03	14
C22-648	272.00	272.35	0.35	4	0.15	0.06	0.02	17
C22-648	272.35	273.15	0.80	5	0.09	0.12	0.02	16
C22-648	273.15	273.55	0.40	1	0.06	0.02	0.01	7
C22-648	273.55	274.85	1.30	1	0.06	0.04	0.01	7
C22-648	274.85	276.45	1.60	1	0.12	0.02	0.01	11
C22-648	276.45	278.95	2.50	2	0.08	0.04	0.01	9
C22-648	278.95	279.45	0.50	1	0.07	0.01	0.01	7
C22-648	279.45	281.20	1.75	3	0.08	0.07	0.05	13
C22-648	281.20	282.00	0.80	165	0.45	5.12	4.46	524
C22-648	282.00	282.30	0.30	12	0.08	0.42	0.26	40
C22-648	282.30	283.25	0.95	1	0.02	0.03	0.03	4
C22-648	283.25	284.00	0.75	15	0.05	0.47	0.37	47
C22-648	284.00	284.50	0.50	2	0.03	0.05	0.02	6
C22-648	284.50	285.30	0.80	7	0.07	0.31	0.55	42
C22-648	285.30	286.60	1.30	3	0.08	0.05	0.10	14
C22-648	286.60	287.85	1.25	4	0.12	0.08	0.18	22
C22-648	287.85	289.10	1.25	1	0.02	0.07	0.01	5
C22-648	289.10	290.60	1.50	2	0.02	0.07	0.05	7
C22-648	290.60	291.70	1.10	1	0.09	0.03	0.03	10
C22-648	291.70	293.50	1.80	11	0.08	0.48	0.64	56
C22-648	293.50	294.00	0.50	17	0.06	0.79	0.80	76
C22-648	294.00	296.10	2.10	7	0.07	0.22	0.06	21
C22-648	296.10	297.00	0.90	5	0.03	0.15	0.13	17
C22-648	297.00	298.25	1.25	3	0.04	0.06	0.02	8
C22-648	298.25	299.00	0.75	2	0.05	0.03	0.03	8
C22-648	299.00	299.40	0.40	286	0.30	6.68	11.00	926
C22-648	299.40	300.30	0.90	50	0.08	1.11	2.25	174
C22-648	300.30	301.10	0.80	8	0.05	0.19	0.29	28
C22-648	301.10	301.50	0.40	6	0.03	0.23	0.43	32

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-649	0.00	5.25	5.25	25	0.05	0.16	0.04	35
C22-649	5.25	6.90	1.65	9	0.02	0.05	0.57	33
C22-649	6.90	7.65	0.75	4	0.01	0.04	0.12	11
C22-649	7.65	9.55	1.90	5	0.01	0.04	0.14	11
C22-649	9.55	10.80	1.25	5	0.01	0.03	0.14	11
C22-649	10.80	11.55	0.75	6	0.01	0.05	0.96	44
C22-649	11.55	12.80	1.25	2	0.00	0.03	0.31	15
C22-649	12.80	14.00	1.20	6	0.00	0.09	0.68	34
C22-649	14.00	14.65	0.65	60	0.01	0.30	0.80	100
C22-649	14.65	16.25	1.60	23	0.01	0.09	0.34	39
C22-649	16.25	17.20	0.95	33	0.01	0.07	0.66	60
C22-649	17.20	18.85	1.65	41	0.01	0.11	1.15	88
C22-649	18.85	19.80	0.95	66	0.01	0.11	1.64	131
C22-649	19.80	20.55	0.75	38	0.01	0.04	1.41	92
C22-649	20.55	22.35	1.80	35	0.02	0.11	0.83	70
C22-649	22.35	23.40	1.05	36	0.02	0.19	0.23	52
C22-649	23.40	24.20	0.80	32	0.01	0.13	0.14	42
C22-649	24.20	25.50	1.30	40	0.04	0.26	0.12	55
C22-649	25.50	26.75	1.25	51	0.02	0.20	0.09	61
C22-649	26.75	27.70	0.95	31	0.01	0.10	0.12	40
C22-649	27.70	28.70	1.00	30	0.02	0.06	0.19	40
C22-649	28.70	29.90	1.20	14	0.03	0.14	0.19	28
C22-649	29.90	30.50	0.60	14	0.01	0.15	0.38	33
C22-649	30.50	31.20	0.70	12	0.01	0.04	0.44	30
C22-649	31.20	31.90	0.70	9	0.02	0.03	0.57	33
C22-649	31.90	33.10	1.20	6	0.02	0.03	0.69	34
C22-649	33.10	34.30	1.20	4	0.02	0.02	0.26	16
C22-649	34.30	36.30	2.00	2	0.01	0.01	0.25	13
C22-649	36.30	38.30	2.00	5	0.02	0.04	0.42	23
C22-649	38.30	40.40	2.10	3	0.03	0.03	0.22	14
C22-649	40.40	42.20	1.80	1	0.01	0.02	0.20	10
C22-649	42.20	44.20	2.00	5	0.01	0.08	0.19	15
C22-649	44.20	46.10	1.90	1	0.00	0.01	0.19	8
C22-649	46.10	48.10	2.00	2	0.00	0.02	0.19	10
C22-649	48.10	49.70	1.60	4	0.00	0.08	0.12	12
C22-649	49.70	50.20	0.50	5	0.00	0.07	0.24	17
C22-649	50.20	51.80	1.60	4	0.00	0.04	0.09	9
C22-649	51.80	53.60	1.80	10	0.02	0.12	0.10	18
C22-649	53.60	56.60	3.00	5	0.00	0.02	0.09	8
C22-649	56.60	58.45	1.85	5	0.01	0.04	0.28	17
C22-649	58.45	60.10	1.65	11	0.01	0.07	0.51	33
C22-649	60.10	60.70	0.60	5	0.01	0.02	0.09	9
C22-649	60.70	62.40	1.70	2	0.01	0.01	0.04	5
C22-649	62.40	63.35	0.95	3	0.01	0.01	0.02	5
C22-649	63.35	63.90	0.55	2	0.01	0.02	0.04	4
C22-649	63.90	64.20	0.30	2	0.01	0.02	0.20	11
C22-649	64.20	66.20	2.00	2	0.02	0.02	0.11	7
C22-649	66.20	67.55	1.35	3	0.01	0.08	0.24	16
C22-649	67.55	68.40	0.85	2	0.01	0.05	0.09	8

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-649	68.40	69.30	0.90	4	0.01	0.09	0.45	25
C22-649	69.30	70.70	1.40	11	0.01	0.16	0.10	21
C22-649	70.70	71.15	0.45	42	0.04	0.80	0.70	95
C22-649	71.15	72.90	1.75	4	0.01	0.09	0.08	10
C22-649	72.90	74.90	2.00	2	0.01	0.02	0.05	6
C22-649	74.90	75.85	0.95	5	0.01	0.09	0.05	10
C22-649	75.85	76.15	0.30	28	0.02	0.58	0.94	82
C22-649	76.15	77.20	1.05	7	0.01	0.11	0.20	18
C22-649	77.20	77.95	0.75	2	0.01	0.04	0.05	6
C22-649	77.95	78.25	0.30	24	0.04	0.37	1.66	100
C22-649	78.25	80.00	1.75	1	0.01	0.02	0.04	4
C22-649	80.00	80.30	0.30	2	0.01	0.01	0.05	5
C22-649	80.30	82.30	2.00	1	0.01	0.02	0.04	4
C22-649	82.30	83.40	1.10	4	0.01	0.06	0.17	13
C22-649	83.40	84.30	0.90	3	0.02	0.06	0.11	10
C22-649	84.30	86.30	2.00	1	0.01	0.02	0.04	3
C22-649	86.30	86.95	0.65	2	0.01	0.06	0.12	9
C22-649	86.95	87.40	0.45	2	0.01	0.02	0.25	12
C22-649	87.40	88.00	0.60	1	0.01	0.01	0.02	2
C22-649	88.00	88.30	0.30	3	0.03	0.01	0.13	11
C22-649	88.30	89.45	1.15	2	0.02	0.02	0.02	5
C22-649	89.45	90.30	0.85	3	0.01	0.07	0.14	12
C22-649	90.30	91.50	1.20	4	0.01	0.07	0.10	11
C22-649	91.50	91.95	0.45	3	0.00	0.06	0.18	11
C22-649	91.95	93.95	2.00	1	0.01	0.02	0.03	3
C22-649	93.95	95.60	1.65	2	0.01	0.02	0.02	4
C22-649	95.60	96.65	1.05	0	0.01	0.01	0.01	1
C22-649	96.65	98.20	1.55	2	0.01	0.03	0.03	4
C22-649	98.20	98.50	0.30	4	0.01	0.03	0.06	8
C22-649	98.50	100.50	2.00	3	0.01	0.04	0.06	7
C22-649	100.50	101.15	0.65	3	0.01	0.05	0.08	8
C22-649	101.15	103.10	1.95	4	0.01	0.06	0.08	9
C22-649	103.10	104.30	1.20	6	0.02	0.11	0.11	15
C22-649	104.30	105.20	0.90	3	0.03	0.04	0.02	7
C22-649	105.20	105.85	0.65	17	0.02	0.18	0.01	24
C22-649	105.85	107.70	1.85	0	0.00	0.00	0.01	1
C22-649	107.70	108.20	0.50	0	0.00	0.00	0.01	1
C22-649	108.20	110.00	1.80	0	0.01	0.00	0.01	1
C22-649	110.00	111.20	1.20	0	0.00	0.00	0.01	1
C22-649	111.20	111.50	0.30	1	0.02	0.01	0.02	4
C22-649	111.50	113.00	1.50	1	0.01	0.00	0.01	1
C22-649	113.00	114.10	1.10	0	0.01	0.00	0.01	1
C22-649	114.10	115.60	1.50	2	0.01	0.01	0.01	3
C22-649	115.60	116.95	1.35	2	0.01	0.03	0.02	4
C22-649	116.95	118.20	1.25	3	0.01	0.04	0.07	8
C22-649	118.20	118.80	0.60	2	0.01	0.02	0.04	5
C22-649	118.80	119.80	1.00	3	0.01	0.07	0.11	10
C22-649	119.80	121.80	2.00	3	0.01	0.01	0.02	5
C22-649	121.80	122.50	0.70	2	0.01	0.01	0.02	4

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-649	122.50	124.25	1.75	1	0.01	0.01	0.02	3
C22-649	124.25	124.55	0.30	50	0.11	1.04	0.19	97
C22-649	124.55	125.85	1.30	3	0.02	0.04	0.14	11
C22-649	125.85	127.20	1.35	3	0.01	0.05	0.14	10
C22-649	127.20	127.75	0.55	2	0.00	0.03	0.06	5
C22-649	127.75	128.80	1.05	2	0.00	0.03	0.11	7
C22-649	128.80	129.40	0.60	6	0.01	0.13	0.44	28
C22-649	129.40	131.35	1.95	4	0.01	0.09	0.27	17
C22-649	131.35	132.20	0.85	2	0.01	0.05	0.05	6
C22-649	132.20	133.90	1.70	2	0.01	0.04	0.07	7
C22-649	133.90	134.30	0.40	46	0.06	0.41	0.11	68
C22-649	134.30	135.20	0.90	5	0.02	0.08	0.16	15
C22-649	135.20	136.05	0.85	9	0.01	0.16	0.24	24
C22-649	136.05	136.65	0.60	19	0.02	0.40	0.59	55
C22-649	136.65	138.65	2.00	6	0.01	0.10	0.10	13
C22-649	138.65	139.60	0.95	7	0.01	0.11	0.13	17
C22-649	139.60	139.90	0.30	12	0.03	0.07	0.06	18
C22-649	139.90	141.20	1.30	3	0.01	0.01	0.01	5
C22-649	141.20	143.20	2.00	9	0.02	0.04	0.05	14
C22-649	143.20	143.80	0.60	5	0.02	0.02	0.02	7
C22-649	143.80	145.70	1.90	4	0.02	0.01	0.01	6
C22-649	145.70	146.15	0.45	7	0.28	0.01	0.01	28
C22-649	146.15	147.20	1.05	2	0.01	0.01	0.01	3
C22-649	147.20	148.40	1.20	1	0.01	0.00	0.00	1
C22-649	148.40	148.70	0.30	33	0.14	0.10	0.05	48
C22-649	148.70	150.30	1.60	2	0.01	0.01	0.01	4
C22-649	150.30	151.75	1.45	5	0.04	0.04	0.08	12
C22-649	151.75	152.60	0.85	1	0.01	0.01	0.03	3
C22-649	152.60	153.30	0.70	1	0.01	0.02	0.03	4
C22-649	153.30	154.00	0.70	1	0.00	0.01	0.02	2
C22-649	154.00	154.45	0.45	1	0.00	0.01	0.04	3
C22-649	154.45	155.10	0.65	1	0.01	0.01	0.01	2
C22-649	155.10	155.55	0.45	1	0.03	0.02	0.02	5
C22-649	155.55	157.35	1.80	0	0.01	0.00	0.01	1
C22-649	157.35	157.90	0.55	3	0.02	0.02	0.04	7
C22-649	157.90	159.90	2.00	2	0.01	0.01	0.01	3
C22-649	159.90	161.45	1.55	1	0.01	0.00	0.01	2
C22-649	161.45	161.95	0.50	60	0.12	0.20	0.09	79
C22-649	161.95	162.75	0.80	1	0.01	0.01	0.01	2
C22-649	162.75	164.70	1.95	2	0.01	0.02	0.01	3
C22-649	164.70	166.80	2.10	2	0.03	0.02	0.01	5
C22-649	166.80	168.80	2.00	1	0.01	0.01	0.01	2
C22-649	168.80	171.20	2.40	2	0.01	0.06	0.01	5
C22-649	171.20	173.00	1.80	1	0.01	0.02	0.01	2
C22-649	173.00	174.75	1.75	1	0.01	0.01	0.02	3
C22-649	174.75	175.25	0.50	1	0.01	0.01	0.01	2
C22-649	175.25	175.95	0.70	0	0.01	0.01	0.01	1
C22-649	175.95	176.85	0.90	2	0.01	0.03	0.03	4
C22-649	176.85	177.80	0.95	4	0.01	0.03	0.03	6

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-649	177.80	179.80	2.00	1	0.01	0.01	0.01	2
C22-649	179.80	181.80	2.00	1	0.01	0.01	0.00	2
C22-649	181.80	183.80	2.00	0	0.01	0.01	0.02	2
C22-649	183.80	185.40	1.60	1	0.00	0.02	0.04	3
C22-649	185.40	185.75	0.35	0	0.00	0.00	0.00	1
C22-649	185.75	186.20	0.45	292	0.18	0.51	1.34	371
C22-649	186.20	187.00	0.80	3	0.01	0.02	0.02	4
C22-649	187.00	188.75	1.75	1	0.00	0.01	0.02	2
C22-649	188.75	190.50	1.75	5	0.02	0.02	0.03	8
C22-649	190.50	190.80	0.30	58	0.03	0.46	0.91	108
C22-649	190.80	191.90	1.10	2	0.02	0.01	0.00	4
C22-649	191.90	192.35	0.45	15	0.02	0.52	0.09	36
C22-649	192.35	194.35	2.00	0	0.01	0.01	0.01	1
C22-649	194.35	195.25	0.90	1	0.01	0.02	0.01	3
C22-649	195.25	196.35	1.10	3	0.01	0.09	0.09	9
C22-649	196.35	197.65	1.30	1	0.01	0.02	0.15	8
C22-649	197.65	199.30	1.65	3	0.01	0.05	0.63	28
C22-649	199.30	201.70	2.40					0
C22-649	201.70	202.85	1.15	1	0.01	0.01	0.02	3
C22-649	202.85	204.05	1.20	5	0.01	0.11	0.12	13
C22-649	204.05	206.05	2.00	3	0.01	0.07	0.10	9
C22-649	206.05	207.60	1.55	2	0.01	0.05	0.07	7
C22-649	207.60	208.60	1.00	4	0.01	0.09	0.14	12
C22-649	208.60	209.60	1.00	3	0.01	0.07	0.08	8
C22-649	209.60	210.85	1.25	5	0.01	0.13	0.07	12
C22-649	210.85	211.20	0.35	9	0.02	0.19	0.17	23
C22-649	211.20	212.25	1.05	10	0.01	0.27	0.39	33
C22-649	212.25	213.05	0.80	4	0.01	0.08	0.09	10
C22-649	213.05	213.85	0.80	7	0.01	0.18	0.34	26
C22-649	213.85	214.70	0.85	4	0.00	0.09	0.44	23
C22-649	214.70	216.05	1.35	7	0.01	0.16	0.39	27
C22-649	216.05	217.65	1.60	3	0.01	0.06	0.05	7
C22-649	217.65	218.55	0.90	6	0.01	0.07	0.01	9
C22-649	218.55	219.35	0.80	0	0.01	0.00	0.00	1
C22-649	219.35	219.90	0.55	1	0.01	0.00	0.04	3
C22-649	219.90	221.30	1.40	5	0.01	0.09	0.14	13
C22-649	221.30	222.75	1.45	5	0.01	0.15	0.13	15
C22-649	222.75	224.05	1.30	6	0.01	0.14	0.16	17
C22-649	224.05	224.65	0.60	3	0.01	0.06	0.11	9
C22-649	224.65	226.05	1.40	5	0.01	0.10	0.13	14
C22-649	226.05	227.25	1.20	4	0.01	0.07	0.07	9
C22-649	227.25	228.80	1.55	5	0.01	0.07	0.13	12
C22-649	228.80	229.45	0.65	10	0.01	0.22	0.31	29
C22-649	229.45	230.25	0.80	3	0.00	0.06	0.14	10
C22-649	230.25	231.35	1.10	7	0.02	0.10	0.09	15
C22-649	231.35	232.20	0.85	1	0.01	0.00	0.01	2
C22-649	232.20	234.20	2.00	3	0.01	0.04	0.02	5
C22-649	234.20	236.20	2.00	2	0.01	0.03	0.12	8
C22-649	236.20	236.90	0.70	10	0.00	0.05	0.32	23

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release

*Metal Prices used for AgEQ calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-649	236.90	238.40	1.50	7	0.01	0.14	0.49	30
C22-649	238.40	240.20	1.80	4	0.01	0.08	0.18	14
C22-649	240.20	241.05	0.85	5	0.02	0.14	0.18	17
C22-649	241.05	242.35	1.30	6	0.01	0.13	0.33	23
C22-649	242.35	244.35	2.00	2	0.01	0.03	0.03	5
C22-649	244.35	246.35	2.00	6	0.02	0.16	0.30	23
C22-649	246.35	246.65	0.30	5	0.03	0.07	0.33	22
C22-649	246.65	248.65	2.00	3	0.01	0.04	0.16	11
C22-649	248.65	250.65	2.00	3	0.01	0.02	0.10	8
C22-649	250.65	251.40	0.75	6	0.01	0.02	0.71	33
C22-649	251.40	253.30	1.90	1	0.00	0.00	0.03	2
C22-649	253.30	253.65	0.35	2	0.01	0.01	0.03	4
C22-649	253.65	255.30	1.65	1	0.01	0.00	0.01	2
C22-649	255.30	256.30	1.00	4	0.01	0.06	0.31	19
C22-649	256.30	258.30	2.00	4	0.01	0.04	0.13	11
C22-649	258.30	258.95	0.65	4	0.01	0.01	0.06	7
C22-649	258.95	260.45	1.50	2	0.01	0.00	0.02	4
C22-649	260.45	261.05	0.60	3	0.01	0.00	0.01	4
C22-649	261.05	262.15	1.10	3	0.01	0.01	0.04	6
C22-649	262.15	262.95	0.80	4	0.02	0.02	0.07	8
C22-649	262.95	264.25	1.30	196	0.31	1.98	1.18	324
C22-649	264.25	264.65	0.40	3	0.02	0.02	0.03	6
C22-649	264.65	266.25	1.60	31	0.30	0.19	0.16	64
C22-649	266.25	266.80	0.55	6	0.03	0.06	0.03	11
C22-649	266.80	267.65	0.85	4	0.02	0.04	0.03	8
C22-649	267.65	269.20	1.55	2	0.01	0.00	0.09	6
C22-649	269.20	270.50	1.30	2	0.01	0.00	0.12	7
C22-649	270.50	271.20	0.70	5	0.01	0.03	0.11	11
C22-649	271.20	272.60	1.40	2	0.01	0.01	0.07	5
C22-649	272.60	274.60	2.00	3	0.01	0.02	0.10	7
C22-649	274.60	275.20	0.60	3	0.01	0.03	0.12	10
C22-649	275.20	275.55	0.35	65	0.06	1.47	4.29	275
C22-649	275.55	275.90	0.35	45	0.07	0.79	9.74	438
C22-649	275.90	277.70	1.80	5	0.02	0.04	0.10	11
C22-649	277.70	278.35	0.65	4	0.01	0.04	0.05	8
C22-649	278.35	278.65	0.30	56	0.04	0.48	0.12	79
C22-649	278.65	280.05	1.40	4	0.02	0.06	0.15	12
C22-649	280.05	280.55	0.50	19	0.03	0.08	0.18	31
C22-649	280.55	281.35	0.80	4	0.01	0.04	0.10	10
C22-649	281.35	281.90	0.55	10	0.05	0.06	0.19	22
C22-649	281.90	282.95	1.05	20	0.07	0.32	0.34	47
C22-649	282.95	283.90	0.95	13	0.04	0.07	0.06	21
C22-649	283.90	284.25	0.35	78	0.19	0.41	0.07	107
C22-649	284.25	285.10	0.85	3	0.01	0.04	0.06	7
C22-649	285.10	285.40	0.30	18	0.07	0.19	0.16	35
C22-649	285.40	287.10	1.70	2	0.01	0.01	0.05	5
C22-649	287.10	287.70	0.60	5	0.00	0.09	0.26	18
C22-649	287.70	289.65	1.95	2	0.01	0.02	0.09	7
C22-649	289.65	291.65	2.00	7	0.01	0.04	0.07	11

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEQ calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-649	291.65	292.00	0.35	3	0.01	0.02	0.23	12
C22-649	292.00	293.00	1.00	3	0.00	0.10	0.25	16
C22-649	293.00	295.00	2.00	2	0.00	0.02	0.14	8
C22-649	295.00	296.80	1.80	3	0.01	0.01	0.05	6
C22-649	296.80	297.25	0.45	4	0.01	0.12	0.08	12
C22-649	297.25	298.35	1.10	5	0.00	0.13	0.18	15
C22-649	298.35	300.30	1.95	2	0.01	0.02	0.08	6
C22-649	300.30	301.90	1.60	1	0.00	0.01	0.10	6
C22-649	301.90	303.90	2.00	1	0.00	0.00	0.04	3
C22-649	303.90	304.85	0.95	1	0.00	0.00	0.03	3
C22-649	304.85	305.90	1.05	4	0.01	0.04	0.13	11
C22-649	305.90	306.80	0.90	17	0.02	0.29	1.35	78
C22-649	306.80	307.15	0.35	9	0.01	0.22	0.95	52
C22-649	307.15	307.65	0.50	6	0.01	0.19	0.35	26
C22-649	307.65	309.65	2.00	1	0.01	0.01	0.06	4
C22-649	309.65	310.20	0.55	1	0.00	0.00	0.03	2
C22-649	310.20	311.65	1.45	1	0.00	0.00	0.05	3
C22-649	311.65	312.85	1.20	3	0.01	0.03	0.10	8
C22-649	312.85	313.85	1.00	1	0.00	0.00	0.07	3
C22-649	313.85	315.00	1.15	0	0.00	0.00	0.02	1
C22-649	315.00	315.40	0.40	3	0.00	0.02	0.69	29
C22-649	315.40	317.40	2.00	1	0.00	0.01	0.07	4
C22-649	317.40	318.30	0.90	2	0.01	0.01	0.07	6
C22-649	318.30	319.95	1.65	1	0.00	0.00	0.03	3
C22-649	319.95	322.20	2.25	2	0.00	0.03	0.07	6
C22-649	322.20	323.80	1.60	1	0.00	0.02	0.06	4
C22-649	323.80	325.30	1.50	1	0.00	0.02	0.10	6
C22-649	325.30	326.05	0.75	8	0.01	0.12	1.15	55
C22-649	326.05	326.90	0.85	8	0.01	0.08	2.63	110
C22-649	326.90	327.30	0.40	3	0.01	0.03	0.13	9
C22-649	327.30	329.20	1.90	6	0.01	0.13	0.19	18
C22-649	329.20	330.35	1.15	3	0.01	0.06	0.08	9
C22-649	330.35	331.50	1.15	3	0.01	0.05	0.12	9
C22-649	331.50	332.60	1.10	3	0.01	0.07	0.18	13
C22-649	332.60	333.35	0.75	5	0.01	0.19	0.29	22
C22-649	333.35	334.35	1.00	3	0.01	0.09	0.67	32
C22-649	334.35	335.50	1.15	1	0.00	0.01	0.07	4
C22-649	335.50	336.45	0.95	1	0.01	0.00	0.03	3
C22-649	336.45	337.80	1.35	2	0.01	0.01	0.03	5
C22-649	337.80	338.70	0.90	2	0.01	0.01	0.03	3
C22-649	338.70	340.40	1.70	19	0.03	0.16	0.32	38
C22-649	340.40	342.20	1.80	5	0.01	0.08	0.21	16
C22-649	342.20	343.30	1.10	1	0.01	0.01	0.03	3
C22-649	343.30	344.40	1.10	1	0.01	0.01	0.05	3
C22-649	344.40	346.20	1.80	1	0.00	0.00	0.07	4
C22-649	346.20	347.40	1.20	1	0.00	0.01	0.04	3
C22-649	347.40	349.10	1.70	1	0.01	0.02	0.05	4
C22-649	349.10	350.70	1.60	1	0.01	0.00	0.05	3
C22-649	350.70	351.50	0.80	1	0.00	0.01	0.08	4

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEQ calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-649	351.50	352.45	0.95	1	0.00	0.00	0.21	9
C22-649	352.45	352.90	0.45	1	0.01	0.02	0.35	15
C22-649	352.90	354.15	1.25	7	0.01	0.04	0.09	12
C22-649	354.15	354.60	0.45	58	0.04	0.16	0.08	69
C22-649	354.60	355.00	0.40					0
C22-649	355.00	356.25	1.25	11	0.03	0.04	0.04	16
C22-649	356.25	357.25	1.00	3	0.01	0.06	0.14	11
C22-649	357.25	358.60	1.35	1	0.01	0.02	0.18	10
C22-649	358.60	359.40	0.80	1	0.01	0.01	0.07	5
C22-649	359.40	360.80	1.40	4	0.02	0.05	0.17	14
C22-649	360.80	361.85	1.05	2	0.01	0.03	0.15	9
C22-649	361.85	362.85	1.00	2	0.01	0.04	0.27	14
C22-649	362.85	363.70	0.85	19	0.02	0.21	0.85	58
C22-649	363.70	365.55	1.85	3	0.01	0.02	0.13	8
C22-649	365.55	366.70	1.15	1	0.01	0.00	0.17	8
C22-649	366.70	367.75	1.05	1	0.00	0.00	0.04	3
C22-649	367.75	369.05	1.30	1	0.01	0.01	0.06	3
C22-649	369.05	369.75	0.70	0	0.00	0.01	0.05	2
C22-649	369.75	370.40	0.65	1	0.01	0.01	0.04	3
C22-649	370.40	371.35	0.95	2	0.01	0.04	0.15	9
C22-649	371.35	371.95	0.60	1	0.00	0.02	0.08	5
C22-649	371.95	372.40	0.45	2	0.00	0.03	0.33	15
C22-649	372.40	374.40	2.00	2	0.00	0.02	0.09	6
C22-649	374.40	375.80	1.40	2	0.01	0.02	0.25	12
C22-649	375.80	376.35	0.55	8	0.01	0.17	0.34	26
C22-649	376.35	376.95	0.60	4	0.01	0.01	0.24	14
C22-649	376.95	377.90	0.95	15	0.03	0.04	0.52	38
C22-649	377.90	378.50	0.60	5	0.01	0.08	0.70	34
C22-649	378.50	379.85	1.35	5	0.01	0.04	0.23	16
C22-649	379.85	381.00	1.15	6	0.01	0.04	0.52	27
C22-649	381.00	382.50	1.50	2	0.01	0.02	0.22	11
C22-649	382.50	384.10	1.60	1	0.01	0.01	0.14	7
C22-649	384.10	385.95	1.85	1	0.01	0.00	0.02	2
C22-649	385.95	386.70	0.75	2	0.00	0.01	0.20	9
C22-649	386.70	388.30	1.60	1	0.01	0.00	0.04	3
C22-649	388.30	389.10	0.80	2	0.01	0.03	0.17	10
C22-649	389.10	389.40	0.30	22	0.02	0.15	0.22	37
C22-649	389.40	389.90	0.50	9	0.02	0.13	0.33	26
C22-649	389.90	390.50	0.60	2	0.01	0.03	0.10	6
C22-649	390.50	390.80	0.30	4	0.01	0.07	0.33	19
C22-649	390.80	391.55	0.75	4	0.01	0.04	0.13	11
C22-649	391.55	392.20	0.65	140	0.03	0.80	0.23	176
C22-649	392.20	393.90	1.70	5	0.01	0.06	0.13	12
C22-649	393.90	394.50	0.60	4	0.01	0.06	0.24	16
C22-649	394.50	396.00	1.50	6	0.01	0.09	0.32	21
C22-649	396.00	396.70	0.70	8	0.01	0.14	0.95	48
C22-649	396.70	397.90	1.20	5	0.01	0.07	0.22	16
C22-649	397.90	399.10	1.20	4	0.01	0.07	0.35	20
C22-649	399.10	400.20	1.10	3	0.01	0.05	0.29	16

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-649	400.20	401.00	0.80	4	0.01	0.06	0.24	15
C22-649	401.00	402.95	1.95	6	0.01	0.09	0.30	20
C22-649	402.95	404.15	1.20	10	0.02	0.05	0.62	36
C22-649	404.15	405.20	1.05	11	0.01	0.13	0.48	33
C22-649	405.20	406.90	1.70	2	0.01	0.03	0.11	8
C22-649	406.90	408.10	1.20	18	0.02	0.21	0.32	38
C22-649	408.10	409.30	1.20	10	0.02	0.14	0.29	27
C22-649	409.30	410.20	0.90	3	0.02	0.03	0.09	9
C22-649	410.20	411.00	0.80	2	0.01	0.01	0.12	8
C22-649	411.00	412.00	1.00	10	0.02	0.13	0.90	48
C22-649	412.00	412.70	0.70	21	0.07	0.14	0.98	67
C22-649	412.70	413.75	1.05	7	0.01	0.12	0.33	24
C22-649	413.75	414.80	1.05	26	0.02	0.35	1.61	98
C22-649	414.80	415.90	1.10	54	0.04	0.53	3.27	196
C22-649	415.90	416.80	0.90	76	0.04	0.76	8.78	430
C22-649	416.80	417.55	0.75	24	0.06	0.27	1.17	80
C22-649	417.55	418.00	0.45	41	0.03	0.59	7.79	352
C22-649	418.00	418.60	0.60	32	0.03	0.36	2.81	150
C22-649	418.60	419.45	0.85	17	0.02	0.19	2.14	104
C22-649	419.45	419.90	0.45	15	0.02	0.37	1.36	79
C22-649	419.90	420.30	0.40	91	0.12	3.47	0.81	238
C22-649	420.30	421.15	0.85	20	0.04	0.39	0.92	69
C22-649	421.15	422.10	0.95	44	0.04	0.47	0.45	78
C22-649	422.10	423.05	0.95	41	0.04	0.96	0.74	101
C22-649	423.05	423.90	0.85	21	0.02	0.10	1.31	74
C22-649	423.90	424.50	0.60	18	0.03	0.50	1.92	107
C22-649	424.50	425.30	0.80	11	0.05	0.09	0.47	35
C22-649	425.30	426.40	1.10	14	0.03	0.13	0.99	57
C22-649	426.40	427.55	1.15	20	0.03	0.43	0.89	69
C22-649	427.55	428.25	0.70	13	0.02	0.40	0.61	49
C22-649	428.25	429.10	0.85	21	0.03	0.81	1.37	99
C22-649	429.10	429.75	0.65	15	0.02	0.58	1.30	83
C22-649	429.75	431.00	1.25	10	0.02	0.42	0.59	47
C22-649	431.00	432.05	1.05	24	0.06	0.73	1.19	95
C22-649	432.05	433.00	0.95	20	0.04	0.70	1.35	94
C22-649	433.00	433.75	0.75	13	0.04	0.43	0.71	56
C22-649	433.75	434.80	1.05	18	0.10	0.45	0.69	65
C22-649	434.80	436.35	1.55	46	0.09	1.09	1.72	150
C22-649	436.35	437.60	1.25	21	0.05	0.20	0.68	56
C22-649	437.60	438.40	0.80	87	0.08	0.95	8.37	434
C22-649	438.40	439.20	0.80	27	0.03	0.77	1.46	107
C22-649	439.20	440.55	1.35	9	0.03	0.18	0.30	28
C22-649	440.55	441.60	1.05	14	0.05	0.22	0.81	54
C22-649	441.60	442.65	1.05	10	0.04	0.17	0.35	31
C22-649	442.65	443.65	1.00	41	0.10	0.22	0.80	85
C22-649	443.65	444.70	1.05	9	0.03	0.03	0.19	19
C22-649	444.70	446.20	1.50	12	0.06	0.04	0.48	35
C22-649	446.20	447.30	1.10	12	0.04	0.04	0.30	27
C22-649	447.30	448.05	0.75	13	0.02	0.07	0.41	32

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-649	448.05	448.80	0.75	29	0.07	0.16	0.89	72
C22-649	448.80	449.80	1.00	5	0.02	0.03	0.71	34
C22-649	449.80	450.60	0.80	18	0.05	0.07	3.36	149
C22-649	450.60	451.80	1.20	14	0.02	0.08	0.57	40
C22-649	451.80	452.80	1.00	25	0.03	0.22	0.35	47
C22-649	452.80	453.65	0.85	31	0.07	0.18	0.33	54
C22-649	453.65	454.45	0.80	54	0.05	0.08	0.11	64
C22-649	454.45	455.30	0.85	52	0.05	0.20	0.67	87
C22-649	455.30	456.40	1.10	11	0.02	0.06	0.39	29
C22-649	456.40	457.65	1.25	11	0.02	0.05	0.38	28
C22-649	457.65	458.60	0.95	12	0.02	0.10	1.06	57
C22-649	458.60	460.20	1.60	11	0.02	0.09	1.04	54
C22-649	460.20	461.95	1.75	8	0.01	0.07	0.40	26
C22-649	461.95	463.05	1.10	15	0.01	0.07	0.25	27
C22-649	463.05	463.90	0.85	16	0.03	0.05	0.09	23
C22-649	463.90	465.20	1.30	13	0.02	0.04	0.04	18
C22-649	465.20	465.95	0.75	13	0.02	0.04	0.02	17
C22-649	465.95	467.50	1.55	4	0.02	0.02	0.03	7
C22-649	467.50	468.85	1.35	13	0.03	0.03	0.04	17
C22-649	468.85	470.10	1.25	10	0.04	0.04	0.09	17
C22-649	470.10	471.05	0.95	29	0.03	0.06	0.03	34
C22-649	471.05	472.45	1.40	7	0.03	0.02	0.05	12
C22-649	472.45	472.95	0.50	11	0.04	0.03	0.02	15
C22-649	472.95	473.95	1.00	27	0.03	0.08	0.04	33
C22-649	473.95	475.15	1.20	22	0.03	0.09	0.17	33
C22-649	475.15	475.75	0.60	9	0.04	0.06	0.34	26
C22-649	475.75	476.05	0.30	5	0.03	0.04	0.10	12
C22-649	476.05	477.15	1.10	37	0.03	0.15	0.06	46
C22-649	477.15	477.45	0.30	384	0.29	1.53	0.01	453
C22-649	477.45	477.95	0.50	19	0.08	0.08	0.03	28
C22-649	477.95	479.00	1.05	1	0.01	0.01	0.03	3
C22-649	479.00	480.00	1.00	0	0.01	0.00	0.03	2
C22-649	480.00	481.60	1.60	0	0.01	0.00	0.06	3
C22-649	481.60	482.55	0.95	0	0.01	0.00	0.01	1
C22-649	482.55	484.50	1.95	0	0.00	0.00	0.03	2
C22-649	484.50	485.50	1.00	0	0.01	0.00	0.01	1
C22-649	485.50	486.60	1.10	0	0.01	0.00	0.01	1
C22-649	486.60	487.80	1.20	1	0.02	0.01	0.05	4
C22-649	487.80	488.50	0.70	2	0.02	0.01	0.03	5
C22-649	488.50	489.55	1.05	2	0.02	0.01	0.01	4
C22-649	489.55	490.60	1.05	4	0.05	0.01	0.05	10
C22-649	490.60	491.85	1.25	4	0.02	0.02	0.12	11
C22-649	491.85	493.45	1.60	3	0.01	0.02	0.13	9
C22-649	493.45	494.85	1.40	7	0.01	0.03	0.11	13
C22-649	494.85	496.20	1.35	11	0.05	0.03	0.16	22
C22-649	496.20	497.90	1.70	5	0.01	0.03	0.19	14
C22-649	497.90	499.80	1.90	4	0.01	0.03	0.14	11
C22-649	499.80	501.60	1.80	5	0.01	0.04	0.25	17
C22-649	501.60	503.60	2.00	10	0.05	0.03	0.11	19

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-649	503.60	504.75	1.15	26	0.01	0.14	0.18	38
C22-649	504.75	506.40	1.65	2	0.00	0.03	0.08	6
C22-649	506.40	508.35	1.95	4	0.01	0.03	0.12	9
C22-649	508.35	510.35	2.00	3	0.01	0.01	0.24	13
C22-649	510.35	511.65	1.30	1	0.00	0.01	0.10	5
C22-649	511.65	512.80	1.15	1	0.00	0.00	0.10	5
C22-649	512.80	513.10	0.30	9	0.02	0.02	0.23	19
C22-649	513.10	513.70	0.60	6	0.01	0.01	0.20	14
C22-649	513.70	515.40	1.70	3	0.01	0.03	0.22	13
C22-649	515.40	516.25	0.85	27	0.06	0.08	0.14	39
C22-649	516.25	518.20	1.95	2	0.01	0.02	0.07	5
C22-649	518.20	519.05	0.85	22	0.04	0.06	0.18	33
C22-649	519.05	520.70	1.65	2	0.00	0.01	0.11	6
C22-649	520.70	521.70	1.00	3	0.01	0.01	0.15	9
C22-649	521.70	522.00	0.30	1	0.00	0.00	0.15	7
C22-649	522.00	522.40	0.40	15	0.02	0.04	0.39	32
C22-649	522.40	522.80	0.40	19	0.03	0.05	0.39	38
C22-649	522.80	523.80	1.00	2	0.03	0.00	0.06	6
C22-649	523.80	525.05	1.25	2	0.01	0.01	0.04	4
C22-649	525.05	525.80	0.75	2	0.01	0.03	0.08	7
C22-649	525.80	526.30	0.50	6	0.02	0.03	0.08	11
C22-649	526.30	528.20	1.90	3	0.01	0.01	0.09	7
C22-649	528.20	529.30	1.10	10	0.01	0.19	0.43	33
C22-649	529.30	530.40	1.10	1	0.01	0.01	0.11	6
C22-649	530.40	531.65	1.25	1	0.01	0.01	0.11	6
C22-649	531.65	533.20	1.55	8	0.02	0.03	0.09	13
C22-649	533.20	534.10	0.90	19	0.06	0.08	0.11	29
C22-649	534.10	536.00	1.90	4	0.02	0.02	0.06	7
C22-649	536.00	538.00	2.00	4	0.02	0.01	0.04	8
C22-649	538.00	538.75	0.75	2	0.01	0.01	0.07	6
C22-649	538.75	539.85	1.10	4	0.02	0.02	0.04	7
C22-649	539.85	540.25	0.40	4	0.03	0.01	0.01	7
C22-649	540.25	541.20	0.95	4	0.02	0.03	0.03	8
C22-649	541.20	542.75	1.55	5	0.01	0.03	0.08	10
C22-649	542.75	543.85	1.10	3	0.01	0.02	0.11	9
C22-649	543.85	545.15	1.30	4	0.03	0.02	0.07	10
C22-649	545.15	546.45	1.30	2	0.02	0.01	0.06	6
C22-649	546.45	547.30	0.85	4	0.02	0.02	0.06	7
C22-649	547.30	551.20	3.90	5	0.03	0.03	0.06	10
C22-649	551.20	553.10	1.90	3	0.02	0.02	0.10	9
C22-649	553.10	553.55	0.45	1	0.01	0.01	0.06	4
C22-649	553.55	554.05	0.50	8	0.05	0.04	0.18	20
C22-649	554.05	554.80	0.75	4	0.05	0.05	0.13	14
C22-649	554.80	555.55	0.75	2	0.02	0.02	0.04	5
C22-649	555.55	555.85	0.30	1	0.03	0.02	0.06	6
C22-649	555.85	556.60	0.75	3	0.03	0.08	0.15	13
C22-649	556.60	556.90	0.30	4	0.04	0.10	0.25	19
C22-649	556.90	558.30	1.40	2	0.03	0.06	0.28	16
C22-649	558.30	559.90	1.60	3	0.01	0.12	0.54	28

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-649	559.90	561.00	1.10	13	0.01	0.43	0.84	59
C22-649	561.00	562.10	1.10	120	0.05	1.02	1.51	212
C22-649	562.10	564.10	2.00	1	0.02	0.00	0.01	3
C22-649	564.10	565.65	1.55	0	0.02	0.00	0.02	2
C22-649	565.65	566.15	0.50	1	0.02	0.00	0.02	3
C22-649	566.15	568.15	2.00	0	0.02	0.00	0.02	3
C22-649	568.15	569.85	1.70	1	0.01	0.00	0.02	2
C22-649	569.85	571.05	1.20	1	0.01	0.01	0.03	3
C22-649	571.05	572.40	1.35	0	0.01	0.00	0.02	2
C22-649	572.40	573.25	0.85	0	0.01	0.00	0.02	2
C22-649	573.25	575.25	2.00	0	0.01	0.00	0.02	2
C22-649	575.25	576.45	1.20	0	0.02	0.00	0.01	2
C22-649	576.45	577.50	1.05	0	0.02	0.00	0.02	3
C22-649	577.50	579.50	2.00	0	0.02	0.00	0.02	2
C22-649	579.50	580.80	1.30	0	0.01	0.00	0.02	2
C22-649	580.80	581.90	1.10	0	0.01	0.00	0.02	2
C22-649	581.90	583.00	1.10	0	0.01	0.00	0.03	2
C22-649	583.00	584.00	1.00	2	0.01	0.02	0.06	5
C22-649	584.00	586.00	2.00	0	0.01	0.00	0.02	2
C22-649	586.00	587.85	1.85	0	0.01	0.01	0.03	2
C22-649	587.85	589.05	1.20	9	0.02	0.21	0.68	42
C22-649	589.05	590.10	1.05	26	0.06	0.66	1.54	109
C22-649	590.10	591.30	1.20	44	0.06	1.48	2.33	181
C22-649	591.30	592.60	1.30	68	0.06	1.76	4.49	294
C22-649	592.60	593.25	0.65	30	0.08	0.51	1.20	96
C22-649	593.25	594.20	0.95	27	0.04	0.43	0.64	67
C22-649	594.20	595.35	1.15	127	0.08	2.49	2.95	320
C22-649	595.35	596.00	0.65	75	0.05	2.04	2.70	243
C22-649	596.00	597.25	1.25	58	0.03	1.44	2.49	197
C22-649	597.25	598.40	1.15	23	0.01	0.54	0.95	76
C22-649	598.40	599.65	1.25	12	0.01	0.29	0.88	54
C22-649	599.65	600.80	1.15	13	0.02	0.19	1.32	70
C22-649	600.80	601.50	0.70	1	0.01	0.03	0.11	7
C22-649	601.50	602.30	0.80	6	0.02	0.06	0.24	18
C22-649	602.30	602.65	0.35	4	0.01	0.08	0.34	20
C22-649	602.65	603.50	0.85	19	0.05	0.19	0.60	50
C22-649	603.50	604.05	0.55	1	0.02	0.01	0.03	4
C22-649	604.05	605.55	1.50	0	0.02	0.00	0.02	2
C22-649	605.55	607.00	1.45	1	0.03	0.01	0.03	4
C22-649	607.00	608.30	1.30	7	0.02	0.04	0.12	14
C22-649	608.30	609.70	1.40	11	0.03	0.07	0.19	23
C22-649	609.70	611.05	1.35	4	0.03	0.02	0.03	8
C22-649	611.05	612.70	1.65	6	0.01	0.18	0.99	50
C22-649	612.70	614.05	1.35	9	0.03	0.09	0.92	48
C22-649	614.05	615.50	1.45	4	0.02	0.05	1.23	52
C22-649	615.50	616.20	0.70	8	0.02	0.04	1.20	55
C22-649	616.20	617.60	1.40	6	0.02	0.01	0.29	19
C22-649	617.60	619.00	1.40	4	0.02	0.03	0.40	21
C22-649	619.00	619.35	0.35	14	0.03	0.10	0.39	34

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-649	619.35	620.50	1.15	38	0.23	0.14	0.49	78
C22-649	620.50	620.80	0.30	18	0.06	0.09	0.40	40
C22-649	620.80	622.35	1.55	19	0.04	0.12	0.45	42
C22-649	622.35	623.00	0.65	23	0.25	0.11	0.99	82
C22-649	623.00	624.60	1.60	9	0.01	0.27	0.93	53
C22-649	624.60	625.80	1.20	6	0.02	0.02	1.06	47
C22-649	625.80	626.90	1.10	5	0.02	0.01	0.39	21
C22-649	626.90	628.70	1.80	2	0.00	0.01	0.22	10
C22-649	628.70	630.20	1.50	1	0.00	0.00	0.11	5
C22-649	630.20	631.30	1.10	1	0.00	0.00	0.22	9
C22-649	631.30	632.10	0.80	8	0.01	0.04	0.72	37
C22-649	632.10	633.30	1.20	3	0.00	0.04	0.30	15
C22-649	633.30	634.25	0.95	2	0.00	0.03	0.21	11
C22-649	634.25	634.65	0.40	4	0.01	0.03	2.95	116
C22-649	634.65	636.00	1.35	2	0.00	0.03	0.26	12
C22-649	636.00	637.70	1.70	1	0.00	0.01	0.13	7
C22-649	637.70	639.00	1.30	2	0.01	0.03	0.09	7
C22-649	639.00	639.70	0.70	1	0.01	0.01	0.03	3
C22-649	639.70	641.00	1.30	4	0.01	0.05	0.08	9
C22-649	641.00	642.50	1.50	5	0.02	0.07	0.14	13
C22-649	642.50	643.85	1.35	3	0.02	0.03	0.09	8
C22-649	643.85	645.00	1.15	4	0.01	0.06	0.08	9
C22-649	645.00	646.10	1.10	7	0.02	0.16	0.10	17
C22-649	646.10	647.20	1.10	6	0.01	0.08	0.09	12
C22-649	647.20	648.50	1.30	22	0.02	0.55	1.06	80
C22-649	648.50	649.30	0.80	47	0.06	0.98	3.19	201
C22-649	649.30	650.00	0.70	5	0.01	0.05	0.13	12
C22-649	650.00	651.15	1.15	7	0.01	0.02	0.02	9
C22-649	651.15	652.30	1.15	5	0.03	0.02	0.01	9
C22-649	652.30	653.35	1.05	15	0.05	0.05	0.02	21
C22-649	653.35	653.95	0.60	66	0.12	0.19	0.03	82
C22-649	653.95	655.50	1.55	22	0.07	0.06	0.09	32
C22-649	655.50	657.00	1.50	9	0.03	0.04	0.03	14
C22-649	657.00	658.80	1.80	4	0.01	0.02	0.02	6
C22-649	658.80	660.05	1.25	7	0.03	0.03	0.02	10
C22-649	660.05	661.20	1.15	4	0.01	0.05	0.03	8
C22-649	661.20	662.55	1.35	8	0.03	0.13	0.22	22
C22-649	662.55	663.30	0.75	6	0.02	0.07	0.10	13
C22-649	663.30	664.15	0.85	4	0.04	0.02	0.03	8
C22-649	664.15	665.30	1.15	2	0.01	0.03	0.05	5
C22-649	665.30	666.25	0.95	3	0.02	0.05	0.05	8
C22-649	666.25	667.70	1.45	3	0.03	0.04	0.02	6
C22-649	667.70	668.40	0.70	7	0.06	0.18	0.15	22
C22-649	668.40	669.20	0.80	3	0.03	0.04	0.03	7
C22-649	669.20	669.85	0.65	3	0.06	0.03	0.02	8
C22-649	669.85	671.00	1.15	3	0.08	0.02	0.01	10
C22-649	671.00	671.60	0.60	9	0.02	0.05	0.03	14
C22-649	671.60	672.85	1.25	10	0.02	0.21	0.08	21
C22-649	672.85	673.35	0.50	63	0.02	2.12	1.97	203

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-649	673.35	675.00	1.65	2	0.01	0.06	0.08	7
C22-649	675.00	676.70	1.70	1	0.00	0.01	0.03	2
C22-649	676.70	678.50	1.80	1	0.00	0.01	0.03	3
C22-649	678.50	679.05	0.55	1	0.00	0.00	0.03	2
C22-649	679.05	680.60	1.55	0	0.00	0.00	0.03	1
C22-649	680.60	682.25	1.65	2	0.01	0.03	0.07	6
C22-649	682.25	683.20	0.95	4	0.01	0.06	0.07	9
C22-649	683.20	683.65	0.45	9	0.01	0.09	0.02	14
C22-649	683.65	684.60	0.95	1	0.00	0.02	0.12	7
C22-649	684.60	686.30	1.70	1	0.00	0.02	0.04	3
C22-649	686.30	686.90	0.60	1	0.00	0.01	0.01	1
C22-649	686.90	688.20	1.30	0	0.00	0.01	0.04	2
C22-649	688.20	690.20	2.00	2	0.00	0.04	0.07	6
C22-649	690.20	691.80	1.60	2	0.00	0.03	0.04	4
C22-649	691.80	693.20	1.40	2	0.00	0.02	0.02	4
C22-649	693.20	694.50	1.30	0	0.00	0.00	0.02	1
C22-649	694.50	695.10	0.60	2	0.00	0.01	0.07	5
C22-649	695.10	696.40	1.30	2	0.00	0.01	0.06	5
C22-649	696.40	697.85	1.45	1	0.00	0.01	0.05	3
C22-649	697.85	699.00	1.15	1	0.00	0.02	0.10	6
C22-649	699.00	699.55	0.55	2	0.00	0.04	0.12	8
C22-649	699.55	700.00	0.45	6	0.00	0.03	0.06	9
C22-649	700.00	700.35	0.35	21	0.01	0.07	0.07	26
C22-649	700.35	700.90	0.55	39	0.02	0.10	0.06	47
C22-649	700.90	701.55	0.65	13	0.01	0.07	0.05	18
C22-649	701.55	702.35	0.80	81	0.07	0.23	0.97	129
C22-649	702.35	702.95	0.60	16	0.01	0.11	0.40	34
C22-649	702.95	703.30	0.35	94	0.12	0.69	0.84	155
C22-649	703.30	703.80	0.50	5	0.01	0.11	0.24	18
C22-649	703.80	704.80	1.00	1	0.00	0.01	0.04	3
C22-649	704.80	706.20	1.40	1	0.00	0.02	0.09	5
C22-649	706.20	707.50	1.30	0	0.00	0.00	0.08	4
C22-649	707.50	708.85	1.35	1	0.00	0.01	0.07	4
C22-649	708.85	710.65	1.80	0	0.00	0.00	0.02	1
C22-649	710.65	712.20	1.55	3	0.01	0.01	0.05	6
C22-649	712.20	713.25	1.05	3	0.00	0.01	0.06	5
C22-649	713.25	713.85	0.60	2	0.00	0.00	0.02	4
C22-649	713.85	715.65	1.80	0	0.00	0.00	0.02	1
C22-649	715.65	716.50	0.85	1	0.00	0.01	0.03	3
C22-649	716.50	717.30	0.80	0	0.00	0.00	0.02	1
C22-649	717.30	718.10	0.80	0	0.00	0.00	0.02	1
C22-649	718.10	719.50	1.40	1	0.00	0.00	0.04	2
C22-649	719.50	720.55	1.05	2	0.00	0.02	0.14	9
C22-649	720.55	721.50	0.95	4	0.01	0.04	0.11	10
C22-649	721.50	722.30	0.80	11	0.01	0.04	0.11	17
C22-649	722.30	723.40	1.10	4	0.00	0.02	0.19	12
C22-649	723.40	725.40	2.00	2	0.00	0.02	0.10	6
C22-649	725.40	727.00	1.60	1	0.00	0.01	0.07	4
C22-649	727.00	727.95	0.95	2	0.00	0.02	0.09	6

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-649	727.95	729.55	1.60	2	0.00	0.01	0.09	6
C22-649	729.55	730.40	0.85	5	0.00	0.02	0.08	9
C22-649	730.40	730.90	0.50	29	0.02	0.06	0.20	40
C22-649	730.90	731.65	0.75	18	0.02	0.04	2.02	97
C22-649	731.65	732.50	0.85	23	0.01	0.05	0.83	57
C22-649	732.50	733.55	1.05	8	0.01	0.02	0.68	35
C22-649	733.55	734.60	1.05	5	0.01	0.03	0.52	25
C22-649	734.60	734.95	0.35	14	0.02	0.04	2.88	124
C22-649	734.95	735.80	0.85	17	0.02	0.11	1.04	60
C22-649	735.80	736.35	0.55	59	0.05	1.22	2.32	187
C22-649	736.35	736.80	0.45	20	0.03	0.13	2.83	131
C22-649	736.80	738.20	1.40	13	0.05	0.09	0.39	33
C22-649	738.20	739.25	1.05	34	0.10	0.35	0.30	63
C22-649	739.25	739.85	0.60	40	0.11	0.60	0.53	87
C22-649	739.85	740.55	0.70	40	0.00	0.64	3.02	172
C22-649	740.55	741.60	1.05	64	0.06	1.26	2.15	188
C22-649	741.60	742.80	1.20	59	0.12	0.57	2.69	185
C22-649	742.80	743.80	1.00	37	0.26	0.13	0.59	81
C22-649	743.80	744.30	0.50	29	0.09	0.32	0.93	80
C22-649	744.30	745.20	0.90	11	0.02	0.12	0.26	26
C22-649	745.20	745.95	0.75	19	0.01	0.31	1.47	84
C22-649	745.95	746.70	0.75	71	0.06	1.28	1.23	161
C22-649	746.70	747.50	0.80	55	0.06	0.64	3.45	208
C22-649	747.50	748.30	0.80	25	0.02	0.44	1.55	98
C22-649	748.30	749.05	0.75	41	0.04	0.67	2.83	170
C22-649	749.05	749.45	0.40	83	0.05	1.11	3.40	248
C22-649	749.45	749.80	0.35	66	0.08	0.94	8.98	436
C22-649	749.80	750.55	0.75	44	0.03	0.92	4.78	253
C22-649	750.55	751.40	0.85	50	0.06	1.43	3.96	247
C22-649	751.40	752.75	1.35	30	0.09	0.37	1.23	93
C22-649	752.75	753.25	0.50	13	0.01	0.10	1.19	62
C22-649	753.25	753.75	0.50	45	0.02	0.69	2.80	172
C22-649	753.75	754.20	0.45	135	0.06	2.94	8.53	549
C22-649	754.20	755.25	1.05	30	0.03	0.76	1.14	98
C22-649	755.25	755.80	0.55	59	0.04	0.44	3.95	223
C22-649	755.80	756.95	1.15	24	0.04	0.25	0.96	71
C22-649	756.95	757.90	0.95	30	0.16	0.10	0.06	47
C22-649	757.90	759.10	1.20	56	0.14	0.12	0.02	71
C22-649	759.10	760.05	0.95	10	0.04	0.08	0.00	16
C22-649	760.05	760.35	0.30	378	0.08	1.95	0.10	448
C22-649	760.35	761.00	0.65	32	0.07	0.39	0.41	64
C22-649	761.00	761.55	0.55	6	0.01	0.06	0.09	12
C22-649	761.55	762.40	0.85	8	0.01	0.10	0.26	22
C22-649	762.40	763.00	0.60	31	0.03	0.64	0.89	86
C22-649	763.00	764.60	1.60	72	0.11	1.41	1.69	187
C22-649	764.60	765.30	0.70	146	0.11	3.90	1.94	348
C22-649	765.30	766.30	1.00	116	0.07	3.36	2.06	303
C22-649	766.30	767.45	1.15	12	0.03	0.25	0.35	36
C22-649	767.45	769.25	1.80	31	0.01	0.91	0.77	89

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-649	769.25	770.60	1.35	4	0.01	0.11	0.15	13
C22-649	770.60	771.80	1.20	9	0.01	0.27	0.28	28
C22-649	771.80	773.10	1.30	20	0.04	0.54	0.44	56
C22-649	773.10	774.80	1.70	20	0.01	0.53	0.34	50
C22-649	774.80	776.40	1.60	43	0.04	0.94	1.95	148
C22-649	776.40	777.50	1.10	47	0.02	1.09	2.16	163
C22-649	777.50	778.90	1.40	13	0.01	0.29	0.41	37
C22-649	778.90	780.10	1.20	76	0.02	2.04	0.72	168
C22-649	780.10	781.35	1.25	11	0.01	0.29	0.65	45
C22-649	781.35	782.00	0.65	37	0.02	1.17	2.44	166
C22-649	782.00	782.95	0.95	16	0.01	0.51	0.58	55
C22-649	782.95	784.20	1.25	29	0.01	0.99	0.97	97
C22-649	784.20	784.60	0.40	60	0.01	1.88	2.28	205
C22-649	784.60	786.25	1.65	15	0.01	0.46	0.62	53
C22-649	786.25	787.05	0.80	41	0.02	1.43	1.57	145
C22-649	787.05	787.45	0.40	47	0.02	1.79	4.10	257
C22-649	787.45	788.85	1.40	8	0.00	0.27	0.25	26
C22-649	788.85	790.10	1.25	5	0.00	0.15	0.22	17
C22-649	790.10	790.85	0.75	31	0.01	0.95	1.67	124
C22-649	790.85	791.80	0.95	9	0.00	0.32	0.54	40
C22-649	791.80	792.90	1.10	5	0.01	0.17	0.26	20
C22-649	792.90	793.75	0.85	2	0.00	0.01	0.02	3
C22-649	793.75	794.85	1.10	2	0.01	0.01	0.02	3
C22-649	794.85	795.50	0.65	138	0.10	0.50	0.26	171
C22-649	795.50	797.10	1.60	1	0.01	0.03	0.09	6
C22-649	797.10	798.15	1.05	4	0.01	0.13	0.24	17
C22-649	798.15	799.70	1.55	2	0.01	0.01	0.02	4
C22-649	799.70	800.50	0.80	9	0.01	0.47	0.43	40
C22-649	800.50	800.80	0.30	21	0.01	1.34	1.83	132
C22-649	800.80	802.10	1.30	3	0.01	0.04	0.07	7
C22-649	802.10	802.50	0.40	176	0.25	2.51	3.41	400
C22-649	802.50	803.10	0.60	6	0.01	0.16	0.47	29
C22-649	803.10	803.70	0.60	4	0.01	0.15	0.22	18
C22-649	803.70	804.35	0.65	2	0.03	0.08	0.19	14
C22-649	804.35	806.35	2.00	2	0.00	0.01	0.05	4
C22-649	806.35	808.10	1.75	1	0.00	0.03	0.05	4
C22-649	808.10	808.45	0.35	9	0.03	0.36	0.43	38
C22-649	808.45	808.75	0.30	7	0.05	0.38	0.58	45
C22-649	808.75	809.10	0.35	2	0.02	0.03	0.05	6
C22-649	809.10	810.40	1.30	7	0.01	0.14	0.09	15
C22-649	810.40	811.20	0.80	14	0.01	0.45	0.46	46
C22-649	811.20	812.00	0.80	4	0.01	0.18	0.18	17
C22-649	812.00	813.30	1.30	12	0.02	0.51	0.91	64
C22-649	813.30	814.50	1.20	33	0.03	1.27	2.11	154
C22-649	814.50	815.45	0.95	58	0.07	2.67	2.91	254
C22-649	815.45	816.05	0.60	4	0.01	0.05	0.12	11
C22-649	816.05	816.50	0.45	47	0.10	3.41	5.26	357
C22-649	816.50	817.40	0.90	11	0.01	0.10	0.93	49
C22-649	817.40	818.10	0.70	36	0.42	0.16	6.09	298

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-649	818.10	818.80	0.70	29	0.87	0.15	6.77	350
C22-649	818.80	819.75	0.95	22	0.53	0.04	15.30	633
C22-649	819.75	820.20	0.45	6	0.12	0.02	4.86	196
C22-649	820.20	820.50	0.30	27	1.58	0.04	13.20	636
C22-649	820.50	820.80	0.30	3	0.02	0.01	1.26	51
C22-649	820.80	821.60	0.80	15	0.14	0.02	16.30	634
C22-649	821.60	822.05	0.45	5	0.09	0.01	3.47	142
C22-649	822.05	822.50	0.45	29	0.94	0.04	32.67	1,317
C22-649	822.50	823.60	1.10	2	0.01	0.01	1.14	45
C22-649	823.60	824.35	0.75	18	0.99	0.03	13.90	610
C22-649	824.35	825.35	1.00	1	0.01	0.00	0.23	10
C22-649	825.35	826.10	0.75	0	0.00	0.00	0.18	7
C22-649	826.10	827.10	1.00	2	0.00	0.02	0.17	9
C22-649	827.10	828.85	1.75	3	0.00	0.10	0.23	15
C22-649	828.85	829.50	0.65	38	0.19	0.37	2.88	171
C22-649	829.50	830.90	1.40	14	0.01	0.31	1.30	73
C22-649	830.90	832.50	1.60	109	0.05	3.13	6.76	462
C22-649	832.50	833.55	1.05	41	0.06	0.65	3.58	199
C22-649	833.55	834.15	0.60	6	0.01	0.12	0.38	24
C22-649	834.15	835.25	1.10	2	0.00	0.05	0.11	8
C22-649	835.25	836.25	1.00	1	0.00	0.02	0.14	7
C22-649	836.25	836.60	0.35	14	0.02	0.31	0.82	55
C22-649	836.60	837.30	0.70	2	0.00	0.02	0.17	9
C22-649	837.30	837.85	0.55	13	0.02	0.04	1.51	71
C22-649	837.85	839.60	1.75	2	0.01	0.03	0.16	9
C22-649	839.60	841.60	2.00	0	0.00	0.00	0.04	2
C22-649	841.60	843.60	2.00	0	0.00	0.00	0.03	2
C22-649	843.60	845.60	2.00	1	0.00	0.01	0.07	4
C22-649	845.60	847.60	2.00	1	0.00	0.01	0.06	3
C22-649	847.60	849.40	1.80	0	0.00	0.01	0.06	3
C22-649	849.40	850.55	1.15	1	0.00	0.01	0.07	3
C22-649	850.55	852.45	1.90	0	0.00	0.00	0.07	3
C22-649	852.45	853.90	1.45	1	0.00	0.01	0.11	5
C22-649	853.90	854.50	0.60	3	0.02	0.02	0.44	21
C22-649	854.50	855.10	0.60	0	0.00	0.00	0.04	2
C22-649	855.10	855.40	0.30	30	0.09	0.09	4.84	219
C22-649	855.40	856.80	1.40	1	0.01	0.01	0.10	6
C22-649	856.80	857.15	0.35	41	0.18	0.12	14.70	606
C22-649	857.15	857.65	0.50	14	0.02	0.04	2.31	102
C22-649	857.65	858.15	0.50	5	0.02	0.01	0.57	28
C22-649	858.15	860.00	1.85	1	0.01	0.01	0.32	14
C22-649	860.00	862.00	2.00	1	0.01	0.01	0.11	5
C22-649	862.00	863.85	1.85	1	0.00	0.00	0.03	2
C22-649	863.85	864.95	1.10	0	0.00	0.00	0.02	1
C22-649	864.95	866.40	1.45	6	0.04	0.03	0.25	19
C22-649	866.40	868.40	2.00	1	0.00	0.00	0.03	2
C22-649	868.40	869.90	1.50	2	0.00	0.02	0.09	6
C22-649	869.90	871.20	1.30	2	0.00	0.01	0.08	5
C22-649	871.20	871.95	0.75	1	0.00	0.01	0.05	4

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-649	871.95	872.75	0.80	1	0.01	0.01	0.05	4
C22-649	872.75	874.20	1.45	1	0.00	0.01	0.06	4
C22-649	874.20	874.80	0.60	2	0.01	0.01	0.05	4
C22-649	874.80	875.85	1.05	1	0.00	0.00	0.02	2
C22-649	875.85	877.40	1.55	3	0.00	0.07	0.41	21
C22-649	877.40	878.35	0.95	1	0.00	0.00	0.01	1
C22-649	878.35	878.95	0.60	1	0.00	0.01	0.01	2
C22-649	878.95	880.15	1.20	1	0.00	0.01	0.01	1
C22-650	0.00	1.65	1.65	10	0.03	0.11	0.11	19
C22-650	1.65	2.20	0.55	8	0.03	0.25	0.39	32
C22-650	2.20	3.75	1.55	16	0.05	0.19	0.08	29
C22-650	3.75	4.30	0.55	15	0.08	0.39	0.20	41
C22-650	4.30	5.40	1.10	16	0.11	0.32	0.07	36
C22-650	5.40	6.60	1.20	20	0.17	0.36	0.05	45
C22-650	6.60	7.00	0.40	19	0.18	0.53	0.19	56
C22-650	7.00	8.50	1.50	11	0.16	0.18	0.14	34
C22-650	8.50	9.00	0.50	11	0.12	0.10	0.11	27
C22-650	9.00	9.45	0.45	13	0.14	0.15	0.07	30
C22-650	9.45	10.15	0.70	9	0.09	0.22	0.14	27
C22-650	10.15	11.10	0.95	9	0.08	0.14	0.10	22
C22-650	11.10	11.75	0.65	9	0.21	0.13	0.07	31
C22-650	11.75	12.60	0.85	9	0.10	0.10	0.11	23
C22-650	12.60	13.80	1.20	11	0.03	0.08	0.05	17
C22-650	13.80	14.60	0.80	11	0.48	0.13	0.02	50
C22-650	14.60	15.30	0.70	10	0.03	0.23	0.03	20
C22-650	15.30	16.25	0.95	9	0.01	0.15	0.04	16
C22-650	16.25	16.75	0.50	11	0.01	0.19	0.07	20
C22-650	16.75	17.95	1.20	11	0.01	0.13	0.03	17
C22-650	17.95	19.75	1.80	14	0.11	0.16	0.05	29
C22-650	19.75	20.25	0.50	15	0.21	1.30	0.43	86
C22-650	20.25	21.00	0.75	13	0.12	0.16	0.06	29
C22-650	21.00	22.60	1.60	9	0.07	0.22	0.09	24
C22-650	22.60	23.55	0.95	9	0.03	0.31	0.05	22
C22-650	23.55	24.40	0.85	8	0.31	0.35	0.02	42
C22-650	24.40	25.10	0.70	17	0.30	0.54	0.02	56
C22-650	25.10	25.55	0.45	13	0.14	0.61	0.04	43
C22-650	25.55	26.50	0.95	8	0.05	0.08	0.02	15
C22-650	26.50	26.80	0.30	8	0.07	0.08	0.02	16
C22-650	26.80	27.80	1.00	9	0.07	0.18	0.04	21
C22-650	27.80	28.55	0.75	10	0.05	0.12	0.03	18
C22-650	28.55	29.20	0.65	8	0.03	0.04	0.02	12
C22-650	29.20	30.10	0.90	8	0.02	0.04	0.03	11
C22-650	30.10	30.50	0.40	8	0.02	0.06	0.05	13
C22-650	30.50	31.40	0.90	8	0.06	0.16	0.05	19
C22-650	31.40	32.50	1.10	7	0.02	0.22	0.04	17
C22-650	32.50	32.95	0.45	7	0.01	0.26	0.03	17
C22-650	32.95	33.35	0.40	7	0.01	0.13	0.06	15
C22-650	33.35	33.70	0.35	21	0.26	0.09	0.02	43
C22-650	33.70	34.15	0.45	7	0.15	0.48	0.02	33

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-650	34.15	35.10	0.95	7	0.11	0.28	0.04	25
C22-650	35.10	35.45	0.35	7	0.01	0.22	0.02	16
C22-650	35.45	35.85	0.40	8	0.02	0.20	0.01	16
C22-650	35.85	36.20	0.35	8	0.04	0.22	0.02	19
C22-650	36.20	36.75	0.55	9	0.08	0.19	0.02	21
C22-650	36.75	37.45	0.70	10	0.07	0.42	0.03	28
C22-650	37.45	38.80	1.35	9	0.05	0.16	0.07	20
C22-650	38.80	39.55	0.75	11	0.04	0.13	0.09	21
C22-650	39.55	40.35	0.80	10	0.06	0.15	0.06	21
C22-650	40.35	41.35	1.00	9	0.06	0.20	0.05	21
C22-650	41.35	42.25	0.90	9	0.04	0.22	0.04	21
C22-650	42.25	42.80	0.55	9	0.01	0.18	0.11	19
C22-650	42.80	43.45	0.65	10	0.05	0.11	0.07	19
C22-650	43.45	44.25	0.80	12	0.06	0.12	0.05	22
C22-650	44.25	44.65	0.40	85	0.03	0.12	0.10	95
C22-650	44.65	45.70	1.05	13	0.07	0.15	0.06	25
C22-650	45.70	46.05	0.35	112	0.05	0.14	0.06	122
C22-650	46.05	46.60	0.55	8	0.04	0.18	0.05	18
C22-650	46.60	46.90	0.30	8	0.04	0.11	0.07	16
C22-650	46.90	47.55	0.65	9	0.04	0.15	0.05	19
C22-650	47.55	48.05	0.50	10	0.02	0.21	0.03	19
C22-650	48.05	48.60	0.55	10	0.04	0.68	0.19	41
C22-650	48.60	49.35	0.75	10	0.22	0.17	0.05	33
C22-650	49.35	50.75	1.40	11	0.08	0.10	0.10	23
C22-650	50.75	52.75	2.00	9	0.09	0.06	0.08	21
C22-650	52.75	54.00	1.25	9	0.12	0.09	0.09	24
C22-650	54.00	55.10	1.10	14	0.05	0.12	0.09	25
C22-650	55.10	55.90	0.80	9	0.07	0.12	0.22	26
C22-650	55.90	57.90	2.00	8	0.09	0.04	0.08	19
C22-650	57.90	58.95	1.05	7	0.05	0.06	0.08	16
C22-650	58.95	60.30	1.35	7	0.17	0.04	0.04	22
C22-650	60.30	62.30	2.00	8	0.06	0.06	0.08	17
C22-650	62.30	63.55	1.25	16	0.07	0.05	0.06	24
C22-650	63.55	64.90	1.35	9	0.07	0.06	0.07	18
C22-650	64.90	66.50	1.60	18	0.04	0.09	0.14	29
C22-650	66.50	68.60	2.10	5	0.02	0.07	0.14	14
C22-650	68.60	70.40	1.80	9	0.02	0.07	0.13	17
C22-650	70.40	72.30	1.90	14	0.03	0.06	0.24	28
C22-650	72.30	73.80	1.50	11	0.04	0.04	0.21	23
C22-650	73.80	75.80	2.00	6	0.02	0.04	0.24	18
C22-650	75.80	77.80	2.00	5	0.02	0.05	0.22	16
C22-650	77.80	79.80	2.00	3	0.02	0.04	0.15	11
C22-650	79.80	81.30	1.50	6	0.02	0.06	0.16	15
C22-650	81.30	82.05	0.75	33	0.03	0.06	0.19	44
C22-650	82.05	84.00	1.95	9	0.05	0.04	0.14	19
C22-650	84.00	85.30	1.30	7	0.07	0.06	0.04	15
C22-650	85.30	86.65	1.35	4	0.04	0.07	0.06	11
C22-650	86.65	88.15	1.50	4	0.04	0.05	0.11	12
C22-650	88.15	89.80	1.65	8	0.02	0.15	0.12	18

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-650	89.80	91.35	1.55	4	0.03	0.05	0.16	13
C22-650	91.35	92.85	1.50	4	0.04	0.06	0.21	16
C22-650	92.85	93.60	0.75	3	0.04	0.08	0.18	15
C22-650	93.60	95.45	1.85	5	0.08	0.06	0.30	24
C22-650	95.45	95.75	0.30	22	0.05	0.11	0.14	34
C22-650	95.75	96.85	1.10	3	0.06	0.02	0.02	9
C22-650	96.85	97.20	0.35	2	0.08	0.02	0.04	10
C22-650	97.20	99.20	2.00	2	0.08	0.05	0.12	14
C22-650	99.20	101.20	2.00	8	0.15	0.13	0.78	51
C22-650	101.20	102.70	1.50	12	0.06	0.12	0.70	46
C22-650	102.70	103.05	0.35	5	0.02	0.09	1.36	60
C22-650	103.05	104.05	1.00	2	0.02	0.02	0.44	21
C22-650	104.05	105.20	1.15	2	0.03	0.04	0.14	10
C22-650	105.20	105.95	0.75	20	0.24	0.15	0.30	54
C22-650	105.95	107.70	1.75	8	0.08	0.10	0.29	28
C22-650	107.70	109.40	1.70	3	0.03	0.03	0.08	9
C22-650	109.40	110.15	0.75	16	0.03	0.09	0.11	25
C22-650	110.15	112.10	1.95	20	0.16	0.11	0.63	59
C22-650	112.10	112.50	0.40	12	0.22	0.13	0.76	61
C22-650	112.50	114.40	1.90	25	0.22	0.29	0.71	77
C22-650	114.40	114.75	0.35	21	0.07	0.59	1.30	93
C22-650	114.75	116.30	1.55	19	0.06	0.17	1.21	73
C22-650	116.30	117.60	1.30	28	0.18	0.34	0.64	76
C22-650	117.60	118.55	0.95	3	0.01	0.07	0.12	10
C22-650	118.55	120.55	2.00	7	0.08	0.16	0.40	33
C22-650	120.55	122.55	2.00	9	0.03	0.18	0.39	31
C22-650	122.55	124.40	1.85	4	0.04	0.04	0.28	18
C22-650	124.40	125.20	0.80	13	0.05	0.10	0.87	52
C22-650	125.20	125.55	0.35	10	0.07	0.08	0.64	42
C22-650	125.55	125.85	0.30	6	0.03	0.11	1.15	54
C22-650	125.85	126.15	0.30	54	0.10	0.71	4.07	235
C22-650	126.15	126.85	0.70	7	0.04	0.05	0.54	32
C22-650	126.85	127.35	0.50	5	0.02	0.04	0.36	21
C22-650	127.35	127.75	0.40	4	0.03	0.03	0.22	16
C22-650	127.75	129.00	1.25	1	0.02	0.02	0.15	9
C22-650	129.00	130.05	1.05	6	0.03	0.15	0.21	21
C22-650	130.05	130.95	0.90	7	0.03	0.21	0.24	24
C22-650	130.95	132.50	1.55	5	0.02	0.11	0.18	17
C22-650	132.50	133.60	1.10	2	0.02	0.04	0.07	7
C22-650	133.60	135.00	1.40	6	0.02	0.17	0.26	22
C22-650	135.00	137.00	2.00	2	0.02	0.06	0.14	10
C22-650	137.00	138.90	1.90	2	0.02	0.05	0.10	9
C22-650	138.90	140.90	2.00	3	0.02	0.06	0.14	11
C22-650	140.90	142.75	1.85	1	0.01	0.02	0.07	5
C22-650	142.75	143.15	0.40	89	0.49	0.20	0.14	136
C22-650	143.15	144.50	1.35	1	0.01	0.01	0.09	5
C22-650	144.50	146.00	1.50	7	0.06	0.05	0.29	24
C22-650	146.00	147.25	1.25	1	0.02	0.01	0.13	8
C22-650	147.25	147.80	0.55	64	0.07	0.08	0.25	80

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release

*Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-650	147.80	148.30	0.50	14	0.06	0.12	0.20	29
C22-650	148.30	149.50	1.20	2	0.02	0.02	0.15	9
C22-650	149.50	150.25	0.75	51	0.09	0.09	0.16	66
C22-650	150.25	150.70	0.45	6	0.04	0.11	0.36	25
C22-650	150.70	152.70	2.00	12	0.03	0.15	0.27	29
C22-650	152.70	153.70	1.00	89	0.10	0.53	0.23	121
C22-650	153.70	155.25	1.55	5	0.03	0.09	0.14	15
C22-650	155.25	157.25	2.00	3	0.03	0.05	0.20	15
C22-650	157.25	158.55	1.30	2	0.02	0.02	0.19	11
C22-650	158.55	158.85	0.30	2	0.02	0.02	0.10	7
C22-650	158.85	159.85	1.00	1	0.02	0.01	0.09	6
C22-650	159.85	161.85	2.00	4	0.05	0.08	0.21	18
C22-650	161.85	163.85	2.00	2	0.02	0.01	0.10	7
C22-650	163.85	165.85	2.00	1	0.02	0.02	0.03	4
C22-650	165.85	167.85	2.00	2	0.01	0.03	0.07	6
C22-650	167.85	169.00	1.15	1	0.02	0.02	0.02	3
C22-650	169.00	170.15	1.15	3	0.01	0.02	0.15	10
C22-650	170.15	170.90	0.75	4	0.02	0.03	0.29	17
C22-650	170.90	171.20	0.30	3	0.01	0.03	0.14	11
C22-650	171.20	171.50	0.30	112	0.16	1.31	4.34	326
C22-650	171.50	173.50	2.00	6	0.02	0.08	0.17	16
C22-650	173.50	175.50	2.00	5	0.01	0.06	0.17	14
C22-650	175.50	177.50	2.00	5	0.01	0.08	0.22	17
C22-650	177.50	179.50	2.00	5	0.01	0.06	0.21	15
C22-650	179.50	181.50	2.00	5	0.03	0.03	0.41	24
C22-650	181.50	183.00	1.50	26	0.03	0.09	0.31	42
C22-650	183.00	183.90	0.90	4	0.04	0.03	0.23	16
C22-650	183.90	185.90	2.00	2	0.01	0.02	0.08	7
C22-650	185.90	187.90	2.00	1	0.01	0.01	0.02	3
C22-650	187.90	189.90	2.00	3	0.01	0.02	0.03	6
C22-650	189.90	191.90	2.00	1	0.01	0.00	0.01	2
C22-650	191.90	193.85	1.95	4	0.02	0.04	0.10	10
C22-650	193.85	194.15	0.30	99	0.10	1.57	1.65	217
C22-650	194.15	194.90	0.75	7	0.03	0.09	0.45	29
C22-650	194.90	196.60	1.70	2	0.02	0.01	0.05	5
C22-650	196.60	198.50	1.90	1	0.01	0.00	0.01	2
C22-650	198.50	198.80	0.30	1	0.02	0.00	0.01	3
C22-650	198.80	200.80	2.00	1	0.01	0.00	0.01	1
C22-650	200.80	201.50	0.70	0	0.00	0.00	0.01	1
C22-650	201.50	202.95	1.45	0	0.00	0.00	0.01	1
C22-650	202.95	204.25	1.30	3	0.02	0.02	0.06	6
C22-650	204.25	206.15	1.90	2	0.02	0.02	0.03	5
C22-650	206.15	207.50	1.35	3	0.02	0.03	0.04	6
C22-650	207.50	209.45	1.95	2	0.02	0.02	0.03	4
C22-650	209.45	210.00	0.55	3	0.02	0.03	0.04	7
C22-650	210.00	212.00	2.00	1	0.01	0.01	0.01	2
C22-650	212.00	214.00	2.00	1	0.01	0.00	0.03	3
C22-650	214.00	215.55	1.55	5	0.02	0.03	0.04	9
C22-650	215.55	215.95	0.40	1	0.00	0.11	0.15	10

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-650	215.95	216.90	0.95	8	0.01	0.05	0.07	13
C22-650	216.90	218.15	1.25	2	0.01	0.02	0.03	5
C22-650	218.15	219.25	1.10	10	0.03	0.09	0.06	17
C22-650	219.25	220.45	1.20	17	0.02	0.08	0.09	24
C22-650	220.45	221.35	0.90	16	0.01	0.07	0.08	22
C22-650	221.35	222.50	1.15	3	0.01	0.02	0.02	5
C22-650	222.50	223.45	0.95	11	0.03	0.05	0.04	16
C22-650	223.45	224.65	1.20	3	0.01	0.02	0.03	5
C22-650	224.65	226.50	1.85	7	0.04	0.06	0.04	13
C22-650	226.50	228.10	1.60	7	0.01	0.03	0.04	10
C22-650	228.10	228.95	0.85	3	0.02	0.03	0.07	8
C22-650	228.95	229.35	0.40	9	0.02	0.07	0.11	16
C22-650	229.35	231.30	1.95	2	0.01	0.02	0.03	5
C22-650	231.30	232.40	1.10	1	0.01	0.02	0.02	4
C22-650	232.40	234.10	1.70	0	0.00	0.01	0.01	1
C22-650	234.10	236.10	2.00	1	0.00	0.02	0.02	3
C22-650	236.10	237.45	1.35	1	0.01	0.03	0.04	4
C22-650	237.45	239.20	1.75	4	0.01	0.04	0.15	11
C22-650	239.20	239.55	0.35	12	0.02	0.07	0.94	51
C22-650	239.55	241.20	1.65	2	0.01	0.04	0.13	9
C22-650	241.20	242.75	1.55	1	0.01	0.02	0.04	3
C22-650	242.75	244.00	1.25	2	0.00	0.05	0.08	6
C22-650	244.00	245.50	1.50	2	0.01	0.03	0.05	6
C22-650	245.50	246.25	0.75	4	0.03	0.08	0.11	13
C22-650	246.25	246.70	0.45	16	0.01	0.16	0.91	56
C22-650	246.70	247.05	0.35	20	0.07	0.20	0.26	40
C22-650	247.05	248.75	1.70	5	0.02	0.06	0.23	17
C22-650	248.75	249.10	0.35	2	0.02	0.07	0.12	10
C22-650	249.10	250.15	1.05	2	0.02	0.06	0.05	7
C22-650	250.15	250.45	0.30	7	0.01	0.08	0.30	22
C22-650	250.45	250.75	0.30	44	0.12	0.15	0.32	69
C22-650	250.75	251.10	0.35	1	0.01	0.06	0.05	6
C22-650	251.10	252.30	1.20	1	0.01	0.03	0.03	4
C22-650	252.30	252.95	0.65	1	0.01	0.01	0.01	2
C22-650	252.95	253.25	0.30	4	0.01	0.08	0.04	8
C22-650	253.25	253.55	0.30	1	0.01	0.01	0.01	2
C22-650	253.55	253.85	0.30	24	0.02	0.41	0.03	40
C22-650	253.85	254.25	0.40	2	0.01	0.01	0.02	3
C22-650	254.25	254.55	0.30	54	0.05	1.00	1.21	133
C22-650	254.55	255.70	1.15	2	0.01	0.02	0.03	5
C22-650	255.70	256.00	0.30	5	0.01	0.05	0.05	9
C22-650	256.00	258.00	2.00	1	0.01	0.01	0.03	3
C22-650	258.00	258.40	0.40	1	0.01	0.04	0.03	4
C22-650	258.40	259.30	0.90	1	0.01	0.03	0.03	3
C22-650	259.30	260.90	1.60	2	0.02	0.03	0.06	7
C22-650	260.90	261.95	1.05	2	0.02	0.03	0.04	6
C22-650	261.95	263.40	1.45	1	0.01	0.01	0.02	3
C22-650	263.40	264.35	0.95	4	0.01	0.06	0.05	9
C22-650	264.35	266.35	2.00	0	0.00	0.00	0.01	1

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-650	266.35	267.25	0.90	0	0.01	0.00	0.02	2
C22-650	267.25	268.00	0.75	0	0.00	0.00	0.01	1
C22-650	268.00	268.85	0.85	1	0.01	0.01	0.03	4
C22-650	268.85	270.10	1.25	6	0.02	0.05	0.14	14
C22-650	270.10	270.80	0.70	5	0.03	0.05	0.12	13
C22-650	270.80	271.40	0.60	3	0.01	0.03	0.06	6
C22-650	271.40	271.90	0.50	3	0.01	0.06	0.09	8
C22-650	271.90	272.85	0.95	8	0.03	0.13	0.22	23
C22-650	272.85	273.15	0.30	6	0.03	0.14	0.26	22
C22-650	273.15	273.60	0.45	4	0.01	0.04	0.08	9
C22-650	273.60	275.60	2.00	4	0.02	0.06	0.12	12
C22-650	275.60	276.35	0.75	4	0.03	0.05	0.08	11
C22-650	276.35	276.75	0.40	77	0.19	0.67	0.14	116
C22-650	276.75	277.10	0.35	48	0.12	0.67	0.14	83
C22-650	277.10	278.20	1.10	2	0.03	0.02	0.02	6
C22-650	278.20	278.50	0.30	9	0.09	0.11	0.05	21
C22-650	278.50	280.50	2.00	1	0.02	0.01	0.01	3
C22-650	280.50	282.50	2.00	2	0.04	0.02	0.02	6
C22-650	282.50	284.50	2.00	2	0.02	0.01	0.02	5
C22-650	284.50	284.80	0.30	23	0.23	0.39	0.02	52
C22-650	284.80	286.80	2.00	2	0.03	0.02	0.01	5
C22-650	286.80	288.80	2.00	3	0.01	0.04	0.08	8
C22-650	288.80	289.80	1.00	2	0.02	0.04	0.05	7
C22-650	289.80	291.40	1.60	10	0.02	0.11	0.14	20
C22-650	291.40	291.90	0.50					0
C22-650	291.90	292.45	0.55	44	0.07	1.68	5.54	308
C22-650	292.45	292.95	0.50	69	0.20	0.72	0.34	118
C22-650	292.95	294.00	1.05	10	0.04	0.09	0.10	19
C22-650	294.00	294.65	0.65	3	0.02	0.05	0.09	8
C22-650	294.65	296.40	1.75	2	0.02	0.02	0.05	6
C22-650	296.40	297.25	0.85	1	0.01	0.00	0.01	1
C22-650	297.25	299.25	2.00	3	0.02	0.03	0.12	10
C22-650	299.25	301.15	1.90	2	0.01	0.03	0.08	7
C22-650	301.15	301.55	0.40	2	0.01	0.02	0.09	6
C22-650	301.55	303.00	1.45	1	0.01	0.01	0.05	4
C22-650	303.00	303.85	0.85	1	0.01	0.00	0.02	2
C22-650	303.85	304.60	0.75	2	0.02	0.02	0.03	5
C22-650	304.60	306.20	1.60	3	0.01	0.02	0.05	6
C22-650	306.20	306.70	0.50	5	0.01	0.03	0.20	14
C22-650	306.70	307.10	0.40	6	0.02	0.04	0.03	9
C22-650	307.10	307.70	0.60	8	0.05	0.11	0.30	26
C22-650	307.70	309.00	1.30	3	0.01	0.03	0.05	6
C22-650	309.00	309.30	0.30	17	0.08	0.14	0.85	59
C22-650	309.30	310.85	1.55	5	0.02	0.03	0.06	10
C22-650	310.85	312.30	1.45	2	0.02	0.02	0.04	6
C22-650	312.30	313.55	1.25	8	0.04	0.10	0.23	22
C22-650	313.55	314.65	1.10	4	0.01	0.06	0.12	11
C22-650	314.65	315.20	0.55	6	0.02	0.06	0.12	14
C22-650	315.20	315.70	0.50	4	0.05	0.07	0.06	12

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-650	315.70	316.95	1.25	10	0.02	0.07	0.14	18
C22-650	316.95	317.65	0.70	4	0.01	0.03	0.05	8
C22-650	317.65	318.10	0.45	16	0.02	0.32	0.51	47
C22-650	318.10	318.85	0.75	5	0.02	0.07	0.11	13
C22-650	318.85	319.25	0.40	8	0.03	0.07	0.35	25
C22-650	319.25	320.85	1.60	11	0.02	0.12	0.12	21
C22-650	320.85	322.50	1.65	4	0.01	0.04	0.10	10
C22-650	322.50	324.20	1.70	3	0.02	0.01	0.03	6
C22-650	324.20	325.10	0.90	8	0.02	0.08	0.13	17
C22-650	325.10	325.85	0.75	3	0.04	0.02	0.03	8
C22-650	325.85	326.15	0.30	172	1.79	4.94	1.28	503
C22-650	326.15	327.25	1.10	10	0.07	0.15	0.16	25
C22-650	327.25	328.25	1.00	59	0.35	0.83	4.25	268
C22-650	328.25	329.55	1.30	11	0.09	0.14	0.37	36
C22-650	329.55	331.15	1.60	9	0.04	0.08	0.15	20
C22-650	331.15	331.65	0.50	9	0.03	0.15	0.20	23
C22-650	331.65	332.05	0.40	10	0.04	0.11	0.26	25
C22-650	332.05	332.45	0.40	19	0.02	0.22	0.41	43
C22-650	332.45	333.45	1.00	22	0.06	0.35	0.35	50
C22-650	333.45	333.95	0.50	19	0.04	0.27	0.27	40
C22-650	333.95	334.25	0.30	5	0.02	0.07	0.07	12
C22-650	334.25	334.85	0.60	4	0.01	0.05	0.11	11
C22-650	334.85	335.25	0.40	4	0.03	0.07	0.02	9
C22-650	335.25	336.00	0.75	5	0.02	0.06	0.11	13
C22-650	336.00	337.00	1.00	3	0.03	0.02	0.03	7
C22-650	337.00	337.65	0.65	2	0.03	0.02	0.04	6
C22-650	337.65	339.30	1.65	5	0.02	0.06	0.13	13
C22-650	339.30	339.60	0.30	12	0.07	0.16	0.21	30
C22-650	339.60	341.55	1.95	5	0.02	0.07	0.13	14
C22-650	341.55	342.15	0.60	1	0.01	0.01	0.01	2
C22-650	342.15	344.10	1.95	3	0.03	0.02	0.12	10
C22-650	344.10	345.60	1.50	2	0.02	0.01	0.01	4
C22-650	345.60	345.90	0.30	18	0.12	0.32	0.15	42
C22-650	345.90	347.20	1.30	1	0.01	0.00	0.01	1
C22-650	347.20	349.10	1.90	1	0.01	0.01	0.03	3
C22-650	349.10	350.65	1.55	4	0.01	0.02	0.02	6
C22-650	350.65	351.85	1.20	1	0.01	0.01	0.01	2
C22-650	351.85	353.25	1.40	8	0.02	0.13	0.16	19
C22-650	353.25	354.00	0.75	4	0.01	0.06	0.11	11
C22-650	354.00	355.50	1.50	5	0.03	0.06	0.13	14
C22-650	355.50	357.10	1.60	3	0.02	0.03	0.01	5
C22-650	357.10	357.70	0.60	1	0.02	0.01	0.00	3
C22-650	357.70	358.45	0.75	1	0.02	0.00	0.00	3
C22-650	358.45	360.00	1.55	1	0.01	0.01	0.03	3
C22-650	360.00	361.25	1.25	1	0.01	0.00	0.01	1
C22-650	361.25	362.80	1.55	1	0.01	0.01	0.02	3
C22-650	362.80	364.10	1.30	1	0.01	0.01	0.01	3
C22-650	364.10	365.10	1.00	2	0.02	0.01	0.02	5
C22-650	365.10	366.00	0.90	6	0.02	0.10	0.32	22

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release

*Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-650	366.00	366.95	0.95	7	0.02	0.10	0.24	20
C22-650	366.95	368.70	1.75	2	0.02	0.01	0.02	4
C22-650	368.70	370.25	1.55	1	0.01	0.01	0.03	3
C22-650	370.25	372.00	1.75	1	0.01	0.01	0.04	3
C22-650	372.00	373.05	1.05	1	0.01	0.01	0.02	2
C22-650	373.05	373.35	0.30	1	0.00	0.01	0.12	6
C22-650	373.35	373.65	0.30	1	0.01	0.01	0.01	2
C22-650	373.65	375.30	1.65	1	0.01	0.01	0.01	2
C22-650	375.30	376.60	1.30	2	0.01	0.02	0.03	5
C22-650	376.60	377.90	1.30	1	0.00	0.01	0.02	2
C22-650	377.90	378.40	0.50	2	0.01	0.10	0.05	8
C22-650	378.40	380.25	1.85	1	0.01	0.01	0.01	2
C22-650	380.25	381.55	1.30	1	0.01	0.02	0.03	4
C22-650	381.55	383.00	1.45	3	0.01	0.06	0.03	7
C22-650	383.00	384.40	1.40	1	0.03	0.01	0.01	3
C22-650	384.40	384.70	0.30	146	0.30	2.65	2.36	338
C22-650	384.70	385.05	0.35	6	0.03	0.12	0.16	18
C22-650	385.05	385.70	0.65	3	0.02	0.04	0.03	7
C22-650	385.70	387.10	1.40	1	0.01	0.01	0.02	2
C22-650	387.10	387.70	0.60	1	0.01	0.01	0.02	3
C22-650	387.70	389.20	1.50	2	0.02	0.02	0.01	4
C22-650	389.20	391.20	2.00	0	0.00	0.00	0.01	1
C22-650	391.20	393.20	2.00	0	0.00	0.00	0.00	1
C22-650	393.20	394.90	1.70	0	0.01	0.00	0.01	1
C22-650	394.90	396.65	1.75	1	0.02	0.02	0.04	4
C22-650	396.65	397.00	0.35	11	0.16	0.21	0.30	40
C22-650	397.00	397.30	0.30	84	0.09	1.14	0.23	134
C22-650	397.30	398.35	1.05	67	0.08	1.08	0.82	137
C22-650	398.35	399.00	0.65	14	0.06	0.25	0.03	27
C22-650	399.00	399.75	0.75	14	0.06	0.23	0.12	30
C22-650	399.75	401.25	1.50	4	0.01	0.06	0.05	8
C22-650	401.25	402.20	0.95	1	0.00	0.01	0.02	2
C22-650	402.20	402.75	0.55	1	0.01	0.01	0.01	2
C22-650	402.75	403.95	1.20	1	0.01	0.01	0.02	2
C22-650	403.95	404.25	0.30	2	0.01	0.03	0.48	21
C22-650	404.25	406.05	1.80	1	0.01	0.01	0.06	4
C22-650	406.05	407.70	1.65	0	0.02	0.00	0.01	2
C22-650	407.70	408.00	0.30	3	0.01	0.06	0.81	35
C22-650	408.00	409.55	1.55	1	0.01	0.01	0.01	2
C22-650	409.55	410.30	0.75	3	0.01	0.07	0.08	10
C22-650	410.30	411.55	1.25	0	0.00	0.00	0.01	1
C22-650	411.55	412.50	0.95	0	0.01	0.00	0.01	1
C22-650	412.50	414.00	1.50	1	0.01	0.01	0.01	2
C22-650	414.00	414.70	0.70	1	0.01	0.01	0.01	1
C22-650	414.70	415.35	0.65	1	0.01	0.00	0.01	1
C22-650	415.35	417.00	1.65	8	0.01	0.09	0.07	14
C22-650	417.00	419.00	2.00	1	0.01	0.02	0.03	3
C22-650	419.00	420.00	1.00	1	0.01	0.02	0.09	6
C22-650	420.00	422.10	2.10	3	0.01	0.05	0.05	7

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-650	422.10	423.00	0.90	1	0.01	0.01	0.02	3
C22-650	423.00	424.45	1.45	1	0.02	0.01	0.03	4
C22-650	424.45	425.65	1.20	2	0.01	0.03	0.09	7
C22-650	425.65	427.75	2.10	6	0.01	0.12	0.23	19
C22-650	427.75	429.40	1.65	1	0.01	0.02	0.06	4
C22-650	429.40	430.65	1.25	0	0.00	0.00	0.01	1
C22-650	430.65	431.70	1.05	1	0.00	0.00	0.01	1
C22-650	431.70	432.15	0.45	0	0.00	0.00	0.01	1
C22-650	432.15	434.10	1.95	1	0.01	0.00	0.01	2
C22-650	434.10	434.50	0.40	1	0.01	0.00	0.03	3
C22-650	434.50	436.15	1.65	1	0.02	0.01	0.06	5
C22-650	436.15	438.15	2.00	1	0.01	0.01	0.03	3
C22-650	438.15	438.75	0.60	1	0.02	0.00	0.02	3
C22-650	438.75	441.00	2.25	1	0.01	0.01	0.04	4
C22-650	441.00	441.85	0.85	2	0.04	0.02	0.02	6
C22-650	441.85	442.90	1.05	1	0.01	0.00	0.02	2
C22-650	442.90	443.90	1.00	2	0.00	0.01	0.02	3
C22-650	443.90	444.70	0.80	1	0.01	0.00	0.01	2
C22-650	444.70	446.55	1.85	0	0.00	0.00	0.00	1
C22-650	446.55	446.90	0.35	1	0.01	0.00	0.03	3
C22-650	446.90	447.25	0.35	1	0.01	0.01	0.04	3
C22-650	447.25	448.20	0.95	2	0.01	0.00	0.02	4
C22-650	448.20	448.80	0.60	3	0.00	0.01	0.05	5
C22-650	448.80	449.40	0.60	3	0.01	0.01	0.04	5
C22-650	449.40	450.00	0.60	1	0.01	0.00	0.02	2
C22-650	450.00	451.30	1.30	1	0.00	0.00	0.03	2
C22-650	451.30	452.60	1.30	2	0.01	0.01	0.05	5
C22-650	452.60	453.50	0.90	2	0.01	0.00	0.01	3
C22-650	453.50	453.85	0.35	5	0.01	0.00	0.00	6
C22-650	453.85	455.60	1.75	2	0.02	0.01	0.02	4
C22-650	455.60	456.35	0.75	7	0.03	0.21	0.30	27
C22-650	456.35	458.35	2.00	1	0.01	0.02	0.01	3
C22-650	458.35	460.35	2.00	1	0.01	0.01	0.01	2
C22-650	460.35	462.15	1.80	2	0.01	0.05	0.06	6
C22-650	462.15	462.45	0.30	1	0.01	0.02	0.03	3
C22-650	462.45	463.10	0.65	2	0.01	0.05	0.03	5
C22-650	463.10	463.80	0.70	1	0.00	0.01	0.01	1
C22-650	463.80	464.10	0.30	9	0.04	0.20	0.37	31
C22-650	464.10	466.10	2.00	0	0.00	0.00	0.01	1
C22-650	466.10	467.70	1.60	0	0.01	0.00	0.01	1
C22-650	467.70	468.00	0.30	2	0.01	0.01	0.03	3
C22-650	468.00	470.00	2.00	1	0.01	0.00	0.01	1
C22-650	470.00	471.00	1.00	0	0.00	0.00	0.00	0
C22-650	471.00	471.35	0.35	0	0.01	0.00	0.00	1
C22-650	471.35	472.75	1.40	0	0.01	0.00	0.00	1
C22-650	472.75	473.40	0.65	1	0.00	0.00	0.00	1
C22-650	473.40	474.95	1.55	2	0.01	0.02	0.18	9
C22-650	474.95	475.25	0.30	2	0.01	0.02	0.01	4
C22-650	475.25	476.10	0.85	1	0.00	0.00	0.01	1

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release

*Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-650	476.10	477.50	1.40	1	0.00	0.00	0.01	1
C22-650	477.50	477.80	0.30	1	0.00	0.01	0.03	2
C22-650	477.80	479.80	2.00	1	0.00	0.01	0.03	2
C22-650	479.80	480.50	0.70	0	0.01	0.00	0.01	2
C22-650	480.50	482.05	1.55	0	0.01	0.01	0.01	1
C22-650	482.05	483.70	1.65	0	0.00	0.01	0.00	1
C22-650	483.70	484.10	0.40	0	0.01	0.00	0.00	1
C22-650	484.10	484.50	0.40	0	0.00	0.00	0.00	1
C22-650	484.50	484.80	0.30	1	0.01	0.01	0.00	2
C22-650	484.80	485.75	0.95	1	0.01	0.00	0.00	1
C22-650	485.75	486.55	0.80	0	0.01	0.00	0.00	1
C22-650	486.55	487.15	0.60	1	0.01	0.01	0.00	2
C22-650	487.15	489.15	2.00	0	0.01	0.00	0.00	1
C22-650	489.15	490.25	1.10	0	0.01	0.00	0.00	1
C22-650	490.25	491.55	1.30	0	0.01	0.00	0.00	1
C22-650	491.55	492.20	0.65	0	0.00	0.00	0.01	1
C22-650	492.20	494.20	2.00	0	0.00	0.00	0.00	1
C22-650	494.20	496.20	2.00	0	0.01	0.00	0.00	1
C22-650	496.20	498.20	2.00	0	0.00	0.00	0.00	1
C22-650	498.20	499.50	1.30	0	0.00	0.00	0.00	0
C22-650	499.50	501.00	1.50	0	0.00	0.00	0.01	1
C22-651	0.00	2.30	2.30	8	0.02	0.03	0.17	17
C22-651	2.30	4.30	2.00	8	0.09	0.05	0.08	19
C22-651	4.30	5.90	1.60	39	0.12	0.08	0.11	54
C22-651	5.90	7.50	1.60	13	0.03	0.02	0.12	20
C22-651	7.50	8.70	1.20	8	0.02	0.01	0.16	15
C22-651	8.70	9.75	1.05	10	0.02	0.01	0.10	15
C22-651	9.75	12.00	2.25	21	0.06	0.02	0.04	27
C22-651	12.00	13.60	1.60	25	0.04	0.01	0.05	29
C22-651	13.60	14.50	0.90	38	0.06	0.07	0.16	50
C22-651	14.50	16.05	1.55	18	0.04	0.03	0.04	23
C22-651	16.05	16.80	0.75	19	0.10	0.10	0.13	34
C22-651	16.80	18.00	1.20	29	0.05	0.04	0.06	37
C22-651	18.00	18.75	0.75	29	0.03	0.03	0.03	33
C22-651	18.75	19.15	0.40	30	0.03	0.06	0.11	38
C22-651	19.15	19.60	0.45	26	0.09	0.05	0.10	37
C22-651	19.60	20.25	0.65	9	0.08	0.06	0.09	20
C22-651	20.25	22.55	2.30	11	0.02	0.02	0.04	15
C22-651	22.55	24.00	1.45	14	0.05	0.03	0.12	23
C22-651	24.00	25.45	1.45	9	0.03	0.02	0.05	13
C22-651	25.45	26.00	0.55	6	0.02	0.03	0.05	11
C22-651	26.00	26.90	0.90	14	0.03	0.03	0.07	20
C22-651	26.90	28.00	1.10	9	0.01	0.07	0.09	15
C22-651	28.00	30.00	2.00	20	0.08	0.08	0.18	36
C22-651	30.00	31.60	1.60	11	0.02	0.05	0.14	19
C22-651	31.60	32.05	0.45	13	0.02	0.07	0.28	27
C22-651	32.05	33.20	1.15	13	0.01	0.20	0.62	43
C22-651	33.20	34.20	1.00	7	0.01	0.11	0.20	18
C22-651	34.20	35.30	1.10	15	0.02	0.22	0.28	34

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-651	35.30	35.75	0.45	16	0.04	0.24	0.40	40
C22-651	35.75	36.95	1.20	18	0.02	0.16	0.22	33
C22-651	36.95	38.38	1.43	13	0.06	0.17	0.19	29
C22-651	38.38	39.15	0.77	1	0.04	0.01	0.02	6
C22-651	39.15	39.85	0.70	4	0.04	0.01	0.03	9
C22-651	39.85	40.65	0.80	32	0.06	0.10	0.22	48
C22-651	40.65	40.95	0.30	5	0.06	0.07	0.49	29
C22-651	40.95	42.15	1.20	4	0.03	0.03	0.14	12
C22-651	42.15	43.45	1.30	30	0.07	0.10	0.34	51
C22-651	43.45	44.45	1.00	6	0.03	0.03	0.09	12
C22-651	44.45	45.70	1.25	63	0.11	0.07	0.16	78
C22-651	45.70	46.35	0.65	12	0.03	0.03	0.29	26
C22-651	46.35	47.10	0.75	16	0.06	0.05	0.33	34
C22-651	47.10	48.00	0.90	9	0.04	0.06	0.12	18
C22-651	48.00	49.15	1.15	2	0.01	0.05	0.29	16
C22-651	49.15	49.70	0.55	3	0.04	0.03	0.24	15
C22-651	49.70	51.00	1.30	8	0.07	0.06	0.18	21
C22-651	51.00	52.70	1.70	11	0.09	0.10	0.38	34
C22-651	52.70	54.20	1.50	2	0.01	0.03	0.23	12
C22-651	54.20	55.30	1.10	1	0.02	0.03	0.17	10
C22-651	55.30	57.00	1.70	1	0.02	0.01	0.15	9
C22-651	57.00	57.55	0.55	1	0.03	0.01	0.19	10
C22-651	57.55	58.60	1.05	1	0.02	0.02	0.18	10
C22-651	58.60	59.75	1.15	3	0.02	0.06	0.11	11
C22-651	59.75	61.60	1.85	6	0.04	0.10	0.20	19
C22-651	61.60	62.05	0.45	3	0.02	0.03	0.14	11
C22-651	62.05	62.35	0.30	95	0.08	1.08	1.17	178
C22-651	62.35	63.15	0.80	144	0.22	1.29	3.49	330
C22-651	63.15	63.55	0.40	57	0.07	0.50	1.25	124
C22-651	63.55	65.55	2.00	3	0.02	0.03	0.13	10
C22-651	65.55	66.50	0.95	2	0.01	0.02	0.12	7
C22-651	66.50	67.45	0.95	5	0.01	0.02	0.14	11
C22-651	67.45	69.00	1.55	3	0.03	0.02	0.13	11
C22-651	69.00	69.90	0.90	1	0.03	0.02	0.08	7
C22-651	69.90	70.15	0.25	1	0.01	0.01	0.22	10
C22-651	70.15	72.35	2.20	2	0.01	0.01	0.11	7
C22-651	72.35	72.90	0.55	1	0.01	0.01	0.10	5
C22-651	72.90	74.75	1.85	1	0.01	0.01	0.14	7
C22-651	74.75	75.35	0.60	2	0.03	0.01	0.12	9
C22-651	75.35	76.25	0.90	1	0.04	0.01	0.07	7
C22-651	76.25	76.95	0.70	1	0.01	0.00	0.03	2
C22-651	76.95	78.15	1.20	1	0.01	0.01	0.09	5
C22-651	78.15	79.75	1.60	1	0.01	0.01	0.10	5
C22-651	79.75	80.25	0.50	2	0.01	0.01	0.04	4
C22-651	80.25	81.30	1.05	2	0.02	0.01	0.06	5
C22-651	81.30	83.05	1.75	1	0.00	0.00	0.04	3
C22-651	83.05	84.55	1.50	1	0.00	0.00	0.04	3
C22-651	84.55	85.25	0.70	1	0.00	0.01	0.05	3
C22-651	85.25	86.65	1.40	1	0.00	0.01	0.05	3

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release

*Metal Prices used for AgEQ calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-651	86.65	87.45	0.80	1	0.00	0.01	0.20	9
C22-651	87.45	89.45	2.00	1	0.00	0.01	0.12	6
C22-651	89.45	90.30	0.85	1	0.02	0.01	0.09	5
C22-651	90.30	91.60	1.30	1	0.02	0.02	0.07	5
C22-651	91.60	92.95	1.35	1	0.01	0.01	0.07	4
C22-651	92.95	94.60	1.65	2	0.02	0.02	0.10	8
C22-651	94.60	95.60	1.00	4	0.02	0.02	0.06	9
C22-651	95.60	96.15	0.55	3	0.01	0.03	0.06	7
C22-651	96.15	98.85	2.70	2	0.01	0.02	0.06	6
C22-651	98.85	99.15	0.30	2	0.01	0.01	0.06	6
C22-651	99.15	101.65	2.50	3	0.01	0.02	0.06	6
C22-651	101.65	103.30	1.65	3	0.01	0.03	0.04	7
C22-651	103.30	104.05	0.75	4	0.03	0.04	0.08	10
C22-651	104.05	105.00	0.95	1	0.01	0.01	0.03	3
C22-651	105.00	108.00	3.00	5	0.02	0.04	0.11	11
C22-651	108.00	109.00	1.00	5	0.03	0.04	0.04	10
C22-651	109.00	111.00	2.00	6	0.04	0.06	0.09	14
C22-651	111.00	112.90	1.90	3	0.01	0.02	0.02	6
C22-651	112.90	114.00	1.10	3	0.02	0.02	0.02	5
C22-651	114.00	116.60	2.60	16	0.02	0.21	0.29	34
C22-651	116.60	119.00	2.40	3	0.02	0.03	0.05	8
C22-651	119.00	121.80	2.80	4	0.03	0.04	0.06	9
C22-651	121.80	122.25	0.45	3	1.02	0.03	0.06	80
C22-651	122.25	123.45	1.20	2	0.01	0.01	0.07	5
C22-651	123.45	125.05	1.60	3	0.01	0.01	0.04	5
C22-651	125.05	126.40	1.35	2	0.01	0.01	0.03	4
C22-651	126.40	128.80	2.40	2	0.01	0.02	0.02	4
C22-651	128.80	130.65	1.85	2	0.01	0.01	0.03	4
C22-651	130.65	131.50	0.85	4	0.02	0.03	0.10	10
C22-651	131.50	133.50	2.00	2	0.04	0.03	0.09	10
C22-651	133.50	136.20	2.70	1	0.01	0.02	0.05	4
C22-651	136.20	136.85	0.65	8	0.01	0.15	0.85	45
C22-651	136.85	137.20	0.35	9	0.00	0.17	1.08	55
C22-651	137.20	137.50	0.30	9	0.00	0.21	0.95	51
C22-651	137.50	137.80	0.30	17	0.01	0.28	1.60	86
C22-651	137.80	138.65	0.85	2	0.01	0.04	0.12	8
C22-651	138.65	139.25	0.60	1	0.01	0.01	0.02	3
C22-651	139.25	140.65	1.40	2	0.01	0.05	0.08	7
C22-651	140.65	142.15	1.50	1	0.01	0.02	0.01	3
C22-651	142.15	143.65	1.50	6	0.02	0.09	0.07	12
C22-651	143.65	145.10	1.45	3	0.01	0.04	0.02	5
C22-651	145.10	145.70	0.60	5	0.02	0.12	0.07	13
C22-651	145.70	146.45	0.75	4	0.01	0.10	0.34	21
C22-651	146.45	146.75	0.30	7	0.01	0.16	0.32	25
C22-651	146.75	147.15	0.40	15	0.01	0.21	1.29	70
C22-651	147.15	147.55	0.40	15	0.01	0.23	1.40	75
C22-651	147.55	147.95	0.40	16	0.01	0.34	1.65	88
C22-651	147.95	148.35	0.40	17	0.00	0.19	1.38	74
C22-651	148.35	148.80	0.45	34	0.01	0.41	2.50	141

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-651	148.80	149.25	0.45	5	0.01	0.10	0.55	30
C22-651	149.25	150.05	0.80	1	0.01	0.02	0.02	4
C22-651	150.05	151.55	1.50	16	0.06	0.34	0.39	46
C22-651	151.55	153.05	1.50	7	0.05	0.16	0.36	29
C22-651	153.05	154.55	1.50	2	0.03	0.02	0.14	10
C22-651	154.55	155.60	1.05	2	0.02	0.03	0.06	7
C22-651	155.60	156.70	1.10	2	0.01	0.03	0.06	6
C22-651	156.70	157.75	1.05	5	0.00	0.09	0.54	28
C22-651	157.75	159.00	1.25	4	0.01	0.07	0.07	10
C22-651	159.00	160.40	1.40	1	0.01	0.01	0.03	3
C22-651	160.40	161.90	1.50	8	0.03	0.20	0.54	36
C22-651	161.90	163.40	1.50	16	0.04	0.29	0.56	49
C22-651	163.40	165.00	1.60	2	0.03	0.03	0.03	7
C22-651	165.00	166.50	1.50	2	0.01	0.02	0.08	6
C22-651	166.50	168.40	1.90	2	0.01	0.03	0.03	4
C22-651	168.40	169.30	0.90	2	0.01	0.03	0.12	8
C22-651	169.30	170.80	1.50	2	0.01	0.04	0.07	6
C22-651	170.80	172.00	1.20	2	0.01	0.04	0.08	7
C22-651	172.00	173.65	1.65	23	0.01	0.45	0.40	53
C22-651	173.65	174.40	0.75	49	0.03	1.00	0.70	108
C22-651	174.40	176.40	2.00	4	0.01	0.06	0.05	8
C22-651	176.40	177.90	1.50	6	0.00	0.13	0.03	11
C22-651	177.90	179.45	1.55	1	0.01	0.02	0.01	3
C22-651	179.45	180.55	1.10	5	0.02	0.09	0.12	14
C22-651	180.55	182.05	1.50	9	0.02	0.17	0.21	23
C22-651	182.05	183.55	1.50	3	0.01	0.03	0.02	5
C22-651	183.55	185.10	1.55	5	0.02	0.09	0.28	20
C22-651	185.10	185.40	0.30	15	0.03	0.23	0.46	41
C22-651	185.40	186.90	1.50	2	0.01	0.02	0.02	4
C22-651	186.90	188.40	1.50	2	0.02	0.03	0.03	6
C22-651	188.40	189.80	1.40	2	0.01	0.02	0.02	4
C22-651	189.80	190.75	0.95	2	0.02	0.01	0.01	4
C22-651	190.75	191.05	0.30	12	0.04	0.31	0.27	35
C22-651	191.05	191.50	0.45	175	0.08	4.04	6.97	566
C22-651	191.50	193.10	1.60	3	0.03	0.07	0.13	12
C22-651	193.10	194.60	1.50	1	0.02	0.01	0.01	4
C22-651	194.60	196.25	1.65	3	0.01	0.07	0.04	7
C22-651	196.25	196.70	0.45	41	0.02	1.01	0.68	99
C22-651	196.70	197.15	0.45	13	0.02	0.44	0.65	53
C22-651	197.15	198.65	1.50	8	0.01	0.18	0.27	25
C22-651	198.65	200.15	1.50	10	0.01	0.20	0.12	22
C22-651	200.15	201.70	1.55	4	0.02	0.08	0.10	12
C22-651	201.70	202.80	1.10	10	0.04	0.19	0.22	27
C22-651	202.80	203.70	0.90	2	0.06	0.03	0.09	10
C22-651	203.70	204.00	0.30	9	0.07	0.14	1.31	66
C22-651	204.00	204.85	0.85	7	0.03	0.13	0.10	17
C22-651	204.85	206.40	1.55	162	0.24	2.99	3.50	403
C22-651	206.40	206.70	0.30	151	2.46	2.62	12.80	889
C22-651	206.70	207.00	0.30	11	0.09	0.22	0.42	40

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-651	207.00	208.50	1.50	12	0.03	0.21	0.38	35
C22-651	208.50	210.00	1.50	38	0.04	0.86	0.56	89
C22-651	210.00	211.20	1.20	14	0.02	0.35	0.26	36
C22-651	211.20	212.80	1.60	35	0.03	0.45	0.49	69
C22-651	212.80	214.30	1.50	19	0.02	0.08	0.08	26
C22-651	214.30	215.80	1.50	5	0.05	0.16	0.21	21
C22-651	215.80	217.30	1.50	1	0.03	0.02	0.07	7
C22-651	217.30	219.00	1.70	7	0.03	0.19	0.24	23
C22-651	219.00	220.75	1.75	1	0.03	0.01	0.04	5
C22-651	220.75	221.05	0.30	1	0.08	0.01	0.02	8
C22-651	221.05	222.35	1.30	1	0.02	0.01	0.01	3
C22-651	222.35	223.65	1.30	1	0.01	0.02	0.05	4
C22-651	223.65	225.00	1.35	1	0.01	0.03	0.05	5
C22-651	225.00	225.30	0.30	4	0.01	0.08	0.08	10
C22-651	225.30	227.30	2.00	2	0.01	0.07	0.05	7
C22-651	227.30	227.60	0.30	14	0.01	0.09	0.36	31
C22-651	227.60	228.70	1.10	2	0.01	0.05	0.14	9
C22-651	228.70	230.25	1.55	3	0.01	0.07	0.07	8
C22-651	230.25	230.60	0.35	50	0.04	1.16	1.39	141
C22-651	230.60	231.00	0.40	9	0.02	0.40	0.27	32
C22-651	231.00	232.55	1.55	2	0.01	0.03	0.05	5
C22-651	232.55	234.00	1.45	1	0.01	0.02	0.05	4
C22-651	234.00	235.50	1.50	1	0.01	0.03	0.04	4
C22-651	235.50	236.65	1.15	1	0.01	0.02	0.01	3
C22-651	236.65	237.85	1.20	3	0.01	0.08	0.11	11
C22-651	237.85	238.75	0.90	8	0.00	0.22	0.44	32
C22-651	238.75	239.80	1.05	4	0.01	0.12	0.27	18
C22-651	239.80	240.85	1.05	4	0.01	0.10	0.13	12
C22-651	240.85	241.40	0.55	16	0.01	0.49	0.97	69
C22-651	241.40	243.10	1.70	5	0.01	0.11	0.15	15
C22-651	243.10	243.40	0.30	41	0.04	1.04	1.46	130
C22-651	243.40	244.65	1.25	17	0.02	0.53	0.64	59
C22-651	244.65	245.10	0.45	68	0.03	1.88	1.55	187
C22-651	245.10	246.25	1.15	10	0.02	0.24	0.35	32
C22-651	246.25	247.40	1.15	7	0.02	0.20	0.19	22
C22-651	247.40	247.70	0.30	20	0.05	0.77	0.49	66
C22-651	247.70	248.05	0.35	73	0.05	1.18	12.05	563
C22-651	248.05	249.40	1.35	4	0.02	0.12	0.18	15
C22-651	249.40	249.70	0.30	1	0.01	0.04	0.09	6
C22-651	249.70	251.10	1.40	2	0.01	0.07	0.24	14
C22-651	251.10	252.30	1.20	4	0.01	0.15	0.36	23
C22-651	252.30	252.80	0.50	19	0.01	0.78	3.73	183
C22-651	252.80	254.05	1.25	1	0.01	0.02	0.05	4
C22-651	254.05	255.30	1.25	1	0.01	0.01	0.19	9
C22-651	255.30	256.40	1.10	4	0.02	0.13	0.44	26
C22-651	256.40	256.70	0.30	10	0.01	0.16	0.96	51
C22-651	256.70	257.70	1.00	2	0.02	0.06	0.20	13
C22-651	257.70	258.15	0.45	3	0.02	0.06	0.13	11
C22-651	258.15	259.35	1.20	1	0.02	0.01	0.00	2

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release

*Metal Prices used for AgEQ calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-651	259.35	260.70	1.35	1	0.01	0.01	0.01	2
C22-651	260.70	261.00	0.30	79	0.07	1.68	0.86	168
C22-651	261.00	261.95	0.95	2	0.03	0.05	0.03	8
C22-651	261.95	263.00	1.05	1	0.03	0.00	0.02	4
C22-651	263.00	264.75	1.75	1	0.01	0.03	0.03	4
C22-651	264.75	265.40	0.65	11	0.06	0.61	0.93	70
C22-651	265.40	266.20	0.80	19	0.03	0.34	0.15	37
C22-651	266.20	266.75	0.55	0	0.01	0.00	0.01	1
C22-651	266.75	268.75	2.00	3	0.02	0.11	0.04	9
C22-651	268.75	270.75	2.00	1	0.01	0.01	0.05	4
C22-651	270.75	272.75	2.00	0	0.01	0.00	0.01	2
C22-651	272.75	273.80	1.05	0	0.01	0.00	0.02	2
C22-651	273.80	274.90	1.10	1	0.01	0.03	0.03	4
C22-651	274.90	275.25	0.35	1	0.01	0.05	0.05	5
C22-651	275.25	276.20	0.95	5	0.02	0.16	0.27	21
C22-651	276.20	276.90	0.70	8	0.03	0.35	0.87	54
C22-651	276.90	278.50	1.60	3	0.02	0.18	0.47	27
C22-651	278.50	279.95	1.45	6	0.03	0.30	0.50	36
C22-651	279.95	280.50	0.55	880	0.31	9.00	18.55	1,874
C22-651	280.50	281.75	1.25	23	0.02	0.29	0.42	49
C22-651	281.75	283.05	1.30	13	0.04	0.59	0.80	64
C22-651	283.05	283.55	0.50	111	0.10	3.29	1.73	285
C22-651	283.55	285.20	1.65	2	0.02	0.09	0.08	10
C22-651	285.20	286.60	1.40	1	0.02	0.01	0.01	3
C22-651	286.60	288.00	1.40	1	0.02	0.01	0.02	3
C22-651	288.00	289.25	1.25	44	0.04	0.78	1.44	125
C22-651	289.25	290.10	0.85	2	0.02	0.01	0.02	5
C22-651	290.10	291.00	0.90	403	0.23	5.96	11.15	1,021
C22-651	291.00	291.55	0.55	120	0.07	1.92	3.34	309
C22-651	291.55	292.35	0.80	96	0.05	1.92	2.89	267
C22-651	292.35	292.65	0.30	6	0.01	0.04	0.03	9
C22-651	292.65	293.20	0.55	6	0.03	0.08	0.22	19
C22-651	293.20	294.65	1.45	104	0.10	2.10	4.47	343
C22-651	294.65	294.95	0.30	1,435	0.22	15.15	13.95	2,443
C22-651	294.95	295.60	0.65	5	0.01	0.09	0.11	13
C22-651	295.60	296.35	0.75	1	0.01	0.01	0.02	3
C22-651	296.35	296.75	0.40	2	0.01	0.02	2.76	106
C22-651	296.75	298.70	1.95	2	0.01	0.08	0.03	7
C22-651	298.70	299.95	1.25	10	0.03	0.15	0.15	23
C22-651	299.95	301.25	1.30	1	0.02	0.01	0.03	3
C22-651	301.25	303.10	1.85	1	0.02	0.02	0.03	5
C22-651	303.10	303.55	0.45	161	0.10	3.47	6.48	518
C22-651	303.55	305.00	1.45	9	0.01	0.25	0.36	31
C22-651	305.00	305.30	0.30	23	0.02	0.93	0.29	65
C22-651	305.30	306.75	1.45	1	0.03	0.03	0.04	6
C22-651	306.75	308.20	1.45	1	0.01	0.00	0.01	2
C22-651	308.20	309.85	1.65	1	0.02	0.00	0.01	3
C22-651	309.85	310.90	1.05	1	0.01	0.01	0.01	2
C22-651	310.90	311.45	0.55	1	0.01	0.01	0.01	2

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-651	311.45	311.80	0.35	1	0.00	0.00	0.01	1
C22-651	311.80	313.70	1.90	1	0.01	0.01	0.03	3
C22-651	313.70	314.45	0.75	2	0.01	0.01	0.05	4
C22-651	314.45	314.75	0.30	2	0.02	0.01	0.01	4
C22-651	314.75	315.25	0.50	2	0.02	0.03	0.01	5
C22-651	315.25	317.10	1.85	2	0.01	0.04	0.05	6
C22-651	317.10	317.40	0.30	121	0.19	1.95	3.50	326
C22-651	317.40	317.70	0.30	2	0.01	0.01	0.02	4
C22-651	317.70	318.65	0.95	1	0.01	0.00	0.01	2
C22-651	318.65	319.80	1.15	1	0.00	0.00	0.01	1
C22-651	319.80	321.30	1.50	1	0.01	0.02	0.01	3
C22-651	321.30	322.90	1.60	31	0.03	0.18	0.20	46
C22-651	322.90	323.55	0.65	36	0.15	0.48	0.63	85
C22-651	323.55	324.25	0.70	1	0.02	0.01	0.02	3
C22-651	324.25	324.95	0.70	24	0.09	0.79	0.70	81
C22-651	324.95	325.30	0.35	2	0.02	0.03	0.03	5
C22-651	325.30	327.00	1.70	1	0.01	0.01	0.01	2
C22-651	327.00	328.55	1.55	1	0.01	0.01	0.03	2
C22-651	328.55	330.45	1.90	6	0.01	0.13	0.13	16
C22-651	330.45	331.40	0.95	1	0.01	0.02	0.05	4
C22-651	331.40	332.80	1.40	1	0.01	0.01	0.02	2
C22-651	332.80	334.20	1.40	1	0.01	0.01	0.05	4
C22-651	334.20	336.00	1.80	1	0.01	0.02	0.04	4
C22-651	336.00	336.90	0.90	1	0.03	0.02	0.08	7
C22-651	336.90	338.00	1.10	2	0.01	0.02	0.02	4
C22-651	338.00	339.00	1.00	2	0.01	0.01	0.06	5
C22-651	339.00	340.80	1.80	1	0.01	0.01	0.04	3
C22-651	340.80	342.45	1.65	1	0.01	0.01	0.05	4
C22-651	342.45	343.30	0.85	2	0.01	0.01	0.07	5
C22-651	343.30	344.40	1.10	2	0.01	0.01	0.03	3
C22-651	344.40	345.55	1.15	2	0.01	0.01	0.05	5
C22-651	345.55	347.10	1.55	2	0.01	0.01	0.03	4
C22-651	347.10	348.60	1.50	1	0.01	0.01	0.03	3
C22-651	348.60	349.60	1.00	0	0.01	0.00	0.04	3
C22-651	349.60	350.70	1.10	1	0.01	0.01	0.06	4
C22-651	350.70	351.80	1.10	1	0.01	0.01	0.03	3
C22-651	351.80	353.15	1.35	2	0.01	0.01	0.06	5
C22-651	353.15	354.00	0.85	0	0.00	0.00	0.03	2
C22-651	354.00	354.90	0.90	4	0.01	0.04	0.12	11
C22-651	354.90	355.80	0.90	3	0.00	0.02	0.03	5
C22-651	355.80	357.65	1.85	3	0.00	0.02	0.04	5
C22-651	357.65	358.50	0.85	3	0.01	0.07	0.10	9
C22-651	358.50	359.25	0.75	2	0.00	0.01	0.02	3
C22-651	359.25	359.65	0.40	1	0.01	0.01	0.01	2
C22-651	359.65	361.30	1.65	2	0.01	0.01	0.03	4
C22-651	361.30	361.65	0.35	1	0.00	0.01	0.03	3
C22-651	361.65	363.25	1.60	4	0.01	0.01	0.06	7
C22-651	363.25	364.80	1.55	2	0.01	0.00	0.03	4
C22-651	364.80	365.75	0.95	2	0.01	0.00	0.01	3

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release

*Metal Prices used for AgEQ calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-651	365.75	366.30	0.55	1	0.01	0.00	0.00	1
C22-651	366.30	367.70	1.40	2	0.01	0.01	0.02	4
C22-651	367.70	369.00	1.30	4	0.01	0.06	0.03	8
C22-651	369.00	370.10	1.10	7	0.01	0.13	0.39	27
C22-651	370.10	371.30	1.20	2	0.01	0.02	0.04	5
C22-651	371.30	372.50	1.20	2	0.01	0.01	0.03	4
C22-651	372.50	373.45	0.95	2	0.01	0.01	0.03	4
C22-651	373.45	374.50	1.05	2	0.01	0.01	0.01	3
C22-651	374.50	375.00	0.50	5	0.01	0.19	0.43	28
C22-651	375.00	376.60	1.60	15	0.04	0.36	1.04	68
C22-651	376.60	377.30	0.70	1	0.00	0.02	0.02	2
C22-651	377.30	378.40	1.10	2	0.01	0.01	0.01	3
C22-651	378.40	378.70	0.30	1	0.01	0.02	0.04	3
C22-651	378.70	379.95	1.25	3	0.02	0.04	0.20	12
C22-651	379.95	381.00	1.05	1	0.01	0.01	0.02	3
C22-651	381.00	382.10	1.10	2	0.01	0.01	0.02	3
C22-651	382.10	382.40	0.30	0	0.00	0.00	0.01	1
C22-651	382.40	384.00	1.60	1	0.00	0.01	0.02	2
C22-651	384.00	384.30	0.30	1	0.00	0.00	0.01	1
C22-651	384.30	386.20	1.90	1	0.01	0.01	0.03	3
C22-651	386.20	386.50	0.30	5	0.00	0.05	0.10	10
C22-651	386.50	388.25	1.75	3	0.05	0.01	0.04	8
C22-651	388.25	390.00	1.75	10	0.01	0.25	0.34	30
C22-651	390.00	391.35	1.35	1	0.00	0.01	0.02	2
C22-651	391.35	393.35	2.00	1	0.00	0.01	0.02	2
C22-651	393.35	394.60	1.25	1	0.01	0.01	0.03	3
C22-651	394.60	396.00	1.40	2	0.01	0.01	0.03	4
C22-651	396.00	397.45	1.45	1	0.01	0.01	0.02	3
C22-651	397.45	399.00	1.55	1	0.02	0.01	0.03	4
C22-651	399.00	399.45	0.45	1	0.01	0.01	0.02	3
C22-651	399.45	400.80	1.35	5	0.03	0.17	0.25	21
C22-651	400.80	402.00	1.20	1	0.02	0.02	0.01	3
C22-651	402.00	403.15	1.15	1	0.02	0.02	0.02	4
C22-651	403.15	403.80	0.65	1	0.00	0.01	0.05	3
C22-651	403.80	405.25	1.45	4	0.01	0.12	0.86	41
C22-651	405.25	405.70	0.45	25	0.01	0.29	6.61	282
C22-651	405.70	407.15	1.45	100	0.05	2.41	4.61	351
C22-651	407.15	408.80	1.65	297	0.08	2.08	1.43	420
C22-651	408.80	409.35	0.55	498	0.04	4.00	1.85	694
C22-651	409.35	409.65	0.30	48	0.04	1.16	1.36	137
C22-651	409.65	410.75	1.10	47	0.04	1.08	0.96	119
C22-651	410.75	412.25	1.50	23	0.01	0.48	0.52	58
C22-651	412.25	413.35	1.10	31	0.02	1.10	1.35	116
C22-651	413.35	414.15	0.80	61	0.07	1.49	0.76	141
C22-651	414.15	415.80	1.65	46	0.07	1.20	1.05	127
C22-651	415.80	417.00	1.20	8	0.00	0.29	0.29	28
C22-651	417.00	418.55	1.55	1	0.00	0.05	0.10	7
C22-651	418.55	418.85	0.30	1	0.00	0.04	0.04	4
C22-651	418.85	419.80	0.95	4	0.01	0.10	0.57	28

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-651	419.80	420.82	1.02	10	0.01	0.18	0.30	28
C22-651	420.82	422.75	1.93	3	0.01	0.09	0.23	15
C22-651	422.75	423.20	0.45	2	0.01	0.06	0.23	13
C22-651	423.20	423.80	0.60	3	0.01	0.15	0.22	16
C22-651	423.80	424.20	0.40	1	0.00	0.04	0.05	4
C22-651	424.20	426.00	1.80	3	0.01	0.06	0.18	12
C22-651	426.00	427.15	1.15	35	0.02	0.73	1.00	96
C22-651	427.15	427.55	0.40	210	0.06	4.42	0.74	379
C22-651	427.55	428.40	0.85	27	0.02	0.46	0.26	52
C22-651	428.40	428.80	0.40	2	0.00	0.08	0.06	7
C22-651	428.80	429.85	1.05	23	0.01	0.64	0.65	68
C22-651	429.85	431.15	1.30	14	0.01	0.39	0.32	39
C22-651	431.15	432.35	1.20	23	0.02	0.37	0.11	40
C22-651	432.35	433.55	1.20	36	0.06	0.42	0.19	60
C22-651	433.55	435.00	1.45	6	0.01	0.09	0.13	14
C22-651	435.00	435.50	0.50	62	0.02	1.28	5.39	304
C22-651	435.50	437.50	2.00	3	0.01	0.07	0.10	10
C22-651	437.50	438.60	1.10	4	0.01	0.08	0.08	10
C22-651	438.60	439.75	1.15	13	0.01	0.23	0.19	29
C22-651	439.75	440.05	0.30	8	0.01	0.11	0.05	15
C22-651	440.05	441.35	1.30	5	0.01	0.09	0.14	14
C22-651	441.35	442.60	1.25	5	0.02	0.09	0.12	13
C22-651	442.60	443.00	0.40	53	0.11	0.39	1.39	125
C22-651	443.00	444.40	1.40	30	0.02	0.61	0.33	63
C22-651	444.40	445.55	1.15	11	0.02	0.23	0.36	33
C22-651	445.55	446.75	1.20	5	0.02	0.14	0.25	20
C22-651	446.75	447.30	0.55	10	0.03	0.25	0.81	50
C22-651	447.30	448.35	1.05	8	0.03	0.23	0.45	33
C22-651	448.35	448.85	0.50	12	0.03	0.24	0.22	30
C22-651	448.85	449.60	0.75	8	0.02	0.29	0.62	41
C22-651	449.60	450.80	1.20	4	0.01	0.17	0.22	18
C22-651	450.80	451.90	1.10	5	0.02	0.20	0.40	28
C22-651	451.90	453.45	1.55	3	0.01	0.12	0.07	10
C22-651	453.45	455.00	1.55	3	0.01	0.11	0.42	23
C22-651	455.00	456.60	1.60	2	0.00	0.07	0.18	11
C22-651	456.60	458.60	2.00	1	0.02	0.01	0.02	3
C22-651	458.60	460.60	2.00	1	0.00	0.00	0.03	2
C22-651	460.60	462.60	2.00	1	0.02	0.01	0.02	3
C22-651	462.60	464.60	2.00	1	0.01	0.01	0.05	4
C22-651	464.60	466.60	2.00	1	0.00	0.01	0.03	2
C22-651	466.60	468.60	2.00	1	0.01	0.00	0.01	1
C22-651	468.60	470.60	2.00	1	0.01	0.00	0.00	1
C22-651	470.60	472.60	2.00	0	0.00	0.00	0.00	1
C22-651	472.60	474.60	2.00	0	0.00	0.00	0.01	1
C22-651	474.60	476.60	2.00	0	0.00	0.00	0.01	1
C22-651	476.60	478.60	2.00	1	0.01	0.00	0.03	3
C22-651	478.60	480.60	2.00	1	0.01	0.00	0.01	1
C22-651	480.60	482.60	2.00	1	0.05	0.00	0.02	5
C22-651	482.60	484.60	2.00	0	0.01	0.00	0.02	1

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release

*Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-651	484.60	486.60	2.00	0	0.00	0.00	0.01	1
C22-651	486.60	488.60	2.00	1	0.00	0.00	0.01	1
C22-651	488.60	490.60	2.00	0	0.00	0.00	0.02	1
C22-651	490.60	492.60	2.00	0	0.00	0.00	0.03	2
C22-651	492.60	494.60	2.00	0	0.00	0.00	0.02	1
C22-651	494.60	496.60	2.00	0	0.00	0.00	0.01	1
C22-651	496.60	498.60	2.00	0	0.00	0.00	0.01	1
C22-651	498.60	499.90	1.30	0	0.00	0.00	0.00	1
C22-651	499.90	501.55	1.65	0	0.00	0.00	0.00	1
C22-651	501.55	502.90	1.35	0	0.00	0.00	0.01	1
C22-651	502.90	504.00	1.10	1	0.00	0.00	0.04	2
C22-652	0.00	2.40	2.40	5	0.01	0.03	0.05	8
C22-652	2.40	4.30	1.90	5	0.01	0.05	0.08	10
C22-652	4.30	6.30	2.00	5	0.02	0.04	0.08	11
C22-652	6.30	7.35	1.05	6	0.02	0.09	0.10	14
C22-652	7.35	8.40	1.05	3	0.01	0.14	0.15	14
C22-652	8.40	10.00	1.60	4	0.01	0.02	0.06	7
C22-652	10.00	12.00	2.00	4	0.01	0.02	0.06	8
C22-652	12.00	14.00	2.00	4	0.01	0.02	0.06	8
C22-652	14.00	15.40	1.40	4	0.01	0.02	0.08	8
C22-652	15.40	16.20	0.80	5	0.01	0.06	0.10	11
C22-652	16.20	17.45	1.25	5	0.01	0.07	0.11	11
C22-652	17.45	18.85	1.40	8	0.01	0.04	0.08	13
C22-652	18.85	20.85	2.00	9	0.02	0.07	0.10	16
C22-652	20.85	22.85	2.00	6	0.01	0.03	0.05	9
C22-652	22.85	24.70	1.85	2	0.01	0.03	0.06	6
C22-652	24.70	26.70	2.00	1	0.01	0.04	0.07	6
C22-652	26.70	27.65	0.95	3	0.01	0.06	0.09	9
C22-652	27.65	28.60	0.95	1	0.00	0.28	0.31	21
C22-652	28.60	29.40	0.80	4	0.01	0.06	0.07	9
C22-652	29.40	31.40	2.00	3	0.02	0.06	0.05	8
C22-652	31.40	32.80	1.40	3	0.01	0.06	0.06	8
C22-652	32.80	34.80	2.00	3	0.01	0.07	0.05	8
C22-652	34.80	36.80	2.00	11	0.01	0.07	0.05	16
C22-652	36.80	38.80	2.00	9	0.01	0.14	0.04	15
C22-652	38.80	40.00	1.20	2	0.00	0.09	0.02	6
C22-652	40.00	41.75	1.75	6	0.01	0.04	0.04	9
C22-652	41.75	42.10	0.35	4	0.01	0.57	0.44	38
C22-652	42.10	42.40	0.30	6	0.01	0.08	0.14	14
C22-652	42.40	44.40	2.00	16	0.01	0.10	0.09	23
C22-652	44.40	45.60	1.20	5	0.01	0.04	0.07	9
C22-652	45.60	46.55	0.95	6	0.01	0.10	0.15	15
C22-652	46.55	47.85	1.30	17	0.01	0.06	0.07	23
C22-652	47.85	48.60	0.75	10	0.02	0.14	0.08	18
C22-652	48.60	50.50	1.90	15	0.02	0.15	0.07	23
C22-652	50.50	52.50	2.00	9	0.01	0.06	0.06	14
C22-652	52.50	53.90	1.40	1	0.01	0.01	0.02	3
C22-652	53.90	55.15	1.25	6	0.01	0.04	0.06	10
C22-652	55.15	55.65	0.50	1	0.01	0.07	0.05	5

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-652	55.65	57.05	1.40	15	0.02	0.06	0.03	19
C22-652	57.05	58.20	1.15	38	0.03	0.22	0.01	47
C22-652	58.20	59.35	1.15	10	0.02	0.07	0.05	16
C22-652	59.35	60.85	1.50	50	0.03	0.27	0.07	63
C22-652	60.85	62.60	1.75	3	0.01	0.03	0.05	7
C22-652	62.60	64.00	1.40	7	0.02	0.03	0.08	12
C22-652	64.00	65.70	1.70	5	0.02	0.25	0.08	17
C22-652	65.70	66.65	0.95	46	0.07	0.48	0.03	67
C22-652	66.65	67.65	1.00	34	0.05	0.42	0.06	52
C22-652	67.65	68.95	1.30	8	0.02	0.15	0.08	17
C22-652	68.95	70.40	1.45	1	0.02	0.03	0.06	6
C22-652	70.40	72.40	2.00	1	0.01	0.01	0.03	3
C22-652	72.40	74.40	2.00	0	0.02	0.01	0.01	2
C22-652	74.40	75.75	1.35	3	0.03	0.05	0.02	8
C22-652	75.75	76.25	0.50	30	0.04	0.38	0.94	80
C22-652	76.25	77.10	0.85	10	0.02	0.21	0.11	22
C22-652	77.10	78.40	1.30	1	0.01	0.03	0.01	3
C22-652	78.40	80.40	2.00	3	0.01	0.05	0.04	7
C22-652	80.40	81.50	1.10	5	0.02	0.10	0.25	19
C22-652	81.50	83.50	2.00	3	0.01	0.05	0.16	12
C22-652	83.50	85.50	2.00	7	0.01	0.09	0.06	13
C22-652	85.50	86.50	1.00	8	0.02	0.09	0.06	14
C22-652	86.50	87.35	0.85	1	0.02	0.01	0.02	3
C22-652	87.35	88.50	1.15	0	0.01	0.00	0.00	1
C22-652	88.50	89.55	1.05	0	0.01	0.01	0.01	1
C22-652	89.55	89.85	0.30	44	0.09	0.98	0.19	88
C22-652	89.85	90.60	0.75	0	0.03	0.01	0.00	3
C22-652	90.60	91.25	0.65	7	0.02	0.12	0.12	17
C22-652	91.25	92.45	1.20	0	0.01	0.01	0.01	2
C22-652	92.45	93.40	0.95	0	0.01	0.01	0.01	2
C22-652	93.40	95.30	1.90	0	0.01	0.00	0.01	2
C22-652	95.30	97.30	2.00	1	0.01	0.02	0.04	3
C22-652	97.30	98.85	1.55	2	0.01	0.05	0.08	8
C22-652	98.85	99.20	0.35	10	0.01	0.21	0.25	27
C22-652	99.20	100.85	1.65	12	0.01	0.26	0.57	42
C22-652	100.85	101.55	0.70	6	0.01	0.13	0.16	17
C22-652	101.55	102.40	0.85	3	0.01	0.08	0.25	16
C22-652	102.40	104.30	1.90	3	0.03	0.06	0.15	12
C22-652	104.30	105.05	0.75	13	0.02	0.30	0.28	34
C22-652	105.05	106.60	1.55	6	0.02	0.13	0.23	20
C22-652	106.60	107.55	0.95	4	0.02	0.07	0.50	26
C22-652	107.55	107.95	0.40	13	0.03	0.21	2.11	100
C22-652	107.95	108.90	0.95	2	0.02	0.02	0.65	28
C22-652	108.90	110.00	1.10	6	0.01	0.15	0.08	15
C22-652	110.00	111.60	1.60	1	0.02	0.01	0.07	5
C22-652	111.60	111.95	0.35	67	0.05	1.15	3.00	218
C22-652	111.95	112.50	0.55	30	0.02	0.61	1.69	113
C22-652	112.50	114.50	2.00	2	0.01	0.03	0.12	8
C22-652	114.50	116.50	2.00	2	0.01	0.02	0.14	9

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release

*Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-652	116.50	118.15	1.65	0	0.02	0.01	0.02	2
C22-652	118.15	120.10	1.95	0	0.01	0.01	0.02	2
C22-652	120.10	120.90	0.80	0	0.01	0.01	0.03	2
C22-652	120.90	122.70	1.80	1	0.02	0.02	0.01	4
C22-652	122.70	124.70	2.00	1	0.01	0.01	0.07	4
C22-652	124.70	126.70	2.00	0	0.01	0.00	0.01	2
C22-652	126.70	128.70	2.00	0	0.02	0.00	0.01	2
C22-652	128.70	130.70	2.00	6	0.02	0.07	0.14	14
C22-652	130.70	132.70	2.00	11	0.02	0.15	0.20	24
C22-652	132.70	133.90	1.20	4	0.01	0.09	0.22	16
C22-652	133.90	134.80	0.90	4	0.02	0.09	0.22	16
C22-652	134.80	135.60	0.80	67	0.06	1.35	2.16	194
C22-652	135.60	137.00	1.40	6	0.02	0.15	0.08	15
C22-652	137.00	137.85	0.85	4	0.06	0.07	0.05	12
C22-652	137.85	138.40	0.55	47	0.06	0.93	0.33	92
C22-652	138.40	139.75	1.35	0	0.02	0.01	0.01	2
C22-652	139.75	141.75	2.00	0	0.02	0.01	0.01	2
C22-652	141.75	142.60	0.85	1	0.02	0.01	0.02	3
C22-652	142.60	144.00	1.40	0	0.02	0.02	0.01	3
C22-652	144.00	145.05	1.05	2	0.02	0.03	0.03	5
C22-652	145.05	146.65	1.60	0	0.01	0.00	0.01	2
C22-652	146.65	147.20	0.55	4	0.01	0.08	0.18	14
C22-652	147.20	147.60	0.40	13	0.01	0.28	0.63	46
C22-652	147.60	148.95	1.35	2	0.02	0.03	0.01	4
C22-652	148.95	149.30	0.35	219	0.09	4.83	0.02	376
C22-652	149.30	150.20	0.90	3	0.01	0.06	0.07	7
C22-652	150.20	150.90	0.70	6	0.01	0.16	0.21	20
C22-652	150.90	152.15	1.25	9	0.01	0.24	0.34	30
C22-652	152.15	152.80	0.65	7	0.01	0.07	0.11	14
C22-652	152.80	154.45	1.65	3	0.01	0.04	0.07	7
C22-652	154.45	155.20	0.75	24	0.04	0.49	0.38	57
C22-652	155.20	156.40	1.20	3	0.01	0.06	0.02	6
C22-652	156.40	157.25	0.85	2	0.01	0.05	0.02	5
C22-652	157.25	157.65	0.40	1	0.01	0.01	0.02	2
C22-652	157.65	158.35	0.70	0	0.01	0.01	0.02	2
C22-652	158.35	159.35	1.00	0	0.00	0.00	0.01	1
C22-652	159.35	160.55	1.20	1	0.01	0.01	0.02	2
C22-652	160.55	162.30	1.75	0	0.01	0.01	0.03	3
C22-652	162.30	162.70	0.40	30	0.03	0.66	0.67	77
C22-652	162.70	164.55	1.85	3	0.02	0.05	0.06	8
C22-652	164.55	165.25	0.70	15	0.06	0.48	0.30	45
C22-652	165.25	166.60	1.35	9	0.03	0.20	0.61	40
C22-652	166.60	167.30	0.70	5	0.03	0.12	0.28	21
C22-652	167.30	168.70	1.40	33	0.16	0.73	0.16	74
C22-652	168.70	170.70	2.00	10	0.01	0.18	0.29	27
C22-652	170.70	171.00	0.30	17	0.02	0.38	0.54	50
C22-652	171.00	171.60	0.60	23	0.06	0.46	1.56	100
C22-652	171.60	171.90	0.30	8	0.02	0.22	0.37	29
C22-652	171.90	172.20	0.30	10	0.03	0.19	0.92	52

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release

*Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-652	172.20	173.40	1.20	7	0.03	0.16	0.34	26
C22-652	173.40	173.70	0.30	21	0.01	0.45	0.57	57
C22-652	173.70	174.95	1.25	3	0.01	0.06	0.10	9
C22-652	174.95	175.25	0.30	37	0.06	0.79	1.18	109
C22-652	175.25	177.25	2.00	1	0.01	0.03	0.10	7
C22-652	177.25	179.25	2.00	1	0.01	0.02	0.08	6
C22-652	179.25	181.25	2.00	3	0.01	0.05	0.22	13
C22-652	181.25	183.25	2.00	2	0.01	0.03	0.14	9
C22-652	183.25	185.25	2.00	6	0.01	0.03	0.32	20
C22-652	185.25	187.25	2.00	2	0.01	0.01	0.05	5
C22-652	187.25	188.70	1.45	1	0.01	0.00	0.04	3
C22-652	188.70	189.40	0.70	8	0.04	0.03	0.17	18
C22-652	189.40	190.00	0.60	1	0.01	0.01	0.05	3
C22-652	190.00	191.00	1.00	2	0.01	0.03	0.07	7
C22-652	191.00	192.20	1.20	1	0.01	0.00	0.01	2
C22-652	192.20	193.50	1.30	1	0.01	0.01	0.02	2
C22-652	193.50	194.75	1.25	5	0.02	0.11	0.19	17
C22-652	194.75	195.75	1.00	17	0.05	0.10	0.26	33
C22-652	195.75	196.65	0.90	3	0.01	0.04	0.05	6
C22-652	196.65	198.65	2.00	5	0.02	0.09	0.27	19
C22-652	198.65	199.30	0.65	2	0.02	0.01	0.41	19
C22-652	199.30	199.90	0.60	5	0.02	0.02	0.63	31
C22-652	199.90	201.85	1.95	2	0.01	0.03	0.17	10
C22-652	201.85	203.10	1.25	2	0.01	0.04	0.11	8
C22-652	203.10	204.15	1.05	2	0.01	0.05	0.11	9
C22-652	204.15	204.45	0.30	513	0.11	10.15	8.83	1,166
C22-652	204.45	206.20	1.75	14	0.01	0.23	0.68	47
C22-652	206.20	207.40	1.20	15	0.01	0.31	0.70	51
C22-652	207.40	208.55	1.15	4	0.00	0.10	0.21	15
C22-652	208.55	208.85	0.30	2	0.01	0.04	0.07	6
C22-652	208.85	210.05	1.20	5	0.01	0.07	0.20	16
C22-652	210.05	212.05	2.00	3	0.01	0.04	0.14	11
C22-652	212.05	213.40	1.35	1	0.01	0.01	0.03	4
C22-652	213.40	214.60	1.20	12	0.01	0.10	0.07	18
C22-652	214.60	215.65	1.05	1	0.01	0.01	0.04	4
C22-652	215.65	216.65	1.00	8	0.03	0.07	0.48	30
C22-652	216.65	217.00	0.35	72	0.24	0.57	2.48	199
C22-652	217.00	217.40	0.40	20	0.03	0.41	0.57	56
C22-652	217.40	218.50	1.10	3	0.00	0.04	0.15	10
C22-652	218.50	219.30	0.80	8	0.01	0.05	0.45	27
C22-652	219.30	220.15	0.85	2	0.00	0.05	0.28	14
C22-652	220.15	220.90	0.75	7	0.01	0.09	0.49	29
C22-652	220.90	221.85	0.95	2	0.01	0.05	0.09	7
C22-652	221.85	223.80	1.95	4	0.01	0.07	0.18	13
C22-652	223.80	225.40	1.60	3	0.01	0.07	0.15	12
C22-652	225.40	226.85	1.45	1	0.01	0.03	0.05	5
C22-652	226.85	227.15	0.30	12	0.03	0.24	0.76	50
C22-652	227.15	228.65	1.50	8	0.01	0.18	0.37	28
C22-652	228.65	230.00	1.35	5	0.01	0.10	0.27	18

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release

**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-652	230.00	230.30	0.30	9	0.02	0.07	2.15	93
C22-652	230.30	231.70	1.40	6	0.01	0.14	0.29	21
C22-652	231.70	232.15	0.45	84	0.14	1.35	5.38	337
C22-652	232.15	232.70	0.55	12	0.02	0.16	0.96	54
C22-652	232.70	234.00	1.30	12	0.02	0.24	0.52	40
C22-652	234.00	235.40	1.40	9	0.01	0.18	0.41	31
C22-652	235.40	235.75	0.35	31	0.02	0.55	0.91	83
C22-652	235.75	237.75	2.00	3	0.01	0.05	0.15	10
C22-652	237.75	239.50	1.75	4	0.02	0.08	0.24	17
C22-652	239.50	240.65	1.15	4	0.02	0.06	0.34	20
C22-652	240.65	241.85	1.20	8	0.03	0.15	0.25	24
C22-652	241.85	242.75	0.90	5	0.01	0.10	0.46	26
C22-652	242.75	243.10	0.35	25	0.02	0.52	1.19	87
C22-652	243.10	243.60	0.50	3	0.01	0.06	0.29	16
C22-652	243.60	244.05	0.45	42	0.09	0.79	2.06	150
C22-652	244.05	244.35	0.30	11	0.04	0.27	0.69	48
C22-652	244.35	245.65	1.30	2	0.01	0.05	0.15	10
C22-652	245.65	246.70	1.05	2	0.01	0.03	0.06	6
C22-652	246.70	248.70	2.00	2	0.02	0.02	0.03	5
C22-652	248.70	250.05	1.35	1	0.01	0.01	0.02	2
C22-652	250.05	250.55	0.50	6	0.05	0.09	1.05	52
C22-652	250.55	251.35	0.80	5	0.06	0.06	0.66	35
C22-652	251.35	251.75	0.40	26	0.15	0.16	1.56	100
C22-652	251.75	252.05	0.30	5	0.06	0.09	0.39	27
C22-652	252.05	252.55	0.50	13	0.05	0.31	0.91	60
C22-652	252.55	252.90	0.35	43	0.06	1.40	2.12	170
C22-652	252.90	254.15	1.25	11	0.04	0.30	0.61	46
C22-652	254.15	255.30	1.15	2	0.01	0.09	0.15	11
C22-652	255.30	256.50	1.20	2	0.01	0.08	0.15	11
C22-652	256.50	257.85	1.35	5	0.04	0.13	0.25	21
C22-652	257.85	259.00	1.15	2	0.02	0.08	0.15	12
C22-652	259.00	259.35	0.35	18	0.06	0.53	2.31	125
C22-652	259.35	260.20	0.85	3	0.02	0.07	0.18	13
C22-652	260.20	260.90	0.70	11	0.08	0.18	0.74	50
C22-652	260.90	261.80	0.90	9	0.04	0.09	0.15	20
C22-652	261.80	262.35	0.55	4	0.02	0.09	0.15	14
C22-652	262.35	263.15	0.80	5	0.03	0.08	0.16	16
C22-652	263.15	263.80	0.65	31	0.03	0.38	0.75	72
C22-652	263.80	264.70	0.90	5	0.05	0.02	0.08	12
C22-652	264.70	265.10	0.40	8	0.04	0.15	0.18	23
C22-652	265.10	267.00	1.90	1	0.01	0.01	0.02	3
C22-652	267.00	268.00	1.00	1	0.01	0.00	0.01	2
C22-652	268.00	269.15	1.15	2	0.01	0.04	0.09	8
C22-652	269.15	270.65	1.50	9	0.09	0.07	0.16	23
C22-652	270.65	271.80	1.15	32	0.51	0.24	0.31	88
C22-652	271.80	272.55	0.75	28	0.09	0.58	0.92	86
C22-652	272.55	272.85	0.30	395	0.12	9.98	9.80	1,080
C22-652	272.85	273.50	0.65	16	0.09	0.18	0.51	47
C22-652	273.50	274.00	0.50	142	0.11	2.86	2.44	330

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-652	274.00	275.25	1.25	23	0.05	0.58	0.98	81
C22-652	275.25	275.60	0.35	62	0.07	1.35	2.86	216
C22-652	275.60	276.60	1.00	8	0.04	0.21	0.38	32
C22-652	276.60	277.70	1.10	9	0.06	0.15	1.29	66
C22-652	277.70	278.80	1.10	3	0.02	0.03	0.09	8
C22-652	278.80	279.20	0.40	7	0.05	0.05	0.37	26
C22-652	279.20	279.90	0.70	37	0.07	0.57	3.21	179
C22-652	279.90	280.50	0.60	47	0.10	0.84	4.46	247
C22-652	280.50	280.85	0.35	38	0.09	0.67	3.74	205
C22-652	280.85	282.40	1.55	14	0.07	0.19	1.65	87
C22-652	282.40	282.95	0.55	11	0.06	0.16	0.82	51
C22-652	282.95	283.55	0.60	41	0.24	0.52	3.06	188
C22-652	283.55	284.10	0.55	19	0.10	0.19	2.59	128
C22-652	284.10	285.30	1.20	26	0.05	0.31	2.13	119
C22-652	285.30	286.25	0.95	10	0.02	0.17	0.58	38
C22-652	286.25	286.55	0.30	44	0.05	0.87	2.13	154
C22-652	286.55	287.00	0.45	3	0.01	0.04	0.08	8
C22-652	287.00	287.40	0.40	2	0.01	0.04	0.05	6
C22-652	287.40	288.50	1.10	14	0.06	0.26	0.45	43
C22-652	288.50	288.80	0.30	119	0.39	2.45	4.49	391
C22-652	288.80	289.45	0.65	8	0.05	0.12	0.85	47
C22-652	289.45	289.75	0.30	15	0.05	0.30	0.88	61
C22-652	289.75	290.75	1.00	30	0.06	0.41	0.37	61
C22-652	290.75	292.10	1.35	7	0.04	0.11	0.44	30
C22-652	292.10	292.40	0.30	38	0.05	0.90	2.45	161
C22-652	292.40	294.00	1.60	5	0.04	0.08	0.14	15
C22-652	294.00	294.30	0.30	58	0.36	0.74	2.67	207
C22-652	294.30	295.50	1.20	21	0.12	0.20	1.41	89
C22-652	295.50	295.95	0.45	28	0.11	0.26	3.15	162
C22-652	295.95	297.40	1.45	7	0.07	0.04	0.16	20
C22-652	297.40	298.95	1.55	5	0.08	0.01	0.02	12
C22-652	298.95	300.55	1.60	7	0.11	0.02	0.06	18
C22-652	300.55	301.30	0.75	3	0.05	0.01	0.02	8
C22-652	301.30	302.95	1.65	7	0.08	0.03	0.05	15
C22-652	302.95	303.60	0.65	14	0.18	0.04	0.01	29
C22-652	303.60	304.90	1.30	12	0.09	0.07	0.58	42
C22-652	304.90	305.60	0.70	28	0.15	0.23	1.18	90
C22-652	305.60	306.65	1.05	14	0.16	0.06	1.12	69
C22-652	306.65	308.00	1.35	35	0.55	0.06	0.07	79
C22-652	308.00	309.10	1.10	53	0.33	0.67	1.00	135
C22-652	309.10	309.70	0.60	222	0.27	3.77	13.80	874
C22-652	309.70	310.20	0.50	23	0.13	0.36	1.77	110
C22-652	310.20	312.10	1.90	7	0.09	0.10	0.86	49
C22-652	312.10	312.50	0.40	13	0.22	0.07	5.83	249
C22-652	312.50	314.50	2.00	8	0.11	0.07	0.42	34
C22-652	314.50	316.50	2.00	4	0.03	0.10	1.10	50
C22-652	316.50	318.50	2.00	6	0.08	0.07	0.95	49
C22-652	318.50	318.85	0.35	23	0.43	0.07	2.30	142
C22-652	318.85	320.65	1.80	20	0.48	0.12	0.16	64

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-652	320.65	322.45	1.80	0	0.01	0.00	0.02	2
C22-652	322.45	324.45	2.00	3	0.06	0.03	0.42	24
C22-652	324.45	326.05	1.60	6	0.11	0.06	0.53	35
C22-652	326.05	326.35	0.30	9	0.17	0.06	2.16	104
C22-652	326.35	327.70	1.35	3	0.06	0.03	0.66	33
C22-652	327.70	328.50	0.80	9	0.13	0.09	1.78	88
C22-652	328.50	329.40	0.90	10	0.06	0.17	1.83	88
C22-652	329.40	330.40	1.00	6	0.06	0.05	2.10	90
C22-652	330.40	331.70	1.30	6	0.09	0.03	2.68	113
C22-652	331.70	332.25	0.55	10	0.16	0.14	2.11	105
C22-652	332.25	332.95	0.70	3	0.08	0.01	3.03	122
C22-652	332.95	333.30	0.35	4	0.09	0.00	4.21	168
C22-652	333.30	335.30	2.00	6	0.11	0.03	0.34	27
C22-652	335.30	337.15	1.85	18	0.31	0.04	1.12	83
C22-652	337.15	337.55	0.40	70	1.03	0.12	1.27	196
C22-652	337.55	339.00	1.45	9	0.12	0.03	0.47	36
C22-652	339.00	339.60	0.60	7	0.13	0.02	1.17	61
C22-652	339.60	341.05	1.45	4	0.07	0.03	0.77	39
C22-652	341.05	341.95	0.90	16	0.20	0.12	1.17	78
C22-652	341.95	342.95	1.00	11	0.16	0.06	0.07	27
C22-652	342.95	343.25	0.30	34	0.12	0.56	1.13	102
C22-652	343.25	343.90	0.65	4	0.04	0.06	0.10	13
C22-652	343.90	344.80	0.90	35	0.16	0.55	0.78	93
C22-652	344.80	345.75	0.95	8	0.13	0.06	0.08	22
C22-652	345.75	346.70	0.95	30	0.14	0.34	0.74	78
C22-652	346.70	347.50	0.80	19	0.16	0.18	0.44	53
C22-652	347.50	349.10	1.60	22	0.09	0.31	0.65	62
C22-652	349.10	349.70	0.60	41	0.14	0.71	1.99	147
C22-652	349.70	350.35	0.65	38	0.10	0.64	2.49	158
C22-652	350.35	350.95	0.60	22	0.05	0.40	1.11	80
C22-652	350.95	351.25	0.30	59	0.08	1.14	2.84	206
C22-652	351.25	352.40	1.15	38	0.15	0.45	0.82	94
C22-652	352.40	353.25	0.85	30	0.12	0.51	1.41	107
C22-652	353.25	354.15	0.90	57	0.22	0.74	1.10	137
C22-652	354.15	354.50	0.35	33	0.06	0.59	6.64	303
C22-652	354.50	355.00	0.50	98	0.07	1.58	5.10	343
C22-652	355.00	355.35	0.35	112	0.23	1.65	3.81	322
C22-652	355.35	355.80	0.45	130	0.14	2.50	4.88	400
C22-652	355.80	356.10	0.30	72	0.10	1.28	3.68	256
C22-652	356.10	357.05	0.95	36	0.11	0.43	0.88	90
C22-652	357.05	357.45	0.40	49	0.08	1.14	2.74	193
C22-652	357.45	359.40	1.95	2	0.04	0.02	0.05	7
C22-652	359.40	361.40	2.00	0	0.03	0.01	0.02	3
C22-652	361.40	362.40	1.00	0	0.02	0.01	0.02	2
C22-652	362.40	364.40	2.00	0	0.02	0.00	0.02	3
C22-652	364.40	366.40	2.00	3	0.02	0.05	0.08	9
C22-652	366.40	367.75	1.35	1	0.01	0.00	0.01	2
C22-652	367.75	368.95	1.20	0	0.02	0.01	0.02	2
C22-652	368.95	370.50	1.55	1	0.02	0.02	0.02	3

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release

*Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-652	370.50	370.80	0.30	1	0.01	0.03	0.05	4
C22-652	370.80	372.80	2.00	0	0.01	0.01	0.05	3
C22-652	372.80	374.15	1.35	0	0.02	0.00	0.02	2
C22-652	374.15	375.15	1.00	1	0.01	0.01	0.03	2
C22-652	375.15	375.65	0.50	1	0.05	0.00	0.02	6
C22-652	375.65	377.65	2.00	1	0.02	0.01	0.02	3
C22-652	377.65	379.65	2.00	1	0.02	0.00	0.02	2
C22-652	379.65	380.45	0.80	1	0.03	0.00	0.03	5
C22-652	380.45	382.45	2.00	1	0.02	0.01	0.01	2
C22-652	382.45	384.45	2.00	1	0.02	0.01	0.01	3
C22-652	384.45	386.45	2.00	1	0.01	0.00	0.00	2
C22-652	386.45	388.45	2.00	1	0.01	0.00	0.01	2
C22-652	388.45	390.45	2.00	1	0.02	0.00	0.00	2
C22-652	390.45	392.45	2.00	1	0.01	0.00	0.00	2
C22-652	392.45	394.45	2.00	1	0.01	0.00	0.00	1
C22-652	394.45	396.45	2.00	1	0.01	0.00	0.01	1
C22-652	396.45	398.45	2.00	1	0.01	0.00	0.00	1
C22-652	398.45	399.90	1.45	1	0.01	0.01	0.02	2
C22-652	399.90	400.55	0.65	1	0.01	0.00	0.00	2
C22-652	400.55	401.30	0.75	1	0.02	0.01	0.01	3
C22-652	401.30	402.65	1.35	2	0.04	0.02	0.07	8
C22-652	402.65	404.30	1.65	32	0.15	0.19	0.33	61
C22-652	404.30	404.85	0.55	2	0.03	0.02	0.08	9
C22-652	404.85	405.45	0.60	14	0.03	0.29	0.38	39
C22-652	405.45	405.90	0.45	32	0.07	0.52	0.91	87
C22-652	405.90	406.20	0.30	221	0.18	3.45	2.60	438
C22-652	406.20	408.00	1.80	2	0.02	0.01	0.01	4
C22-652	408.00	408.30	0.30	2	0.12	0.01	0.05	13
C22-652	408.30	409.30	1.00	1	0.02	0.01	0.02	4
C22-652	409.30	410.20	0.90	1	0.03	0.01	0.19	10
C22-652	410.20	412.20	2.00	1	0.01	0.00	0.01	2
C22-652	412.20	413.40	1.20	1	0.01	0.00	0.01	2
C22-652	413.40	414.40	1.00	0	0.01	0.00	0.01	2
C22-652	414.40	416.40	2.00	1	0.03	0.00	0.00	3
C22-652	416.40	418.40	2.00	1	0.00	0.00	0.01	1
C22-652	418.40	420.40	2.00	1	0.01	0.00	0.00	2
C22-652	420.40	422.40	2.00	1	0.01	0.00	0.00	2
C22-652	422.40	423.60	1.20	1	0.02	0.00	0.02	3
C22-652	423.60	424.15	0.55	1	0.05	0.01	0.05	7
C22-652	424.15	425.35	1.20	1	0.02	0.01	0.03	4
C22-652	425.35	425.90	0.55	2	0.03	0.01	0.03	5
C22-652	425.90	426.25	0.35	31	0.03	0.76	5.67	268
C22-652	426.25	427.30	1.05	22	0.02	0.55	0.93	75
C22-652	427.30	428.25	0.95	12	0.01	0.31	0.60	45
C22-652	428.25	429.75	1.50	9	0.01	0.18	0.50	34
C22-652	429.75	430.50	0.75	36	0.05	0.85	3.48	196
C22-652	430.50	432.50	2.00	1	0.01	0.01	0.07	4
C22-652	432.50	434.40	1.90	1	0.01	0.01	0.08	5
C22-652	434.40	435.90	1.50	0	0.02	0.01	0.07	4

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-652	435.90	437.80	1.90	2	0.02	0.03	0.14	10
C22-652	437.80	439.25	1.45	11	0.02	0.30	0.34	34
C22-652	439.25	439.55	0.30	32	0.08	1.06	1.34	121
C22-652	439.55	440.00	0.45	36	0.22	0.41	0.34	77
C22-652	440.00	441.70	1.70	8	0.07	0.04	0.08	17
C22-652	441.70	442.30	0.60	1	0.02	0.01	0.03	4
C22-652	442.30	442.60	0.30	2	0.01	0.01	0.01	3
C22-652	442.60	444.60	2.00	1	0.01	0.01	0.02	3
C22-652	444.60	445.25	0.65	51	0.06	1.16	3.01	204
C22-652	445.25	446.35	1.10	5	0.01	0.06	0.28	18
C22-652	446.35	446.70	0.35	2	0.01	0.03	0.13	9
C22-652	446.70	447.45	0.75	7	0.01	0.16	0.18	19
C22-652	447.45	447.75	0.30	511	9.80	1.72	7.68	1,564
C22-652	447.75	449.70	1.95	6	0.02	0.12	0.18	18
C22-652	449.70	450.25	0.55	9	0.02	0.21	1.03	56
C22-652	450.25	451.90	1.65	3	0.03	0.03	0.08	10
C22-652	451.90	452.20	0.30	138	0.05	3.61	4.09	407
C22-652	452.20	454.20	2.00	1	0.01	0.01	0.05	4
C22-652	454.20	456.20	2.00	0	0.01	0.00	0.11	5
C22-652	456.20	457.80	1.60	2	0.01	0.01	0.07	5
C22-652	457.80	458.85	1.05	2	0.01	0.03	0.09	6
C22-652	458.85	459.50	0.65	4	0.01	0.09	0.19	14
C22-652	459.50	460.35	0.85	1	0.01	0.01	0.04	3
C22-652	460.35	460.70	0.35	1	0.01	0.01	0.03	3
C22-652	460.70	461.20	0.50	1	0.01	0.01	0.02	2
C22-652	461.20	463.20	2.00	2	0.01	0.01	0.07	5
C22-652	463.20	464.60	1.40	3	0.00	0.07	0.20	13
C22-652	464.60	465.80	1.20	1	0.01	0.00	0.08	4
C22-652	465.80	467.60	1.80	1	0.01	0.01	0.06	5
C22-652	467.60	467.90	0.30	11	0.13	0.39	0.91	67
C22-652	467.90	469.10	1.20	1	0.00	0.04	0.05	4
C22-652	469.10	469.40	0.30	9	0.06	0.03	0.22	23
C22-652	469.40	471.10	1.70	1	0.01	0.00	0.03	3
C22-652	471.10	472.30	1.20	1	0.01	0.00	0.03	2
C22-652	472.30	473.05	0.75	2	0.03	0.00	0.04	6
C22-652	473.05	473.55	0.50	1	0.01	0.00	0.09	5
C22-652	473.55	475.00	1.45	1	0.01	0.00	0.02	2
C22-652	475.00	476.00	1.00	0	0.01	0.00	0.01	1
C22-652	476.00	478.00	2.00	2	0.01	0.01	0.08	5
C22-652	478.00	480.00	2.00	1	0.01	0.01	0.03	3
C22-652	480.00	482.00	2.00	0	0.00	0.00	0.02	1
C22-652	482.00	482.35	0.35	0	0.01	0.00	0.01	1
C22-652	482.35	483.50	1.15	0	0.01	0.00	0.01	1
C22-652	483.50	483.85	0.35	1	0.01	0.00	0.05	4
C22-652	483.85	485.55	1.70	1	0.01	0.00	0.03	2
C22-652	485.55	485.90	0.35	22	0.09	0.47	0.78	72
C22-652	485.90	487.30	1.40	1	0.02	0.01	0.09	6
C22-652	487.30	487.65	0.35	2	0.01	0.03	0.06	6
C22-652	487.65	489.65	2.00	1	0.02	0.01	0.05	4

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release

*Metal Prices used for AgEQ calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-652	489.65	491.20	1.55	1	0.02	0.00	0.10	6
C22-652	491.20	492.75	1.55	1	0.01	0.00	0.04	4
C22-652	492.75	494.65	1.90	1	0.01	0.01	0.01	2
C22-652	494.65	496.40	1.75	1	0.01	0.00	0.01	2
C22-652	496.40	497.50	1.10	5	0.06	0.00	0.01	10
C22-652	497.50	498.30	0.80	5	0.04	0.01	0.01	8
C22-652	498.30	500.30	2.00	1	0.01	0.00	0.01	2
C22-652	500.30	502.30	2.00	1	0.01	0.00	0.00	2
C22-652	502.30	504.30	2.00	1	0.01	0.00	0.00	2
C22-652	504.30	506.30	2.00	1	0.01	0.00	0.00	1
C22-652	506.30	508.30	2.00	1	0.01	0.00	0.00	1
C22-652	508.30	510.10	1.80	1	0.01	0.00	0.00	2
C22-652	510.10	510.95	0.85	4	0.17	0.10	0.09	22
C22-652	510.95	512.60	1.65	1	0.01	0.00	0.01	3
C22-652	512.60	513.05	0.45	5	0.02	0.07	0.95	44
C22-652	513.05	513.55	0.50	1	0.02	0.01	0.05	4
C22-652	513.55	514.80	1.25	2	0.02	0.03	0.10	8
C22-652	514.80	515.65	0.85	1	0.02	0.02	0.08	6
C22-652	515.65	516.55	0.90	3	0.01	0.05	0.33	18
C22-652	516.55	517.30	0.75	149	0.32	1.97	23.30	1,103
C22-652	517.30	518.20	0.90	2	0.01	0.03	0.26	13
C22-652	518.20	519.45	1.25	1	0.01	0.01	0.11	6
C22-652	519.45	521.10	1.65	1	0.01	0.01	0.15	8
C22-652	521.10	523.10	2.00	1	0.01	0.00	0.08	5
C22-652	523.10	525.05	1.95	4	0.01	0.08	0.20	15
C22-652	525.05	527.05	2.00	2	0.01	0.04	0.14	9
C22-652	527.05	528.10	1.05	21	0.03	0.47	1.91	109
C22-652	528.10	530.10	2.00	2	0.01	0.03	0.17	10
C22-652	530.10	532.10	2.00	1	0.01	0.00	0.07	4
C22-652	532.10	534.10	2.00	1	0.00	0.00	0.03	2
C22-652	534.10	536.10	2.00	1	0.00	0.01	0.04	3
C22-652	536.10	538.10	2.00	1	0.01	0.00	0.02	3
C22-652	538.10	538.70	0.60	1	0.01	0.01	0.04	3
C22-652	538.70	539.55	0.85	1	0.01	0.01	0.18	9
C22-652	539.55	540.90	1.35	1	0.01	0.00	0.04	3
C22-652	540.90	542.40	1.50	1	0.01	0.01	0.06	4
C22-652	542.40	544.10	1.70	3	0.01	0.05	0.13	10
C22-652	544.10	545.20	1.10	3	0.01	0.04	0.15	10
C22-652	545.20	545.75	0.55	3	0.01	0.05	0.14	10
C22-652	545.75	546.30	0.55	49	0.06	1.31	4.65	268
C22-652	546.30	547.25	0.95	2	0.01	0.01	0.07	5
C22-652	547.25	549.20	1.95	1	0.01	0.01	0.12	6
C22-652	549.20	551.10	1.90	46	0.02	0.01	0.11	52
C22-652	551.10	552.85	1.75	1	0.01	0.00	0.03	2
C22-652	552.85	554.70	1.85	2	0.01	0.01	0.10	6
C22-652	554.70	555.60	0.90	3	0.01	0.01	0.08	6
C22-652	555.60	556.90	1.30	2	0.01	0.02	0.08	6
C22-652	556.90	557.80	0.90	1	0.01	0.00	0.04	3
C22-652	557.80	558.90	1.10	3	0.00	0.02	0.14	9

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-652	558.90	560.40	1.50	1	0.01	0.00	0.09	5
C22-652	560.40	561.40	1.00	1	0.00	0.00	0.08	4
C22-652	561.40	562.60	1.20	1	0.00	0.01	0.07	4
C22-652	562.60	564.00	1.40	2	0.01	0.01	0.07	5
C22-652	564.00	565.80	1.80	1	0.01	0.00	0.03	2
C22-652	565.80	566.60	0.80	3	0.01	0.02	0.07	7
C22-652	566.60	567.55	0.95	7	0.02	0.05	0.24	19
C22-652	567.55	569.55	2.00	1	0.01	0.01	0.08	5
C22-652	569.55	570.40	0.85	2	0.01	0.02	0.09	6
C22-652	570.40	571.70	1.30	1	0.01	0.01	0.11	6
C22-652	571.70	572.80	1.10	1	0.01	0.00	0.03	2
C22-652	572.80	574.20	1.40	1	0.01	0.00	0.21	10
C22-652	574.20	575.50	1.30	2	0.06	0.02	0.07	10
C22-652	575.50	576.40	0.90	1	0.01	0.01	0.03	3
C22-652	576.40	577.70	1.30	2	0.01	0.03	0.19	11
C22-652	577.70	579.15	1.45	21	0.04	0.52	1.05	79
C22-652	579.15	579.85	0.70	11	0.05	0.25	0.37	37
C22-652	579.85	580.20	0.35	164	0.06	4.10	3.01	408
C22-652	580.20	581.15	0.95	87	0.07	2.71	3.39	303
C22-652	581.15	581.80	0.65	467	0.09	12.65	15.90	1,461
C22-652	581.80	583.00	1.20	99	0.08	2.52	2.98	294
C22-652	583.00	583.80	0.80	63	0.07	1.76	2.16	204
C22-652	583.80	584.70	0.90	8	0.01	0.22	0.33	28
C22-652	584.70	586.40	1.70	1	0.01	0.02	0.04	4
C22-652	586.40	588.10	1.70	2	0.01	0.04	0.07	6
C22-652	588.10	589.15	1.05	2	0.01	0.05	0.09	7
C22-652	589.15	590.15	1.00	1	0.01	0.01	0.02	2
C22-652	590.15	592.15	2.00	1	0.00	0.00	0.01	1
C22-652	592.15	593.60	1.45	1	0.01	0.01	0.02	3
C22-652	593.60	594.40	0.80	3	0.00	0.12	0.07	10
C22-652	594.40	596.35	1.95	2	0.01	0.05	0.07	7
C22-652	596.35	597.60	1.25	1	0.01	0.02	0.01	2
C22-652	597.60	599.10	1.50	2	0.01	0.06	0.08	7
C22-652	599.10	600.65	1.55	1	0.00	0.02	0.01	2
C22-652	600.65	602.25	1.60	2	0.01	0.05	0.06	6
C22-652	602.25	603.50	1.25	2	0.01	0.06	0.03	6
C22-652	603.50	604.30	0.80	3	0.01	0.07	0.05	8
C22-652	604.30	606.10	1.80	5	0.02	0.16	0.23	20
C22-652	606.10	607.60	1.50	1	0.01	0.02	0.04	3
C22-652	607.60	609.60	2.00	1	0.01	0.00	0.02	3
C22-652	609.60	610.80	1.20	1	0.01	0.00	0.02	3
C22-652	610.80	611.95	1.15	3	0.02	0.09	0.10	11
C22-652	611.95	612.70	0.75	9	0.03	0.40	0.75	52
C22-652	612.70	613.85	1.15	6	0.04	0.33	0.09	23
C22-652	613.85	615.15	1.30	1	0.02	0.02	0.07	6
C22-652	615.15	615.90	0.75	46	0.16	2.21	2.32	213
C22-652	615.90	617.00	1.10	7	0.04	0.31	0.45	37
C22-652	617.00	618.20	1.20	21	0.02	0.71	0.29	56
C22-652	618.20	618.60	0.40	3	0.02	0.06	0.14	11

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-652	618.60	620.20	1.60	2	0.01	0.02	0.18	10
C22-652	620.20	620.80	0.60	1	0.01	0.01	0.06	4
C22-652	620.80	622.00	1.20	1	0.01	0.00	0.03	3
C22-653	0.00	1.50	1.50	11	0.01	0.12	0.01	15
C22-653	1.50	3.00	1.50	17	0.06	0.23	0.02	29
C22-653	3.00	4.40	1.40	12	0.08	0.08	0.02	21
C22-653	4.40	6.00	1.60	10	0.13	0.27	0.03	29
C22-653	6.00	7.50	1.50	11	0.03	0.17	0.01	19
C22-653	7.50	9.00	1.50	8	0.05	0.05	0.03	14
C22-653	9.00	10.50	1.50	8	0.05	0.07	0.05	16
C22-653	10.50	12.00	1.50	16	0.03	0.06	0.09	24
C22-653	12.00	13.50	1.50	14	0.06	0.06	0.07	23
C22-653	13.50	15.00	1.50	7	0.07	0.05	0.09	17
C22-653	15.00	16.50	1.50	8	0.13	0.04	0.08	21
C22-653	16.50	18.00	1.50	7	0.08	0.06	0.04	16
C22-653	18.00	19.50	1.50	8	0.31	0.05	0.04	34
C22-653	19.50	21.00	1.50	10	0.09	0.15	0.02	22
C22-653	21.00	22.50	1.50	13	0.10	0.29	0.03	30
C22-653	22.50	24.00	1.50	16	0.18	0.07	0.02	32
C22-653	24.00	25.50	1.50	14	0.08	0.18	0.03	27
C22-653	25.50	26.85	1.35	23	0.12	0.05	0.03	35
C22-653	26.85	27.35	0.50	15	0.35	0.02	0.04	43
C22-653	27.35	28.60	1.25	18	0.37	0.04	0.05	48
C22-653	28.60	29.85	1.25	12	0.03	0.08	0.02	17
C22-653	29.85	30.90	1.05	15	0.03	0.07	0.05	22
C22-653	30.90	32.40	1.50	24	0.04	0.04	0.16	34
C22-653	32.40	33.90	1.50	15	0.11	0.05	0.06	27
C22-653	33.90	35.45	1.55	11	0.10	0.07	0.04	22
C22-653	35.45	36.70	1.25	11	0.16	0.10	0.03	27
C22-653	36.70	37.85	1.15	14	0.10	0.04	0.05	24
C22-653	37.85	39.00	1.15	21	0.09	0.04	0.06	31
C22-653	39.00	40.50	1.50	14	0.15	0.09	0.05	29
C22-653	40.50	42.00	1.50	19	0.20	0.26	0.06	44
C22-653	42.00	43.75	1.75	29	0.16	0.28	0.11	53
C22-653	43.75	45.60	1.85	23	0.06	0.14	0.20	40
C22-653	45.60	47.15	1.55	20	0.05	0.07	0.55	46
C22-653	47.15	48.60	1.45	48	0.10	0.12	0.15	64
C22-653	48.60	49.80	1.20	12	0.07	0.07	0.08	22
C22-653	49.80	51.00	1.20	70	0.14	0.11	0.10	87
C22-653	51.00	52.50	1.50	22	0.09	0.09	0.11	35
C22-653	52.50	54.00	1.50	17	0.07	0.07	0.12	29
C22-653	54.00	55.50	1.50	17	0.04	0.06	0.16	28
C22-653	55.50	57.00	1.50	25	0.06	0.03	0.08	34
C22-653	57.00	58.10	1.10	20	0.05	0.03	0.04	26
C22-653	58.10	59.25	1.15	81	0.10	0.04	0.06	92
C22-653	59.25	60.85	1.60	66	0.17	0.09	0.12	86
C22-653	60.85	61.20	0.35	113	0.21	0.13	0.31	144
C22-653	61.20	61.65	0.45	301	0.04	0.05	0.57	327
C22-653	61.65	63.00	1.35	53	0.04	0.05	0.34	70

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release

*Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-653	63.00	64.40	1.40	62	0.05	0.35	0.25	86
C22-653	64.40	65.95	1.55	58	0.04	0.39	0.21	80
C22-653	65.95	67.70	1.75	42	0.05	0.08	0.14	53
C22-653	67.70	69.00	1.30	29	0.04	0.03	0.12	38
C22-653	69.00	70.20	1.20	26	0.06	0.07	0.16	38
C22-653	70.20	71.50	1.30	37	0.06	0.03	0.08	45
C22-653	71.50	72.70	1.20	80	0.10	0.04	0.06	91
C22-653	72.70	75.00	2.30	33	0.05	0.05	0.12	43
C22-653	75.00	75.60	0.60	31	0.02	0.01	0.04	35
C22-653	75.60	77.15	1.55	19	0.08	0.02	0.06	27
C22-653	77.15	78.45	1.30	30	0.06	0.02	0.07	38
C22-653	78.45	79.35	0.90	22	0.05	0.03	0.07	30
C22-653	79.35	80.80	1.45	41	0.04	0.02	0.10	48
C22-653	80.80	81.30	0.50	18	0.07	0.03	0.11	28
C22-653	81.30	82.40	1.10	20	0.05	0.03	0.08	28
C22-653	82.40	83.55	1.15	8	0.03	0.02	0.08	13
C22-653	83.55	84.35	0.80	8	0.04	0.02	0.07	15
C22-653	84.35	85.75	1.40	26	0.05	0.05	0.11	35
C22-653	85.75	87.00	1.25	18	0.04	0.02	0.10	25
C22-653	87.00	88.60	1.60	41	0.09	0.07	0.09	53
C22-653	88.60	89.20	0.60	63	0.46	0.13	0.27	111
C22-653	89.20	89.85	0.65	80	0.80	0.11	0.15	148
C22-653	89.85	90.35	0.50	60	0.17	0.11	0.10	79
C22-653	90.35	90.90	0.55	74	0.14	0.16	0.56	110
C22-653	90.90	91.85	0.95	49	0.11	0.09	0.43	76
C22-653	91.85	92.30	0.45	38	0.08	0.11	0.13	51
C22-653	92.30	92.90	0.60	45	0.04	0.03	0.14	54
C22-653	92.90	93.85	0.95	3	0.02	0.02	0.15	11
C22-653	93.85	95.15	1.30	48	0.11	0.08	1.15	101
C22-653	95.15	96.55	1.40	241	0.42	0.26	0.44	296
C22-653	96.55	97.20	0.65	39	0.17	0.22	0.58	79
C22-653	97.20	97.50	0.30	118	0.48	0.19	0.36	172
C22-653	97.50	97.80	0.30	41	0.23	0.18	0.24	72
C22-653	97.80	98.90	1.10	41	0.16	0.12	0.06	59
C22-653	98.90	99.70	0.80	138	0.19	0.29	0.27	171
C22-653	99.70	100.55	0.85	108	0.17	0.25	0.66	153
C22-653	100.55	101.90	1.35	34	0.08	0.08	2.30	128
C22-653	101.90	102.45	0.55	149	0.34	0.14	1.64	239
C22-653	102.45	103.80	1.35	11	0.04	0.06	5.00	203
C22-653	103.80	105.70	1.90	42	0.11	0.14	0.14	60
C22-653	105.70	107.05	1.35	43	0.11	0.04	0.12	56
C22-653	107.05	108.00	0.95	18	0.04	0.02	0.06	24
C22-653	108.00	108.60	0.60	7	0.02	0.02	0.09	12
C22-653	108.60	110.20	1.60	37	0.04	0.04	0.16	47
C22-653	110.20	110.80	0.60	19	0.02	0.05	0.11	26
C22-653	110.80	112.55	1.75	22	0.02	0.04	0.06	26
C22-653	112.55	113.60	1.05	22	0.02	0.04	0.07	27
C22-653	113.60	115.55	1.95	15	0.03	0.06	0.22	27
C22-653	115.55	117.50	1.95	8	0.03	0.06	0.13	17

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-653	117.50	119.45	1.95	14	0.03	0.11	0.27	30
C22-653	119.45	119.80	0.35	7	0.00	0.03	0.13	13
C22-653	119.80	121.45	1.65	28	0.01	0.09	0.79	60
C22-653	121.45	123.45	2.00	10	0.00	0.02	0.17	17
C22-653	123.45	125.45	2.00	20	0.01	0.05	0.37	35
C22-653	125.45	126.95	1.50	27	0.01	0.09	0.48	49
C22-653	126.95	127.95	1.00	9	0.01	0.04	0.14	17
C22-653	127.95	129.65	1.70	7	0.01	0.04	0.08	11
C22-653	129.65	131.00	1.35	7	0.01	0.03	0.04	10
C22-653	131.00	131.70	0.70	1	0.00	0.05	0.12	7
C22-653	131.70	132.30	0.60	7	0.02	0.05	0.10	13
C22-653	132.30	133.35	1.05	8	0.01	0.03	0.08	13
C22-653	133.35	134.50	1.15	7	0.01	0.03	0.11	13
C22-653	134.50	136.50	2.00	1	0.00	0.01	0.03	2
C22-653	136.50	138.50	2.00	1	0.01	0.00	0.02	2
C22-653	138.50	140.40	1.90	1	0.01	0.00	0.02	2
C22-653	140.40	142.20	1.80	1	0.01	0.01	0.04	3
C22-653	142.20	144.00	1.80	2	0.01	0.01	0.08	5
C22-653	144.00	145.10	1.10	3	0.01	0.02	0.09	7
C22-653	145.10	147.10	2.00	1	0.01	0.00	0.01	2
C22-653	147.10	148.45	1.35	2	0.01	0.00	0.01	4
C22-653	148.45	149.40	0.95	2	0.01	0.01	0.04	4
C22-653	149.40	151.00	1.60	5	0.02	0.03	0.10	11
C22-653	151.00	152.05	1.05	4	0.02	0.02	0.03	8
C22-653	152.05	153.35	1.30	1	0.01	0.01	0.02	3
C22-653	153.35	155.00	1.65	3	0.03	0.02	0.07	8
C22-653	155.00	156.00	1.00	3	0.01	0.02	0.04	6
C22-653	156.00	156.90	0.90	4	0.01	0.03	0.06	8
C22-653	156.90	157.20	0.30	67	0.15	0.11	0.05	83
C22-653	157.20	158.20	1.00	6	0.03	0.06	0.06	12
C22-653	158.20	159.65	1.45	5	0.05	0.04	0.04	12
C22-653	159.65	161.15	1.50	3	0.01	0.03	0.08	8
C22-653	161.15	162.60	1.45	6	0.01	0.03	0.17	14
C22-653	162.60	163.55	0.95	10	0.01	0.06	0.12	17
C22-653	163.55	164.65	1.10	3	0.01	0.08	0.13	11
C22-653	164.65	165.40	0.75	1	0.01	0.02	0.04	4
C22-653	165.40	166.15	0.75	6	0.03	0.07	0.13	15
C22-653	166.15	166.80	0.65	9	0.02	0.09	0.12	18
C22-653	166.80	168.10	1.30	4	0.02	0.04	0.10	11
C22-653	168.10	169.40	1.30	10	0.03	0.12	0.25	25
C22-653	169.40	170.75	1.35	6	0.02	0.04	0.06	11
C22-653	170.75	171.65	0.90	30	0.07	0.23	0.65	67
C22-653	171.65	171.95	0.30	65	0.12	0.52	3.14	207
C22-653	171.95	173.20	1.25	12	0.06	0.13	1.28	68
C22-653	173.20	173.50	0.30	41	0.24	0.56	4.20	233
C22-653	173.50	174.50	1.00	22	0.09	0.23	2.86	143
C22-653	174.50	175.50	1.00	31	0.15	0.25	2.05	126
C22-653	175.50	176.60	1.10	21	0.11	0.24	1.99	111
C22-653	176.60	177.50	0.90	20	0.05	0.21	1.45	84

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release

**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-653	177.50	178.50	1.00	20	0.05	0.20	1.13	72
C22-653	178.50	179.50	1.00	8	0.03	0.08	0.44	29
C22-653	179.50	180.50	1.00	8	0.04	0.10	0.74	42
C22-653	180.50	181.45	0.95	12	0.08	0.11	0.49	40
C22-653	181.45	182.40	0.95	14	0.04	0.13	0.24	30
C22-653	182.40	183.00	0.60	8	0.03	0.07	0.27	23
C22-653	183.00	184.50	1.50	7	0.02	0.07	0.61	34
C22-653	184.50	186.00	1.50	9	0.03	0.08	0.40	28
C22-653	186.00	187.45	1.45	6	0.02	0.08	0.04	11
C22-653	187.45	187.75	0.30	18	0.03	0.23	1.24	73
C22-653	187.75	188.20	0.45	10	0.03	0.14	0.25	25
C22-653	188.20	188.50	0.30	21	0.03	0.13	0.49	46
C22-653	188.50	190.00	1.50	8	0.02	0.07	0.31	23
C22-653	190.00	191.40	1.40	7	0.01	0.11	0.35	24
C22-653	191.40	192.80	1.40	5	0.01	0.08	0.17	14
C22-653	192.80	194.20	1.40	5	0.01	0.06	0.11	12
C22-653	194.20	194.65	0.45	12	0.04	0.10	0.26	27
C22-653	194.65	195.60	0.95	5	0.02	0.05	0.09	11
C22-653	195.60	196.70	1.10	2	0.01	0.01	0.02	4
C22-653	196.70	197.25	0.55	11	0.04	0.19	0.17	27
C22-653	197.25	197.70	0.45	13	0.05	0.27	0.09	28
C22-653	197.70	198.80	1.10	2	0.01	0.05	0.05	6
C22-653	198.80	200.30	1.50	4	0.01	0.07	0.25	16
C22-653	200.30	201.00	0.70	1,645	0.07	23.38	10.35	2,763
C22-653	201.00	201.80	0.80	7	0.01	0.11	0.13	17
C22-653	201.80	202.70	0.90	4	0.01	0.07	0.08	9
C22-653	202.70	203.00	0.30	8	0.01	0.11	0.10	16
C22-653	203.00	204.90	1.90	4	0.01	0.07	0.10	11
C22-653	204.90	205.55	0.65	4	0.01	0.06	0.08	10
C22-653	205.55	206.65	1.10	5	0.01	0.08	0.16	15
C22-653	206.65	207.00	0.35	12	0.11	0.21	0.39	41
C22-653	207.00	207.70	0.70	69	0.07	1.20	1.26	159
C22-653	207.70	208.30	0.60	262	0.11	4.98	7.32	698
C22-653	208.30	208.65	0.35	44	0.06	0.45	0.87	95
C22-653	208.65	209.55	0.90	521	0.22	9.42	0.98	866
C22-653	209.55	210.75	1.20	112	0.07	2.17	0.26	194
C22-653	210.75	211.05	0.30	11	0.15	0.13	0.23	34
C22-653	211.05	213.05	2.00	6	0.03	0.10	0.13	16
C22-653	213.05	214.40	1.35	1	0.01	0.03	0.11	7
C22-653	214.40	215.70	1.30	1	0.01	0.01	0.18	9
C22-653	215.70	217.10	1.40	1	0.01	0.01	0.02	2
C22-653	217.10	218.50	1.40	2	0.01	0.02	0.03	4
C22-653	218.50	219.95	1.45	1	0.01	0.01	0.01	2
C22-653	219.95	220.65	0.70	14	0.12	0.24	0.28	40
C22-653	220.65	221.55	0.90	1	0.01	0.01	0.02	3
C22-653	221.55	222.15	0.60	8	0.02	0.12	0.29	24
C22-653	222.15	222.50	0.35	3	0.02	0.04	0.36	20
C22-653	222.50	224.30	1.80	19	0.06	0.26	0.43	47
C22-653	224.30	224.60	0.30	56	0.22	0.92	1.48	156

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-653	224.60	225.20	0.60	23	0.11	0.28	0.77	69
C22-653	225.20	226.20	1.00	7	0.04	0.08	0.28	22
C22-653	226.20	226.75	0.55	12	0.01	0.04	0.15	20
C22-653	226.75	227.05	0.30	18	0.13	0.07	3.55	162
C22-653	227.05	227.75	0.70	6	0.02	0.04	0.21	16
C22-653	227.75	228.20	0.45	16	0.08	0.17	0.85	59
C22-653	228.20	229.50	1.30	27	0.07	0.26	3.10	155
C22-653	229.50	230.80	1.30	22	0.04	0.22	1.40	84
C22-653	230.80	232.55	1.75	29	0.03	0.32	1.66	103
C22-653	232.55	232.85	0.30	14	0.03	0.15	1.57	79
C22-653	232.85	233.45	0.60	50	0.16	0.59	3.31	203
C22-653	233.45	234.85	1.40	16	0.03	0.15	2.34	110
C22-653	234.85	235.70	0.85	64	0.07	1.20	2.12	186
C22-653	235.70	236.10	0.40	20	0.04	0.38	0.57	56
C22-653	236.10	237.60	1.50	55	0.06	0.96	2.33	176
C22-653	237.60	239.10	1.50	38	0.04	0.62	1.59	119
C22-653	239.10	240.65	1.55	30	0.09	0.55	1.79	120
C22-653	240.65	240.95	0.30	41	0.13	0.76	3.74	214
C22-653	240.95	242.45	1.50	55	0.14	1.12	1.57	158
C22-653	242.45	243.95	1.50	67	0.13	1.46	2.34	209
C22-653	243.95	245.45	1.50	84	0.09	1.77	3.35	270
C22-653	245.45	246.95	1.50	46	0.09	0.96	1.54	140
C22-653	246.95	248.35	1.40	42	0.10	0.84	1.62	136
C22-653	248.35	249.75	1.40	74	0.10	1.32	2.06	199
C22-653	249.75	251.15	1.40	48	0.14	0.89	1.80	153
C22-653	251.15	252.65	1.50	81	0.06	1.10	1.64	181
C22-653	252.65	253.40	0.75	36	0.07	0.91	0.21	77
C22-653	253.40	254.10	0.70	13	0.04	0.18	0.82	52
C22-653	254.10	255.00	0.90	137	0.07	1.81	3.23	319
C22-653	255.00	256.50	1.50	66	0.10	0.42	1.97	160
C22-653	256.50	258.00	1.50	201	0.16	1.28	3.62	387
C22-653	258.00	258.90	0.90	78	0.03	1.47	3.79	267
C22-653	258.90	259.85	0.95	132	0.04	2.44	5.31	409
C22-653	259.85	260.90	1.05	96	0.04	1.64	3.04	263
C22-653	260.90	262.25	1.35	19	0.02	0.30	0.47	46
C22-653	262.25	263.60	1.35	4	0.01	0.07	0.21	15
C22-653	263.60	264.95	1.35	9	0.01	0.21	0.26	26
C22-653	264.95	266.25	1.30	39	0.05	0.85	0.97	106
C22-653	266.25	266.70	0.45	298	0.21	5.04	6.67	719
C22-653	266.70	267.90	1.20	18	0.03	0.36	0.54	52
C22-653	267.90	269.10	1.20	10	0.02	0.22	0.21	26
C22-653	269.10	270.35	1.25	13	0.02	0.30	0.47	41
C22-653	270.35	271.00	0.65	28	0.06	0.84	1.78	125
C22-653	271.00	272.25	1.25	21	0.05	0.65	0.35	58
C22-653	272.25	273.50	1.25	10	0.02	0.27	0.23	29
C22-653	273.50	274.75	1.25	17	0.08	0.28	0.25	40
C22-653	274.75	276.00	1.25	80	0.08	0.63	0.20	114
C22-653	276.00	277.85	1.85	3	0.02	0.12	0.19	16
C22-653	277.85	278.20	0.35	9	0.05	0.15	0.41	32

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-653	278.20	278.75	0.55	4	0.02	0.04	0.06	8
C22-653	278.75	279.15	0.40	2	0.01	0.01	0.05	5
C22-653	279.15	280.20	1.05	2	0.01	0.04	0.14	9
C22-653	280.20	281.50	1.30	1	0.01	0.01	0.07	4
C22-653	281.50	282.85	1.35	0	0.01	0.00	0.04	2
C22-653	282.85	283.50	0.65	5	0.02	0.26	0.80	43
C22-653	283.50	284.20	0.70	1	0.00	0.02	0.12	6
C22-653	284.20	285.35	1.15	1	0.01	0.03	0.25	12
C22-653	285.35	286.80	1.45	2	0.01	0.03	0.14	9
C22-653	286.80	288.25	1.45	2	0.01	0.02	0.10	7
C22-653	288.25	289.65	1.40	2	0.00	0.03	0.18	10
C22-653	289.65	290.05	0.40	10	0.01	0.19	2.20	98
C22-653	290.05	291.15	1.10	11	0.01	0.25	0.74	46
C22-653	291.15	292.80	1.65	2	0.01	0.02	0.09	6
C22-653	292.80	294.35	1.55	1	0.00	0.01	0.04	3
C22-653	294.35	295.90	1.55	1	0.01	0.01	0.09	5
C22-653	295.90	297.45	1.55	1	0.01	0.02	0.03	3
C22-653	297.45	299.00	1.55	3	0.01	0.04	0.11	8
C22-653	299.00	299.55	0.55	1	0.00	0.08	0.23	13
C22-653	299.55	301.30	1.75	2	0.01	0.04	0.30	15
C22-653	301.30	301.70	0.40	4	0.04	0.08	0.21	17
C22-653	301.70	302.00	0.30	68	0.24	1.66	2.96	248
C22-653	302.00	302.85	0.85	46	0.15	1.14	1.91	163
C22-653	302.85	303.95	1.10	2	0.01	0.02	0.03	4
C22-653	303.95	304.25	0.30	10	0.01	0.06	0.03	14
C22-653	304.25	305.40	1.15	2	0.01	0.02	0.05	5
C22-653	305.40	306.60	1.20	3	0.01	0.02	0.02	5
C22-653	306.60	306.90	0.30	88	0.18	0.30	0.17	116
C22-653	306.90	308.05	1.15	10	0.03	0.02	0.01	13
C22-653	308.05	309.25	1.20	2	0.01	0.01	0.15	9
C22-653	309.25	309.55	0.30	1	0.01	0.08	0.07	7
C22-653	309.55	311.60	2.05	1	0.00	0.01	0.02	2
C22-653	311.60	312.35	0.75	1	0.01	0.01	0.05	4
C22-653	312.35	314.05	1.70	3	0.01	0.03	0.08	8
C22-653	314.05	315.30	1.25	5	0.01	0.03	0.04	8
C22-653	315.30	317.80	2.50	5	0.05	0.05	0.07	13
C22-653	317.80	318.45	0.65	3	0.00	0.05	0.25	14
C22-653	318.45	319.65	1.20	1	0.01	0.01	0.07	4
C22-653	319.65	321.05	1.40	1	0.00	0.01	0.03	3
C22-653	321.05	322.15	1.10	3	0.01	0.10	0.32	19
C22-653	322.15	324.00	1.85	2	0.01	0.03	0.12	7
C22-653	324.00	325.50	1.50	1	0.00	0.01	0.08	5
C22-653	325.50	327.00	1.50	1	0.00	0.01	0.09	4
C22-653	327.00	327.55	0.55	1	0.00	0.00	0.02	2
C22-653	327.55	327.85	0.30	22	0.01	0.50	2.57	134
C22-653	327.85	328.30	0.45	1	0.00	0.00	0.02	2
C22-653	328.30	330.30	2.00	2	0.01	0.05	0.20	11
C22-653	330.30	331.35	1.05	1	0.00	0.00	0.08	4
C22-653	331.35	333.20	1.85	1	0.01	0.01	0.07	4

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-653	333.20	334.40	1.20	3	0.01	0.05	0.38	20
C22-653	334.40	336.00	1.60	0	0.00	0.01	0.03	2
C22-653	336.00	336.80	0.80	1	0.01	0.00	0.01	1
C22-653	336.80	338.75	1.95	1	0.00	0.01	0.02	2
C22-653	338.75	339.85	1.10	0	0.00	0.00	0.00	1
C22-653	339.85	341.20	1.35	0	0.00	0.00	0.00	1
C22-653	341.20	343.20	2.00	0	0.00	0.00	0.00	1
C22-653	343.20	344.15	0.95	1	0.00	0.00	0.03	2
C22-653	344.15	345.60	1.45	1	0.00	0.03	0.11	6
C22-653	345.60	346.65	1.05	1	0.00	0.01	0.04	2
C22-653	346.65	347.90	1.25	1	0.00	0.02	0.07	4
C22-653	347.90	348.95	1.05	1	0.00	0.01	0.10	5
C22-653	348.95	350.25	1.30	1	0.01	0.01	0.02	2
C22-653	350.25	350.80	0.55	1	0.01	0.03	0.02	4
C22-653	350.80	351.60	0.80	1	0.00	0.01	0.00	1
C22-653	351.60	351.90	0.30	5	0.01	0.22	0.04	14
C22-653	351.90	353.90	2.00	0	0.01	0.00	0.00	1
C22-653	353.90	354.25	0.35	0	0.00	0.00	0.01	1
C22-653	354.25	355.10	0.85	1	0.02	0.02	0.11	7
C22-653	355.10	355.90	0.80	1	0.03	0.00	0.00	3
C22-653	355.90	357.50	1.60	1	0.01	0.00	0.01	2
C22-653	357.50	358.55	1.05	1	0.00	0.01	0.03	2
C22-653	358.55	359.45	0.90	13	0.04	0.21	0.07	25
C22-653	359.45	360.50	1.05	1	0.01	0.02	0.03	4
C22-653	360.50	362.90	2.40	2	0.01	0.04	0.02	5
C22-653	362.90	363.70	0.80	8	0.03	0.20	0.09	20
C22-653	363.70	365.70	2.00	1	0.01	0.01	0.01	2
C22-653	365.70	367.55	1.85	0	0.00	0.01	0.01	1
C22-653	367.55	369.50	1.95	0	0.00	0.01	0.02	1
C22-653	369.50	370.65	1.15	2	0.00	0.04	0.04	5
C22-653	370.65	371.65	1.00	1	0.00	0.01	0.07	4
C22-653	371.65	373.35	1.70	0	0.01	0.01	0.01	1
C22-653	373.35	375.00	1.65	1	0.01	0.03	0.00	2
C22-653	375.00	375.75	0.75	0	0.00	0.00	0.01	1
C22-653	375.75	376.85	1.10	7	0.01	0.19	0.02	14
C22-653	376.85	378.10	1.25	3	0.01	0.08	0.03	7
C22-653	378.10	379.40	1.30	1	0.02	0.01	0.01	2
C22-653	379.40	381.10	1.70	0	0.00	0.01	0.01	1
C22-653	381.10	382.20	1.10	0	0.01	0.00	0.01	1
C22-653	382.20	382.55	0.35	2	0.01	0.04	0.71	30
C22-653	382.55	384.00	1.45	0	0.00	0.00	0.12	5
C22-653	384.00	384.80	0.80	1	0.00	0.01	0.08	4
C22-653	384.80	385.70	0.90	0	0.00	0.00	0.02	1
C22-653	385.70	387.00	1.30	0	0.00	0.00	0.00	1
C22-653	387.00	387.35	0.35	8	0.01	0.29	0.05	20
C22-653	387.35	388.20	0.85	1	0.00	0.04	0.02	4
C22-653	388.20	389.30	1.10	4	0.00	0.13	0.05	10
C22-653	389.30	391.00	1.70	1	0.00	0.03	0.01	3
C22-653	391.00	394.00	3.00	1	0.00	0.01	0.01	1

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release

*Metal Prices used for AgEQ calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-653	394.00	396.00	2.00	0	0.00	0.00	0.00	1
C22-653	396.00	397.80	1.80	0	0.00	0.00	0.01	1
C22-653	397.80	399.15	1.35	0	0.00	0.00	0.01	1
C22-653	399.15	400.25	1.10	0	0.00	0.00	0.01	1
C22-653	400.25	401.45	1.20	0	0.00	0.00	0.00	1
C22-653	401.45	402.25	0.80	0	0.00	0.00	0.00	1
C22-653	402.25	404.00	1.75	0	0.00	0.00	0.00	1
C22-653	404.00	405.00	1.00	1	0.00	0.00	0.01	1
C22-653	405.00	406.05	1.05	1	0.00	0.00	0.01	1
C22-653	406.05	406.90	0.85	1	0.00	0.00	0.00	1
C22-653	406.90	408.50	1.60	0	0.00	0.00	0.01	1
C22-653	408.50	410.00	1.50	0	0.00	0.00	0.00	1
C22-653	410.00	411.00	1.00	1	0.00	0.00	0.00	1
C22-653	411.00	411.75	0.75	5	0.01	0.07	0.09	12
C22-653	411.75	413.35	1.60	2	0.01	0.04	0.14	9
C22-653	413.35	414.55	1.20	1	0.00	0.00	0.01	1
C22-653	414.55	415.40	0.85	1	0.01	0.00	0.03	2
C22-653	415.40	417.00	1.60	1	0.00	0.01	0.06	3
C22-653	417.00	418.80	1.80	1	0.00	0.03	0.35	15
C22-653	418.80	420.00	1.20	1	0.00	0.01	0.04	2
C22-653	420.00	421.25	1.25	0	0.00	0.00	0.00	1
C22-653	421.25	422.00	0.75	3	0.01	0.05	0.03	6
C22-653	422.00	422.65	0.65	1	0.01	0.00	0.01	2
C22-653	422.65	424.40	1.75	1	0.00	0.00	0.01	1
C22-653	424.40	426.40	2.00	0	0.00	0.00	0.01	1
C22-653	426.40	428.40	2.00	1	0.00	0.00	0.01	1
C22-653	428.40	430.40	2.00	1	0.00	0.00	0.01	1
C22-653	430.40	432.40	2.00	1	0.00	0.00	0.01	1
C22-653	432.40	434.20	1.80	1	0.00	0.00	0.01	1
C22-653	434.20	436.20	2.00	1	0.00	0.00	0.01	1
C22-653	436.20	438.00	1.80	0	0.00	0.00	0.00	1
C22-653	438.00	440.00	2.00	0	0.00	0.00	0.01	1
C22-653	440.00	441.90	1.90	1	0.00	0.00	0.01	1
C22-653	441.90	442.75	0.85	0	0.00	0.00	0.00	1
C22-653	442.75	444.00	1.25	1	0.00	0.00	0.01	1
C22-653	444.00	446.20	2.20	1	0.01	0.01	0.03	3
C22-653	446.20	448.20	2.00	1	0.01	0.00	0.01	2
C22-653	448.20	450.00	1.80	2	0.01	0.00	0.01	3
C22-654	0.00	3.45	3.45	4	0.05	0.05	0.09	12
C22-654	3.45	5.40	1.95	4	0.02	0.02	0.05	8
C22-654	5.40	6.80	1.40	5	0.01	0.02	0.06	8
C22-654	6.80	8.80	2.00	5	0.02	0.02	0.07	10
C22-654	8.80	10.70	1.90	6	0.01	0.02	0.06	9
C22-654	10.70	12.70	2.00	4	0.02	0.02	0.08	9
C22-654	12.70	14.70	2.00	6	0.01	0.02	0.09	10
C22-654	14.70	16.20	1.50	5	0.01	0.03	0.11	11
C22-654	16.20	17.60	1.40	9	0.01	0.02	0.07	13
C22-654	17.60	18.60	1.00	7	0.01	0.03	0.09	12
C22-654	18.60	20.10	1.50	10	0.02	0.04	0.11	17

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-654	20.10	22.10	2.00	9	0.01	0.08	0.07	15
C22-654	22.10	23.70	1.60	7	0.01	0.05	0.07	12
C22-654	23.70	25.00	1.30	10	0.01	0.06	0.10	16
C22-654	25.00	26.10	1.10	8	0.03	0.21	0.12	21
C22-654	26.10	28.00	1.90	11	0.02	0.07	0.11	19
C22-654	28.00	30.00	2.00	10	0.02	0.08	0.08	17
C22-654	30.00	31.85	1.85	8	0.01	0.07	0.08	14
C22-654	31.85	33.00	1.15	10	0.02	0.09	0.07	16
C22-654	33.00	34.60	1.60	8	0.03	0.14	0.09	18
C22-654	34.60	35.20	0.60	8	0.05	0.19	0.26	27
C22-654	35.20	37.00	1.80	8	0.04	0.15	0.14	20
C22-654	37.00	37.70	0.70	5	0.03	0.15	0.29	23
C22-654	37.70	39.00	1.30	7	0.02	0.06	0.09	14
C22-654	39.00	40.70	1.70	5	0.04	0.06	0.10	13
C22-654	40.70	41.70	1.00	6	0.05	0.25	0.13	22
C22-654	41.70	43.70	2.00	8	0.04	0.15	0.13	20
C22-654	43.70	45.15	1.45	7	0.04	0.08	0.11	16
C22-654	45.15	47.15	2.00	5	0.03	0.06	0.08	12
C22-654	47.15	49.15	2.00	5	0.03	0.09	0.10	13
C22-654	49.15	51.15	2.00	7	0.04	0.11	0.15	18
C22-654	51.15	53.15	2.00	6	0.03	0.15	0.08	16
C22-654	53.15	54.30	1.15	8	0.03	0.08	0.09	16
C22-654	54.30	55.50	1.20	9	0.05	0.27	0.08	24
C22-654	55.50	57.50	2.00	9	0.02	0.09	0.13	17
C22-654	57.50	59.20	1.70	12	0.02	0.17	0.15	25
C22-654	59.20	61.00	1.80	22	0.05	0.33	0.15	41
C22-654	61.00	62.90	1.90	26	0.22	0.91	0.17	77
C22-654	62.90	63.75	0.85	47	0.07	0.60	0.16	76
C22-654	63.75	65.35	1.60	58	0.07	0.82	0.09	92
C22-654	65.35	66.75	1.40	53	0.10	0.85	0.08	90
C22-654	66.75	68.75	2.00	63	0.16	1.26	0.08	116
C22-654	68.75	69.75	1.00	77	0.12	0.63	0.03	107
C22-654	69.75	70.75	1.00	34	0.04	0.22	0.05	45
C22-654	70.75	72.75	2.00	3	0.03	0.07	0.02	8
C22-654	72.75	73.65	0.90	3	0.06	0.05	0.10	13
C22-654	73.65	75.65	2.00	4	0.05	0.08	0.15	16
C22-654	75.65	77.65	2.00	4	0.02	0.07	0.11	11
C22-654	77.65	78.85	1.20	3	0.03	0.06	0.10	10
C22-654	78.85	79.75	0.90	3	0.03	0.07	0.11	12
C22-654	79.75	81.75	2.00	2	0.03	0.03	0.05	7
C22-654	81.75	83.75	2.00	2	0.04	0.03	0.05	8
C22-654	83.75	84.15	0.40	5	0.04	0.09	0.16	16
C22-654	84.15	86.15	2.00	5	0.03	0.05	0.08	11
C22-654	86.15	87.40	1.25	1	0.01	0.02	0.04	4
C22-654	87.40	88.45	1.05	12	0.04	0.24	0.34	35
C22-654	88.45	90.00	1.55	8	0.01	0.17	0.31	26
C22-654	90.00	90.35	0.35	64	0.06	1.43	0.67	138
C22-654	90.35	91.35	1.00	14	0.06	0.18	0.35	37
C22-654	91.35	93.30	1.95	3	0.02	0.06	0.13	11

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-654	93.30	94.00	0.70	16	0.02	0.31	0.45	43
C22-654	94.00	95.00	1.00	8	0.02	0.17	0.31	26
C22-654	95.00	96.75	1.75	6	0.03	0.14	0.20	20
C22-654	96.75	98.70	1.95	14	0.03	0.27	0.44	41
C22-654	98.70	99.15	0.45	5	0.02	0.10	0.22	17
C22-654	99.15	100.20	1.05	10	0.02	0.21	0.34	31
C22-654	100.20	101.50	1.30	4	0.01	0.09	0.12	12
C22-654	101.50	102.65	1.15	9	0.02	0.14	0.21	22
C22-654	102.65	104.15	1.50	23	0.02	0.45	0.43	54
C22-654	104.15	105.15	1.00	5	0.02	0.08	0.11	13
C22-654	105.15	106.25	1.10	16	0.02	0.32	0.64	50
C22-654	106.25	106.70	0.45	18	0.09	0.23	0.10	36
C22-654	106.70	107.35	0.65	29	0.14	0.44	0.28	63
C22-654	107.35	107.65	0.30	22	0.18	0.33	0.38	59
C22-654	107.65	108.65	1.00	17	0.09	0.34	0.40	50
C22-654	108.65	109.20	0.55	19	0.03	0.39	0.62	56
C22-654	109.20	110.00	0.80	4	0.03	0.06	0.12	12
C22-654	110.00	111.30	1.30	3	0.03	0.04	0.07	9
C22-654	111.30	112.40	1.10	11	0.03	0.18	0.44	36
C22-654	112.40	112.75	0.35	3	0.07	0.04	0.11	13
C22-654	112.75	114.05	1.30	16	0.05	0.20	0.17	32
C22-654	114.05	114.40	0.35	2	0.01	0.02	0.08	6
C22-654	114.40	114.80	0.40	4	0.01	0.05	0.10	9
C22-654	114.80	115.20	0.40	2	0.00	0.03	0.08	6
C22-654	115.20	116.00	0.80	1	0.02	0.02	0.05	5
C22-654	116.00	116.45	0.45	3	0.02	0.05	0.09	9
C22-654	116.45	117.65	1.20	1	0.01	0.01	0.03	3
C22-654	117.65	118.60	0.95	11	0.02	0.25	0.47	38
C22-654	118.60	118.95	0.35	69	0.08	0.99	1.30	154
C22-654	118.95	119.30	0.35	5	0.02	0.06	0.32	20
C22-654	119.30	119.60	0.30	130	0.06	2.48	0.53	231
C22-654	119.60	121.45	1.85	11	0.02	0.22	0.41	35
C22-654	121.45	123.00	1.55	17	0.02	0.22	0.44	41
C22-654	123.00	124.50	1.50	19	0.02	0.22	0.51	46
C22-654	124.50	126.00	1.50	12	0.01	0.22	0.54	40
C22-654	126.00	126.60	0.60	17	0.02	0.33	0.51	48
C22-654	126.60	127.10	0.50	14	0.07	0.18	0.23	33
C22-654	127.10	128.85	1.75	5	0.01	0.11	0.19	17
C22-654	128.85	129.50	0.65	15	0.02	0.33	0.57	47
C22-654	129.50	131.20	1.70	6	0.03	0.10	0.23	20
C22-654	131.20	131.95	0.75	96	0.01	0.23	0.43	120
C22-654	131.95	132.50	0.55	38	0.01	0.22	0.62	69
C22-654	132.50	133.75	1.25	8	0.01	0.09	0.18	19
C22-654	133.75	134.55	0.80	4	0.02	0.08	0.13	13
C22-654	134.55	136.55	2.00	3	0.01	0.06	0.11	10
C22-654	136.55	138.55	2.00	4	0.01	0.06	0.07	9
C22-654	138.55	140.55	2.00	8	0.01	0.14	0.25	23
C22-654	140.55	142.05	1.50	8	0.01	0.08	0.35	24
C22-654	142.05	143.75	1.70	4	0.02	0.05	0.07	9

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-654	143.75	144.45	0.70	1	0.02	0.02	0.04	5
C22-654	144.45	146.40	1.95	2	0.02	0.05	0.10	9
C22-654	146.40	147.70	1.30	13	0.03	0.29	0.40	39
C22-654	147.70	148.00	0.30	12	0.02	0.27	0.30	33
C22-654	148.00	150.00	2.00	1	0.01	0.02	0.03	4
C22-654	150.00	151.50	1.50	1	0.01	0.01	0.02	2
C22-654	151.50	152.85	1.35	2	0.03	0.03	0.05	7
C22-654	152.85	154.40	1.55	4	0.01	0.08	0.15	13
C22-654	154.40	155.70	1.30	3	0.02	0.05	0.16	12
C22-654	155.70	156.00	0.30	18	0.12	0.33	0.12	41
C22-654	156.00	157.05	1.05	12	0.07	0.19	0.40	38
C22-654	157.05	157.60	0.55	18	0.02	0.33	0.93	64
C22-654	157.60	158.55	0.95	25	0.02	0.12	0.77	59
C22-654	158.55	159.55	1.00	17	0.01	0.14	0.89	55
C22-654	159.55	161.20	1.65	8	0.02	0.14	0.29	24
C22-654	161.20	163.20	2.00	24	0.02	0.28	0.51	53
C22-654	163.20	163.55	0.35	7	0.01	0.09	0.12	15
C22-654	163.55	165.00	1.45	2	0.01	0.02	0.05	6
C22-654	165.00	167.00	2.00	18	0.05	0.29	0.45	47
C22-654	167.00	168.00	1.00	41	0.05	0.66	0.86	97
C22-654	168.00	168.50	0.50	28	0.04	0.49	0.83	78
C22-654	168.50	169.90	1.40	97	0.09	1.83	1.38	212
C22-654	169.90	170.40	0.50	21	0.06	0.40	0.67	64
C22-654	170.40	171.10	0.70	22	0.05	0.41	1.19	83
C22-654	171.10	172.60	1.50	63	0.08	1.05	2.96	211
C22-654	172.60	173.45	0.85	14	0.02	0.24	0.28	32
C22-654	173.45	173.95	0.50	17	0.06	0.31	0.40	46
C22-654	173.95	175.55	1.60	49	0.05	0.93	0.74	109
C22-654	175.55	176.60	1.05	19	0.03	0.40	0.57	54
C22-654	176.60	177.60	1.00	4	0.01	0.10	0.10	11
C22-654	177.60	178.65	1.05	8	0.02	0.19	0.27	26
C22-654	178.65	179.50	0.85	1	0.01	0.02	0.04	4
C22-654	179.50	181.50	2.00	2	0.02	0.04	0.07	7
C22-654	181.50	182.20	0.70	2	0.01	0.04	0.08	7
C22-654	182.20	183.05	0.85	23	0.08	0.45	0.64	67
C22-654	183.05	184.35	1.30	10	0.04	0.15	0.23	25
C22-654	184.35	186.35	2.00	4	0.02	0.06	0.06	9
C22-654	186.35	187.55	1.20	7	0.04	0.07	0.08	15
C22-654	187.55	187.95	0.40	2	0.03	0.01	0.02	5
C22-654	187.95	188.90	0.95	2	0.01	0.02	0.02	4
C22-654	188.90	189.25	0.35	286	0.09	5.46	2.37	551
C22-654	189.25	191.15	1.90	10	0.04	0.17	0.13	22
C22-654	191.15	191.65	0.50	20	0.03	0.39	0.40	49
C22-654	191.65	192.05	0.40	17	0.02	0.34	0.61	52
C22-654	192.05	192.35	0.30	35	0.09	0.70	1.41	116
C22-654	192.35	193.65	1.30	14	0.02	0.26	0.41	39
C22-654	193.65	194.05	0.40	272	0.10	5.90	6.24	695
C22-654	194.05	194.55	0.50	75	0.08	1.43	2.17	206
C22-654	194.55	194.85	0.30	297	0.24	5.41	2.96	593

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-654	194.85	195.60	0.75	24	0.05	0.48	0.61	66
C22-654	195.60	195.90	0.30	100	0.37	0.60	9.57	503
C22-654	195.90	196.35	0.45	59	0.08	0.75	5.08	277
C22-654	196.35	197.25	0.90	56	0.05	0.88	1.79	154
C22-654	197.25	197.80	0.55	28	0.02	0.41	1.97	115
C22-654	197.80	199.40	1.60	12	0.02	0.25	0.44	38
C22-654	199.40	200.00	0.60	6	0.01	0.12	0.15	16
C22-654	200.00	200.70	0.70	5	0.01	0.11	0.18	16
C22-654	200.70	201.90	1.20	17	0.02	0.31	0.62	51
C22-654	201.90	202.90	1.00	25	0.02	0.50	0.47	59
C22-654	202.90	203.25	0.35	52	0.06	1.21	3.63	230
C22-654	203.25	204.45	1.20	22	0.08	0.38	0.39	53
C22-654	204.45	204.80	0.35	9	0.01	0.18	0.21	23
C22-654	204.80	206.20	1.40	21	0.04	0.41	0.43	52
C22-654	206.20	207.50	1.30	11	0.02	0.19	0.26	28
C22-654	207.50	207.80	0.30	11	0.07	0.16	2.08	99
C22-654	207.80	208.55	0.75	16	0.03	0.30	0.44	44
C22-654	208.55	209.80	1.25	7	0.02	0.15	0.28	23
C22-654	209.80	210.10	0.30	51	0.05	1.08	3.31	212
C22-654	210.10	210.65	0.55	31	0.04	0.72	0.81	86
C22-654	210.65	211.65	1.00	26	0.04	0.53	1.03	83
C22-654	211.65	212.70	1.05	33	0.05	0.63	0.77	85
C22-654	212.70	213.40	0.70	57	0.06	1.23	2.04	175
C22-654	213.40	214.00	0.60	101	0.16	2.23	5.03	369
C22-654	214.00	214.75	0.75	87	0.18	1.65	1.96	224
C22-654	214.75	216.00	1.25	27	0.07	0.48	0.98	83
C22-654	216.00	216.50	0.50	58	0.11	0.99	2.16	177
C22-654	216.50	217.35	0.85	45	0.09	0.86	0.84	110
C22-654	217.35	219.35	2.00	1	0.02	0.02	0.04	4
C22-654	219.35	221.35	2.00	1	0.01	0.02	0.01	2
C22-654	221.35	223.35	2.00	1	0.02	0.01	0.03	3
C22-654	223.35	225.35	2.00	1	0.02	0.00	0.01	2
C22-654	225.35	227.00	1.65	1	0.03	0.02	0.04	4
C22-654	227.00	228.80	1.80	1	0.04	0.01	0.04	6
C22-654	228.80	230.10	1.30	1	0.01	0.01	0.06	4
C22-654	230.10	230.65	0.55	1	0.01	0.04	0.11	7
C22-654	230.65	232.65	2.00	1	0.01	0.02	0.04	4
C22-654	232.65	234.30	1.65	1	0.01	0.00	0.02	3
C22-654	234.30	235.40	1.10	2	0.01	0.04	0.05	6
C22-654	235.40	236.25	0.85	27	0.01	0.48	0.58	64
C22-654	236.25	238.25	2.00	1	0.02	0.01	0.02	3
C22-654	238.25	240.25	2.00	0	0.01	0.00	0.00	1
C22-654	240.25	242.25	2.00	1	0.01	0.01	0.02	3
C22-654	242.25	243.35	1.10	1	0.02	0.01	0.02	3
C22-654	243.35	243.95	0.60	2	0.02	0.03	0.13	9
C22-654	243.95	244.50	0.55	30	0.06	0.72	1.10	97
C22-654	244.50	244.85	0.35	29	0.06	0.74	1.30	104
C22-654	244.85	245.60	0.75	23	0.05	0.59	0.67	70
C22-654	245.60	245.95	0.35	25	0.07	0.58	0.67	73

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-654	245.95	246.55	0.60	42	0.06	1.05	0.75	107
C22-654	246.55	246.95	0.40	40	0.09	0.83	1.85	141
C22-654	246.95	247.40	0.45	11	0.03	0.28	0.53	42
C22-654	247.40	247.70	0.30	18	0.04	0.44	0.99	72
C22-654	247.70	248.00	0.30	28	0.06	0.66	0.93	87
C22-654	248.00	250.00	2.00	4	0.03	0.09	0.13	14
C22-654	250.00	251.85	1.85	6	0.02	0.14	0.13	17
C22-654	251.85	252.45	0.60	38	0.09	0.80	0.53	90
C22-654	252.45	252.75	0.30	21	0.06	0.41	1.78	104
C22-654	252.75	253.35	0.60	7	0.03	0.12	0.08	16
C22-654	253.35	254.30	0.95	8	0.04	0.14	0.21	23
C22-654	254.30	255.25	0.95	1	0.01	0.01	0.07	4
C22-654	255.25	256.90	1.65	2	0.02	0.02	0.05	5
C22-654	256.90	257.30	0.40	28	0.06	0.25	1.06	79
C22-654	257.30	258.80	1.50	18	0.06	0.22	0.19	37
C22-654	258.80	260.45	1.65	2	0.02	0.03	0.04	5
C22-654	260.45	261.45	1.00	6	0.05	0.14	0.25	24
C22-654	261.45	263.45	2.00	7	0.03	0.08	0.14	17
C22-654	263.45	264.30	0.85	11	0.04	0.15	0.18	25
C22-654	264.30	264.60	0.30	11	0.07	0.14	0.08	23
C22-654	264.60	264.90	0.30	12	0.08	0.24	0.09	29
C22-654	264.90	265.30	0.40	14	0.04	0.24	0.21	31
C22-654	265.30	266.50	1.20	24	0.15	0.23	0.27	52
C22-654	266.50	267.25	0.75	13	0.09	0.13	0.22	31
C22-654	267.25	268.40	1.15	22	0.19	0.16	0.11	44
C22-654	268.40	269.45	1.05	11	0.16	0.11	0.27	37
C22-654	269.45	270.00	0.55	10	0.17	0.07	0.23	33
C22-654	270.00	270.35	0.35	5	0.09	0.06	0.14	19
C22-654	270.35	271.25	0.90	1	0.03	0.02	0.08	7
C22-654	271.25	272.30	1.05	3	0.02	0.02	0.07	7
C22-654	272.30	273.40	1.10	2	0.02	0.02	0.05	6
C22-654	273.40	275.35	1.95	1	0.01	0.01	0.02	2
C22-654	275.35	277.10	1.75	1	0.01	0.01	0.04	4
C22-654	277.10	278.80	1.70	4	0.01	0.02	0.08	9
C22-654	278.80	280.30	1.50	1	0.01	0.01	0.05	3
C22-654	280.30	282.10	1.80	2	0.01	0.01	0.04	4
C22-654	282.10	284.10	2.00	1	0.01	0.01	0.03	3
C22-654	284.10	286.30	2.20	8	0.01	0.02	0.04	11
C22-654	286.30	288.15	1.85	6	0.01	0.12	0.06	13
C22-654	288.15	290.15	2.00	27	0.02	0.07	0.08	34
C22-654	290.15	292.15	2.00	15	0.01	0.13	0.06	22
C22-654	292.15	294.15	2.00	23	0.02	0.13	0.07	30
C22-654	294.15	296.15	2.00	4	0.02	0.05	0.05	8
C22-654	296.15	297.55	1.40	0	0.01	0.01	0.05	3
C22-654	297.55	299.35	1.80	7	0.01	0.33	0.36	31
C22-654	299.35	300.40	1.05	14	0.03	0.17	0.59	44
C22-654	300.40	301.10	0.70	12	0.15	0.33	2.55	129
C22-654	301.10	302.15	1.05	5	0.05	0.14	1.96	86
C22-654	302.15	303.60	1.45	3	0.04	0.03	0.52	26

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-654	303.60	304.90	1.30	3	0.03	0.03	1.60	66
C22-654	304.90	305.65	0.75	11	0.05	0.26	1.15	65
C22-654	305.65	306.65	1.00	3	0.04	0.02	0.43	23
C22-654	306.65	307.00	0.35	53	0.29	0.65	9.92	465
C22-654	307.00	308.60	1.60	5	0.06	0.02	0.45	26
C22-654	308.60	309.45	0.85	96	0.92	0.17	2.10	247
C22-654	309.45	310.50	1.05	7	0.11	0.02	0.57	37
C22-654	310.50	311.90	1.40	5	0.07	0.02	0.30	22
C22-654	311.90	312.25	0.35	44	0.11	0.76	2.00	150
C22-654	312.25	312.90	0.65	32	0.06	0.53	1.35	103
C22-654	312.90	313.30	0.40	331	0.46	5.99	12.60	1,021
C22-654	313.30	313.75	0.45	26	0.08	0.32	1.94	114
C22-654	313.75	315.25	1.50	58	0.30	0.22	1.88	157
C22-654	315.25	315.90	0.65	33	0.26	0.10	3.69	193
C22-654	315.90	316.45	0.55	116	0.11	2.48	4.09	354
C22-654	316.45	316.95	0.50	19	0.09	0.17	1.21	75
C22-654	316.95	317.40	0.45	24	0.10	0.29	0.14	45
C22-654	317.40	317.90	0.50	29	0.08	0.42	0.65	71
C22-654	317.90	318.65	0.75	13	0.05	0.16	0.33	33
C22-654	318.65	319.70	1.05	4	0.03	0.03	0.07	10
C22-654	319.70	320.30	0.60	45	0.13	0.44	2.67	167
C22-654	320.30	322.15	1.85	5	0.02	0.05	0.19	15
C22-654	322.15	322.70	0.55	13	0.04	0.19	1.19	66
C22-654	322.70	324.60	1.90	4	0.02	0.03	0.19	13
C22-654	324.60	324.95	0.35	1	0.02	0.00	0.01	3
C22-654	324.95	326.95	2.00	2	0.01	0.02	0.05	5
C22-654	326.95	327.45	0.50	1	0.01	0.03	0.20	10
C22-654	327.45	328.25	0.80	1	0.01	0.01	0.03	3
C22-654	328.25	329.15	0.90	1	0.01	0.01	0.04	3
C22-654	329.15	330.05	0.90	1	0.01	0.02	0.11	6
C22-654	330.05	331.10	1.05	3	0.01	0.06	0.03	7
C22-654	331.10	332.65	1.55	1	0.01	0.01	0.03	3
C22-654	332.65	333.30	0.65	43	0.02	0.37	0.42	72
C22-654	333.30	334.30	1.00	15	0.02	0.33	0.36	40
C22-654	334.30	334.65	0.35	24	0.03	0.62	0.15	52
C22-654	334.65	335.20	0.55	17	0.03	0.35	0.41	45
C22-654	335.20	336.00	0.80	7	0.02	0.16	0.18	21
C22-654	336.00	337.15	1.15	5	0.04	0.07	0.08	13
C22-654	337.15	338.20	1.05	3	0.05	0.05	0.05	11
C22-654	338.20	338.65	0.45	3	0.04	0.06	0.12	12
C22-654	338.65	339.00	0.35	7	0.10	0.22	0.43	37
C22-654	339.00	339.95	0.95	21	0.17	0.42	1.13	88
C22-654	339.95	340.70	0.75	11	0.07	0.31	0.98	62
C22-654	340.70	341.10	0.40	20	0.57	0.44	1.21	120
C22-654	341.10	342.95	1.85	1	0.02	0.03	0.10	7
C22-654	342.95	344.30	1.35	11	0.03	0.24	0.35	34
C22-654	344.30	345.25	0.95	16	0.05	0.16	0.32	36
C22-654	345.25	346.15	0.90	19	0.04	0.18	0.36	41
C22-654	346.15	347.05	0.90	6	0.04	0.12	0.39	27

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-654	347.05	347.35	0.30	7	0.04	0.15	0.41	31
C22-654	347.35	349.35	2.00	2	0.02	0.05	0.10	8
C22-654	349.35	350.90	1.55	2	0.02	0.06	0.08	8
C22-654	350.90	351.25	0.35	29	0.05	0.58	0.46	67
C22-654	351.25	353.25	2.00	5	0.02	0.08	0.10	12
C22-654	353.25	354.50	1.25	2	0.02	0.04	0.09	8
C22-654	354.50	356.50	2.00	1	0.02	0.02	0.03	4
C22-654	356.50	358.50	2.00	0	0.01	0.00	0.01	2
C22-654	358.50	360.50	2.00	3	0.03	0.01	0.04	7
C22-654	360.50	362.05	1.55	0	0.01	0.00	0.02	2
C22-654	362.05	363.05	1.00	3	0.03	0.06	0.27	17
C22-654	363.05	363.85	0.80	2	0.02	0.03	0.05	6
C22-654	363.85	365.15	1.30	2	0.02	0.03	0.06	6
C22-654	365.15	366.10	0.95	7	0.04	0.15	0.45	31
C22-654	366.10	366.80	0.70	9	0.05	0.13	0.20	24
C22-654	366.80	368.30	1.50	2	0.02	0.02	0.06	6
C22-654	368.30	369.00	0.70	11	0.04	0.22	0.19	27
C22-654	369.00	370.20	1.20	3	0.04	0.06	0.12	12
C22-654	370.20	371.40	1.20	3	0.02	0.07	0.19	14
C22-654	371.40	371.75	0.35	5	0.05	0.20	0.63	39
C22-654	371.75	372.50	0.75	2	0.03	0.01	0.03	6
C22-654	372.50	373.90	1.40	7	0.12	0.04	0.04	18
C22-654	373.90	375.30	1.40	3	0.05	0.01	0.02	8
C22-654	375.30	376.40	1.10	3	0.03	0.04	0.09	10
C22-654	376.40	377.30	0.90	5	0.03	0.10	0.19	17
C22-654	377.30	378.90	1.60	0	0.01	0.01	0.09	4
C22-654	378.90	379.70	0.80	2	0.01	0.07	0.19	12
C22-654	379.70	381.40	1.70	0	0.01	0.00	0.08	4
C22-654	381.40	381.90	0.50	1	0.01	0.01	0.02	2
C22-654	381.90	383.90	2.00	1	0.02	0.00	0.02	3
C22-654	383.90	384.60	0.70	2	0.03	0.03	0.09	8
C22-654	384.60	385.25	0.65	51	0.06	1.29	2.96	206
C22-654	385.25	387.20	1.95	18	0.05	0.48	1.13	79
C22-654	387.20	388.75	1.55	2	0.01	0.03	0.21	11
C22-654	388.75	390.35	1.60	1	0.02	0.02	0.18	9
C22-654	390.35	392.35	2.00	1	0.01	0.01	0.09	5
C22-654	392.35	394.35	2.00	1	0.01	0.03	0.04	4
C22-654	394.35	395.15	0.80	1	0.01	0.03	0.04	4
C22-654	395.15	396.50	1.35	1	0.01	0.03	0.09	6
C22-654	396.50	398.50	2.00	1	0.01	0.02	0.04	3
C22-654	398.50	399.70	1.20	1	0.02	0.03	0.15	9
C22-654	399.70	400.00	0.30	10	0.05	0.21	0.41	36
C22-654	400.00	402.00	2.00	1	0.01	0.01	0.03	3
C22-654	402.00	404.00	2.00	1	0.01	0.02	0.13	7
C22-654	404.00	406.00	2.00	1	0.01	0.03	0.10	6
C22-654	406.00	407.15	1.15	1	0.02	0.03	0.06	6
C22-654	407.15	409.10	1.95	1	0.02	0.01	0.01	2
C22-654	409.10	410.80	1.70	1	0.01	0.01	0.01	2
C22-654	410.80	412.80	2.00	3	0.01	0.07	0.14	11

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-654	412.80	414.65	1.85	2	0.01	0.05	0.07	7
C22-654	414.65	415.80	1.15	2	0.01	0.03	0.06	6
C22-654	415.80	416.30	0.50	3	0.01	0.05	0.09	9
C22-654	416.30	416.60	0.30	23	0.03	0.28	0.30	46
C22-654	416.60	417.25	0.65	1	0.02	0.01	0.04	4
C22-654	417.25	417.75	0.50	5	0.05	0.11	0.52	32
C22-654	417.75	418.40	0.65	1	0.01	0.01	0.07	4
C22-654	418.40	420.40	2.00	1	0.03	0.01	0.03	4
C22-654	420.40	421.60	1.20	64	0.05	1.48	2.33	201
C22-654	421.60	421.90	0.30	41	0.05	0.91	2.61	170
C22-654	421.90	422.90	1.00	0	0.01	0.01	0.03	2
C22-654	422.90	423.40	0.50	2	0.02	0.01	0.84	35
C22-654	423.40	425.10	1.70	0	0.01	0.00	0.00	1
C22-654	425.10	426.15	1.05	0	0.01	0.00	0.00	1
C22-654	426.15	426.70	0.55	1	0.02	0.04	0.08	6
C22-654	426.70	428.00	1.30	0	0.01	0.00	0.02	2
C22-654	428.00	430.00	2.00	0	0.01	0.00	0.01	1
C22-654	430.00	432.00	2.00	0	0.01	0.00	0.00	1
C22-654	432.00	434.00	2.00	0	0.02	0.00	0.00	2
C22-654	434.00	435.90	1.90	0	0.01	0.00	0.00	1
C22-654	435.90	437.85	1.95	2	0.02	0.02	0.07	7
C22-654	437.85	439.85	2.00	2	0.01	0.03	0.09	7
C22-654	439.85	441.85	2.00	1	0.01	0.00	0.02	2
C22-654	441.85	443.40	1.55	1	0.02	0.02	0.05	4
C22-654	443.40	444.65	1.25	1	0.01	0.02	0.04	3
C22-654	444.65	446.65	2.00	1	0.00	0.02	0.05	4
C22-654	446.65	448.65	2.00	1	0.01	0.02	0.05	4
C22-654	448.65	450.65	2.00	1	0.01	0.02	0.09	6
C22-654	450.65	452.65	2.00	1	0.00	0.00	0.01	1
C22-654	452.65	454.65	2.00	1	0.01	0.01	0.02	2
C22-654	454.65	455.80	1.15	4	0.01	0.08	0.04	8
C22-654	455.80	456.75	0.95	2	0.01	0.03	0.10	7
C22-654	456.75	457.60	0.85	1	0.01	0.03	0.09	6
C22-654	457.60	459.50	1.90	1	0.01	0.01	0.07	4
C22-654	459.50	460.25	0.75	1	0.01	0.02	0.07	5
C22-654	460.25	461.05	0.80	2	0.00	0.05	0.12	8
C22-654	461.05	461.90	0.85	3	0.02	0.06	0.30	17
C22-654	461.90	462.20	0.30	1	0.01	0.02	0.16	8
C22-654	462.20	463.20	1.00	6	0.02	0.06	1.09	49
C22-654	463.20	464.30	1.10	3	0.01	0.04	0.11	9
C22-654	464.30	464.60	0.30	89	0.03	1.86	4.46	315
C22-654	464.60	464.95	0.35	232	0.04	0.54	1.53	309
C22-654	464.95	465.35	0.40	3	0.01	0.05	0.23	14
C22-654	465.35	465.85	0.50	45	0.02	0.95	1.13	118
C22-654	465.85	467.85	2.00	7	0.01	0.16	0.16	18
C22-654	467.85	468.95	1.10	1	0.00	0.01	0.03	2
C22-654	468.95	469.95	1.00	2	0.01	0.03	0.09	6
C22-654	469.95	470.25	0.30	29	0.05	0.46	2.97	158
C22-654	470.25	470.60	0.35	148	0.06	3.73	8.08	570

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-654	470.60	471.10	0.50	18	0.01	0.45	0.31	44
C22-654	471.10	471.70	0.60	21	0.05	0.30	1.87	103
C22-654	471.70	472.35	0.65	35	0.06	0.48	2.30	140
C22-654	472.35	472.80	0.45	393	0.14	6.88	28.60	1,685
C22-654	472.80	473.70	0.90	107	0.04	2.56	6.24	422
C22-654	473.70	474.10	0.40	261	0.15	5.74	15.50	1,029
C22-654	474.10	474.60	0.50	114	0.12	1.71	10.50	568
C22-654	474.60	475.15	0.55	181	0.09	2.32	45.62	1,962
C22-654	475.15	475.85	0.70	52	0.06	0.83	3.98	231
C22-654	475.85	477.00	1.15	10	0.02	0.26	0.64	44
C22-654	477.00	477.95	0.95	16	0.04	0.41	1.05	70
C22-654	477.95	478.55	0.60	55	0.09	1.17	3.53	230
C22-654	478.55	479.15	0.60	39	0.04	1.12	2.53	171
C22-654	479.15	479.95	0.80	68	0.05	1.72	3.66	261
C22-654	479.95	480.85	0.90	92	0.04	2.22	4.71	339
C22-654	480.85	481.50	0.65	99	0.05	2.26	4.02	323
C22-654	481.50	482.30	0.80	178	0.03	4.65	8.94	659
C22-654	482.30	483.40	1.10	11	0.02	0.30	0.45	38
C22-654	483.40	484.40	1.00	2	0.01	0.03	0.14	9
C22-654	484.40	486.20	1.80	1	0.01	0.01	0.03	3
C22-654	486.20	488.20	2.00	1	0.01	0.02	0.06	4
C22-654	488.20	489.05	0.85	18	0.02	0.42	1.21	77
C22-654	489.05	490.20	1.15	30	0.03	0.84	1.83	127
C22-654	490.20	491.25	1.05	36	0.03	0.89	1.72	130
C22-654	491.25	491.95	0.70	19	0.02	0.35	1.83	100
C22-654	491.95	493.95	2.00	2	0.01	0.04	0.26	14
C22-654	493.95	495.85	1.90	1	0.01	0.01	0.05	4
C22-654	495.85	496.35	0.50	1	0.01	0.04	0.06	5
C22-654	496.35	497.05	0.70	14	0.02	0.46	0.88	63
C22-654	497.05	498.15	1.10	21	0.02	0.65	0.94	78
C22-654	498.15	498.85	0.70	24	0.08	0.62	1.35	99
C22-654	498.85	499.15	0.30	96	0.13	1.88	1.85	233
C22-654	499.15	499.90	0.75	125	0.22	2.47	4.94	402
C22-654	499.90	500.35	0.45	125	0.15	2.31	15.65	792
C22-654	500.35	501.15	0.80	10	0.01	0.21	0.40	32
C22-654	501.15	503.00	1.85	3	0.01	0.07	0.12	10
C22-654	503.00	503.60	0.60	6	0.02	0.10	0.69	36
C22-654	503.60	504.25	0.65	9	0.02	0.23	0.17	24
C22-654	504.25	505.25	1.00	1	0.01	0.02	0.03	3
C22-654	505.25	507.10	1.85	2	0.01	0.05	0.23	13
C22-654	507.10	507.85	0.75	2	0.01	0.04	0.34	17
C22-654	507.85	508.45	0.60	4	0.01	0.02	0.85	37
C22-654	508.45	509.35	0.90	4	0.01	0.09	0.12	12
C22-654	509.35	509.85	0.50	18	0.04	0.42	1.68	96
C22-654	509.85	511.45	1.60	1	0.01	0.02	0.09	5
C22-654	511.45	511.85	0.40	15	0.01	0.20	0.04	24
C22-654	511.85	513.45	1.60	3	0.01	0.07	0.17	12
C22-654	513.45	514.25	0.80	8	0.01	0.17	0.34	27
C22-654	514.25	515.15	0.90	1	0.00	0.01	0.30	13

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-654	515.15	517.15	2.00	2	0.01	0.04	0.09	7
C22-654	517.15	517.50	0.35	9	0.02	0.10	1.06	52
C22-654	517.50	518.70	1.20	1	0.01	0.01	0.11	6
C22-654	518.70	519.35	0.65	212	0.03	3.02	0.54	328
C22-654	519.35	520.25	0.90	21	0.02	0.39	0.61	57
C22-654	520.25	521.20	0.95	75	0.11	1.42	1.83	195
C22-654	521.20	521.85	0.65	113	0.07	1.61	1.22	213
C22-654	521.85	522.55	0.70	5	0.03	0.10	0.16	16
C22-654	522.55	522.90	0.35	3	0.01	0.04	0.33	17
C22-654	522.90	524.30	1.40	1	0.01	0.01	0.09	5
C22-654	524.30	524.65	0.35	7	0.06	0.16	0.22	24
C22-654	524.65	525.40	0.75	8	0.01	0.19	0.49	33
C22-654	525.40	526.30	0.90	2	0.00	0.04	0.04	4
C22-654	526.30	527.40	1.10	3	0.01	0.08	0.28	16
C22-654	527.40	528.45	1.05	61	0.19	1.49	3.76	262
C22-654	528.45	529.30	0.85	23	0.04	0.50	1.87	111
C22-654	529.30	529.75	0.45	7	0.01	0.15	0.85	44
C22-654	529.75	531.00	1.25	1	0.01	0.01	0.02	2
C22-654	531.00	531.70	0.70	5	0.01	0.16	0.62	33
C22-654	531.70	532.55	0.85	13	0.01	0.46	1.37	79
C22-654	532.55	534.25	1.70	2	0.01	0.04	0.11	8
C22-654	534.25	535.95	1.70	1	0.00	0.01	0.07	4
C22-654	535.95	536.60	0.65	2	0.02	0.04	0.58	26
C22-654	536.60	537.45	0.85	1	0.01	0.02	0.14	7
C22-654	537.45	538.80	1.35	1	0.03	0.02	0.18	10
C22-654	538.80	540.15	1.35	8	0.01	0.22	0.90	49
C22-654	540.15	541.30	1.15	1	0.01	0.01	0.04	3
C22-654	541.30	542.95	1.65	2	0.01	0.02	0.06	5
C22-654	542.95	544.10	1.15	3	0.01	0.05	0.10	9
C22-654	544.10	545.25	1.15	13	0.01	0.36	0.21	33
C22-654	545.25	546.15	0.90	439	0.08	8.98	7.83	1,017
C22-654	546.15	546.70	0.55	86	0.05	2.56	2.53	264
C22-654	546.70	548.30	1.60	3	0.01	0.05	0.12	9
C22-654	548.30	549.65	1.35	3	0.01	0.03	0.13	9
C22-654	549.65	551.35	1.70	12	0.01	0.28	0.29	32
C22-654	551.35	552.15	0.80	115	0.04	3.10	4.38	378
C22-654	552.15	552.60	0.45	48	0.03	1.35	3.46	221
C22-654	552.60	553.15	0.55	66	0.03	1.82	4.26	284
C22-654	553.15	553.60	0.45	18	0.01	0.53	0.78	64
C22-654	553.60	554.50	0.90	61	0.03	1.92	3.19	242
C22-654	554.50	555.85	1.35	15	0.01	0.45	0.64	53
C22-654	555.85	556.50	0.65	60	0.09	1.94	2.77	230
C22-654	556.50	557.35	0.85	89	0.09	2.54	3.63	310
C22-654	557.35	558.60	1.25	107	0.16	2.86	5.12	399
C22-654	558.60	559.45	0.85	115	0.06	2.86	3.02	321
C22-654	559.45	560.05	0.60	29	0.03	0.66	3.71	190
C22-654	560.05	562.05	2.00	4	0.01	0.11	0.19	16
C22-654	562.05	563.80	1.75	1	0.01	0.02	0.21	10
C22-654	563.80	565.15	1.35	1	0.01	0.02	0.10	6

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-654	565.15	565.80	0.65	11	0.01	0.24	0.54	39
C22-654	565.80	566.80	1.00	4	0.02	0.04	0.07	9
C22-654	566.80	567.45	0.65	5	0.01	0.02	0.04	8
C22-654	567.45	568.75	1.30	3	0.01	0.01	0.04	5
C22-654	568.75	570.05	1.30	3	0.01	0.01	0.09	7
C22-654	570.05	571.15	1.10	2	0.01	0.02	0.08	6
C22-654	571.15	572.15	1.00	3	0.01	0.03	0.07	7
C22-654	572.15	574.00	1.85	4	0.01	0.03	0.23	14
C22-654	574.00	574.65	0.65	7	0.02	0.07	0.79	40
C22-654	574.65	575.20	0.55	20	0.05	0.30	0.98	69
C22-654	575.20	577.20	2.00	3	0.01	0.05	0.17	11
C22-654	577.20	579.00	1.80	1	0.01	0.02	0.03	3
C22-654	579.00	580.75	1.75	2	0.01	0.06	0.12	9
C22-654	580.75	581.80	1.05	1	0.01	0.01	0.05	3
C22-654	581.80	582.70	0.90	2	0.01	0.02	0.05	4
C22-654	582.70	583.75	1.05	1	0.01	0.02	0.03	3
C22-654	583.75	584.90	1.15	2	0.01	0.01	0.13	7
C22-654	584.90	586.00	1.10	0	0.01	0.00	0.03	2
C22-654	586.00	587.10	1.10	6	0.02	0.10	0.52	30
C22-654	587.10	587.70	0.60	20	0.04	0.40	1.75	100
C22-654	587.70	589.55	1.85	12	0.05	0.12	0.26	29
C22-654	589.55	590.20	0.65	28	0.07	0.53	0.59	71
C22-654	590.20	591.00	0.80	26	0.04	0.54	0.78	75
C22-654	591.00	592.25	1.25	15	0.03	0.24	0.91	59
C22-654	592.25	593.80	1.55	5	0.03	0.05	0.20	16
C22-654	593.80	594.80	1.00	5	0.03	0.07	0.09	13
C22-654	594.80	595.20	0.40	58	0.07	1.16	0.90	133
C22-654	595.20	597.00	1.80	10	0.05	0.03	0.14	19
C22-654	597.00	598.40	1.40	74	0.30	0.12	0.67	125
C22-654	598.40	599.00	0.60	27	0.10	0.05	0.67	61
C22-654	599.00	600.95	1.95	13	0.09	0.01	0.19	27
C22-654	600.95	602.55	1.60	10	0.04	0.02	0.26	23
C22-654	602.55	604.10	1.55	12	0.07	0.03	0.24	27
C22-654	604.10	605.30	1.20	2	0.01	0.00	0.06	5
C22-654	605.30	606.50	1.20	4	0.03	0.08	0.14	14
C22-654	606.50	607.50	1.00	2	0.02	0.00	0.29	14
C22-654	607.50	609.30	1.80	2	0.01	0.04	0.23	13
C22-654	609.30	609.90	0.60	14	0.06	0.21	0.94	60
C22-654	609.90	611.20	1.30	9	0.02	0.19	0.75	44
C22-654	611.20	611.75	0.55	3	0.02	0.03	0.27	15
C22-654	611.75	612.35	0.60	10	0.02	0.22	0.36	32
C22-654	612.35	613.10	0.75	54	0.10	0.25	1.43	122
C22-654	613.10	613.85	0.75	19	0.07	0.15	0.66	54
C22-654	613.85	614.95	1.10	58	0.39	0.09	1.42	142
C22-654	614.95	615.55	0.60	35	0.13	0.07	1.49	103
C22-654	615.55	617.05	1.50	10	0.04	0.03	0.65	38
C22-654	617.05	618.50	1.45	23	0.11	0.05	0.65	57
C22-654	618.50	620.75	2.25	9	0.03	0.04	0.48	30
C22-654	620.75	621.75	1.00	10	0.02	0.11	0.70	41

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release

*Metal Prices used for AgEQ calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-654	621.75	623.10	1.35	36	0.08	0.87	2.46	161
C22-654	623.10	623.65	0.55	55	0.08	1.67	2.16	193
C22-654	623.65	625.40	1.75	49	0.16	0.12	1.00	102
C22-654	625.40	626.40	1.00	8	0.07	0.06	0.52	34
C22-654	626.40	627.30	0.90	79	0.50	0.28	1.16	167
C22-654	627.30	627.75	0.45	239	2.14	0.60	5.96	636
C22-654	627.75	628.15	0.40	4	0.04	0.04	0.48	26
C22-654	628.15	629.80	1.65	1	0.03	0.01	0.03	4
C22-654	629.80	630.60	0.80	1	0.01	0.01	0.02	2
C22-654	630.60	632.50	1.90	6	0.02	0.14	0.14	18
C22-654	632.50	633.15	0.65	2	0.01	0.03	0.16	9
C22-654	633.15	633.80	0.65	20	0.11	0.35	1.94	111
C22-654	633.80	634.70	0.90	1	0.00	0.01	0.03	2
C22-654	634.70	635.10	0.40	1	0.01	0.02	0.03	3
C22-654	635.10	635.75	0.65	1	0.01	0.01	0.03	3
C22-654	635.75	637.35	1.60	17	0.02	0.48	0.43	49
C22-654	637.35	637.85	0.50	52	0.03	1.47	2.05	176
C22-654	637.85	639.10	1.25	1	0.03	0.01	0.02	4
C22-654	639.10	640.85	1.75	1	0.01	0.02	0.04	4
C22-654	640.85	641.20	0.35	25	0.14	0.23	2.52	136
C22-654	641.20	642.55	1.35	1	0.05	0.01	0.04	7
C22-654	642.55	643.40	0.85	1	0.02	0.00	0.03	3
C22-654	643.40	645.40	2.00	1	0.03	0.01	0.04	5
C22-654	645.40	646.10	0.70	2	0.03	0.06	0.10	9
C22-654	646.10	647.25	1.15	2	0.02	0.01	0.02	4
C22-654	647.25	647.85	0.60	6	0.19	0.12	0.37	37
C22-654	647.85	648.70	0.85	17	0.09	0.38	0.15	40
C22-654	648.70	649.45	0.75	1	0.02	0.00	0.01	3
C22-654	649.45	651.00	1.55	1	0.01	0.03	0.07	6
C22-654	651.00	652.10	1.10	1	0.02	0.01	0.01	3
C22-654	652.10	653.30	1.20	0	0.02	0.00	0.02	3
C22-654	653.30	654.25	0.95	0	0.01	0.00	0.00	1
C22-654	654.25	656.20	1.95	0	0.00	0.00	0.02	1
C22-654	656.20	657.30	1.10	1	0.03	0.01	0.12	8
C22-654	657.30	658.05	0.75	1	0.00	0.00	0.01	2
C22-654	658.05	659.65	1.60	1	0.01	0.02	0.02	2
C22-654	659.65	660.90	1.25	0	0.01	0.00	0.01	1
C22-654	660.90	662.80	1.90	1	0.01	0.02	0.03	3
C22-654	662.80	663.50	0.70	2	0.02	0.07	0.47	24
C22-654	663.50	664.95	1.45	1	0.01	0.03	0.07	5
C22-654	664.95	666.45	1.50	3	0.05	0.07	0.49	27
C22-654	666.45	666.75	0.30	211	0.44	4.55	25.30	1,329
C22-654	666.75	667.50	0.75	36	0.08	0.96	1.83	140
C22-654	667.50	668.90	1.40	6	0.04	0.17	0.30	25
C22-654	668.90	669.35	0.45	40	0.06	1.22	2.07	160
C22-654	669.35	670.75	1.40	7	0.11	0.16	0.22	28
C22-654	670.75	671.60	0.85	8	0.03	0.32	0.42	35
C22-654	671.60	672.45	0.85	46	0.03	1.81	4.05	255
C22-654	672.45	673.70	1.25	3	0.01	0.10	0.13	12

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-654	673.70	675.05	1.35	6	0.02	0.18	0.47	30
C22-654	675.05	675.40	0.35	100	0.04	3.36	6.73	459
C22-654	675.40	676.65	1.25	1	0.01	0.03	0.05	5
C22-654	676.65	678.00	1.35	1	0.01	0.01	0.02	2
C22-654	678.00	678.70	0.70	1	0.01	0.01	0.05	4
C22-654	678.70	679.40	0.70	1	0.00	0.00	0.02	2
C22-654	679.40	680.10	0.70	4	0.04	0.10	0.12	14
C22-654	680.10	681.05	0.95	1	0.01	0.01	0.02	3
C22-654	681.05	681.75	0.70	25	0.13	0.10	2.16	119
C22-654	681.75	682.40	0.65	1	0.01	0.02	0.10	7
C22-654	682.40	683.50	1.10	1	0.01	0.03	0.04	4
C22-654	683.50	684.70	1.20	1	0.01	0.01	0.04	3
C22-654	684.70	686.00	1.30	0	0.00	0.00	0.01	1
C22-654	686.00	687.50	1.50	0	0.01	0.00	0.01	2
C22-654	687.50	688.80	1.30	0	0.01	0.00	0.01	1
C22-654	688.80	690.50	1.70	0	0.00	0.00	0.02	1
C22-654	690.50	690.80	0.30	1	0.00	0.00	0.02	2
C22-654	690.80	692.80	2.00	0	0.01	0.00	0.02	1
C22-654	692.80	693.45	0.65	0	0.00	0.00	0.01	1
C22-654	693.45	693.85	0.40	0	0.00	0.00	0.01	1
C22-654	693.85	694.80	0.95	1	0.01	0.01	0.02	2
C22-654	694.80	695.75	0.95	1	0.01	0.01	0.04	3
C22-654	695.75	696.65	0.90	0	0.00	0.00	0.01	1
C22-654	696.65	697.25	0.60	1	0.01	0.00	0.02	2
C22-654	697.25	697.55	0.30	3	0.09	0.01	2.94	120
C22-654	697.55	699.50	1.95	0	0.00	0.00	0.02	1
C22-654	699.50	701.50	2.00	0	0.01	0.00	0.02	1
C22-654	701.50	702.45	0.95	1	0.01	0.00	0.03	2
C22-654	702.45	703.10	0.65	1	0.01	0.00	0.02	2
C22-655	0.00	3.00	3.00	5	0.02	0.02	0.07	10
C22-655	3.00	4.40	1.40	24	0.07	0.74	0.10	55
C22-655	4.40	6.65	2.25	13	0.03	0.13	0.15	25
C22-655	6.65	8.50	1.85	23	0.06	0.45	0.19	48
C22-655	8.50	10.00	1.50	14	0.03	0.17	0.21	29
C22-655	10.00	12.00	2.00	18	0.09	0.12	0.18	35
C22-655	12.00	13.25	1.25	14	0.02	0.12	0.17	26
C22-655	13.25	14.35	1.10	12	0.03	0.13	0.29	29
C22-655	14.35	16.10	1.75	7	0.02	0.03	0.15	16
C22-655	16.10	17.30	1.20	7	0.02	0.06	0.17	16
C22-655	17.30	18.30	1.00	10	0.04	0.11	0.14	22
C22-655	18.30	20.25	1.95	4	0.02	0.06	0.20	14
C22-655	20.25	21.55	1.30	7	0.02	0.15	0.24	22
C22-655	21.55	23.45	1.90	10	0.02	0.21	0.20	26
C22-655	23.45	25.45	2.00	12	0.02	0.20	0.33	32
C22-655	25.45	26.80	1.35	9	0.03	0.07	0.37	27
C22-655	26.80	27.85	1.05	18	0.03	0.26	0.59	50
C22-655	27.85	28.90	1.05	23	0.05	0.43	0.36	54
C22-655	28.90	30.20	1.30	48	0.02	0.26	0.53	77
C22-655	30.20	31.70	1.50	15	0.11	0.26	0.36	44

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release

*Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-655	31.70	32.85	1.15	19	0.03	0.36	0.41	48
C22-655	32.85	34.25	1.40	16	0.02	0.35	0.75	56
C22-655	34.25	35.25	1.00	13	0.02	0.26	0.67	47
C22-655	35.25	35.75	0.50	16	0.02	0.25	0.72	52
C22-655	35.75	36.30	0.55	14	0.02	0.34	0.67	52
C22-655	36.30	36.90	0.60	4	0.01	0.11	0.26	18
C22-655	36.90	37.50	0.60	2	0.02	0.06	0.09	9
C22-655	37.50	39.00	1.50	2	0.02	0.05	0.12	9
C22-655	39.00	40.50	1.50	12	0.02	0.32	0.50	42
C22-655	40.50	41.80	1.30	13	0.03	0.33	0.55	45
C22-655	41.80	42.85	1.05	7	0.02	0.16	0.32	26
C22-655	42.85	43.85	1.00	11	0.02	0.27	0.33	33
C22-655	43.85	44.50	0.65	1	0.02	0.02	0.04	4
C22-655	44.50	45.60	1.10	9	0.01	0.20	0.18	22
C22-655	45.60	46.65	1.05	12	0.03	0.26	0.16	27
C22-655	46.65	47.70	1.05	2	0.01	0.04	0.17	10
C22-655	47.70	48.40	0.70	2	0.01	0.12	0.36	20
C22-655	48.40	48.70	0.30	123	0.14	1.63	2.09	262
C22-655	48.70	49.55	0.85	8	0.04	0.09	0.32	25
C22-655	49.55	50.60	1.05	2	0.03	0.03	0.04	7
C22-655	50.60	51.25	0.65	14	0.08	0.27	0.18	35
C22-655	51.25	52.80	1.55	11	0.08	0.22	0.53	43
C22-655	52.80	54.20	1.40	7	0.04	0.11	0.16	19
C22-655	54.20	54.50	0.30	118	0.22	1.75	0.02	189
C22-655	54.50	54.85	0.35	2	0.04	0.03	0.02	6
C22-655	54.85	55.70	0.85	67	0.10	0.92	1.13	145
C22-655	55.70	57.40	1.70	13	0.03	0.22	0.36	35
C22-655	57.40	57.90	0.50	84	0.01	0.94	0.71	141
C22-655	57.90	59.20	1.30	5	0.02	0.07	0.15	14
C22-655	59.20	60.10	0.90	46	0.03	0.80	0.62	97
C22-655	60.10	60.95	0.85	20	0.02	0.21	0.50	46
C22-655	60.95	62.20	1.25	13	0.03	0.18	0.12	25
C22-655	62.20	63.60	1.40	6	0.03	0.08	0.12	15
C22-655	63.60	64.05	0.45	6	0.01	0.08	0.22	18
C22-655	64.05	65.25	1.20	17	0.02	0.32	0.67	53
C22-655	65.25	66.10	0.85	22	0.01	0.43	0.27	46
C22-655	66.10	67.90	1.80	5	0.01	0.07	0.03	9
C22-655	67.90	68.70	0.80	3	0.03	0.03	0.08	9
C22-655	68.70	69.10	0.40	14	0.03	0.16	0.05	22
C22-655	69.10	69.80	0.70	444	0.19	4.21	2.26	673
C22-655	69.80	71.10	1.30	12	0.02	0.20	0.56	40
C22-655	71.10	72.00	0.90	5	0.02	0.09	0.25	18
C22-655	72.00	72.30	0.30	63	0.03	1.35	6.04	333
C22-655	72.30	73.65	1.35	5	0.01	0.08	0.27	18
C22-655	73.65	73.95	0.30	5	0.01	0.09	0.38	22
C22-655	73.95	75.40	1.45	4	0.01	0.09	0.13	12
C22-655	75.40	75.90	0.50	6	0.02	0.13	0.93	46
C22-655	75.90	77.40	1.50	3	0.01	0.05	0.07	7
C22-655	77.40	79.30	1.90	2	0.03	0.04	0.07	8

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release

*Metal Prices used for AgEQ calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-655	79.30	79.60	0.30	21	0.09	0.42	0.04	42
C22-655	79.60	80.40	0.80	1	0.03	0.01	0.01	4
C22-655	80.40	81.65	1.25	1	0.01	0.02	0.02	3
C22-655	81.65	82.70	1.05	11	0.07	0.22	0.68	48
C22-655	82.70	84.70	2.00	1	0.03	0.02	0.22	12
C22-655	84.70	85.05	0.35	2,020	0.26	39.53	0.53	3,288
C22-655	85.05	86.10	1.05	74	0.22	0.95	0.77	148
C22-655	86.10	87.55	1.45	13	0.01	0.21	0.08	23
C22-655	87.55	88.95	1.40	2	0.01	0.03	0.03	5
C22-655	88.95	90.00	1.05	1	0.01	0.02	0.02	3
C22-655	90.00	92.00	2.00	1	0.01	0.01	0.02	4
C22-655	92.00	93.70	1.70	1	0.01	0.02	0.02	3
C22-655	93.70	94.90	1.20	7	0.01	0.08	0.05	12
C22-655	94.90	96.90	2.00	1	0.01	0.02	0.03	4
C22-655	96.90	98.70	1.80	7	0.02	0.09	0.02	12
C22-655	98.70	100.40	1.70	1	0.01	0.01	0.02	3
C22-655	100.40	102.20	1.80	4	0.01	0.06	0.10	11
C22-655	102.20	103.30	1.10	2	0.02	0.02	0.02	4
C22-655	103.30	104.25	0.95	4	0.03	0.03	0.01	7
C22-655	104.25	105.00	0.75	8	0.03	0.10	0.14	18
C22-655	105.00	105.75	0.75	10	0.02	0.14	0.09	19
C22-655	105.75	107.10	1.35	2	0.01	0.03	0.05	6
C22-655	107.10	107.75	0.65	14	0.01	0.11	0.41	34
C22-655	107.75	108.95	1.20	3	0.01	0.05	0.08	9
C22-655	108.95	110.90	1.95	2	0.01	0.01	0.02	3
C22-655	110.90	112.90	2.00	1	0.01	0.01	0.01	2
C22-655	112.90	114.60	1.70	1	0.01	0.01	0.03	2
C22-655	114.60	115.10	0.50	4	0.02	0.04	0.45	24
C22-655	115.10	116.20	1.10	1	0.02	0.01	0.02	3
C22-655	116.20	117.05	0.85	7	0.02	0.06	0.02	11
C22-655	117.05	118.90	1.85	5	0.02	0.05	0.01	9
C22-655	118.90	120.35	1.45	24	0.03	0.13	0.13	35
C22-655	120.35	122.35	2.00	1	0.01	0.00	0.01	2
C22-655	122.35	124.30	1.95	0	0.01	0.00	0.00	1
C22-655	124.30	124.70	0.40	1	0.00	0.01	0.01	1
C22-655	124.70	125.75	1.05	0	0.00	0.01	0.01	1
C22-655	125.75	126.40	0.65	3	0.01	0.02	0.03	5
C22-655	126.40	127.30	0.90	0	0.01	0.03	0.01	2
C22-655	127.30	129.30	2.00	0	0.01	0.00	0.01	1
C22-655	129.30	130.00	0.70	0	0.01	0.01	0.02	2
C22-655	130.00	130.80	0.80	23	0.06	0.12	0.01	31
C22-655	130.80	132.80	2.00	2	0.01	0.01	0.01	3
C22-655	132.80	134.80	2.00	1	0.02	0.00	0.00	2
C22-655	134.80	136.80	2.00	1	0.02	0.01	0.00	2
C22-655	136.80	138.80	2.00	1	0.02	0.01	0.01	3
C22-655	138.80	140.80	2.00	1	0.01	0.01	0.00	2
C22-655	140.80	142.40	1.60	2	0.01	0.02	0.01	4
C22-655	142.40	142.70	0.30	0	0.01	0.00	0.01	1
C22-655	142.70	144.70	2.00	1	0.01	0.00	0.01	1

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-655	144.70	145.80	1.10	1	0.01	0.00	0.01	2
C22-655	145.80	146.55	0.75	1	0.01	0.01	0.01	2
C22-655	146.55	147.55	1.00	1	0.01	0.01	0.03	3
C22-655	147.55	148.60	1.05	1	0.01	0.01	0.01	2
C22-655	148.60	149.25	0.65	1	0.03	0.01	0.01	3
C22-655	149.25	151.20	1.95	1	0.01	0.01	0.00	2
C22-655	151.20	152.45	1.25	1	0.01	0.01	0.00	2
C22-655	152.45	153.25	0.80	3	0.03	0.02	0.02	6
C22-655	153.25	155.00	1.75	3	0.02	0.02	0.05	7
C22-655	155.00	156.95	1.95	5	0.02	0.06	0.04	9
C22-655	156.95	158.00	1.05	3	0.00	0.01	0.01	4
C22-655	158.00	158.85	0.85	4	0.02	0.02	0.01	7
C22-655	158.85	159.35	0.50	3	0.02	0.03	0.08	8
C22-655	159.35	161.10	1.75	2	0.02	0.01	0.02	4
C22-655	161.10	162.10	1.00	4	0.02	0.03	0.02	7
C22-655	162.10	163.90	1.80	2	0.02	0.03	0.02	5
C22-655	163.90	165.20	1.30	3	0.03	0.02	0.01	6
C22-655	165.20	166.70	1.50	3	0.01	0.01	0.01	5
C22-655	166.70	167.80	1.10	1	0.01	0.00	0.00	1
C22-655	167.80	168.45	0.65	1	0.03	0.01	0.01	3
C22-655	168.45	169.00	0.55	9	0.07	0.03	0.02	16
C22-655	169.00	170.40	1.40	18	0.12	0.07	0.05	31
C22-655	170.40	171.45	1.05	2	0.12	0.01	0.01	11
C22-655	171.45	172.10	0.65	59	0.60	0.29	0.14	117
C22-655	172.10	174.10	2.00	2	0.07	0.02	0.02	8
C22-655	174.10	175.75	1.65	3	0.02	0.02	0.01	6
C22-655	175.75	177.00	1.25	1	0.04	0.01	0.00	5
C22-655	177.00	179.00	2.00	4	0.01	0.02	0.01	6
C22-655	179.00	181.00	2.00	2	0.01	0.03	0.01	4
C22-655	181.00	181.35	0.35	15	0.09	0.06	0.01	23
C22-655	181.35	183.00	1.65	1	0.02	0.01	0.01	2
C22-655	183.00	184.80	1.80	3	0.01	0.03	0.02	6
C22-655	184.80	186.80	2.00	2	0.01	0.01	0.01	4
C22-655	186.80	188.80	2.00	0	0.01	0.00	0.01	1
C22-655	188.80	190.20	1.40	1	0.01	0.00	0.00	1
C22-655	190.20	191.30	1.10	0	0.01	0.00	0.01	1
C22-655	191.30	193.30	2.00	0	0.00	0.00	0.00	1
C22-655	193.30	193.95	0.65	1	0.01	0.01	0.01	2
C22-655	193.95	194.85	0.90	2	0.03	0.01	0.02	6
C22-655	194.85	196.85	2.00	1	0.02	0.01	0.01	3
C22-655	196.85	198.00	1.15	1	0.01	0.00	0.03	4
C22-655	198.00	199.40	1.40	1	0.01	0.00	0.03	3
C22-655	199.40	200.90	1.50	3	0.02	0.01	0.02	5
C22-655	200.90	202.10	1.20	3	0.01	0.02	0.05	6
C22-655	202.10	203.50	1.40	3	0.01	0.03	0.09	8
C22-655	203.50	204.60	1.10	2	0.01	0.01	0.12	7
C22-655	204.60	206.05	1.45	1	0.01	0.01	0.07	4
C22-655	206.05	207.30	1.25	5	0.01	0.04	0.48	24
C22-655	207.30	208.70	1.40	2	0.01	0.03	0.19	11

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-655	208.70	209.60	0.90	4	0.01	0.02	0.27	15
C22-655	209.60	210.80	1.20	1	0.00	0.01	0.04	3
C22-655	210.80	211.85	1.05	0	0.00	0.00	0.01	1
C22-655	211.85	212.25	0.40	2	0.01	0.01	0.02	3
C22-655	212.25	213.45	1.20	1	0.01	0.01	0.04	3
C22-655	213.45	214.25	0.80	9	0.00	0.13	0.63	36
C22-655	214.25	214.75	0.50	2	0.00	0.04	0.21	11
C22-655	214.75	215.65	0.90	3	0.01	0.04	0.11	8
C22-655	215.65	216.65	1.00	13	0.00	0.11	0.67	41
C22-655	216.65	217.35	0.70	18	0.00	0.23	1.07	65
C22-655	217.35	218.90	1.55	2	0.02	0.02	0.07	7
C22-655	218.90	219.95	1.05	1	0.00	0.00	0.03	2
C22-655	219.95	220.65	0.70	5	0.01	0.06	0.33	20
C22-655	220.65	222.00	1.35	6	0.00	0.08	0.33	20
C22-655	222.00	224.75	2.75	2	0.01	0.01	0.08	5
C22-655	224.75	225.30	0.55	18	0.00	0.25	1.42	79
C22-655	225.30	228.00	2.70	20	0.00	0.31	2.44	121
C22-655	228.00	230.25	2.25	15	0.00	0.22	1.39	74
C22-655	230.25	231.45	1.20	7	0.00	0.09	0.55	31
C22-655	231.45	234.00	2.55	20	0.00	0.26	0.89	61
C22-655	234.00	234.90	0.90	12	0.01	0.13	0.42	32
C22-655	234.90	236.00	1.10	11	0.01	0.18	0.36	30
C22-655	236.00	236.95	0.95	48	0.01	0.45	2.34	150
C22-655	236.95	237.95	1.00	22	0.00	0.35	1.25	80
C22-655	237.95	238.90	0.95	18	0.01	0.25	1.79	92
C22-655	238.90	239.30	0.40	20	0.00	0.25	1.36	78
C22-655	239.30	240.00	0.70	26	0.01	0.41	2.19	121
C22-655	240.00	240.75	0.75	2	0.00	0.06	0.17	11
C22-655	240.75	241.65	0.90	1	0.01	0.02	0.06	4
C22-655	241.65	242.90	1.25	13	0.00	0.21	1.28	67
C22-655	242.90	244.00	1.10	1	0.00	0.01	0.08	4
C22-655	244.00	245.45	1.45	1	0.00	0.02	0.05	4
C22-655	245.45	246.50	1.05	2	0.00	0.02	0.21	10
C22-655	246.50	247.70	1.20	3	0.01	0.06	0.33	18
C22-655	247.70	249.00	1.30	3	0.01	0.08	0.43	22
C22-655	249.00	249.35	0.35	3	0.01	0.06	0.37	19
C22-655	249.35	250.30	0.95	17	0.01	0.24	2.02	101
C22-655	250.30	251.35	1.05	3	0.01	0.05	0.29	16
C22-655	251.35	252.55	1.20	2	0.01	0.04	0.20	12
C22-655	252.55	253.80	1.25	3	0.01	0.07	0.45	23
C22-655	253.80	254.85	1.05	2	0.01	0.04	0.19	10
C22-655	254.85	256.00	1.15	2	0.01	0.02	0.18	10
C22-655	256.00	257.15	1.15	2	0.01	0.02	0.18	10
C22-655	257.15	258.25	1.10	4	0.01	0.09	0.25	17
C22-655	258.25	259.40	1.15	2	0.01	0.04	0.05	6
C22-655	259.40	260.60	1.20	22	0.01	0.33	0.49	51
C22-655	260.60	261.50	0.90	1	0.01	0.00	0.01	2
C22-655	261.50	262.45	0.95	1	0.01	0.02	0.09	6
C22-655	262.45	263.25	0.80	0	0.00	0.00	0.06	3

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-655	263.25	263.85	0.60	0	0.00	0.00	0.00	1
C22-655	263.85	265.45	1.60	0	0.00	0.00	0.01	1
C22-655	265.45	265.85	0.40	25	0.00	0.40	1.06	77
C22-655	265.85	266.50	0.65	18	0.01	0.18	1.25	71
C22-655	266.50	267.40	0.90	31	0.00	0.40	1.71	108
C22-655	267.40	268.55	1.15	9	0.00	0.12	0.54	33
C22-655	268.55	269.45	0.90	3	0.00	0.05	0.17	11
C22-655	269.45	270.65	1.20	10	0.00	0.16	0.47	33
C22-655	270.65	271.45	0.80	8	0.00	0.14	0.62	35
C22-655	271.45	273.00	1.55	20	0.00	0.30	1.53	86
C22-655	273.00	274.05	1.05	6	0.00	0.09	0.47	27
C22-655	274.05	275.00	0.95	3	0.00	0.04	0.20	12
C22-655	275.00	276.65	1.65	20	0.00	0.37	1.75	97
C22-655	276.65	277.45	0.80	32	0.01	0.57	2.73	152
C22-655	277.45	278.40	0.95	17	0.00	0.32	1.27	74
C22-655	278.40	279.60	1.20	15	0.01	0.19	1.20	66
C22-655	279.60	280.90	1.30	0	0.01	0.00	0.02	1
C22-655	280.90	282.00	1.10	1	0.00	0.01	0.06	3
C22-655	282.00	282.55	0.55	1	0.00	0.00	0.02	1
C22-655	282.55	283.35	0.80	5	0.00	0.03	0.10	10
C22-655	283.35	283.75	0.40	2	0.04	0.00	0.01	5
C22-655	283.75	284.10	0.35	4	0.13	0.02	0.11	18
C22-655	284.10	286.10	2.00	1	0.01	0.03	0.16	9
C22-655	286.10	288.10	2.00	1	0.01	0.03	0.04	4
C22-655	288.10	289.15	1.05	3	0.01	0.04	0.12	10
C22-655	289.15	290.05	0.90	1	0.01	0.01	0.09	5
C22-655	290.05	291.75	1.70	1	0.01	0.01	0.11	6
C22-655	291.75	292.45	0.70	15	0.00	0.44	0.08	32
C22-655	292.45	293.45	1.00	3	0.01	0.14	0.20	16
C22-655	293.45	294.75	1.30	4	0.01	0.10	0.45	24
C22-655	294.75	295.80	1.05	1	0.01	0.01	0.04	3
C22-655	295.80	296.75	0.95	1	0.01	0.00	0.02	2
C22-655	296.75	298.30	1.55	0	0.01	0.00	0.01	1
C22-655	298.30	300.00	1.70	0	0.01	0.00	0.02	1
C22-655	300.00	301.35	1.35	0	0.01	0.00	0.01	1
C22-655	301.35	302.40	1.05	1	0.01	0.00	0.01	2
C22-655	302.40	304.00	1.60	1	0.01	0.01	0.01	2
C22-655	304.00	306.00	2.00	1	0.01	0.01	0.01	2
C22-655	306.00	306.95	0.95	0	0.01	0.00	0.01	1
C22-655	306.95	307.80	0.85	2	0.01	0.01	0.01	4
C22-655	307.80	309.00	1.20	1	0.01	0.01	0.01	2
C22-655	309.00	310.55	1.55	1	0.01	0.01	0.02	3
C22-655	310.55	312.00	1.45	1	0.01	0.05	0.03	4
C22-655	312.00	314.00	2.00	1	0.00	0.02	0.01	2
C22-655	314.00	315.70	1.70	1	0.01	0.08	0.02	5
C22-655	315.70	316.65	0.95	1	0.01	0.12	0.03	6
C22-655	316.65	318.00	1.35	1	0.01	0.05	0.04	4
C22-655	318.00	319.25	1.25	1	0.01	0.03	0.03	4
C22-655	319.25	320.35	1.10	0	0.01	0.05	0.02	3

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-655	320.35	321.40	1.05	1	0.01	0.06	0.02	3
C22-655	321.40	323.00	1.60	1	0.01	0.03	0.01	3
C22-655	323.00	324.35	1.35	1	0.01	0.04	0.02	3
C22-655	324.35	325.85	1.50	1	0.01	0.03	0.02	3
C22-655	325.85	327.05	1.20	2	0.01	0.02	0.04	5
C22-655	327.05	328.70	1.65	1	0.01	0.05	0.01	3
C22-655	328.70	329.90	1.20	2	0.01	0.10	0.03	6
C22-655	329.90	331.00	1.10	4	0.01	0.12	0.04	10
C22-655	331.00	331.40	0.40	1	0.01	0.02	0.01	3
C22-655	331.40	333.00	1.60	1	0.02	0.01	0.01	3
C22-655	333.00	335.00	2.00	0	0.01	0.01	0.01	1
C22-655	335.00	336.90	1.90	2	0.01	0.01	0.01	3
C22-655	336.90	338.70	1.80	2	0.02	0.02	0.01	4
C22-655	338.70	339.00	0.30	4	0.05	0.01	0.01	8
C22-655	339.00	339.45	0.45	0	0.01	0.00	0.00	1
C22-655	339.45	340.15	0.70	4	0.01	0.03	0.34	18
C22-655	340.15	340.75	0.60	2	0.02	0.02	0.03	5
C22-655	340.75	342.70	1.95	1	0.01	0.01	0.01	2
C22-655	342.70	343.45	0.75	2	0.02	0.01	0.01	3
C22-655	343.45	344.30	0.85	2	0.01	0.01	0.07	5
C22-655	344.30	345.00	0.70	3	0.01	0.01	0.08	7
C22-655	345.00	346.05	1.05	6	0.01	0.03	0.02	9
C22-655	346.05	347.80	1.75	5	0.01	0.03	0.02	8
C22-655	347.80	349.55	1.75	4	0.01	0.02	0.02	6
C22-655	349.55	350.05	0.50	6	0.01	0.03	0.09	11
C22-655	350.05	350.60	0.55	6	0.01	0.05	0.25	17
C22-655	350.60	351.60	1.00	2	0.01	0.02	0.08	6
C22-655	351.60	353.60	2.00	2	0.01	0.02	0.04	5
C22-655	353.60	354.70	1.10	2	0.01	0.02	0.03	5
C22-655	354.70	355.80	1.10	1	0.01	0.02	0.03	3
C22-656	0.00	2.30	2.30	3	0.03	0.03	0.28	17
C22-656	2.30	5.50	3.20	4	0.03	0.05	0.21	15
C22-656	5.50	6.50	1.00	4	0.04	0.05	0.18	16
C22-656	6.50	8.30	1.80	4	0.02	0.04	0.29	17
C22-656	8.30	10.00	1.70	4	0.03	0.13	0.29	20
C22-656	10.00	11.10	1.10	3	0.01	0.04	0.28	15
C22-656	11.10	12.25	1.15	6	0.01	0.06	0.26	18
C22-656	12.25	13.15	0.90	4	0.02	0.09	0.29	19
C22-656	13.15	14.05	0.90	5	0.01	0.05	0.30	18
C22-656	14.05	14.95	0.90	4	0.02	0.08	0.44	24
C22-656	14.95	15.60	0.65	3	0.03	0.08	0.43	24
C22-656	15.60	16.90	1.30	3	0.02	0.09	0.36	21
C22-656	16.90	17.90	1.00	7	0.01	0.04	0.26	19
C22-656	17.90	18.50	0.60	3	0.03	0.07	0.39	22
C22-656	18.50	19.55	1.05	5	0.02	0.07	0.33	21
C22-656	19.55	20.45	0.90	4	0.03	0.14	0.23	19
C22-656	20.45	21.60	1.15	3	0.08	0.09	0.29	23
C22-656	21.60	23.15	1.55	5	0.05	0.13	0.38	27
C22-656	23.15	24.25	1.10	9	0.05	0.25	0.22	28

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-656	24.25	25.40	1.15	21	0.18	0.41	0.27	56
C22-656	25.40	26.50	1.10	10	0.13	0.28	0.28	39
C22-656	26.50	27.55	1.05	15	0.02	0.11	0.28	31
C22-656	27.55	29.30	1.75	6	0.03	0.23	0.23	24
C22-656	29.30	30.55	1.25	7	0.04	0.27	0.23	27
C22-656	30.55	31.10	0.55	4	0.02	0.17	0.31	22
C22-656	31.10	32.70	1.60	7	0.02	0.14	0.29	23
C22-656	32.70	34.35	1.65	5	0.03	0.13	0.35	24
C22-656	34.35	35.65	1.30	7	0.04	0.09	0.43	29
C22-656	35.65	36.10	0.45	29	0.06	0.14	0.23	46
C22-656	36.10	38.10	2.00	8	0.02	0.07	0.28	23
C22-656	38.10	39.00	0.90	13	0.03	0.15	0.30	31
C22-656	39.00	40.20	1.20	21	0.07	0.22	0.21	41
C22-656	40.20	41.30	1.10	89	0.30	0.39	0.13	127
C22-656	41.30	42.35	1.05	23	0.09	0.58	0.44	65
C22-656	42.35	43.25	0.90	31	0.06	0.32	0.27	55
C22-656	43.25	44.30	1.05	14	0.14	0.37	0.41	51
C22-656	44.30	45.60	1.30	22	0.01	0.08	0.31	37
C22-656	45.60	46.80	1.20	28	0.02	0.06	0.20	38
C22-656	46.80	47.65	0.85	14	0.04	0.06	0.21	26
C22-656	47.65	48.20	0.55	17	0.04	0.17	0.16	32
C22-656	48.20	48.60	0.40	15	0.11	0.53	0.22	48
C22-656	48.60	49.55	0.95	8	0.06	0.22	0.20	27
C22-656	49.55	51.50	1.95	9	0.03	0.06	0.15	19
C22-656	51.50	53.30	1.80	6	0.02	0.02	0.20	15
C22-656	53.30	54.80	1.50	6	0.02	0.06	0.22	17
C22-656	54.80	55.75	0.95	14	0.03	0.33	0.27	37
C22-656	55.75	56.55	0.80	6	0.01	0.13	0.18	17
C22-656	56.55	57.45	0.90	7	0.02	0.13	0.19	20
C22-656	57.45	57.75	0.30	75	0.02	0.19	0.23	91
C22-656	57.75	59.35	1.60	28	0.02	0.20	0.20	43
C22-656	59.35	59.85	0.50	24	0.05	0.57	0.18	52
C22-656	59.85	61.80	1.95	41	0.04	0.36	0.17	61
C22-656	61.80	63.55	1.75	54	0.05	0.31	0.22	76
C22-656	63.55	65.10	1.55	62	0.03	0.23	0.18	78
C22-656	65.10	66.80	1.70	31	0.02	0.17	0.59	60
C22-656	66.80	67.40	0.60	53	0.01	0.03	0.26	65
C22-656	67.40	68.20	0.80	36	0.04	0.04	0.49	58
C22-656	68.20	69.55	1.35	10	0.02	0.05	0.79	43
C22-656	69.55	71.70	2.15	17	0.07	0.12	0.42	41
C22-656	71.70	72.45	0.75	9	0.02	0.05	0.24	21
C22-656	72.45	73.70	1.25	4	0.03	0.04	0.20	15
C22-656	73.70	74.65	0.95	3	0.05	0.05	0.22	17
C22-656	74.65	76.30	1.65	5	0.06	0.05	0.30	23
C22-656	76.30	76.95	0.65	4	0.02	0.01	0.21	13
C22-656	76.95	77.25	0.30	8	0.05	0.03	0.32	24
C22-656	77.25	79.25	2.00	3	0.03	0.02	0.29	17
C22-656	79.25	80.00	0.75	2	0.01	0.01	0.30	14
C22-656	80.00	81.40	1.40	2	0.02	0.01	0.38	18

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-656	81.40	82.55	1.15	3	0.02	0.05	0.47	24
C22-656	82.55	83.15	0.60	3	0.03	0.03	0.29	17
C22-656	83.15	84.35	1.20	2	0.03	0.02	0.27	15
C22-656	84.35	85.05	0.70	9	0.05	0.05	0.44	31
C22-656	85.05	86.50	1.45	4	0.03	0.02	0.41	22
C22-656	86.50	88.50	2.00	2	0.02	0.02	0.51	23
C22-656	88.50	90.50	2.00	7	0.05	0.05	0.62	36
C22-656	90.50	92.85	2.35	13	0.06	0.06	0.64	43
C22-656	92.85	93.60	0.75	4	0.02	0.03	0.38	20
C22-656	93.60	94.30	0.70	7	0.04	0.04	0.43	27
C22-656	94.30	95.90	1.60	4	0.02	0.05	0.30	18
C22-656	95.90	96.25	0.35	4	0.03	0.06	0.34	22
C22-656	96.25	98.25	2.00	20	0.15	0.15	0.87	68
C22-656	98.25	100.25	2.00	90	0.63	0.07	0.95	173
C22-656	100.25	102.25	2.00	9	0.05	0.05	1.00	52
C22-656	102.25	103.80	1.55	6	0.02	0.06	0.48	27
C22-656	103.80	104.30	0.50	6	0.02	0.08	1.00	47
C22-656	104.30	105.30	1.00	3	0.03	0.03	0.29	17
C22-656	105.30	105.85	0.55	18	0.18	0.09	0.93	68
C22-656	105.85	107.20	1.35	3	0.04	0.03	0.34	20
C22-656	107.20	108.15	0.95	43	0.22	0.12	0.73	91
C22-656	108.15	108.90	0.75	14	0.03	0.06	1.73	82
C22-656	108.90	109.35	0.45	14	0.03	0.05	0.99	54
C22-656	109.35	109.70	0.35	13	0.09	0.06	1.15	64
C22-656	109.70	110.60	0.90	25	0.10	0.12	3.37	161
C22-656	110.60	111.10	0.50	3	0.00	0.04	0.17	10
C22-656	111.10	112.80	1.70	33	0.04	0.11	1.71	102
C22-656	112.80	114.50	1.70	21	0.02	0.03	0.93	58
C22-656	114.50	116.60	2.10	18	0.06	0.04	0.37	37
C22-656	116.60	118.00	1.40	14	0.05	0.04	0.65	43
C22-656	118.00	119.35	1.35	4	0.07	0.03	0.28	20
C22-656	119.35	119.90	0.55	7	0.05	0.08	0.80	42
C22-656	119.90	121.00	1.10	6	0.06	0.05	0.72	39
C22-656	121.00	121.75	0.75	4	0.05	0.03	0.63	32
C22-656	121.75	122.40	0.65	2	0.03	0.01	0.59	26
C22-656	122.40	124.00	1.60	5	0.04	0.02	0.61	30
C22-656	124.00	124.60	0.60	5	0.04	0.03	0.38	23
C22-656	124.60	126.60	2.00	2	0.04	0.01	0.20	12
C22-656	126.60	128.60	2.00	2	0.04	0.02	0.09	8
C22-656	128.60	129.15	0.55	2	0.02	0.02	0.30	15
C22-656	129.15	131.10	1.95	6	0.02	0.10	0.82	41
C22-656	131.10	131.50	0.40	16	0.06	0.42	2.49	127
C22-656	131.50	132.65	1.15	21	0.17	0.36	1.28	91
C22-656	132.65	133.10	0.45	43	0.05	0.13	0.71	77
C22-656	133.10	134.30	1.20	41	0.06	0.08	0.40	62
C22-656	134.30	136.15	1.85	10	0.05	0.10	0.48	35
C22-656	136.15	136.45	0.30	66	0.17	0.52	2.99	206
C22-656	136.45	137.95	1.50	7	0.06	0.09	0.50	33
C22-656	137.95	138.65	0.70	8	0.02	0.11	0.44	29

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-656	138.65	139.10	0.45	5	0.02	0.05	0.21	16
C22-656	139.10	139.60	0.50	7	0.04	0.10	0.34	26
C22-656	139.60	140.50	0.90	8	0.07	0.09	0.63	40
C22-656	140.50	141.20	0.70	21	0.25	0.08	0.44	58
C22-656	141.20	141.50	0.30	148	0.54	0.71	1.68	272
C22-656	141.50	142.20	0.70	5	0.06	0.07	0.28	22
C22-656	142.20	142.95	0.75	12	0.11	0.13	0.38	38
C22-656	142.95	143.25	0.30	15	0.07	0.13	1.08	65
C22-656	143.25	144.05	0.80	10	0.04	0.09	0.68	41
C22-656	144.05	144.50	0.45	15	0.07	0.19	0.86	59
C22-656	144.50	144.85	0.35	210	0.65	1.14	10.65	690
C22-656	144.85	145.70	0.85	14	0.05	0.10	0.42	37
C22-656	145.70	146.95	1.25	5	0.03	0.04	0.49	26
C22-656	146.95	147.30	0.35	9	0.06	0.06	0.73	43
C22-656	147.30	148.25	0.95	7	0.05	0.04	0.64	36
C22-656	148.25	149.25	1.00	8	0.02	0.10	0.59	34
C22-656	149.25	149.55	0.30	50	0.03	0.35	1.13	105
C22-656	149.55	150.05	0.50	9	0.01	0.11	0.31	25
C22-656	150.05	150.75	0.70	5	0.01	0.09	0.39	22
C22-656	150.75	151.75	1.00	17	0.02	0.17	0.46	40
C22-656	151.75	153.50	1.75	7	0.01	0.12	0.31	24
C22-656	153.50	154.95	1.45	14	0.03	0.11	0.24	28
C22-656	154.95	155.75	0.80	6	0.02	0.09	0.36	24
C22-656	155.75	156.25	0.50	60	0.36	0.73	0.60	131
C22-656	156.25	156.55	0.30	62	0.07	1.00	3.26	219
C22-656	156.55	157.55	1.00	9	0.06	0.15	0.38	32
C22-656	157.55	158.55	1.00	13	0.07	0.19	0.41	40
C22-656	158.55	159.55	1.00	15	0.09	0.24	0.59	51
C22-656	159.55	160.55	1.00	20	0.12	0.36	0.64	64
C22-656	160.55	161.55	1.00	8	0.11	0.15	0.32	32
C22-656	161.55	162.55	1.00	11	0.07	0.20	0.76	50
C22-656	162.55	163.55	1.00	10	0.04	0.22	0.62	43
C22-656	163.55	164.55	1.00	7	0.02	0.15	0.39	28
C22-656	164.55	165.25	0.70	18	0.04	0.28	1.00	67
C22-656	165.25	166.25	1.00	18	0.03	0.27	2.16	109
C22-656	166.25	167.25	1.00	27	0.05	0.45	1.83	112
C22-656	167.25	168.25	1.00	19	0.03	0.31	1.14	73
C22-656	168.25	169.30	1.05	18	0.03	0.26	1.16	71
C22-656	169.30	170.30	1.00	20	0.04	0.23	1.16	73
C22-656	170.30	171.30	1.00	24	0.03	0.34	0.82	68
C22-656	171.30	172.30	1.00	26	0.02	0.42	0.98	77
C22-656	172.30	173.15	0.85	72	0.03	0.88	2.67	201
C22-656	173.15	174.35	1.20	25	0.04	0.29	0.91	71
C22-656	174.35	175.95	1.60	3	0.01	0.03	0.06	7
C22-656	175.95	176.25	0.30	58	0.05	0.93	0.67	115
C22-656	176.25	177.15	0.90	2	0.01	0.04	0.07	7
C22-656	177.15	177.80	0.65	1	0.02	0.02	0.04	4
C22-656	177.80	179.60	1.80	15	0.02	0.07	0.07	21
C22-656	179.60	180.60	1.00	31	0.03	0.62	1.22	98

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release

*Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-656	180.60	181.60	1.00	17	0.04	0.30	0.53	48
C22-656	181.60	182.50	0.90	20	0.03	0.35	0.98	69
C22-656	182.50	183.70	1.20	64	0.04	0.89	3.56	227
C22-656	183.70	184.70	1.00	40	0.03	0.74	2.70	166
C22-656	184.70	185.70	1.00	35	0.03	0.59	2.17	136
C22-656	185.70	186.70	1.00	22	0.03	0.48	0.97	75
C22-656	186.70	187.70	1.00	30	0.03	0.35	1.62	104
C22-656	187.70	188.70	1.00	18	0.03	0.40	1.40	85
C22-656	188.70	189.00	0.30	27	0.03	0.64	0.54	69
C22-656	189.00	189.80	0.80	10	0.03	0.12	0.66	41
C22-656	189.80	190.80	1.00	10	0.04	0.19	0.89	51
C22-656	190.80	191.80	1.00	8	0.04	0.18	0.65	41
C22-656	191.80	192.50	0.70	9	0.04	0.18	1.28	65
C22-656	192.50	193.25	0.75	17	0.06	0.39	1.17	76
C22-656	193.25	193.70	0.45	5	0.04	0.11	0.40	26
C22-656	193.70	194.00	0.30	63	0.07	1.64	3.33	243
C22-656	194.00	194.70	0.70	14	0.03	0.28	0.72	51
C22-656	194.70	195.20	0.50	13	0.05	0.25	0.33	36
C22-656	195.20	196.20	1.00	12	0.04	0.23	0.35	34
C22-656	196.20	197.35	1.15	6	0.03	0.12	0.35	25
C22-656	197.35	198.30	0.95	10	0.04	0.25	0.52	40
C22-656	198.30	198.60	0.30	2	0.01	0.02	0.05	5
C22-656	198.60	198.90	0.30	18	0.14	0.18	0.34	46
C22-656	198.90	199.65	0.75	1	0.01	0.00	0.01	2
C22-656	199.65	200.65	1.00	2	0.01	0.01	0.04	4
C22-656	200.65	201.25	0.60	2	0.02	0.05	0.05	7
C22-656	201.25	203.25	2.00	2	0.01	0.01	0.02	4
C22-656	203.25	203.80	0.55	2	0.01	0.02	0.02	4
C22-656	203.80	204.70	0.90	3	0.05	0.03	0.03	9
C22-656	204.70	206.70	2.00	12	0.04	0.15	0.30	31
C22-656	206.70	207.75	1.05	3	0.02	0.01	0.02	5
C22-656	207.75	208.05	0.30	13	0.08	0.52	0.78	64
C22-656	208.05	210.05	2.00	3	0.02	0.03	0.04	6
C22-656	210.05	212.05	2.00	7	0.02	0.07	0.10	14
C22-656	212.05	214.05	2.00	2	0.01	0.01	0.01	3
C22-656	214.05	214.80	0.75	1	0.01	0.00	0.01	2
C22-656	214.80	215.40	0.60	4	0.07	0.04	0.05	12
C22-656	215.40	217.40	2.00	2	0.03	0.01	0.02	5
C22-656	217.40	218.20	0.80	16	0.02	0.21	0.39	38
C22-656	218.20	218.95	0.75	713	0.16	8.69	7.45	1,273
C22-656	218.95	219.25	0.30	126	0.17	2.29	2.55	305
C22-656	219.25	219.90	0.65	47	0.15	0.67	3.64	215
C22-656	219.90	220.35	0.45	21	0.06	0.29	1.27	82
C22-656	220.35	220.65	0.30	16	0.04	0.28	1.15	70
C22-656	220.65	221.10	0.45	6	0.02	0.10	0.20	18
C22-656	221.10	221.40	0.30	158	0.22	3.82	4.58	464
C22-656	221.40	221.70	0.30	53	0.17	0.89	0.50	112
C22-656	221.70	222.45	0.75	18	0.09	0.26	0.48	51
C22-656	222.45	222.75	0.30	18	0.10	0.17	1.99	105

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-656	222.75	223.25	0.50	26	0.04	0.48	0.86	76
C22-656	223.25	223.70	0.45	16	0.05	0.28	1.13	71
C22-656	223.70	224.50	0.80	37	0.07	0.84	0.37	81
C22-656	224.50	224.85	0.35	23	0.04	0.38	1.33	87
C22-656	224.85	225.50	0.65	7	0.04	0.05	0.13	16
C22-656	225.50	226.95	1.45	8	0.02	0.11	0.20	20
C22-656	226.95	228.60	1.65	16	0.05	0.13	0.21	32
C22-656	228.60	228.95	0.35	706	3.85	2.68	0.39	1,084
C22-656	228.95	230.80	1.85	2	0.02	0.02	0.05	6
C22-656	230.80	231.95	1.15	26	0.05	0.46	0.82	74
C22-656	231.95	232.95	1.00	18	0.05	0.33	0.87	64
C22-656	232.95	233.45	0.50	15	0.07	0.27	0.53	48
C22-656	233.45	235.10	1.65	3	0.03	0.02	0.04	7
C22-656	235.10	237.10	2.00	1	0.02	0.01	0.01	2
C22-656	237.10	237.75	0.65	1	0.05	0.02	0.03	7
C22-656	237.75	239.25	1.50	4	0.02	0.07	0.12	12
C22-656	239.25	240.80	1.55	2	0.02	0.02	0.05	5
C22-656	240.80	241.80	1.00	12	0.06	0.22	0.39	38
C22-656	241.80	242.60	0.80	8	0.04	0.11	0.50	33
C22-656	242.60	242.90	0.30	50	0.04	0.94	0.66	106
C22-656	242.90	243.20	0.30	12	0.02	0.24	0.65	45
C22-656	243.20	244.75	1.55	3	0.01	0.04	0.09	8
C22-656	244.75	245.75	1.00	23	0.05	0.42	1.15	82
C22-656	245.75	246.50	0.75	13	0.04	0.26	0.54	44
C22-656	246.50	247.25	0.75	6	0.01	0.11	0.18	17
C22-656	247.25	247.55	0.30	210	0.17	2.00	0.71	311
C22-656	247.55	248.55	1.00	3	0.01	0.05	0.09	9
C22-656	248.55	249.55	1.00	7	0.02	0.13	0.19	19
C22-656	249.55	249.90	0.35	11	0.03	0.14	0.33	29
C22-656	249.90	250.55	0.65	1	0.01	0.01	0.02	3
C22-656	250.55	251.60	1.05	3	0.03	0.02	0.02	6
C22-656	251.60	251.90	0.30	6	0.04	0.10	0.35	25
C22-656	251.90	253.50	1.60	1	0.02	0.01	0.02	4
C22-656	253.50	253.90	0.40	3	0.13	0.05	0.04	16
C22-656	253.90	255.25	1.35	2	0.02	0.01	0.02	4
C22-656	255.25	255.70	0.45	92	0.18	1.62	7.82	447
C22-656	255.70	256.75	1.05	114	0.16	1.86	8.94	517
C22-656	256.75	257.05	0.30	19	0.06	0.48	1.12	80
C22-656	257.05	257.35	0.30	93	0.23	2.20	5.99	401
C22-656	257.35	258.30	0.95	135	0.12	2.24	4.90	397
C22-656	258.30	259.75	1.45	100	0.10	1.62	4.13	312
C22-656	259.75	260.30	0.55	75	0.10	1.11	3.29	240
C22-656	260.30	261.05	0.75	65	0.02	0.83	2.73	194
C22-656	261.05	261.85	0.80	22	0.03	0.34	2.15	115
C22-656	261.85	262.15	0.30	7	0.03	0.14	0.50	32
C22-656	262.15	262.45	0.30	9	0.04	0.18	0.71	44
C22-656	262.45	263.10	0.65	23	0.08	0.50	1.10	85
C22-656	263.10	263.45	0.35	23	0.03	0.61	3.06	159
C22-656	263.45	264.85	1.40	5	0.05	0.15	0.33	26

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release

*Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-656	264.85	265.70	0.85	15	0.05	0.22	0.73	53
C22-656	265.70	266.40	0.70	77	0.14	1.36	2.17	210
C22-656	266.40	267.05	0.65	46	0.14	0.67	1.76	143
C22-656	267.05	268.20	1.15	3	0.02	0.05	0.08	9
C22-656	268.20	269.20	1.00	14	0.05	0.28	0.61	49
C22-656	269.20	270.20	1.00	14	0.09	0.25	0.65	52
C22-656	270.20	271.20	1.00	40	0.07	0.62	1.84	132
C22-656	271.20	272.20	1.00	28	0.04	0.47	1.26	93
C22-656	272.20	273.30	1.10	29	0.03	0.51	1.11	88
C22-656	273.30	273.90	0.60	24	0.02	0.39	0.67	63
C22-656	273.90	275.55	1.65	9	0.02	0.17	0.46	33
C22-656	275.55	276.65	1.10	2	0.02	0.03	0.32	17
C22-656	276.65	277.65	1.00	7	0.02	0.13	0.23	21
C22-656	277.65	278.65	1.00	3	0.01	0.06	0.22	14
C22-656	278.65	279.65	1.00	2	0.02	0.04	0.11	8
C22-656	279.65	280.50	0.85	25	0.01	0.37	0.76	66
C22-656	280.50	281.00	0.50	48	0.07	0.88	1.85	149
C22-656	281.00	281.40	0.40	75	0.12	1.71	3.53	268
C22-656	281.40	282.00	0.60	45	0.15	0.65	4.34	237
C22-656	282.00	282.35	0.35	301	0.25	6.16	5.55	718
C22-656	282.35	283.00	0.65	71	0.10	1.48	1.89	194
C22-656	283.00	283.70	0.70	13	0.03	0.26	0.54	43
C22-656	283.70	284.00	0.30	30	0.12	0.51	1.99	129
C22-656	284.00	284.95	0.95	8	0.02	0.10	0.55	33
C22-656	284.95	286.00	1.05	9	0.03	0.05	0.73	39
C22-656	286.00	286.65	0.65	22	0.06	0.45	0.65	65
C22-656	286.65	287.70	1.05	36	0.08	0.69	1.30	112
C22-656	287.70	288.70	1.00	66	0.12	1.23	2.50	207
C22-656	288.70	289.60	0.90	89	0.11	1.56	3.02	258
C22-656	289.60	290.00	0.40	115	0.29	2.22	3.90	350
C22-656	290.00	290.50	0.50	64	0.07	1.29	2.77	212
C22-656	290.50	290.80	0.30	69	0.16	1.22	3.39	245
C22-656	290.80	291.45	0.65	817	1.02	13.20	15.95	1,897
C22-656	291.45	291.85	0.40	85	0.14	1.56	2.79	248
C22-656	291.85	292.85	1.00	15	0.03	0.31	0.61	50
C22-656	292.85	293.25	0.40	110	0.11	2.30	2.89	298
C22-656	293.25	293.55	0.30	39	0.04	0.93	1.34	121
C22-656	293.55	294.15	0.60	16	0.03	0.33	0.74	56
C22-656	294.15	294.80	0.65	53	0.08	1.01	2.23	173
C22-656	294.80	295.25	0.45	212	0.25	4.18	7.85	653
C22-656	295.25	295.60	0.35	16	0.03	0.27	0.13	32
C22-656	295.60	295.90	0.30	8	0.11	0.11	1.17	63
C22-656	295.90	297.65	1.75	4	0.08	0.08	0.05	14
C22-656	297.65	298.00	0.35	1	0.02	0.00	0.01	3
C22-656	298.00	298.55	0.55	2	0.03	0.02	0.07	7
C22-656	298.55	298.90	0.35	2	0.02	0.03	0.15	9
C22-656	298.90	300.40	1.50	1	0.02	0.02	0.09	7
C22-656	300.40	302.40	2.00	1	0.02	0.02	0.07	6
C22-656	302.40	303.70	1.30	3	0.05	0.04	0.06	10

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-656	303.70	304.45	0.75	53	0.10	1.73	3.26	235
C22-656	304.45	304.85	0.40	27	0.06	0.53	2.24	131
C22-656	304.85	305.85	1.00	18	0.03	0.28	0.26	38
C22-656	305.85	307.60	1.75	27	0.09	0.18	0.23	48
C22-656	307.60	308.30	0.70	6	0.04	0.12	0.06	15
C22-656	308.30	309.60	1.30	11	0.08	0.41	1.63	91
C22-656	309.60	310.90	1.30	2	0.03	0.06	0.11	10
C22-656	310.90	312.85	1.95	2	0.02	0.05	0.06	8
C22-656	312.85	314.65	1.80	3	0.03	0.13	0.14	15
C22-656	314.65	316.45	1.80	4	0.07	0.12	0.15	18
C22-656	316.45	317.80	1.35	5	0.04	0.11	0.20	18
C22-656	317.80	318.80	1.00	4	0.04	0.08	0.12	14
C22-656	318.80	320.80	2.00	6	0.03	0.07	0.06	12
C22-656	320.80	322.80	2.00	16	0.03	0.13	0.19	29
C22-656	322.80	324.80	2.00	4	0.01	0.04	0.05	9
C22-656	324.80	326.80	2.00	3	0.02	0.02	0.07	7
C22-656	326.80	327.45	0.65	1	0.01	0.00	0.02	2
C22-656	327.45	327.90	0.45	1	0.01	0.00	0.06	4
C22-656	327.90	328.75	0.85	1	0.01	0.00	0.02	3
C22-656	328.75	330.75	2.00	2	0.01	0.01	0.05	5
C22-656	330.75	331.55	0.80	2	0.01	0.01	0.04	4
C22-656	331.55	332.85	1.30	1	0.01	0.00	0.01	2
C22-656	332.85	334.25	1.40	2	0.02	0.01	0.06	5
C22-656	334.25	336.25	2.00	1	0.01	0.00	0.02	2
C22-656	336.25	337.30	1.05	0	0.01	0.00	0.01	1
C22-656	337.30	338.30	1.00	2	0.01	0.01	0.05	6
C22-656	338.30	338.70	0.40	6	0.01	0.21	0.59	35
C22-656	338.70	339.60	0.90	1	0.01	0.01	0.03	3
C22-656	339.60	341.15	1.55	2	0.01	0.03	0.06	6
C22-656	341.15	342.30	1.15	2	0.00	0.06	0.06	6
C22-656	342.30	343.55	1.25	2	0.01	0.02	0.04	5
C22-656	343.55	344.05	0.50	1	0.01	0.01	0.05	4
C22-656	344.05	345.20	1.15	4	0.02	0.10	0.40	24
C22-656	345.20	345.85	0.65	1	0.01	0.00	0.00	2
C22-656	345.85	346.80	0.95	0	0.00	0.00	0.00	1
C22-656	346.80	347.40	0.60	7	0.02	0.21	0.01	15
C22-656	347.40	348.15	0.75	9	0.01	0.18	0.01	15
C22-656	348.15	348.75	0.60	0	0.00	0.01	0.00	1
C22-656	348.75	349.60	0.85	43	0.01	0.91	2.61	170
C22-656	349.60	351.10	1.50	4	0.02	0.04	0.01	7
C22-656	351.10	351.40	0.30	10	0.03	0.19	0.03	19
C22-656	351.40	352.40	1.00	1	0.01	0.02	0.09	6
C22-656	352.40	353.05	0.65	2	0.01	0.03	0.05	5
C22-656	353.05	353.35	0.30	9	0.03	0.25	0.08	21
C22-656	353.35	354.35	1.00	2	0.01	0.01	0.01	4
C22-656	354.35	355.45	1.10	2	0.01	0.02	0.01	4
C22-656	355.45	356.00	0.55	4	0.01	0.10	0.15	13
C22-656	356.00	357.40	1.40	1	0.01	0.02	0.08	5
C22-656	357.40	357.70	0.30	3	0.01	0.07	0.12	10

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-656	357.70	358.05	0.35	13	0.03	0.29	0.17	30
C22-656	358.05	359.15	1.10	1	0.01	0.01	0.01	2
C22-656	359.15	360.30	1.15	1	0.01	0.01	0.00	2
C22-656	360.30	360.65	0.35	6	0.05	0.14	0.47	31
C22-656	360.65	361.90	1.25	4	0.02	0.04	0.06	9
C22-656	361.90	363.10	1.20	4	0.01	0.08	0.13	12
C22-656	363.10	364.20	1.10	5	0.01	0.12	0.19	16
C22-656	364.20	365.30	1.10	2	0.02	0.10	0.03	8
C22-656	365.30	366.50	1.20	1	0.00	0.01	0.01	2
C22-656	366.50	368.50	2.00	7	0.01	0.12	0.19	18
C22-656	368.50	370.30	1.80	7	0.01	0.17	0.17	20
C22-656	370.30	372.30	2.00	7	0.03	0.15	0.10	17
C22-656	372.30	374.30	2.00	15	0.02	0.35	0.34	40
C22-656	374.30	374.60	0.30	32	0.04	0.85	0.58	83
C22-656	374.60	376.90	2.30	18	0.07	0.48	0.57	59
C22-656	376.90	377.20	0.30	37	0.23	0.99	2.01	159
C22-656	377.20	377.75	0.55	5	0.05	0.11	0.29	23
C22-656	377.75	379.40	1.65	2	0.01	0.03	0.07	6
C22-656	379.40	380.35	0.95	21	0.05	0.25	0.54	52
C22-656	380.35	380.80	0.45	107	0.19	2.73	8.29	515
C22-656	380.80	381.45	0.65	195	0.26	4.76	4.68	537
C22-656	381.45	381.90	0.45	137	0.16	3.66	5.35	462
C22-656	381.90	382.55	0.65	113	0.10	4.76	6.85	524
C22-656	382.55	383.55	1.00	142	0.13	3.36	5.35	456
C22-656	383.55	384.20	0.65	202	0.24	3.53	7.87	623
C22-656	384.20	384.85	0.65	215	0.12	4.13	7.37	627
C22-656	384.85	385.30	0.45	97	0.23	3.76	7.10	496
C22-656	385.30	386.75	1.45	7	0.04	0.19	0.53	35
C22-656	386.75	387.70	0.95	199	0.26	4.30	6.92	610
C22-656	387.70	388.35	0.65	7	0.03	0.14	0.08	17
C22-656	388.35	388.65	0.30	142	0.08	2.07	3.75	352
C22-656	388.65	389.35	0.70	54	0.06	0.46	0.57	93
C22-656	389.35	389.75	0.40	120	0.08	2.00	2.84	294
C22-656	389.75	390.05	0.30	141	0.06	1.09	2.87	287
C22-656	390.05	390.45	0.40	143	0.09	1.10	10.20	564
C22-656	390.45	390.75	0.30	81	0.10	1.42	3.14	249
C22-656	390.75	391.50	0.75	41	0.04	0.54	0.67	85
C22-656	391.50	392.05	0.55	97	0.33	2.11	2.57	282
C22-656	392.05	392.80	0.75	95	0.09	2.30	5.45	376
C22-656	392.80	393.40	0.60	46	0.04	0.83	1.20	119
C22-656	393.40	394.50	1.10	31	0.02	0.28	0.39	56
C22-656	394.50	395.15	0.65	245	0.17	4.98	11.75	851
C22-656	395.15	396.00	0.85	144	0.19	2.76	4.49	411
C22-656	396.00	396.55	0.55	11	0.03	0.27	0.64	46
C22-656	396.55	398.20	1.65	7	0.03	0.21	0.35	28
C22-656	398.20	399.10	0.90	1	0.01	0.02	0.05	5
C22-656	399.10	400.50	1.40	3	0.03	0.02	0.09	9
C22-656	400.50	401.25	0.75	1	0.02	0.01	0.04	4
C22-656	401.25	402.15	0.90	9	0.02	0.35	1.45	75

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release

*Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-656	402.15	403.20	1.05	10	0.03	0.39	0.62	47
C22-656	403.20	405.30	2.10	4	0.00	0.16	0.31	21
C22-656	405.30	407.60	2.30	2	0.01	0.02	0.09	6
C22-656	407.60	409.70	2.10	4	0.02	0.02	0.05	8
C22-656	409.70	411.20	1.50	3	0.02	0.02	0.03	6
C22-656	411.20	412.10	0.90	2	0.01	0.01	0.04	5
C22-656	412.10	414.10	2.00	3	0.01	0.01	0.03	4
C22-656	414.10	416.30	2.20	4	0.02	0.02	0.07	8
C22-656	416.30	418.45	2.15	3	0.01	0.01	0.05	6
C22-656	418.45	419.60	1.15	2	0.01	0.01	0.03	4
C22-656	419.60	420.95	1.35	3	0.01	0.01	0.10	7
C22-656	420.95	422.55	1.60	4	0.01	0.02	0.19	12
C22-656	422.55	424.35	1.80	3	0.00	0.01	0.12	8
C22-656	424.35	426.30	1.95	1	0.00	0.01	0.07	4
C22-656	426.30	427.90	1.60	2	0.00	0.01	0.10	6
C22-656	427.90	429.90	2.00	3	0.01	0.01	0.09	7
C22-656	429.90	431.85	1.95	3	0.01	0.01	0.09	7
C22-656	431.85	434.80	2.95	1	0.01	0.00	0.08	5
C22-656	434.80	436.80	2.00	2	0.00	0.01	0.07	5
C22-656	436.80	438.50	1.70	2	0.01	0.01	0.08	5
C22-656	438.50	439.90	1.40	2	0.00	0.00	0.09	5
C22-656	439.90	441.00	1.10	5	0.00	0.10	0.16	14
C22-656	441.00	442.30	1.30	3	0.00	0.01	0.12	7
C22-656	442.30	443.15	0.85	2	0.00	0.01	0.07	5
C22-656	443.15	445.10	1.95	3	0.02	0.03	0.06	8
C22-656	445.10	447.10	2.00	2	0.01	0.01	0.09	6
C22-656	447.10	449.30	2.20	5	0.04	0.07	0.05	11
C22-656	449.30	449.90	0.60	3	0.03	0.05	0.12	11
C22-656	449.90	450.25	0.35	198	0.78	0.74	0.38	292
C22-656	450.25	451.40	1.15	3	0.06	0.08	0.26	20
C22-656	451.40	452.40	1.00	3	0.02	0.02	0.08	8
C22-656	452.40	453.00	0.60	1	0.00	0.00	0.02	2
C22-656	453.00	454.20	1.20	0	0.00	0.00	0.01	1
C22-656	454.20	454.50	0.30	1	0.01	0.01	0.04	3
C22-656	454.50	455.45	0.95	0	0.00	0.00	0.03	2
C22-656	455.45	456.90	1.45	1	0.01	0.00	0.08	4
C22-656	456.90	457.20	0.30	1	0.00	0.00	0.02	2
C22-656	457.20	458.20	1.00	2	0.00	0.02	0.18	9
C22-656	458.20	459.45	1.25	4	0.01	0.05	0.52	26
C22-656	459.45	460.45	1.00	3	0.01	0.08	0.41	22
C22-656	460.45	461.45	1.00	2	0.01	0.04	0.23	12
C22-656	461.45	462.45	1.00	3	0.01	0.06	0.19	12
C22-656	462.45	463.15	0.70	7	0.01	0.23	0.62	38
C22-656	463.15	465.15	2.00	5	0.02	0.19	0.80	43
C22-656	465.15	466.30	1.15	6	0.01	0.05	0.12	12
C22-656	466.30	468.30	2.00	23	0.01	0.64	0.81	73
C22-656	468.30	469.30	1.00	6	0.02	0.16	0.62	36
C22-656	469.30	470.70	1.40	0	0.00	0.00	0.01	1
C22-656	470.70	471.45	0.75	2	0.08	0.03	0.01	9

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-656	471.45	473.30	1.85	3	0.16	0.04	0.04	17
C22-656	473.30	474.90	1.60	1	0.02	0.02	0.06	6
C22-656	474.90	476.30	1.40	1	0.01	0.01	0.04	3
C22-656	476.30	477.30	1.00	2	0.01	0.02	0.09	6
C22-656	477.30	479.20	1.90	3	0.01	0.06	0.68	31
C22-656	479.20	481.20	2.00	1	0.00	0.00	0.04	3
C22-656	481.20	482.25	1.05	1	0.00	0.00	0.02	2
C22-656	482.25	483.30	1.05	1	0.00	0.00	0.03	2
C22-656	483.30	484.95	1.65	1	0.01	0.00	0.02	2
C22-656	484.95	486.90	1.95	1	0.01	0.00	0.03	2
C22-656	486.90	488.80	1.90	1	0.01	0.01	0.05	4
C22-656	488.80	490.75	1.95	0	0.00	0.00	0.02	1
C22-656	490.75	492.75	2.00	1	0.01	0.00	0.03	2
C22-656	492.75	494.75	2.00	1	0.01	0.00	0.03	3
C22-656	494.75	496.75	2.00	2	0.01	0.03	0.21	12
C22-656	496.75	498.05	1.30	1	0.00	0.00	0.02	2
C22-656	498.05	499.65	1.60	1	0.01	0.01	0.04	3
C22-656	499.65	500.90	1.25	1	0.01	0.00	0.01	2
C22-656	500.90	502.10	1.20	55	0.05	1.48	3.13	221
C22-656	502.10	503.80	1.70	2	0.01	0.02	0.06	5
C22-656	503.80	505.60	1.80	3	0.01	0.03	0.03	6
C22-656	505.60	507.30	1.70	1	0.01	0.01	0.02	3
C22-656	507.30	509.10	1.80	1	0.01	0.00	0.03	3
C22-656	509.10	510.30	1.20	1	0.00	0.00	0.01	1
C22-656	510.30	511.30	1.00	1	0.00	0.00	0.05	3
C22-656	511.30	512.50	1.20	2	0.00	0.01	0.03	3
C22-656	512.50	514.50	2.00	1	0.00	0.00	0.01	2
C22-656	514.50	515.95	1.45	1	0.00	0.01	0.02	2
C22-656	515.95	517.95	2.00	1	0.01	0.01	0.02	3
C22-656	517.95	518.95	1.00	1	0.00	0.01	0.04	3
C22-656	518.95	520.95	2.00	2	0.01	0.01	0.03	4
C22-656	520.95	522.95	2.00	2	0.01	0.02	0.05	6
C22-656	522.95	524.95	2.00	3	0.02	0.02	0.03	6
C22-656	524.95	526.95	2.00	2	0.02	0.03	0.05	6
C22-656	526.95	528.60	1.65	1	0.01	0.01	0.01	2
C22-656	528.60	529.60	1.00	2	0.00	0.01	0.02	4
C22-656	529.60	531.30	1.70	2	0.00	0.01	0.03	4
C22-656	531.30	533.30	2.00	2	0.00	0.01	0.03	4
C22-656	533.30	534.60	1.30	3	0.01	0.01	0.07	6
C22-656	534.60	535.95	1.35	2	0.01	0.01	0.01	3
C22-656	535.95	537.05	1.10	2	0.01	0.01	0.02	3
C22-656	537.05	537.40	0.35	1	0.00	0.00	0.01	2
C22-656	537.40	539.40	2.00	1	0.00	0.00	0.02	2
C22-656	539.40	540.40	1.00	1	0.00	0.00	0.03	3
C22-656	540.40	542.40	2.00	3	0.01	0.01	0.04	5
C22-656	542.40	544.30	1.90	2	0.01	0.01	0.01	3
C22-656	544.30	545.90	1.60	2	0.01	0.01	0.04	5
C22-656	545.90	547.30	1.40	2	0.01	0.01	0.01	3
C22-656	547.30	549.10	1.80	1	0.00	0.00	0.02	2

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release

*Metal Prices used for AgEQ calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-656	549.10	551.10	2.00	2	0.01	0.00	0.03	3
C22-656	551.10	552.15	1.05	1	0.01	0.01	0.03	3
C22-656	552.15	553.30	1.15	1	0.00	0.01	0.05	3
C22-656	553.30	554.90	1.60	1	0.00	0.01	0.03	3
C22-656	554.90	556.55	1.65	1	0.01	0.00	0.02	3
C22-656	556.55	557.20	0.65	1	0.01	0.01	0.06	5
C22-656	557.20	558.20	1.00	1	0.01	0.00	0.01	2
C22-656	558.20	560.10	1.90	1	0.00	0.00	0.01	2
C22-656	560.10	561.95	1.85	3	0.01	0.00	0.04	5
C22-656	561.95	563.80	1.85	2	0.02	0.01	0.03	4
C22-656	563.80	565.80	2.00	1	0.01	0.00	0.02	3
C22-656	565.80	567.80	2.00	1	0.01	0.00	0.00	2
C22-656	567.80	569.80	2.00	1	0.00	0.00	0.02	2
C22-656	569.80	571.80	2.00	1	0.00	0.00	0.01	1
C22-656	571.80	572.70	0.90	1	0.00	0.00	0.00	1
C22-656	572.70	574.35	1.65	2	0.01	0.00	0.04	4
C22-656	574.35	575.05	0.70	1	0.01	0.00	0.02	2
C22-657	0.00	4.00	4.00	75	0.05	0.10	0.11	86
C22-657	4.00	5.85	1.85	59	0.21	0.15	0.13	84
C22-657	5.85	7.20	1.35	49	0.21	0.59	0.62	105
C22-657	7.20	9.20	2.00	63	0.08	0.14	0.17	79
C22-657	9.20	11.20	2.00	177	0.06	0.11	0.19	192
C22-657	11.20	13.05	1.85	98	1.12	0.22	0.25	195
C22-657	13.05	14.40	1.35	46	0.07	0.08	0.11	58
C22-657	14.40	15.20	0.80	88	0.06	0.10	0.10	99
C22-657	15.20	17.20	2.00	62	0.04	0.21	0.10	75
C22-657	17.20	19.20	2.00	99	0.02	0.12	0.13	109
C22-657	19.20	21.20	2.00	63	0.04	0.11	0.13	73
C22-657	21.20	23.20	2.00	54	0.01	0.13	0.21	67
C22-657	23.20	25.20	2.00	28	0.02	0.14	0.16	40
C22-657	25.20	27.20	2.00	26	0.02	0.12	0.17	38
C22-657	27.20	29.20	2.00	21	0.01	0.09	0.15	30
C22-657	29.20	30.20	1.00	26	0.03	0.12	0.14	37
C22-657	30.20	31.25	1.05	25	0.02	0.07	0.12	32
C22-657	31.25	32.00	0.75	24	0.03	0.19	0.25	41
C22-657	32.00	33.35	1.35	33	0.09	0.11	0.11	47
C22-657	33.35	35.35	2.00	76	0.11	0.21	0.15	96
C22-657	35.35	37.35	2.00	61	0.04	0.21	0.23	79
C22-657	37.35	38.85	1.50	82	0.04	0.13	0.17	95
C22-657	38.85	40.85	2.00	62	0.05	0.23	0.18	79
C22-657	40.85	42.55	1.70	42	0.03	0.06	0.18	53
C22-657	42.55	44.55	2.00	57	0.05	0.11	0.23	72
C22-657	44.55	46.55	2.00	28	0.02	0.10	0.19	40
C22-657	46.55	48.55	2.00	36	0.01	0.14	0.18	48
C22-657	48.55	50.40	1.85	27	0.02	0.10	0.13	36
C22-657	50.40	52.20	1.80	38	0.03	0.27	0.13	53
C22-657	52.20	53.40	1.20	22	0.01	0.86	0.53	69
C22-657	53.40	55.40	2.00	25	0.02	0.05	0.12	32
C22-657	55.40	56.40	1.00	32	0.02	0.06	0.13	40

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-657	56.40	57.75	1.35	28	0.02	0.08	0.08	35
C22-657	57.75	58.70	0.95	11	0.05	0.19	0.12	25
C22-657	58.70	60.25	1.55	26	0.02	0.29	0.14	41
C22-657	60.25	62.00	1.75	23	0.03	0.27	0.11	38
C22-657	62.00	63.20	1.20	31	0.03	0.10	0.11	41
C22-657	63.20	65.00	1.80	45	0.05	0.16	0.10	58
C22-657	65.00	66.40	1.40	18	0.03	0.21	0.08	29
C22-657	66.40	68.40	2.00	19	0.02	0.10	0.12	28
C22-657	68.40	70.40	2.00	23	0.03	0.13	0.17	35
C22-657	70.40	72.40	2.00	9	0.03	0.18	0.31	28
C22-657	72.40	74.40	2.00	4	0.01	0.08	0.13	12
C22-657	74.40	75.90	1.50	2	0.00	0.05	0.04	5
C22-657	75.90	76.45	0.55	2	0.01	0.04	0.05	6
C22-657	76.45	77.80	1.35	5	0.01	0.09	0.07	10
C22-657	77.80	78.10	0.30	31	0.03	0.71	0.72	82
C22-657	78.10	78.55	0.45	15	0.04	0.35	0.78	58
C22-657	78.55	80.20	1.65	2	0.01	0.02	0.04	5
C22-657	80.20	81.35	1.15	4	0.01	0.06	0.06	9
C22-657	81.35	83.35	2.00	25	0.02	0.17	0.14	37
C22-657	83.35	84.65	1.30	12	0.02	0.31	0.13	28
C22-657	84.65	86.40	1.75	21	0.02	0.30	0.16	37
C22-657	86.40	88.20	1.80	21	0.03	0.14	0.09	31
C22-657	88.20	90.50	2.30	39	0.03	0.21	0.08	50
C22-657	90.50	92.50	2.00	20	0.01	0.12	0.13	30
C22-657	92.50	93.05	0.55	17	0.01	0.15	0.17	29
C22-657	93.05	94.70	1.65	13	0.01	0.12	0.15	23
C22-657	94.70	95.70	1.00	5	0.01	0.07	0.11	12
C22-657	95.70	97.70	2.00	8	0.01	0.06	0.12	15
C22-657	97.70	99.50	1.80	10	0.02	0.06	0.08	16
C22-657	99.50	100.40	0.90	5	0.01	0.03	0.04	8
C22-657	100.40	102.15	1.75	17	0.02	0.05	0.07	22
C22-657	102.15	103.80	1.65	4	0.01	0.06	0.05	8
C22-657	103.80	104.30	0.50	15	0.03	0.16	0.79	52
C22-657	104.30	104.60	0.30	46	0.06	0.34	0.52	80
C22-657	104.60	106.60	2.00	3	0.01	0.05	0.09	9
C22-657	106.60	108.60	2.00	6	0.01	0.03	0.05	9
C22-657	108.60	110.60	2.00	9	0.01	0.05	0.07	14
C22-657	110.60	112.50	1.90	6	0.01	0.10	0.20	17
C22-657	112.50	112.90	0.40	18	0.01	0.33	0.51	48
C22-657	112.90	113.70	0.80	8	0.01	0.14	0.22	20
C22-657	113.70	114.70	1.00	6	0.01	0.13	0.22	20
C22-657	114.70	116.15	1.45	13	0.01	0.25	0.23	29
C22-657	116.15	117.75	1.60	7	0.02	0.15	0.32	25
C22-657	117.75	119.75	2.00	9	0.02	0.17	0.19	23
C22-657	119.75	121.75	2.00	6	0.01	0.12	0.18	17
C22-657	121.75	123.75	2.00	2	0.01	0.03	0.28	14
C22-657	123.75	125.60	1.85	1	0.00	0.00	0.02	2
C22-657	125.60	125.90	0.30	0	0.00	0.00	0.01	1
C22-657	125.90	127.10	1.20	0	0.00	0.00	0.03	2

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-657	127.10	127.60	0.50	1	0.01	0.01	0.05	4
C22-657	127.60	129.05	1.45	1	0.01	0.04	0.05	5
C22-657	129.05	129.55	0.50	40	0.03	0.46	1.15	99
C22-657	129.55	130.00	0.45	4	0.03	0.09	0.11	13
C22-657	130.00	130.55	0.55	30	0.16	0.34	0.06	54
C22-657	130.55	131.10	0.55	9	0.05	0.13	0.39	31
C22-657	131.10	131.70	0.60	7	0.02	0.09	0.06	13
C22-657	131.70	132.45	0.75	9	0.04	0.11	0.06	18
C22-657	132.45	134.20	1.75	8	0.03	0.13	0.17	20
C22-657	134.20	136.20	2.00	7	0.02	0.11	0.12	16
C22-657	136.20	138.20	2.00	4	0.02	0.05	0.07	9
C22-657	138.20	139.55	1.35	2	0.02	0.02	0.05	6
C22-657	139.55	140.30	0.75	8	0.02	0.08	0.12	16
C22-657	140.30	141.45	1.15	1	0.01	0.01	0.11	6
C22-657	141.45	142.60	1.15	3	0.01	0.06	0.07	8
C22-657	142.60	143.00	0.40	33	0.01	0.51	0.78	79
C22-657	143.00	145.00	2.00	4	0.01	0.12	0.12	13
C22-657	145.00	145.90	0.90	6	0.01	0.11	0.28	20
C22-657	145.90	147.90	2.00	1	0.01	0.01	0.03	3
C22-657	147.90	149.40	1.50	4	0.01	0.07	0.09	10
C22-657	149.40	151.40	2.00	13	0.01	0.06	0.05	17
C22-657	151.40	152.75	1.35	4	0.02	0.02	0.02	6
C22-657	152.75	153.05	0.30	25	0.10	0.09	0.04	37
C22-657	153.05	154.70	1.65	3	0.01	0.05	0.03	7
C22-657	154.70	156.65	1.95	1	0.01	0.02	0.01	3
C22-657	156.65	157.00	0.35	10	0.03	0.03	0.01	14
C22-657	157.00	159.00	2.00	1	0.00	0.01	0.02	2
C22-657	159.00	160.90	1.90	1	0.01	0.01	0.01	2
C22-657	160.90	161.60	0.70	1	0.02	0.01	0.01	3
C22-657	161.60	162.50	0.90	10	0.05	0.05	0.07	18
C22-657	162.50	164.30	1.80	1	0.01	0.01	0.01	2
C22-657	164.30	165.15	0.85	1	0.01	0.02	0.02	3
C22-657	165.15	165.70	0.55	6	0.16	0.03	0.03	20
C22-657	165.70	167.00	1.30	2	0.01	0.02	0.04	6
C22-657	167.00	168.00	1.00	1	0.01	0.01	0.03	3
C22-657	168.00	169.45	1.45	2	0.02	0.02	0.02	4
C22-657	169.45	170.60	1.15	5	0.01	0.03	0.04	8
C22-657	170.60	171.60	1.00					0
C22-657	171.60	172.90	1.30	17	0.04	0.04	0.05	22
C22-657	172.90	174.90	2.00	2	0.01	0.02	0.02	4
C22-657	174.90	176.45	1.55	1	0.01	0.01	0.02	3
C22-657	176.45	176.80	0.35	1	0.00	0.02	0.02	3
C22-657	176.80	178.40	1.60	1	0.00	0.01	0.01	2
C22-657	178.40	180.40	2.00	1	0.01	0.01	0.01	2
C22-657	180.40	181.40	1.00	1	0.01	0.01	0.01	2
C22-657	181.40	181.95	0.55	28	0.68	0.10	0.05	83
C22-657	181.95	182.55	0.60	2	0.03	0.02	0.01	5
C22-657	182.55	182.90	0.35	10	0.45	0.05	0.02	45
C22-657	182.90	184.60	1.70	1	0.01	0.01	0.01	2

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release

*Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-657	184.60	186.00	1.40	1	0.01	0.00	0.01	2
C22-657	186.00	187.00	1.00	4	0.04	0.04	0.03	8
C22-657	187.00	187.40	0.40	68	0.11	0.13	0.14	84
C22-657	187.40	188.35	0.95	3	0.02	0.03	0.02	5
C22-657	188.35	188.95	0.60	1	0.01	0.14	0.09	9
C22-657	188.95	190.60	1.65	3	0.01	0.01	0.02	5
C22-657	190.60	191.65	1.05	13	0.10	0.07	0.02	23
C22-657	191.65	193.65	2.00	1	0.01	0.03	0.02	3
C22-657	193.65	195.65	2.00	1	0.01	0.01	0.01	2
C22-657	195.65	196.65	1.00	2	0.06	0.01	0.01	6
C22-657	196.65	197.85	1.20	1	0.00	0.01	0.01	1
C22-657	197.85	198.15	0.30	45	0.42	0.12	0.06	81
C22-657	198.15	200.15	2.00	1	0.01	0.01	0.01	2
C22-657	200.15	201.60	1.45	1	0.00	0.00	0.00	1
C22-657	201.60	202.15	0.55	2	0.02	0.04	0.02	5
C22-657	202.15	203.50	1.35	2	0.01	0.01	0.03	4
C22-657	203.50	204.50	1.00	3	0.06	0.03	0.04	10
C22-657	204.50	205.75	1.25	233	0.58	0.93	0.09	307
C22-657	205.75	206.75	1.00	240	0.32	1.35	0.06	308
C22-657	206.75	207.25	0.50	25	0.12	0.17	0.03	39
C22-657	207.25	208.20	0.95	12	0.07	0.06	0.02	19
C22-657	208.20	210.15	1.95	6	0.01	0.05	0.05	10
C22-657	210.15	212.15	2.00	4	0.01	0.05	0.06	8
C22-657	212.15	214.15	2.00	6	0.01	0.07	0.09	12
C22-657	214.15	215.25	1.10	4	0.04	0.04	0.22	16
C22-657	215.25	215.55	0.30	30	0.02	0.75	0.96	90
C22-657	215.55	217.30	1.75	3	0.01	0.03	0.07	7
C22-657	217.30	217.70	0.40	17	0.21	0.06	0.03	35
C22-657	217.70	219.70	2.00	4	0.01	0.06	0.06	9
C22-657	219.70	221.00	1.30	2	0.01	0.03	0.05	5
C22-657	221.00	221.30	0.30	2	0.01	0.02	0.03	4
C22-657	221.30	222.70	1.40	4	0.02	0.02	0.02	6
C22-657	222.70	224.15	1.45	4	0.01	0.06	0.01	7
C22-657	224.15	225.05	0.90	1	0.01	0.01	0.01	3
C22-657	225.05	226.90	1.85	1	0.01	0.01	0.02	3
C22-657	226.90	228.90	2.00	2	0.01	0.01	0.02	3
C22-657	228.90	230.90	2.00	1	0.01	0.01	0.01	2
C22-657	230.90	232.90	2.00	2	0.01	0.04	0.04	5
C22-657	232.90	234.90	2.00	1	0.01	0.02	0.03	3
C22-657	234.90	236.90	2.00	1	0.01	0.02	0.02	2
C22-657	236.90	238.60	1.70	1	0.01	0.01	0.00	1
C22-657	238.60	239.60	1.00	1	0.01	0.01	0.01	2
C22-657	239.60	241.05	1.45	2	0.01	0.03	0.03	4
C22-657	241.05	243.05	2.00	1	0.01	0.03	0.03	4
C22-657	243.05	245.05	2.00	1	0.01	0.01	0.00	2
C22-657	245.05	247.05	2.00	1	0.01	0.02	0.01	3
C22-657	247.05	248.15	1.10	1	0.01	0.01	0.01	2
C22-657	248.15	250.00	1.85	1	0.01	0.01	0.01	3
C22-657	250.00	250.80	0.80	1	0.01	0.02	0.01	2

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release

**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-657	250.80	252.80	2.00	1	0.01	0.00	0.01	2
C22-657	252.80	254.80	2.00	2	0.01	0.01	0.00	3
C22-657	254.80	256.20	1.40	1	0.01	0.01	0.00	2
C22-657	256.20	257.20	1.00	2	0.01	0.00	0.00	3
C22-657	257.20	257.90	0.70	1	0.01	0.01	0.00	2
C22-657	257.90	259.00	1.10	1	0.01	0.00	0.00	2
C22-657	259.00	260.70	1.70	1	0.01	0.00	0.00	2
C22-657	260.70	262.40	1.70	3	0.01	0.01	0.01	4
C22-657	262.40	264.20	1.80	2	0.01	0.01	0.01	3
C22-657	264.20	266.20	2.00	6	0.01	0.02	0.02	8
C22-657	266.20	266.90	0.70	1	0.01	0.00	0.01	2
C22-657	266.90	267.30	0.40	4	0.01	0.02	0.01	6
C22-657	267.30	269.00	1.70	2	0.01	0.01	0.01	4
C22-657	269.00	270.25	1.25	2	0.01	0.01	0.01	3
C22-657	270.25	270.55	0.30	1	0.02	0.01	0.00	3
C22-657	270.55	271.65	1.10	2	0.01	0.01	0.02	3
C22-657	271.65	272.70	1.05	2	0.01	0.01	0.01	4
C22-657	272.70	274.55	1.85	1	0.01	0.01	0.00	2
C22-657	274.55	275.70	1.15	2	0.01	0.01	0.03	5
C22-657	275.70	276.10	0.40	203	0.08	1.10	1.57	301
C22-657	276.10	276.55	0.45	59	0.04	0.35	0.26	82
C22-657	276.55	277.55	1.00	2	0.02	0.01	0.01	3
C22-657	277.55	277.85	0.30	8	0.04	0.04	0.08	15
C22-657	277.85	279.45	1.60	4	0.01	0.02	0.01	6
C22-657	279.45	280.25	0.80	9	0.01	0.06	0.05	14
C22-657	280.25	281.40	1.15	2	0.01	0.01	0.02	3
C22-657	281.40	282.60	1.20	2	0.01	0.02	0.02	4
C22-657	282.60	283.00	0.40	7	0.09	0.03	0.00	15
C22-657	283.00	285.00	2.00	5	0.01	0.03	0.00	6
C22-657	285.00	285.80	0.80	2	0.01	0.01	0.01	3
C22-657	285.80	286.45	0.65	3	0.03	0.01	0.01	6
C22-657	286.45	288.45	2.00	1	0.00	0.00	0.01	1
C22-657	288.45	290.10	1.65	1	0.02	0.01	0.01	3
C22-657	290.10	291.40	1.30	1	0.01	0.00	0.01	2
C22-657	291.40	292.75	1.35	1	0.02	0.00	0.00	2
C22-657	292.75	293.90	1.15	1	0.01	0.00	0.01	1
C22-657	293.90	295.05	1.15	1	0.01	0.00	0.01	2
C22-657	295.05	296.30	1.25	8	0.02	0.12	0.42	28
C22-657	296.30	297.25	0.95	9	0.02	0.13	0.35	27
C22-657	297.25	299.00	1.75	1	0.01	0.01	0.03	3
C22-657	299.00	301.00	2.00	1	0.01	0.01	0.02	3
C22-657	301.00	302.55	1.55	1	0.01	0.01	0.02	3
C22-657	302.55	303.10	0.55	1	0.00	0.01	0.06	4
C22-657	303.10	303.70	0.60	1	0.01	0.02	0.06	5
C22-657	303.70	304.85	1.15	2	0.01	0.01	0.05	4
C22-657	304.85	305.80	0.95	4	0.01	0.07	0.04	8
C22-657	305.80	307.10	1.30	1	0.01	0.01	0.02	3
C22-657	307.10	309.10	2.00	4	0.00	0.01	0.08	7
C22-657	309.10	310.95	1.85	11	0.02	0.05	0.11	18

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-657	310.95	312.95	2.00	3	0.01	0.02	0.07	7
C22-657	312.95	314.60	1.65	3	0.01	0.01	0.06	6
C22-657	314.60	316.10	1.50	3	0.01	0.02	0.06	7
C22-657	316.10	318.10	2.00	9	0.01	0.05	0.13	16
C22-657	318.10	319.40	1.30	7	0.01	0.08	0.13	15
C22-657	319.40	320.40	1.00	3	0.01	0.06	0.11	9
C22-657	320.40	321.60	1.20	5	0.01	0.08	0.25	17
C22-657	321.60	322.35	0.75	9	0.01	0.23	1.68	79
C22-657	322.35	323.85	1.50	6	0.00	0.19	0.82	42
C22-657	323.85	325.85	2.00	1	0.00	0.02	0.06	4
C22-657	325.85	327.50	1.65	2	0.02	0.02	0.06	6
C22-657	327.50	327.95	0.45	14	0.01	0.12	0.58	40
C22-657	327.95	329.20	1.25	5	0.02	0.08	0.23	18
C22-657	329.20	330.45	1.25	5	0.02	0.06	0.26	17
C22-657	330.45	331.65	1.20	22	0.01	0.55	1.47	94
C22-657	331.65	333.25	1.60	9	0.01	0.12	0.80	43
C22-657	333.25	334.20	0.95	17	0.01	0.29	1.38	78
C22-657	334.20	335.00	0.80	7	0.00	0.09	0.84	42
C22-657	335.00	335.30	0.30	16	0.01	0.19	1.20	67
C22-657	335.30	336.45	1.15	18	0.01	0.30	1.42	81
C22-657	336.45	337.00	0.55	7	0.00	0.09	0.48	28
C22-657	337.00	338.90	1.90	11	0.01	0.14	0.65	41
C22-657	338.90	340.50	1.60	12	0.00	0.14	0.88	49
C22-657	340.50	341.75	1.25	13	0.00	0.11	0.83	48
C22-657	341.75	342.70	0.95	10	0.00	0.10	0.47	31
C22-657	342.70	343.35	0.65	22	0.00	0.20	0.44	45
C22-657	343.35	344.90	1.55	7	0.00	0.06	0.41	24
C22-657	344.90	346.25	1.35	42	0.01	0.41	2.89	163
C22-657	346.25	347.45	1.20	3	0.01	0.03	0.15	10
C22-657	347.45	348.35	0.90	27	0.01	0.22	1.54	92
C22-657	348.35	349.15	0.80	50	0.01	0.35	1.40	113
C22-657	349.15	349.95	0.80	8	0.00	0.06	0.73	37
C22-657	349.95	350.70	0.75	28	0.00	0.18	1.52	90
C22-657	350.70	351.85	1.15	10	0.01	0.07	0.44	29
C22-657	351.85	352.85	1.00	9	0.01	0.06	0.43	28
C22-657	352.85	353.95	1.10	10	0.00	0.11	0.55	34
C22-657	353.95	355.40	1.45	29	0.00	0.17	1.37	85
C22-657	355.40	355.90	0.50	43	0.00	0.22	1.68	112
C22-657	355.90	357.65	1.75	35	0.01	0.16	1.31	90
C22-657	357.65	358.45	0.80	30	0.01	0.16	0.74	63
C22-657	358.45	359.60	1.15	23	0.03	0.11	0.62	51
C22-657	359.60	361.95	2.35	13	0.01	0.07	0.27	26
C22-657	361.95	362.90	0.95	7	0.02	0.05	0.14	14
C22-657	362.90	363.90	1.00	6	0.01	0.06	0.44	25
C22-657	363.90	365.20	1.30	15	0.02	0.18	1.48	77
C22-657	365.20	366.30	1.10	13	0.01	0.09	1.05	55
C22-657	366.30	367.60	1.30	29	0.01	0.17	2.12	114
C22-657	367.60	369.20	1.60	11	0.00	0.07	0.89	46
C22-657	369.20	370.40	1.20	2	0.00	0.02	0.23	12

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-657	370.40	371.40	1.00	2	0.01	0.01	0.07	5
C22-657	371.40	372.95	1.55	2	0.01	0.03	0.07	6
C22-657	372.95	374.60	1.65	6	0.04	0.01	0.05	11
C22-657	374.60	376.00	1.40	1	0.01	0.01	0.04	3
C22-657	376.00	377.40	1.40	1	0.01	0.00	0.01	1
C22-657	377.40	378.30	0.90	1	0.01	0.00	0.01	2
C22-657	378.30	380.30	2.00	0	0.00	0.00	0.02	1
C22-657	380.30	382.30	2.00	0	0.01	0.00	0.01	1
C22-657	382.30	384.25	1.95	0	0.00	0.00	0.02	1
C22-657	384.25	386.25	2.00	1	0.00	0.00	0.03	2
C22-657	386.25	387.65	1.40	0	0.00	0.01	0.02	1
C22-657	387.65	388.35	0.70	1	0.00	0.01	0.03	2
C22-657	388.35	390.35	2.00	1	0.00	0.01	0.02	2
C22-657	390.35	392.35	2.00	0	0.00	0.00	0.03	2
C22-657	392.35	394.30	1.95	0	0.00	0.00	0.02	1
C22-657	394.30	396.00	1.70	0	0.00	0.00	0.02	1
C22-657	396.00	398.00	2.00	2	0.01	0.05	0.02	4
C22-657	398.00	399.00	1.00	1	0.01	0.02	0.01	3
C22-657	399.00	399.75	0.75	3	0.02	0.03	0.01	6
C22-657	399.75	400.45	0.70	5	0.06	0.01	0.01	10
C22-657	400.45	401.90	1.45	1	0.01	0.01	0.01	2
C22-657	401.90	403.40	1.50	1	0.01	0.01	0.02	2
C22-657	403.40	404.55	1.15	1	0.01	0.01	0.02	2
C22-657	404.55	406.55	2.00	0	0.01	0.00	0.02	1
C22-657	406.55	408.55	2.00	0	0.00	0.00	0.01	1
C22-657	408.55	410.55	2.00	1	0.01	0.00	0.00	1
C22-657	410.55	411.25	0.70	0	0.00	0.00	0.01	1
C22-657	411.25	411.60	0.35	2	0.06	0.01	0.01	6
C22-657	411.60	413.60	2.00	1	0.02	0.00	0.01	2
C22-657	413.60	415.60	2.00	0	0.01	0.00	0.01	1
C22-657	415.60	417.60	2.00	0	0.01	0.00	0.01	1
C22-657	417.60	419.20	1.60	0	0.00	0.00	0.01	1
C22-657	419.20	419.75	0.55	1	0.01	0.01	0.02	3
C22-657	419.75	420.90	1.15	0	0.00	0.00	0.00	1
C22-657	420.90	421.80	0.90	1	0.01	0.01	0.01	2
C22-657	421.80	423.30	1.50	1	0.02	0.01	0.01	3
C22-657	423.30	425.30	2.00	1	0.01	0.01	0.01	2
C22-657	425.30	425.70	0.40	2	0.08	0.01	0.01	8
C22-657	425.70	427.70	2.00	1	0.00	0.01	0.02	2
C22-657	427.70	429.70	2.00	1	0.00	0.01	0.01	1
C22-657	429.70	431.70	2.00	1	0.01	0.01	0.02	2
C22-657	431.70	433.70	2.00	1	0.01	0.01	0.01	2
C22-657	433.70	435.70	2.00	0	0.01	0.01	0.03	2
C22-657	435.70	437.70	2.00	0	0.01	0.00	0.01	1
C22-657	437.70	439.05	1.35	4	0.01	0.04	0.11	10
C22-657	439.05	441.05	2.00	1	0.01	0.00	0.02	2
C22-657	441.05	443.00	1.95	1	0.01	0.02	0.01	3
C22-657	443.00	445.00	2.00	0	0.01	0.00	0.01	2
C22-657	445.00	447.00	2.00	1	0.01	0.01	0.01	2

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release

*Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-657	447.00	449.00	2.00	0	0.01	0.00	0.01	1
C22-657	449.00	450.00	1.00	0	0.00	0.00	0.00	1
C22-657	450.00	451.40	1.40	0	0.00	0.00	0.01	1
C22-658	0.00	0.75	0.75	1	0.00	0.05	0.11	7
C22-658	0.75	2.15	1.40	1	0.00	0.02	0.07	5
C22-658	2.15	3.30	1.15	5	0.02	0.08	0.15	14
C22-658	3.30	4.85	1.55	3	0.06	0.02	0.14	13
C22-658	4.85	6.70	1.85	1	0.01	0.01	0.04	4
C22-658	6.70	8.70	2.00	2	0.00	0.00	0.04	3
C22-658	8.70	10.10	1.40	1	0.00	0.00	0.03	3
C22-658	10.10	11.40	1.30	2	0.01	0.00	0.03	3
C22-658	11.40	13.40	2.00	3	0.02	0.01	0.02	6
C22-658	13.40	15.05	1.65	1	0.00	0.00	0.01	2
C22-658	15.05	16.20	1.15	7	0.02	0.00	0.04	10
C22-658	16.20	17.40	1.20	13	0.04	0.00	0.03	17
C22-658	17.40	19.30	1.90	8	0.01	0.00	0.02	10
C22-658	19.30	21.30	2.00	5	0.01	0.00	0.02	6
C22-658	21.30	22.95	1.65	3	0.00	0.00	0.02	4
C22-658	22.95	24.95	2.00	7	0.02	0.00	0.03	10
C22-658	24.95	26.40	1.45	4	0.01	0.00	0.05	7
C22-658	26.40	28.40	2.00	6	0.00	0.00	0.05	8
C22-658	28.40	29.55	1.15	3	0.00	0.01	0.06	5
C22-658	29.55	31.80	2.25	2	0.00	0.01	0.07	5
C22-658	31.80	33.60	1.80	2	0.00	0.01	0.05	4
C22-658	33.60	35.55	1.95	1	0.00	0.02	0.05	4
C22-658	35.55	36.90	1.35	5	0.01	0.09	0.12	13
C22-658	36.90	38.90	2.00	4	0.00	0.09	0.15	13
C22-658	38.90	39.45	0.55	2	0.00	0.03	0.10	7
C22-658	39.45	40.20	0.75	4	0.00	0.05	0.42	21
C22-658	40.20	41.75	1.55	4	0.00	0.05	0.19	13
C22-658	41.75	43.40	1.65	4	0.00	0.03	0.35	18
C22-658	43.40	45.40	2.00	3	0.00	0.02	0.22	12
C22-658	45.40	46.75	1.35	4	0.01	0.05	0.35	19
C22-658	46.75	48.00	1.25	13	0.00	0.11	0.82	47
C22-658	48.00	48.60	0.60	11	0.00	0.10	0.60	36
C22-658	48.60	49.70	1.10	5	0.00	0.04	0.44	22
C22-658	49.70	51.20	1.50	5	0.00	0.06	0.38	21
C22-658	51.20	51.85	0.65	12	0.00	0.12	1.38	67
C22-658	51.85	53.00	1.15	11	0.00	0.11	0.86	46
C22-658	53.00	53.75	0.75	16	0.00	0.12	0.69	46
C22-658	53.75	54.20	0.45	17	0.01	0.09	2.01	95
C22-658	54.20	55.50	1.30	5	0.00	0.04	0.20	14
C22-658	55.50	56.80	1.30	1	0.00	0.01	0.09	5
C22-658	56.80	58.05	1.25	7	0.01	0.09	0.61	33
C22-658	58.05	58.55	0.50	10	0.00	0.07	0.72	39
C22-658	58.55	59.55	1.00	14	0.00	0.08	0.55	37
C22-658	59.55	60.20	0.65	9	0.00	0.05	0.26	20
C22-658	60.20	61.45	1.25	5	0.00	0.05	0.15	13
C22-658	61.45	62.05	0.60	9	0.00	0.14	0.39	28

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-658	62.05	63.40	1.35	3	0.00	0.04	0.47	22
C22-658	63.40	64.60	1.20	7	0.00	0.12	0.25	21
C22-658	64.60	65.75	1.15	5	0.00	0.08	0.13	13
C22-658	65.75	66.20	0.45	16	0.00	0.23	0.44	40
C22-658	66.20	67.10	0.90	9	0.01	0.13	0.23	22
C22-658	67.10	67.85	0.75	6	0.00	0.06	0.09	11
C22-658	67.85	68.40	0.55	4	0.01	0.03	0.05	7
C22-658	68.40	70.20	1.80	5	0.00	0.09	0.14	13
C22-658	70.20	70.90	0.70	6	0.01	0.08	0.40	24
C22-658	70.90	72.20	1.30	5	0.00	0.10	0.37	22
C22-658	72.20	73.55	1.35	13	0.00	0.31	1.24	69
C22-658	73.55	75.00	1.45	3	0.01	0.04	0.13	9
C22-658	75.00	76.50	1.50	4	0.01	0.05	0.39	21
C22-658	76.50	77.35	0.85	4	0.01	0.05	0.33	18
C22-658	77.35	78.25	0.90	11	0.00	0.18	0.49	35
C22-658	78.25	79.40	1.15	6	0.01	0.09	0.29	20
C22-658	79.40	80.25	0.85	31	0.01	0.44	1.40	97
C22-658	80.25	81.10	0.85	7	0.01	0.12	0.19	19
C22-658	81.10	81.70	0.60	1	0.00	0.01	0.02	2
C22-658	81.70	83.15	1.45	5	0.02	0.06	0.03	9
C22-658	83.15	84.20	1.05	15	0.00	1.20	1.27	100
C22-658	84.20	84.95	0.75	4	0.02	0.07	1.00	45
C22-658	84.95	85.30	0.35	4	0.04	0.02	0.07	9
C22-658	85.30	86.60	1.30	12	0.06	0.13	0.40	35
C22-658	86.60	86.90	0.30	3	0.01	0.07	0.35	19
C22-658	86.90	87.65	0.75	4	0.01	0.03	0.10	10
C22-658	87.65	88.80	1.15	3	0.01	0.05	0.23	14
C22-658	88.80	89.60	0.80	13	0.01	0.24	0.53	41
C22-658	89.60	90.35	0.75	4	0.02	0.03	0.02	7
C22-658	90.35	91.25	0.90	17	0.02	0.24	0.17	32
C22-658	91.25	93.25	2.00	7	0.01	0.05	0.13	15
C22-658	93.25	94.70	1.45	11	0.01	0.22	0.17	25
C22-658	94.70	96.70	2.00	4	0.02	0.04	0.06	9
C22-658	96.70	97.80	1.10	3	0.03	0.02	0.02	6
C22-658	97.80	98.15	0.35	1	0.01	0.03	0.01	3
C22-658	98.15	98.85	0.70	3	0.02	0.05	0.12	10
C22-658	98.85	100.25	1.40	2	0.01	0.01	0.03	4
C22-658	100.25	101.65	1.40	2	0.01	0.01	0.04	5
C22-658	101.65	103.05	1.40	15	0.01	0.20	0.39	36
C22-658	103.05	104.15	1.10	3	0.01	0.02	0.04	6
C22-658	104.15	104.60	0.45	10	0.01	0.11	0.88	46
C22-658	104.60	106.60	2.00	1	0.01	0.01	0.03	4
C22-658	106.60	107.70	1.10	1	0.01	0.01	0.02	3
C22-658	107.70	108.65	0.95	1	0.02	0.01	0.02	3
C22-658	108.65	109.65	1.00	11	0.05	0.14	0.85	50
C22-658	109.65	110.45	0.80	7	0.02	0.08	0.10	15
C22-658	110.45	111.05	0.60	4	0.02	0.14	0.55	30
C22-658	111.05	112.90	1.85	3	0.01	0.06	0.12	10
C22-658	112.90	113.60	0.70	5	0.01	0.10	0.42	24

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-658	113.60	115.15	1.55	1	0.00	0.02	0.05	4
C22-658	115.15	115.85	0.70	14	0.01	0.21	1.32	71
C22-658	115.85	116.35	0.50	26	0.02	0.40	2.19	121
C22-658	116.35	116.75	0.40	35	0.01	0.44	4.57	219
C22-658	116.75	117.95	1.20	3	0.01	0.04	0.07	8
C22-658	117.95	119.00	1.05	12	0.02	0.16	0.20	25
C22-658	119.00	120.15	1.15	61	0.09	0.68	0.58	110
C22-658	120.15	120.75	0.60	93	0.16	1.33	1.33	196
C22-658	120.75	121.55	0.80	25	0.05	0.36	0.70	66
C22-658	121.55	122.00	0.45	24	0.08	0.28	0.34	51
C22-658	122.00	122.35	0.35	25	0.02	0.46	0.91	75
C22-658	122.35	123.00	0.65	24	0.05	0.35	0.57	59
C22-658	123.00	123.40	0.40	28	0.07	0.52	1.24	95
C22-658	123.40	124.60	1.20	70	0.11	0.52	0.88	126
C22-658	124.60	125.40	0.80	112	0.14	1.43	1.93	238
C22-658	125.40	126.40	1.00	37	0.07	0.31	0.63	75
C22-658	126.40	127.35	0.95	37	0.07	0.42	0.65	80
C22-658	127.35	128.00	0.65	7	0.03	0.39	0.79	50
C22-658	128.00	128.65	0.65	14	0.06	0.11	0.11	26
C22-658	128.65	130.30	1.65	8	0.05	0.08	0.31	26
C22-658	130.30	131.70	1.40	12	0.03	0.20	0.93	55
C22-658	131.70	132.60	0.90	7	0.03	0.11	0.19	20
C22-658	132.60	133.40	0.80	17	0.04	0.22	0.17	34
C22-658	133.40	135.35	1.95	5	0.02	0.07	0.11	12
C22-658	135.35	136.50	1.15	7	0.03	0.09	0.04	14
C22-658	136.50	137.50	1.00	6	0.03	0.07	0.14	15
C22-658	137.50	138.35	0.85	5	0.02	0.05	0.14	13
C22-658	138.35	138.70	0.35	7	0.01	0.08	0.48	28
C22-658	138.70	140.65	1.95	5	0.02	0.06	0.07	11
C22-658	140.65	142.40	1.75	4	0.03	0.06	0.13	13
C22-658	142.40	143.70	1.30	4	0.02	0.07	0.30	19
C22-658	143.70	144.15	0.45	7	0.01	0.03	1.72	73
C22-658	144.15	146.00	1.85	2	0.01	0.02	0.01	4
C22-658	146.00	147.10	1.10	1	0.01	0.01	0.02	2
C22-658	147.10	147.55	0.45	3	0.02	0.05	0.14	11
C22-658	147.55	148.50	0.95	1	0.01	0.01	0.01	2
C22-658	148.50	149.40	0.90	5	0.01	0.14	0.48	28
C22-658	149.40	151.35	1.95	2	0.01	0.01	0.01	3
C22-658	151.35	153.10	1.75	3	0.02	0.03	0.08	8
C22-658	153.10	154.80	1.70	2	0.01	0.01	0.01	3
C22-658	154.80	155.60	0.80	0	0.00	0.00	0.01	1
C22-658	155.60	156.50	0.90	2	0.00	0.06	0.04	5
C22-658	156.50	158.25	1.75	1	0.00	0.00	0.03	2
C22-658	158.25	160.00	1.75	1	0.00	0.00	0.02	1
C22-658	160.00	161.30	1.30	1	0.01	0.00	0.00	2
C22-658	161.30	162.80	1.50	1	0.01	0.02	0.02	2
C22-658	162.80	164.15	1.35	0	0.01	0.00	0.00	1
C22-658	164.15	165.25	1.10	1	0.01	0.02	0.03	4
C22-658	165.25	165.70	0.45	30	0.04	0.52	0.42	64

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-658	165.70	167.10	1.40	2	0.02	0.03	0.04	6
C22-658	167.10	168.95	1.85	2	0.02	0.01	0.02	5
C22-658	168.95	169.30	0.35	27	0.08	0.59	2.38	140
C22-658	169.30	171.30	2.00	1	0.01	0.02	0.05	4
C22-658	171.30	172.10	0.80	0	0.01	0.00	0.01	1
C22-658	172.10	173.55	1.45	1	0.01	0.01	0.02	3
C22-658	173.55	175.50	1.95	1	0.02	0.01	0.04	3
C22-658	175.50	177.25	1.75	1	0.01	0.02	0.03	3
C22-658	177.25	178.55	1.30	1	0.01	0.01	0.02	3
C22-658	178.55	179.55	1.00	13	0.03	0.25	0.73	50
C22-658	179.55	180.60	1.05	4	0.01	0.08	0.32	19
C22-658	180.60	181.80	1.20	20	0.04	0.52	0.88	72
C22-658	181.80	182.55	0.75	2	0.02	0.02	0.04	5
C22-658	182.55	183.40	0.85	2	0.02	0.02	0.11	8
C22-658	183.40	184.25	0.85	1	0.01	0.01	0.01	3
C22-658	184.25	186.05	1.80	2	0.02	0.01	0.01	4
C22-658	186.05	187.00	0.95	3	0.02	0.11	0.16	14
C22-658	187.00	187.50	0.50	150	0.18	3.07	1.72	323
C22-658	187.50	189.15	1.65	3	0.02	0.06	0.10	11
C22-658	189.15	190.25	1.10	6	0.05	0.10	0.10	17
C22-658	190.25	190.90	0.65	4	0.01	0.07	0.14	12
C22-658	190.90	192.55	1.65	1	0.00	0.02	0.07	4
C22-658	192.55	193.50	0.95	3	0.01	0.05	0.37	19
C22-658	193.50	194.95	1.45	1	0.01	0.02	0.04	4
C22-658	194.95	195.50	0.55	2	0.02	0.02	0.06	6
C22-658	195.50	195.80	0.30	24	0.03	0.25	2.23	117
C22-658	195.80	197.60	1.80	4	0.01	0.04	0.17	12
C22-658	197.60	197.90	0.30	38	0.08	0.67	1.27	111
C22-658	197.90	198.35	0.45	24	0.07	0.46	0.73	71
C22-658	198.35	199.80	1.45	13	0.05	0.21	0.32	36
C22-658	199.80	201.10	1.30	17	0.09	0.32	0.40	49
C22-658	201.10	203.10	2.00	5	0.04	0.01	0.04	9
C22-658	203.10	204.80	1.70	12	0.12	0.03	0.05	23
C22-658	204.80	205.85	1.05	2	0.02	0.07	0.07	8
C22-658	205.85	207.60	1.75	18	0.06	0.06	0.10	28
C22-658	207.60	207.90	0.30	1	0.01	0.04	0.01	3
C22-658	207.90	208.60	0.70	3	0.02	0.05	0.09	10
C22-658	208.60	209.70	1.10	23	0.18	0.11	0.19	46
C22-658	209.70	210.10	0.40	82	0.87	0.20	0.02	152
C22-658	210.10	211.40	1.30	7	0.04	0.08	0.07	15
C22-658	211.40	213.40	2.00	5	0.03	0.04	0.06	11
C22-658	213.40	214.60	1.20	1	0.01	0.01	0.01	2
C22-658	214.60	215.70	1.10	1	0.00	0.01	0.03	2
C22-658	215.70	216.45	0.75	1	0.00	0.00	0.01	1
C22-658	216.45	218.40	1.95	2	0.00	0.03	0.04	4
C22-658	218.40	219.80	1.40	3	0.01	0.06	0.06	7
C22-658	219.80	221.70	1.90	2	0.01	0.03	0.05	6
C22-658	221.70	223.70	2.00	4	0.01	0.05	0.09	9
C22-658	223.70	224.70	1.00	1	0.00	0.03	0.04	4

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-658	224.70	225.80	1.10	3	0.01	0.05	0.08	8
C22-658	225.80	226.70	0.90	17	0.04	0.22	0.35	39
C22-658	226.70	228.25	1.55	13	0.01	0.26	0.28	32
C22-658	228.25	228.90	0.65	7	0.01	0.15	0.22	21
C22-658	228.90	229.40	0.50	6	0.01	0.11	0.18	17
C22-658	229.40	230.95	1.55	13	0.02	0.23	0.29	32
C22-658	230.95	231.35	0.40	17	0.03	0.31	0.40	43
C22-658	231.35	232.05	0.70	16	0.04	0.20	0.34	38
C22-658	232.05	233.60	1.55	9	0.02	0.14	0.16	21
C22-658	233.60	234.95	1.35	10	0.02	0.19	0.34	30
C22-658	234.95	236.00	1.05	15	0.01	0.30	0.66	49
C22-658	236.00	237.50	1.50	11	0.01	0.20	0.50	36
C22-658	237.50	238.10	0.60	29	0.02	0.91	1.27	106
C22-658	238.10	239.05	0.95	14	0.02	0.44	0.73	56
C22-658	239.05	241.05	2.00	2	0.01	0.09	0.15	11
C22-658	241.05	243.05	2.00	1	0.00	0.05	0.06	5
C22-658	243.05	245.05	2.00	2	0.00	0.06	0.10	8
C22-658	245.05	245.55	0.50	8	0.01	0.22	0.64	40
C22-658	245.55	247.55	2.00	3	0.01	0.12	0.15	13
C22-658	247.55	248.95	1.40	6	0.01	0.20	0.37	27
C22-658	248.95	249.95	1.00	48	0.11	1.06	2.08	166
C22-658	249.95	250.95	1.00	2	0.01	0.05	0.07	7
C22-658	250.95	252.95	2.00	17	0.02	0.32	0.81	58
C22-658	252.95	253.85	0.90	4	0.01	0.14	0.24	18
C22-658	253.85	255.85	2.00	3	0.00	0.08	0.11	9
C22-658	255.85	257.85	2.00	2	0.00	0.08	0.11	9
C22-658	257.85	259.20	1.35	3	0.00	0.09	0.18	12
C22-658	259.20	261.10	1.90	3	0.00	0.00	0.01	4
C22-658	261.10	262.55	1.45	3	0.00	0.03	0.09	8
C22-658	262.55	264.25	1.70	2	0.00	0.04	0.11	8
C22-658	264.25	266.25	2.00	2	0.00	0.06	0.12	8
C22-658	266.25	268.10	1.85	2	0.01	0.07	0.13	10
C22-658	268.10	269.55	1.45	3	0.00	0.09	0.17	12
C22-658	269.55	270.60	1.05	2	0.02	0.04	0.08	8
C22-658	270.60	271.70	1.10	5	0.03	0.11	0.19	18
C22-658	271.70	272.00	0.30	118	0.11	4.31	7.68	547
C22-658	272.00	273.50	1.50	4	0.04	0.12	0.23	19
C22-658	273.50	274.70	1.20	1	0.01	0.01	0.01	2
C22-658	274.70	276.70	2.00	6	0.01	0.15	0.23	20
C22-658	276.70	278.10	1.40	3	0.01	0.10	0.16	13
C22-658	278.10	279.20	1.10	5	0.02	0.15	0.20	19
C22-658	279.20	279.90	0.70	3	0.01	0.06	0.10	9
C22-658	279.90	280.95	1.05	30	0.02	0.59	1.49	105
C22-658	280.95	282.95	2.00	18	0.02	0.32	0.77	58
C22-658	282.95	284.95	2.00	4	0.02	0.10	0.14	13
C22-658	284.95	286.95	2.00	2	0.01	0.05	0.11	9
C22-658	286.95	288.95	2.00	2	0.01	0.05	0.06	6
C22-658	288.95	290.60	1.65	4	0.03	0.05	0.07	10
C22-658	290.60	292.05	1.45	39	0.03	1.08	1.47	129

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-658	292.05	293.00	0.95	86	0.03	1.62	3.63	274
C22-658	293.00	294.65	1.65	9	0.01	0.15	0.44	31
C22-658	294.65	295.30	0.65	2	0.01	0.06	0.11	9
C22-658	295.30	296.40	1.10	5	0.01	0.13	0.22	18
C22-658	296.40	297.00	0.60	10	0.01	0.19	0.27	27
C22-658	297.00	298.50	1.50	16	0.02	0.40	0.29	41
C22-658	298.50	299.50	1.00	20	0.01	0.13	1.16	68
C22-658	299.50	300.65	1.15	35	0.02	0.19	0.82	73
C22-658	300.65	301.25	0.60	35	0.03	0.18	0.73	69
C22-658	301.25	302.65	1.40	5	0.02	0.04	0.04	9
C22-658	302.65	303.40	0.75	22	0.05	0.13	0.19	37
C22-658	303.40	304.25	0.85	2	0.00	0.01	0.02	3
C22-658	304.25	305.10	0.85	5	0.02	0.06	0.08	11
C22-658	305.10	307.10	2.00	5	0.05	0.02	0.04	11
C22-658	307.10	308.35	1.25	9	0.04	0.14	0.52	36
C22-658	308.35	309.35	1.00	4	0.03	0.02	0.02	7
C22-658	309.35	309.75	0.40	9	0.28	0.06	0.02	31
C22-658	309.75	311.75	2.00	6	0.03	0.02	0.04	10
C22-658	311.75	313.45	1.70	4	0.04	0.01	0.01	8
C22-658	313.45	313.90	0.45	9	0.06	0.02	0.03	15
C22-658	313.90	315.40	1.50	10	0.03	0.02	0.19	20
C22-658	315.40	317.40	2.00	9	0.02	0.04	0.54	32
C22-658	317.40	318.65	1.25	9	0.02	0.04	1.90	83
C22-658	318.65	319.65	1.00	8	0.01	0.04	0.56	31
C22-658	319.65	320.95	1.30	25	0.02	0.48	0.82	72
C22-658	320.95	322.60	1.65	12	0.01	0.39	0.57	46
C22-658	322.60	323.80	1.20	18	0.01	0.31	0.32	41
C22-658	323.80	325.65	1.85	14	0.01	0.20	0.23	30
C22-658	325.65	327.65	2.00	4	0.01	0.05	0.05	8
C22-658	327.65	328.90	1.25	2	0.01	0.01	0.01	3
C22-658	328.90	330.60	1.70	7	0.03	0.07	0.24	20
C22-658	330.60	331.85	1.25	17	0.05	0.08	0.99	60
C22-658	331.85	333.35	1.50	6	0.02	0.07	0.20	17
C22-658	333.35	334.35	1.00	5	0.02	0.05	0.16	14
C22-658	334.35	335.00	0.65	24	0.17	0.05	0.05	39
C22-658	335.00	336.05	1.05	10	0.12	0.04	0.01	20
C22-658	336.05	337.60	1.55	14	0.04	0.04	0.01	19
C22-658	337.60	338.75	1.15	8	0.03	0.01	0.01	10
C22-658	338.75	340.10	1.35	14	0.07	0.04	0.01	21
C22-658	340.10	342.10	2.00	18	0.04	0.13	0.25	34
C22-658	342.10	343.35	1.25	12	0.03	0.03	0.14	20
C22-658	343.35	345.30	1.95	11	0.06	0.03	0.01	17
C22-658	345.30	347.20	1.90	13	0.11	0.02	0.01	22
C22-658	347.20	349.20	2.00	8	0.04	0.02	0.01	12
C22-658	349.20	350.70	1.50	13	0.10	0.02	0.01	21
C22-658	350.70	351.45	0.75	25	0.06	0.03	0.06	32
C22-658	351.45	352.70	1.25	14	0.11	0.08	0.12	29
C22-658	352.70	354.70	2.00	7	0.05	0.03	0.13	16
C22-658	354.70	356.60	1.90	13	0.09	0.05	0.15	27

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-658	356.60	357.10	0.50	0	0.00	0.00	0.00	1
C22-658	357.10	358.90	1.80	2	0.01	0.01	0.01	3
C22-658	358.90	360.20	1.30	4	0.01	0.02	0.08	9
C22-658	360.20	360.80	0.60	1	0.00	0.03	0.01	3
C22-658	360.80	362.80	2.00	0	0.00	0.01	0.01	1
C22-658	362.80	364.80	2.00	1	0.01	0.01	0.01	2
C22-658	364.80	366.35	1.55	8	0.03	0.02	0.03	12
C22-658	366.35	367.15	0.80	4	0.01	0.01	0.01	5
C22-658	367.15	368.45	1.30	5	0.04	0.01	0.01	9
C22-658	368.45	369.60	1.15	14	0.06	0.03	0.03	20
C22-658	369.60	370.25	0.65	8	0.01	0.08	0.16	17
C22-658	370.25	371.20	0.95	5	0.02	0.02	0.04	8
C22-658	371.20	372.40	1.20	29	0.06	0.02	0.02	35
C22-658	372.40	373.60	1.20	13	0.07	0.05	0.02	20
C22-658	373.60	374.20	0.60	10	0.02	0.12	0.11	19
C22-658	374.20	375.95	1.75	9	0.03	0.10	0.02	15
C22-658	375.95	376.50	0.55	26	0.07	0.14	0.02	36
C22-658	376.50	378.40	1.90	4	0.04	0.01	0.01	8
C22-658	378.40	380.00	1.60	13	0.04	0.19	0.03	23
C22-658	380.00	380.95	0.95	19	0.08	0.17	0.03	31
C22-658	380.95	382.15	1.20	16	0.10	0.10	0.05	28
C22-658	382.15	382.50	0.35	16	0.11	0.04	0.04	26
C22-658	382.50	383.65	1.15	12	0.06	0.03	0.02	18
C22-658	383.65	384.85	1.20	17	0.38	0.04	0.02	46
C22-658	384.85	385.20	0.35	14	0.14	0.02	0.32	37
C22-658	385.20	387.00	1.80	49	0.06	0.06	0.05	57
C22-658	387.00	388.00	1.00	40	0.04	0.05	0.06	47
C22-658	388.00	389.00	1.00	23	0.03	0.03	0.04	28
C22-658	389.00	390.40	1.40	47	0.04	0.05	0.08	54
C22-658	390.40	391.15	0.75	66	0.05	0.07	0.19	79
C22-658	391.15	391.80	0.65	32	0.03	0.03	0.08	39
C22-658	391.80	392.80	1.00	41	0.03	0.04	0.07	47
C22-658	392.80	394.40	1.60	56	0.09	0.06	0.13	69
C22-658	394.40	395.30	0.90	71	0.11	0.12	0.03	83
C22-658	395.30	396.45	1.15	75	0.05	0.08	0.06	83
C22-658	396.45	397.70	1.25	176	0.05	0.34	0.04	192
C22-658	397.70	399.15	1.45	36	0.04	0.04	0.03	41
C22-658	399.15	399.45	0.30	91	0.04	0.04	0.08	97
C22-658	399.45	401.15	1.70	40	0.05	0.02	0.05	47
C22-658	401.15	402.65	1.50	72	0.10	0.02	0.14	85
C22-658	402.65	404.65	2.00	24	0.05	0.02	0.11	32
C22-658	404.65	406.65	2.00	7	0.01	0.01	0.03	9
C22-658	406.65	408.20	1.55	4	0.02	0.01	0.03	7
C22-658	408.20	410.10	1.90	8	0.04	0.02	0.12	15
C22-658	410.10	411.90	1.80	5	0.01	0.01	0.03	7
C22-658	411.90	412.60	0.70	13	0.02	0.04	0.18	22
C22-658	412.60	414.35	1.75	18	0.02	0.05	0.10	25
C22-658	414.35	414.65	0.30	27	0.04	0.18	0.08	39
C22-658	414.65	416.00	1.35	23	0.03	0.04	0.25	36

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-658	416.00	417.35	1.35	11	0.01	0.03	0.67	37
C22-658	417.35	418.15	0.80	58	0.03	0.11	0.57	85
C22-658	418.15	419.25	1.10	14	0.02	0.05	0.59	38
C22-658	419.25	420.45	1.20	32	0.06	0.16	3.90	187
C22-658	420.45	421.70	1.25	172	0.05	0.27	0.91	218
C22-658	421.70	423.30	1.60	9	0.01	0.03	0.71	37
C22-658	423.30	425.20	1.90	42	0.04	0.24	0.53	71
C22-658	425.20	425.90	0.70	10	0.01	0.09	0.34	26
C22-658	425.90	427.25	1.35	52	0.03	0.16	0.37	73
C22-658	427.25	427.90	0.65	32	0.00	0.05	0.10	37
C22-658	427.90	429.30	1.40	42	0.02	0.13	0.41	63
C22-658	429.30	431.00	1.70	2	0.01	0.02	0.18	10
C22-658	431.00	431.85	0.85	2	0.01	0.01	0.11	7
C22-658	431.85	433.05	1.20	11	0.01	0.02	0.15	18
C22-658	433.05	434.05	1.00	15	0.01	0.03	0.70	43
C22-658	434.05	435.05	1.00	11	0.01	0.02	0.36	26
C22-658	435.05	436.90	1.85	12	0.02	0.07	0.19	22
C22-658	436.90	438.45	1.55	6	0.01	0.05	0.13	13
C22-658	438.45	440.35	1.90	7	0.03	0.01	0.12	14
C22-658	440.35	441.65	1.30	14	0.02	0.03	0.12	21
C22-658	441.65	442.75	1.10	41	0.27	0.07	0.12	67
C22-658	442.75	443.55	0.80	9	0.02	0.02	0.54	31
C22-658	443.55	444.35	0.80	10	0.01	0.02	0.09	14
C22-658	444.35	446.35	2.00	4	0.01	0.01	0.39	19
C22-658	446.35	448.35	2.00	1	0.00	0.01	0.12	7
C22-658	448.35	450.00	1.65	2	0.00	0.01	0.49	21
C22-658	450.00	451.15	1.15	2	0.00	0.01	1.09	43
C22-658	451.15	452.25	1.10	2	0.00	0.02	0.18	9
C22-658	452.25	453.80	1.55	3	0.01	0.01	0.49	22
C22-658	453.80	454.50	0.70	6	0.02	0.01	0.64	31
C22-658	454.50	456.25	1.75	1	0.01	0.01	0.14	7
C22-658	456.25	457.40	1.15	6	0.02	0.00	0.13	12
C22-658	457.40	459.40	2.00	2	0.01	0.00	0.16	9
C22-658	459.40	460.65	1.25	5	0.02	0.02	0.98	44
C22-658	460.65	461.50	0.85	8	0.04	0.01	0.82	42
C22-658	461.50	463.30	1.80	4	0.02	0.00	0.25	14
C22-658	463.30	463.80	0.50	1	0.01	0.00	0.02	3
C22-658	463.80	465.30	1.50	11	0.04	0.00	0.23	23
C22-658	465.30	466.50	1.20	9	0.03	0.01	1.08	51
C22-658	466.50	468.10	1.60	2	0.01	0.00	0.09	6
C22-658	468.10	470.10	2.00	1	0.01	0.01	0.35	15
C22-658	470.10	472.00	1.90	11	0.02	0.00	0.06	15
C22-658	472.00	473.75	1.75	6	0.02	0.01	0.17	14
C22-658	473.75	475.30	1.55	3	0.01	0.01	0.06	6
C22-658	475.30	476.50	1.20	4	0.01	0.01	0.09	8
C22-658	476.50	478.00	1.50	5	0.02	0.00	0.09	10
C22-658	478.00	479.80	1.80	2	0.01	0.00	0.33	15
C22-658	479.80	481.00	1.20	2	0.01	0.00	0.79	32
C22-658	481.00	482.20	1.20	5	0.02	0.01	0.34	18

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-658	482.20	484.20	2.00	5	0.02	0.00	0.05	9
C22-658	484.20	486.20	2.00	2	0.02	0.00	0.16	9
C22-658	486.20	488.00	1.80	4	0.03	0.00	0.13	11
C22-658	488.00	489.00	1.00	5	0.02	0.00	0.02	7
C22-658	489.00	490.85	1.85	3	0.01	0.00	0.18	11
C22-658	490.85	492.10	1.25	2	0.01	0.01	0.25	12
C22-658	492.10	493.10	1.00	3	0.01	0.00	0.08	7
C22-658	493.10	494.35	1.25	2	0.01	0.00	0.24	12
C22-658	494.35	495.80	1.45	2	0.01	0.00	0.30	14
C22-658	495.80	496.90	1.10	9	0.01	0.00	0.02	10
C22-658	496.90	498.80	1.90	3	0.01	0.00	0.02	4
C22-658	498.80	500.50	1.70	2	0.01	0.00	0.28	13
C22-658	500.50	502.10	1.60	3	0.01	0.00	0.46	21
C22-658	502.10	503.20	1.10	3	0.01	0.00	0.03	4
C22-658	503.20	504.35	1.15	4	0.01	0.00	1.27	52
C22-658	504.35	505.80	1.45	4	0.02	0.00	0.08	8
C22-658	505.80	506.80	1.00	2	0.00	0.00	0.06	4
C22-658	506.80	508.45	1.65	3	0.01	0.00	1.89	74
C22-658	508.45	509.30	0.85	1	0.01	0.00	0.27	12
C22-658	509.30	509.70	0.40	2	0.01	0.01	0.18	10
C22-658	509.70	511.50	1.80	3	0.01	0.00	0.96	40
C22-658	511.50	512.70	1.20	6	0.03	0.01	1.22	54
C22-658	512.70	514.00	1.30	7	0.03	0.01	1.30	58
C22-658	514.00	515.10	1.10	10	0.01	0.05	1.10	53
C22-658	515.10	516.30	1.20	9	0.04	0.02	0.76	41
C22-658	516.30	518.00	1.70	6	0.02	0.01	0.35	20
C22-658	518.00	519.40	1.40	8	0.01	0.07	1.14	54
C22-658	519.40	520.40	1.00	10	0.02	0.02	0.88	45
C22-658	520.40	520.75	0.35	10	0.01	0.02	1.08	52
C22-658	520.75	522.75	2.00	1	0.00	0.00	0.12	6
C22-658	522.75	523.90	1.15	3	0.01	0.00	0.43	20
C22-658	523.90	525.10	1.20	2	0.01	0.01	0.09	6
C22-658	525.10	526.95	1.85	2	0.01	0.00	0.01	3
C22-658	526.95	528.45	1.50	20	0.03	0.02	0.25	32
C22-658	528.45	530.40	1.95	8	0.02	0.01	0.46	26
C22-658	530.40	531.90	1.50	11	0.03	0.02	1.54	71
C22-658	531.90	532.65	0.75	4	0.04	0.00	0.15	13
C22-658	532.65	533.65	1.00	7	0.09	0.01	0.29	25
C22-658	533.65	534.60	0.95	26	0.01	0.05	1.47	83
C22-658	534.60	535.75	1.15	4	0.01	0.01	0.32	17
C22-658	535.75	537.45	1.70	4	0.01	0.02	0.66	30
C22-658	537.45	539.30	1.85	4	0.01	0.02	0.47	22
C22-658	539.30	540.35	1.05	5	0.01	0.04	0.35	20
C22-658	540.35	541.40	1.05	2	0.00	0.03	0.23	12
C22-658	541.40	542.65	1.25	3	0.00	0.04	0.22	13
C22-658	542.65	543.90	1.25	1	0.00	0.02	0.07	5
C22-658	543.90	545.60	1.70	4	0.01	0.04	0.13	11
C22-658	545.60	546.55	0.95	4	0.02	0.02	0.17	13
C22-658	546.55	547.85	1.30	15	0.06	0.08	0.19	28

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-658	547.85	548.95	1.10	25	0.07	0.21	0.86	69
C22-658	548.95	550.35	1.40	17	0.04	0.11	0.66	48
C22-658	550.35	551.40	1.05	0	0.01	0.00	0.01	1
C22-658	551.40	552.85	1.45	1	0.01	0.01	0.02	2
C22-658	552.85	554.70	1.85	0	0.01	0.00	0.01	1
C22-658	554.70	555.65	0.95	0	0.01	0.00	0.01	1
C22-658	555.65	556.80	1.15	5	0.01	0.01	0.11	10
C22-658	556.80	557.85	1.05	1	0.00	0.00	0.04	3
C22-658	557.85	558.95	1.10	1	0.01	0.00	0.03	2
C22-658	558.95	559.95	1.00	3	0.03	0.01	0.14	10
C22-658	559.95	561.30	1.35	12	0.03	0.11	0.61	40
C22-658	561.30	562.75	1.45	16	0.03	0.11	0.79	50
C22-658	562.75	563.75	1.00	19	0.04	0.09	0.65	49
C22-658	563.75	564.60	0.85	3	0.03	0.02	0.09	9
C22-658	564.60	565.85	1.25	0	0.01	0.00	0.20	9
C22-658	565.85	567.40	1.55	4	0.10	0.02	0.06	14
C22-658	567.40	568.65	1.25	11	0.15	0.04	0.26	32
C22-658	568.65	569.25	0.60	2	0.15	0.01	0.02	14
C22-658	569.25	570.05	0.80	3	0.26	0.01	0.03	23
C22-658	570.05	570.85	0.80	4	0.12	0.01	0.01	13
C22-658	570.85	571.75	0.90	7	0.01	0.02	0.06	10
C22-658	571.75	573.40	1.65	1	0.01	0.00	0.02	3
C22-658	573.40	574.55	1.15	2	0.02	0.01	0.06	5
C22-658	574.55	575.70	1.15	2	0.02	0.01	0.05	6
C22-658	575.70	576.65	0.95	24	0.10	0.11	0.73	62
C22-658	576.65	577.40	0.75	19	0.03	0.10	0.93	59
C22-658	577.40	578.70	1.30	3	0.01	0.01	0.08	7
C22-658	578.70	580.10	1.40	2	0.05	0.01	0.07	8
C22-658	580.10	581.20	1.10	2	0.01	0.01	0.09	7
C22-658	581.20	582.75	1.55	3	0.01	0.01	0.08	8
C22-658	582.75	583.60	0.85	3	0.01	0.01	0.05	5
C22-658	583.60	584.25	0.65	14	0.01	0.04	0.61	38
C22-658	584.25	585.20	0.95	16	0.01	0.05	1.42	71
C22-658	585.20	586.00	0.80	5	0.01	0.01	0.09	9
C22-658	586.00	586.80	0.80	16	0.04	0.03	0.76	48
C22-658	586.80	588.65	1.85	21	0.06	0.09	0.44	44
C22-658	588.65	589.90	1.25	6	0.01	0.03	0.08	10
C22-658	589.90	590.70	0.80	17	0.03	0.06	0.20	28
C22-658	590.70	591.80	1.10	15	0.03	0.03	0.08	21
C22-658	591.80	593.25	1.45	11	0.01	0.03	0.06	15
C22-658	593.25	594.90	1.65	16	0.04	0.04	0.14	25
C22-658	594.90	596.20	1.30	13	0.19	0.05	0.54	48
C22-658	596.20	598.00	1.80	9	0.27	0.03	0.20	37
C22-658	598.00	598.60	0.60	21	0.05	0.07	0.45	44
C22-658	598.60	600.15	1.55	8	0.01	0.02	0.19	16
C22-658	600.15	602.00	1.85	8	0.02	0.02	0.32	21
C22-658	602.00	603.00	1.00	7	0.01	0.02	0.30	20
C22-658	603.00	604.20	1.20	17	0.03	0.06	0.19	28
C22-658	604.20	604.90	0.70	3	0.01	0.02	0.13	9

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-658	604.90	606.40	1.50	5	0.01	0.02	0.17	13
C22-658	606.40	607.70	1.30	9	0.03	0.04	0.26	21
C22-658	607.70	609.70	2.00	10	0.02	0.04	0.23	21
C22-658	609.70	611.70	2.00	7	0.02	0.04	0.19	16
C22-658	611.70	612.85	1.15	6	0.01	0.05	0.11	12
C22-658	612.85	614.45	1.60	6	0.02	0.03	0.28	18
C22-658	614.45	615.55	1.10	9	0.17	0.04	0.45	40
C22-658	615.55	617.25	1.70	10	0.02	0.04	0.26	22
C22-658	617.25	618.35	1.10	5	0.01	0.04	0.14	12
C22-658	618.35	619.60	1.25	3	0.01	0.02	0.18	11
C22-658	619.60	620.85	1.25	4	0.01	0.01	0.08	8
C22-658	620.85	622.00	1.15	5	0.01	0.02	0.23	15
C22-658	622.00	623.90	1.90	3	0.01	0.02	0.21	12
C22-658	623.90	625.60	1.70	8	0.01	0.02	0.27	19
C22-658	625.60	627.60	2.00	3	0.01	0.01	0.09	7
C22-658	627.60	628.80	1.20	3	0.02	0.01	0.03	5
C22-658	628.80	630.80	2.00	1	0.00	0.01	0.03	3
C22-658	630.80	632.80	2.00	1	0.00	0.01	0.03	3
C22-658	632.80	634.80	2.00	1	0.01	0.00	0.02	2
C22-658	634.80	635.90	1.10	1	0.00	0.00	0.02	1
C22-658	635.90	637.30	1.40	3	0.01	0.02	0.20	12
C22-658	637.30	638.20	0.90	123	0.17	0.13	0.40	154
C22-658	638.20	638.95	0.75	10	0.02	0.02	0.50	30
C22-658	638.95	640.05	1.10	54	0.07	0.06	0.97	97
C22-658	640.05	641.85	1.80	17	0.03	0.03	1.43	74
C22-658	641.85	643.45	1.60	5	0.01	0.02	0.88	39
C22-658	643.45	645.25	1.80	8	0.01	0.02	1.26	56
C22-658	645.25	646.25	1.00	3	0.00	0.01	0.22	12
C22-658	646.25	647.80	1.55	5	0.01	0.02	0.67	31
C22-658	647.80	649.00	1.20	5	0.01	0.01	1.21	51
C22-658	649.00	650.00	1.00	3	0.00	0.01	0.45	20
C22-658	650.00	651.45	1.45	3	0.00	0.01	0.28	14
C22-658	651.45	652.55	1.10	5	0.00	0.01	0.28	16
C22-658	652.55	654.55	2.00	7	0.01	0.02	0.45	25
C22-658	654.55	655.80	1.25	3	0.00	0.02	0.31	15
C22-658	655.80	656.90	1.10	1	0.00	0.01	0.10	5
C22-658	656.90	657.75	0.85	3	0.00	0.04	0.29	16
C22-658	657.75	658.55	0.80	4	0.02	0.04	1.35	57
C22-658	658.55	659.00	0.45	39	0.03	0.05	7.71	330
C22-658	659.00	659.85	0.85	4	0.01	0.01	0.18	12
C22-658	659.85	660.50	0.65	2	0.00	0.03	0.18	10
C22-658	660.50	661.50	1.00	3	0.15	0.01	1.55	72
C22-658	661.50	662.05	0.55	3	0.01	0.01	1.13	46
C22-658	662.05	662.90	0.85	3	0.00	0.04	0.10	7
C22-658	662.90	663.90	1.00	5	0.01	0.03	1.57	65
C22-658	663.90	664.90	1.00	2	0.00	0.01	1.31	51
C22-658	664.90	666.10	1.20	2	0.01	0.02	0.32	15
C22-658	666.10	667.50	1.40	2	0.01	0.02	0.52	22
C22-658	667.50	669.05	1.55	2	0.00	0.01	0.29	13

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-658	669.05	670.85	1.80	2	0.00	0.02	0.32	15
C22-658	670.85	671.95	1.10	2	0.00	0.05	0.32	16
C22-658	671.95	673.15	1.20	2	0.00	0.01	0.31	13
C22-658	673.15	674.60	1.45	1	0.00	0.01	0.11	6
C22-658	674.60	676.30	1.70	2	0.00	0.02	0.17	9
C22-658	676.30	676.90	0.60	3	0.01	0.04	0.99	41
C22-658	676.90	678.60	1.70	2	0.00	0.02	1.19	47
C22-658	678.60	680.15	1.55	3	0.01	0.02	1.20	49
C22-658	680.15	681.25	1.10	16	0.03	0.09	0.53	40
C22-658	681.25	682.80	1.55	9	0.02	0.03	4.25	170
C22-658	682.80	684.00	1.20	4	0.01	0.01	4.53	174
C22-658	684.00	685.90	1.90	3	0.01	0.02	1.00	41
C22-658	685.90	687.10	1.20	1	0.01	0.01	0.53	22
C22-658	687.10	687.80	0.70	2	0.01	0.01	0.80	33
C22-658	687.80	689.30	1.50	3	0.01	0.01	0.46	21
C22-658	689.30	690.55	1.25	1	0.01	0.01	0.39	16
C22-658	690.55	691.95	1.40	2	0.01	0.01	0.63	26
C22-658	691.95	693.25	1.30	3	0.01	0.01	2.54	99
C22-658	693.25	693.85	0.60	1	0.01	0.01	0.73	29
C22-658	693.85	694.70	0.85	2	0.01	0.01	0.99	40
C22-658	694.70	696.30	1.60	1	0.01	0.01	0.35	15
C22-658	696.30	697.80	1.50	3	0.02	0.02	0.65	30
C22-658	697.80	698.50	0.70	5	0.02	0.01	2.07	84
C22-658	698.50	699.70	1.20	5	0.01	0.01	1.49	62
C22-658	699.70	700.25	0.55	28	0.06	0.03	10.10	410
C22-658	700.25	701.15	0.90	3	0.01	0.01	1.98	78
C22-658	701.15	701.45	0.30	23	0.09	0.02	2.52	123
C22-658	701.45	702.65	1.20	3	0.01	0.02	0.58	26
C22-658	702.65	703.75	1.10	4	0.01	0.01	1.18	48
C22-658	703.75	704.65	0.90	5	0.02	0.02	1.25	54
C22-658	704.65	705.50	0.85	7	0.02	0.02	1.17	52
C22-658	705.50	706.00	0.50	27	0.08	0.02	7.91	329
C22-658	706.00	707.70	1.70	9	0.03	0.01	1.64	73
C22-658	707.70	708.05	0.35	9	0.01	0.01	2.16	91
C22-658	708.05	708.60	0.55	3	0.01	0.00	0.39	18
C22-658	708.60	709.35	0.75	19	0.05	0.01	1.84	92
C22-658	709.35	710.75	1.40	14	0.05	0.00	0.17	23
C22-658	710.75	711.35	0.60	14	0.02	0.01	0.99	53
C22-658	711.35	712.30	0.95	9	0.05	0.01	0.40	27
C22-658	712.30	713.75	1.45	6	0.02	0.01	0.27	18
C22-658	713.75	714.70	0.95	22	0.08	0.01	0.15	33
C22-658	714.70	715.65	0.95	45	0.18	0.00	0.09	62
C22-658	715.65	717.25	1.60	13	0.11	0.01	0.08	25
C22-658	717.25	718.95	1.70	8	0.02	0.01	0.15	15
C22-658	718.95	719.60	0.65	6	0.02	0.01	0.03	9
C22-658	719.60	720.30	0.70	7	0.02	0.01	0.05	11
C22-658	720.30	721.75	1.45	7	0.03	0.01	0.11	14
C22-658	721.75	723.10	1.35	8	0.04	0.01	0.06	13
C22-658	723.10	724.40	1.30	11	0.02	0.09	0.15	21

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release

*Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-658	724.40	725.40	1.00	12	0.02	0.04	0.05	17
C22-658	725.40	726.80	1.40	20	0.02	0.10	0.05	26
C22-658	726.80	728.45	1.65	16	0.01	0.14	0.74	49
C22-658	728.45	730.25	1.80	7	0.01	0.05	0.77	38
C22-658	730.25	731.25	1.00	16	0.00	0.17	0.89	54
C22-658	731.25	732.75	1.50	2	0.01	0.00	1.55	61
C22-658	732.75	734.20	1.45	1	0.01	0.00	0.55	22
C22-658	734.20	736.10	1.90	1	0.01	0.00	0.19	8
C22-658	736.10	737.40	1.30	1	0.00	0.01	0.03	2
C22-658	737.40	739.20	1.80	1	0.02	0.00	0.10	6
C22-658	739.20	740.40	1.20	1	0.03	0.00	0.13	8
C22-658	740.40	742.25	1.85	2	0.01	0.01	0.08	5
C22-658	742.25	743.60	1.35	1	0.01	0.04	0.05	5
C22-658	743.60	745.00	1.40	1	0.01	0.02	0.04	3
C22-658	745.00	746.60	1.60	1	0.00	0.01	0.06	4
C22-658	746.60	747.30	0.70	2	0.00	0.02	0.05	4
C22-658	747.30	748.45	1.15	2	0.00	0.01	0.48	20
C22-658	748.45	749.55	1.10	1	0.00	0.01	0.14	7
C22-658	749.55	750.80	1.25	14	0.01	0.18	0.43	36
C22-658	750.80	752.65	1.85	6	0.01	0.06	0.11	12
C22-658	752.65	754.00	1.35	3	0.01	0.02	0.12	8
C22-658	754.00	755.10	1.10	5	0.01	0.04	0.49	25
C22-658	755.10	756.30	1.20	3	0.00	0.03	0.20	12
C22-658	756.30	757.40	1.10	4	0.00	0.04	0.06	7
C22-658	757.40	758.00	0.60	3	0.00	0.04	0.04	6
C22-658	758.00	759.60	1.60	8	0.01	0.13	0.31	24
C22-658	759.60	760.60	1.00	7	0.03	0.22	0.26	25
C22-658	760.60	761.15	0.55	0	0.00	0.00	0.03	2
C22-658	761.15	763.00	1.85	2	0.01	0.02	0.05	4
C22-658	763.00	765.00	2.00	15	0.01	0.36	0.23	36
C22-658	765.00	766.30	1.30	3	0.01	0.05	0.07	7
C22-658	766.30	768.00	1.70	3	0.00	0.06	0.13	10
C22-658	768.00	769.20	1.20	1	0.00	0.01	0.03	2
C22-658	769.20	770.80	1.60	2	0.00	0.03	0.08	6
C22-658	770.80	771.65	0.85	2	0.00	0.03	0.13	8
C22-658	771.65	772.75	1.10	2	0.00	0.07	0.08	8
C22-658	772.75	774.15	1.40	1	0.00	0.01	0.01	2
C22-658	774.15	776.15	2.00	1	0.00	0.03	0.03	3
C22-658	776.15	778.10	1.95	1	0.01	0.01	0.04	3
C22-658	778.10	778.60	0.50	3	0.02	0.01	1.36	55
C22-658	778.60	779.50	0.90	2	0.04	0.01	0.02	6
C22-658	779.50	780.85	1.35	1	0.01	0.01	0.07	4
C22-658	780.85	782.75	1.90	2	0.01	0.02	0.16	9
C22-658	782.75	784.10	1.35	1	0.01	0.00	0.02	2
C22-658	784.10	784.65	0.55	12	0.01	0.21	0.21	28
C22-658	784.65	786.00	1.35	4	0.01	0.05	0.05	8
C22-658	786.00	787.50	1.50	1	0.01	0.01	0.02	2
C22-658	787.50	788.65	1.15	14	0.01	0.39	0.35	39
C22-658	788.65	790.20	1.55	4	0.01	0.09	0.14	13

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-658	790.20	791.65	1.45	5	0.01	0.06	0.02	8
C22-658	791.65	792.55	0.90	1	0.00	0.00	0.31	13
C22-658	792.55	793.90	1.35	6	0.02	0.19	0.23	21
C22-658	793.90	795.90	2.00	1	0.01	0.00	0.02	2
C22-658	795.90	797.85	1.95	1	0.01	0.01	0.03	3
C22-658	797.85	799.60	1.75	9	0.01	0.14	0.25	22
C22-660	0.00	2.20	2.20	2	0.00	0.00	0.02	3
C22-660	2.20	4.20	2.00	1	0.01	0.00	0.02	2
C22-660	4.20	5.50	1.30	1	0.01	0.01	0.02	2
C22-660	5.50	6.55	1.05	1	0.00	0.01	0.01	1
C22-660	6.55	8.40	1.85	2	0.00	0.04	0.07	6
C22-660	8.40	10.30	1.90	2	0.01	0.02	0.11	6
C22-660	10.30	11.20	0.90	0	0.00	0.00	0.01	1
C22-660	11.20	12.90	1.70	0	0.01	0.00	0.01	1
C22-660	12.90	14.20	1.30	0	0.00	0.00	0.00	1
C22-660	14.20	15.20	1.00	0	0.00	0.00	0.00	1
C22-660	15.20	17.20	2.00	0	0.00	0.00	0.00	1
C22-660	17.20	18.80	1.60	0	0.00	0.01	0.06	3
C22-660	18.80	19.40	0.60	2	0.01	0.10	0.22	14
C22-660	19.40	20.25	0.85	1	0.00	0.04	0.05	5
C22-660	20.25	21.85	1.60	0	0.00	0.01	0.06	3
C22-660	21.85	22.90	1.05	0	0.00	0.00	0.06	3
C22-660	22.90	24.40	1.50	0	0.00	0.00	0.05	2
C22-660	24.40	26.20	1.80	0	0.00	0.01	0.06	3
C22-660	26.20	28.20	2.00	0	0.01	0.00	0.16	7
C22-660	28.20	30.20	2.00	0	0.01	0.00	0.18	8
C22-660	30.20	32.20	2.00	0	0.01	0.00	0.12	5
C22-660	32.20	34.20	2.00	0	0.00	0.00	0.05	2
C22-660	34.20	35.80	1.60	0	0.01	0.00	0.13	6
C22-660	35.80	36.80	1.00	1	0.00	0.00	0.10	5
C22-660	36.80	38.60	1.80	0	0.00	0.03	0.09	5
C22-660	38.60	40.45	1.85	0	0.00	0.03	0.07	4
C22-660	40.45	41.05	0.60	0	0.00	0.01	0.07	3
C22-660	41.05	42.40	1.35	2	0.02	0.08	0.12	10
C22-660	42.40	44.00	1.60	0	0.00	0.00	0.02	1
C22-660	44.00	46.00	2.00	0	0.00	0.01	0.04	2
C22-660	46.00	48.00	2.00	0	0.01	0.01	0.08	4
C22-660	48.00	50.00	2.00	0	0.01	0.00	0.16	6
C22-660	50.00	52.00	2.00	1	0.05	0.03	0.17	12
C22-660	52.00	54.00	2.00	0	0.01	0.02	0.19	8
C22-660	54.00	56.00	2.00	0	0.00	0.05	0.17	8
C22-660	56.00	58.00	2.00	1	0.00	0.05	0.17	9
C22-660	58.00	58.85	0.85	0	0.02	0.00	0.04	4
C22-660	58.85	60.70	1.85	0	0.01	0.01	0.02	2
C22-660	60.70	62.00	1.30	0	0.00	0.00	0.00	1
C22-660	62.00	64.00	2.00	0	0.00	0.00	0.00	1
C22-660	64.00	66.00	2.00	0	0.00	0.00	0.01	1
C22-660	66.00	68.00	2.00	0	0.00	0.00	0.00	1
C22-660	68.00	70.00	2.00	0	0.00	0.00	0.01	1

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-660	70.00	72.00	2.00	0	0.00	0.00	0.00	1
C22-660	72.00	73.35	1.35	0	0.00	0.00	0.01	1
C22-660	73.35	74.70	1.35	0	0.00	0.00	0.01	1
C22-660	74.70	76.70	2.00	0	0.00	0.00	0.00	1
C22-660	76.70	78.60	1.90	0	0.00	0.00	0.00	1
C22-660	78.60	80.60	2.00	0	0.00	0.00	0.00	1
C22-660	80.60	82.60	2.00	0	0.00	0.00	0.00	1
C22-660	82.60	84.00	1.40	0	0.00	0.00	0.00	1
C22-660	84.00	85.00	1.00	0	0.00	0.00	0.00	1
C22-660	85.00	86.20	1.20	0	0.01	0.00	0.01	1
C22-660	86.20	88.20	2.00	0	0.01	0.00	0.05	2
C22-660	88.20	90.20	2.00	0	0.01	0.00	0.08	4
C22-660	90.20	92.20	2.00	3	0.09	0.00	0.39	24
C22-660	92.20	94.20	2.00	0	0.01	0.00	0.13	6
C22-660	94.20	96.20	2.00	1	0.03	0.00	0.10	7
C22-660	96.20	97.30	1.10	0	0.01	0.00	0.16	7
C22-660	97.30	99.00	1.70	0	0.01	0.00	0.06	3
C22-660	99.00	99.90	0.90	9	0.01	0.13	0.14	20
C22-660	99.90	101.00	1.10	4	0.00	0.07	0.16	12
C22-660	101.00	102.45	1.45	1	0.01	0.01	0.04	4
C22-660	102.45	103.85	1.40	0	0.00	0.00	0.01	1
C22-660	103.85	105.15	1.30	1	0.01	0.01	0.18	9
C22-660	105.15	105.90	0.75	1	0.01	0.03	0.08	5
C22-660	105.90	106.45	0.55	6	0.10	0.03	0.10	18
C22-660	106.45	107.10	0.65	2	0.01	0.00	0.01	3
C22-660	107.10	108.00	0.90	1	0.01	0.00	0.01	2
C22-660	108.00	108.50	0.50	0	0.01	0.00	0.01	2
C22-660	108.50	110.00	1.50	0	0.01	0.00	0.01	1
C22-660	110.00	112.00	2.00	0	0.00	0.00	0.00	1
C22-660	112.00	113.00	1.00	0	0.00	0.00	0.00	1
C22-660	113.00	114.20	1.20	0	0.00	0.00	0.00	1
C22-660	114.20	116.10	1.90	0	0.01	0.00	0.01	1
C22-660	116.10	117.90	1.80	0	0.00	0.00	0.00	1
C22-660	117.90	118.30	0.40	0	0.00	0.00	0.00	1
C22-660	118.30	119.00	0.70	3	0.03	0.00	0.00	5
C22-660	119.00	119.80	0.80	1	0.01	0.01	0.10	6
C22-660	119.80	121.25	1.45	0	0.00	0.00	0.01	1
C22-660	121.25	123.20	1.95	0	0.00	0.00	0.01	1
C22-660	123.20	125.20	2.00	1	0.01	0.00	0.01	2
C22-660	125.20	127.20	2.00	0	0.00	0.00	0.01	1
C22-660	127.20	129.20	2.00	0	0.00	0.00	0.00	1
C22-660	129.20	131.20	2.00	0	0.01	0.00	0.00	1
C22-660	131.20	133.20	2.00	0	0.00	0.00	0.00	1
C22-660	133.20	134.55	1.35	0	0.00	0.00	0.00	1
C22-660	134.55	135.75	1.20	1	0.02	0.00	0.00	2
C22-660	135.75	137.50	1.75	1	0.01	0.00	0.02	2
C22-660	137.50	138.10	0.60	1	0.01	0.01	0.01	2
C22-660	138.10	138.90	0.80	4	0.06	0.02	0.01	9
C22-660	138.90	140.00	1.10	3	0.06	0.02	0.09	12

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release

**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-660	140.00	141.20	1.20	1	0.01	0.01	0.01	2
C22-660	141.20	142.20	1.00	0	0.00	0.00	0.00	1
C22-660	142.20	142.95	0.75	7	0.04	0.03	0.03	13
C22-660	142.95	143.30	0.35	12	0.06	0.01	0.02	17
C22-660	143.30	143.65	0.35	15	0.04	0.14	0.17	28
C22-660	143.65	144.30	0.65	3	0.01	0.05	0.06	8
C22-660	144.30	145.40	1.10	1	0.01	0.01	0.01	2
C22-660	145.40	147.40	2.00	0	0.01	0.00	0.00	1
C22-660	147.40	149.40	2.00	0	0.01	0.00	0.00	1
C22-660	149.40	151.40	2.00	0	0.00	0.00	0.00	1
C22-660	151.40	153.40	2.00	0	0.01	0.00	0.01	1
C22-660	153.40	155.40	2.00	0	0.00	0.00	0.01	1
C22-660	155.40	157.40	2.00	0	0.00	0.00	0.01	1
C22-660	157.40	159.10	1.70	0	0.00	0.00	0.01	1
C22-660	159.10	159.85	0.75	6	0.05	0.33	0.85	51
C22-660	159.85	161.70	1.85	1	0.01	0.04	0.06	5
C22-660	161.70	163.60	1.90	0	0.02	0.02	0.05	4
C22-660	163.60	164.40	0.80	0	0.01	0.04	0.08	5
C22-660	164.40	164.80	0.40	16	0.17	0.43	0.11	45
C22-660	164.80	165.55	0.75	5	0.10	0.11	0.35	29
C22-660	165.55	166.05	0.50	5	0.05	0.31	0.20	26
C22-660	166.05	167.05	1.00	3	0.02	0.04	0.11	10
C22-660	167.05	169.05	2.00	5	0.04	0.02	0.04	10
C22-660	169.05	171.05	2.00	16	0.14	0.08	0.14	34
C22-660	171.05	172.05	1.00	4	0.03	0.02	0.03	8
C22-660	172.05	173.15	1.10	7	0.05	0.04	0.08	15
C22-660	173.15	174.35	1.20	15	0.10	0.10	0.20	33
C22-660	174.35	175.35	1.00	14	0.05	0.14	0.20	29
C22-660	175.35	177.35	2.00	2	0.01	0.02	0.02	4
C22-660	177.35	178.30	0.95	2	0.01	0.01	0.04	4
C22-660	178.30	179.60	1.30	2	0.01	0.03	0.17	10
C22-660	179.60	180.10	0.50	5	0.03	0.07	0.10	14
C22-660	180.10	181.15	1.05	3	0.01	0.05	0.08	9
C22-660	181.15	182.00	0.85	11	0.03	0.16	0.22	26
C22-660	182.00	183.10	1.10	8	0.04	0.03	0.02	13
C22-660	183.10	184.35	1.25	8	0.03	0.07	0.19	19
C22-660	184.35	185.80	1.45	5	0.02	0.02	0.06	10
C22-660	185.80	187.00	1.20	3	0.02	0.02	0.02	5
C22-660	187.00	188.90	1.90	4	0.02	0.01	0.01	7
C22-660	188.90	189.60	0.70	6	0.04	0.02	0.01	10
C22-660	189.60	191.10	1.50	4	0.01	0.01	0.02	6
C22-660	191.10	192.25	1.15	8	0.02	0.01	0.02	10
C22-660	192.25	193.00	0.75	6	0.03	0.01	0.04	10
C22-660	193.00	193.50	0.50	0	0.01	0.01	0.03	2
C22-660	193.50	194.80	1.30	4	0.01	0.03	0.06	9
C22-660	194.80	195.45	0.65					0
C22-660	195.45	197.30	1.85	6	0.01	0.06	0.14	14
C22-660	197.30	198.25	0.95	4	0.02	0.02	0.06	8
C22-660	198.25	199.85	1.60					0

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release

*Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-660	199.85	200.50	0.65	0	0.00	0.07	0.29	13
C22-660	200.50	202.60	2.10					0
C22-660	202.60	204.40	1.80	0	0.00	0.06	0.24	11
C22-660	204.40	205.25	0.85	0	0.01	0.05	0.13	7
C22-660	205.25	205.75	0.50	22	0.01	0.18	1.55	86
C22-660	205.75	206.25	0.50	10	0.01	0.21	0.71	43
C22-660	206.25	206.90	0.65	15	0.01	0.20	1.95	94
C22-660	206.90	207.50	0.60	8	0.01	0.12	0.74	40
C22-660	207.50	208.10	0.60	11	0.01	0.20	1.05	57
C22-660	208.10	208.75	0.65	19	0.01	0.26	2.30	114
C22-660	208.75	209.40	0.65	10	0.01	0.22	0.47	34
C22-660	209.40	209.80	0.40	10	0.01	0.23	0.68	43
C22-660	209.80	210.60	0.80	19	0.01	0.25	3.33	152
C22-660	210.60	212.60	2.00	1	0.01	0.01	0.06	4
C22-660	212.60	213.15	0.55	0	0.01	0.00	0.01	1
C22-660	213.15	214.20	1.05	1	0.01	0.00	0.01	2
C22-660	214.20	215.95	1.75	1	0.01	0.00	0.00	2
C22-660	215.95	217.35	1.40	3	0.02	0.01	0.01	5
C22-660	217.35	218.55	1.20	6	0.06	0.02	0.01	11
C22-660	218.55	219.80	1.25	3	0.04	0.01	0.01	6
C22-660	219.80	221.80	2.00	2	0.01	0.01	0.01	3
C22-660	221.80	223.45	1.65	3	0.02	0.01	0.00	5
C22-660	223.45	224.70	1.25	5	0.05	0.01	0.03	9
C22-660	224.70	225.95	1.25	5	0.12	0.01	0.01	14
C22-660	225.95	227.20	1.25	4	0.05	0.00	0.02	8
C22-660	227.20	228.90	1.70	1	0.01	0.00	0.01	2
C22-660	228.90	230.90	2.00	2	0.02	0.00	0.01	4
C22-660	230.90	232.40	1.50	2	0.02	0.00	0.00	4
C22-660	232.40	233.90	1.50	2	0.02	0.00	0.01	4
C22-660	233.90	235.85	1.95	2	0.01	0.01	0.02	3
C22-660	235.85	236.75	0.90	5	0.03	0.06	0.01	10
C22-660	236.75	237.50	0.75	3	0.03	0.01	0.01	5
C22-660	237.50	238.75	1.25	3	0.02	0.01	0.04	6
C22-660	238.75	239.75	1.00	7	0.04	0.03	0.05	13
C22-660	239.75	240.30	0.55	3	0.02	0.00	0.02	5
C22-660	240.30	240.80	0.50	1	0.01	0.00	0.00	2
C22-660	240.80	241.90	1.10	1	0.01	0.01	0.01	2
C22-660	241.90	242.75	0.85	0	0.01	0.00	0.00	1
C22-660	242.75	243.30	0.55	0	0.00	0.00	0.00	1
C22-660	243.30	244.65	1.35	0	0.01	0.00	0.00	1
C22-660	244.65	245.60	0.95	0	0.01	0.00	0.00	1
C22-660	245.60	246.75	1.15	0	0.01	0.00	0.00	1
C22-660	246.75	247.75	1.00	1	0.01	0.00	0.00	2
C22-660	247.75	248.80	1.05	2	0.01	0.00	0.02	4
C22-660	248.80	249.90	1.10	1	0.02	0.00	0.01	3
C22-660	249.90	251.10	1.20	5	0.03	0.01	0.06	9
C22-660	251.10	252.25	1.15	11	0.09	0.00	0.02	18
C22-660	252.25	253.40	1.15	9	0.06	0.01	0.01	14
C22-660	253.40	254.40	1.00	29	0.28	0.02	0.01	50

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release

*Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-660	254.40	255.00	0.60	8	0.06	0.00	0.00	13
C22-660	255.00	256.25	1.25	3	0.02	0.00	0.01	6
C22-660	256.25	257.10	0.85	6	0.06	0.01	0.01	11
C22-660	257.10	257.90	0.80	7	0.07	0.01	0.01	13
C22-660	257.90	258.75	0.85	4	0.02	0.01	0.02	6
C22-660	258.75	259.15	0.40	18	0.04	0.01	0.03	22
C22-660	259.15	259.55	0.40	1	0.01	0.00	0.04	3
C22-660	259.55	260.55	1.00	10	0.05	0.03	0.05	16
C22-660	260.55	262.15	1.60	3	0.03	0.01	0.07	8
C22-660	262.15	262.95	0.80	2	0.01	0.01	0.10	7
C22-660	262.95	263.25	0.30	3	0.02	0.01	0.36	19
C22-660	263.25	264.35	1.10	1	0.01	0.00	0.01	3
C22-660	264.35	265.45	1.10	1	0.01	0.01	0.02	3
C22-660	265.45	266.40	0.95	2	0.01	0.01	0.01	3
C22-660	266.40	266.75	0.35	28	0.07	0.15	0.03	38
C22-660	266.75	267.10	0.35	74	0.07	0.62	1.29	146
C22-660	267.10	267.80	0.70	6	0.05	0.01	0.01	10
C22-660	267.80	269.30	1.50	20	0.10	0.03	0.03	29
C22-660	269.30	269.75	0.45	8	0.05	0.04	0.03	13
C22-660	269.75	270.60	0.85	16	0.17	0.02	0.80	59
C22-660	270.60	271.60	1.00	9	0.07	0.03	2.19	97
C22-660	271.60	272.45	0.85	10	0.04	0.04	0.33	26
C22-660	272.45	273.65	1.20	14	0.11	0.01	0.03	23
C22-660	273.65	274.65	1.00	12	0.10	0.02	0.02	21
C22-660	274.65	275.70	1.05	36	0.12	0.05	0.01	47
C22-660	275.70	276.90	1.20	6	0.04	0.03	0.01	10
C22-660	276.90	278.10	1.20	2	0.01	0.00	0.01	3
C22-660	278.10	279.35	1.25	3	0.03	0.01	0.03	6
C22-660	279.35	280.65	1.30	1	0.01	0.00	0.02	3
C22-660	280.65	281.85	1.20	1	0.01	0.00	0.02	3
C22-660	281.85	282.85	1.00	12	0.03	0.04	0.04	17
C22-660	282.85	284.10	1.25	2	0.01	0.01	0.02	3
C22-660	284.10	285.70	1.60	3	0.01	0.01	0.02	5
C22-660	285.70	286.60	0.90	2	0.02	0.01	0.02	4
C22-660	286.60	288.40	1.80	3	0.01	0.02	0.10	8
C22-660	288.40	289.15	0.75	4	0.03	0.02	0.01	8
C22-660	289.15	289.75	0.60	2	0.01	0.01	0.02	3
C22-660	289.75	290.35	0.60	2	0.03	0.01	0.02	5
C22-660	290.35	291.40	1.05	2	0.01	0.01	0.02	3
C22-660	291.40	292.35	0.95	4	0.01	0.02	0.03	6
C22-660	292.35	294.25	1.90	0	0.00	0.00	0.02	1
C22-660	294.25	295.75	1.50	1	0.01	0.01	0.04	3
C22-660	295.75	296.40	0.65	6	0.01	0.04	0.14	13
C22-660	296.40	297.90	1.50	2	0.00	0.01	0.11	6
C22-660	297.90	298.55	0.65	4	0.01	0.03	0.20	13
C22-660	298.55	299.25	0.70	4	0.05	0.02	0.07	10
C22-660	299.25	299.95	0.70	3	0.02	0.01	0.11	9
C22-660	299.95	301.15	1.20	1	0.01	0.01	0.06	4
C22-660	301.15	302.10	0.95	2	0.01	0.02	0.13	8

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-660	302.10	303.20	1.10	1	0.00	0.01	0.08	4
C22-660	303.20	303.65	0.45	1	0.00	0.01	0.04	3
C22-660	303.65	304.55	0.90	1	0.00	0.00	0.07	4
C22-660	304.55	305.65	1.10	2	0.00	0.01	0.15	8
C22-660	305.65	307.50	1.85	1	0.01	0.00	0.07	5
C22-660	307.50	308.45	0.95	2	0.01	0.01	0.11	6
C22-660	308.45	309.60	1.15	1	0.01	0.02	0.08	5
C22-660	309.60	310.05	0.45	4	0.04	0.02	0.04	9
C22-660	310.05	311.45	1.40	2	0.01	0.01	0.08	5
C22-660	311.45	312.80	1.35	2	0.01	0.01	0.16	8
C22-660	312.80	314.45	1.65	5	0.01	0.02	0.25	15
C22-660	314.45	314.80	0.35	7	0.01	0.05	0.89	43
C22-660	314.80	315.35	0.55	9	0.01	0.04	0.94	46
C22-660	315.35	316.25	0.90	6	0.00	0.05	0.44	24
C22-660	316.25	317.85	1.60	4	0.01	0.02	0.24	14
C22-660	317.85	318.85	1.00	3	0.01	0.01	0.32	16
C22-660	318.85	319.20	0.35	4	0.01	0.01	0.04	6
C22-660	319.20	320.05	0.85	4	0.00	0.02	0.25	14
C22-660	320.05	321.10	1.05	3	0.00	0.02	0.16	9
C22-660	321.10	322.05	0.95	11	0.02	0.02	0.09	16
C22-660	322.05	323.05	1.00	4	0.01	0.01	0.18	11
C22-660	323.05	324.05	1.00	6	0.01	0.01	0.16	13
C22-660	324.05	325.00	0.95	3	0.00	0.01	0.28	15
C22-660	325.00	326.50	1.50	27	0.01	0.01	0.15	33
C22-660	326.50	327.05	0.55	16	0.03	0.02	0.03	20
C22-660	327.05	327.40	0.35	7	0.01	0.01	0.02	9
C22-660	327.40	328.85	1.45	5	0.01	0.01	0.01	6
C22-660	328.85	329.75	0.90	11	0.01	0.01	0.04	13
C22-660	329.75	331.10	1.35	19	0.01	0.01	0.02	21
C22-660	331.10	331.40	0.30	174	0.05	0.46	0.10	196
C22-660	331.40	331.95	0.55	37	0.05	0.06	0.03	43
C22-660	331.95	332.35	0.40	5	0.01	0.02	0.07	9
C22-660	332.35	333.35	1.00	17	0.03	0.03	0.15	25
C22-660	333.35	334.05	0.70	7	0.04	0.02	0.03	11
C22-660	334.05	334.65	0.60	12	0.09	0.01	0.01	19
C22-660	334.65	335.35	0.70	15	0.03	0.03	0.02	18
C22-660	335.35	336.30	0.95	9	0.02	0.03	0.01	12
C22-660	336.30	336.85	0.55	6	0.04	0.01	0.01	10
C22-660	336.85	337.25	0.40	6	0.02	0.01	0.02	8
C22-660	337.25	337.70	0.45	5	0.08	0.01	0.02	11
C22-660	337.70	338.75	1.05	3	0.02	0.01	0.01	5
C22-660	338.75	340.20	1.45	5	0.01	0.01	0.01	7
C22-660	340.20	340.60	0.40	2	0.03	0.00	0.01	5
C22-660	340.60	342.35	1.75	3	0.01	0.01	0.08	7
C22-660	342.35	342.85	0.50	10	0.11	0.02	0.03	19
C22-660	342.85	344.25	1.40	9	0.02	0.01	0.04	12
C22-660	344.25	345.25	1.00	7	0.02	0.01	0.07	11
C22-660	345.25	346.25	1.00	5	0.01	0.01	0.05	8
C22-660	346.25	347.30	1.05	5	0.02	0.01	0.07	9

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-660	347.30	349.30	2.00	3	0.01	0.01	0.05	6
C22-660	349.30	350.05	0.75	2	0.00	0.01	0.02	3
C22-660	350.05	350.35	0.30	8	0.01	0.01	0.01	9
C22-660	350.35	351.20	0.85	4	0.01	0.02	0.02	6
C22-660	351.20	351.90	0.70	7	0.04	0.02	0.01	10
C22-660	351.90	352.25	0.35	7	0.02	0.02	0.09	12
C22-660	352.25	353.10	0.85	10	0.01	0.03	0.23	20
C22-660	353.10	354.20	1.10	12	0.01	0.02	0.01	13
C22-660	354.20	355.30	1.10	18	0.01	0.03	0.01	20
C22-660	355.30	356.10	0.80	8	0.01	0.04	0.01	10
C22-660	356.10	357.05	0.95	5	0.02	0.02	0.00	7
C22-660	357.05	358.25	1.20	4	0.01	0.02	0.01	6
C22-660	358.25	359.00	0.75	4	0.01	0.02	0.02	6
C22-660	359.00	359.80	0.80	4	0.01	0.01	0.01	6
C22-660	359.80	360.80	1.00	2	0.01	0.01	0.00	3
C22-660	360.80	361.80	1.00	3	0.01	0.01	0.00	4
C22-660	361.80	362.80	1.00	6	0.03	0.02	0.00	9
C22-660	362.80	363.75	0.95	3	0.00	0.01	0.00	4
C22-660	363.75	365.00	1.25	8	0.01	0.02	0.00	9
C22-660	365.00	365.30	0.30	4	0.01	0.01	0.00	5
C22-660	365.30	365.70	0.40	2	0.00	0.01	0.01	2
C22-660	365.70	366.40	0.70	6	0.01	0.03	0.00	8
C22-660	366.40	367.35	0.95	5	0.00	0.02	0.00	6
C22-660	367.35	367.75	0.40	2	0.01	0.01	0.01	4
C22-660	367.75	369.65	1.90	2	0.01	0.01	0.00	2
C22-660	369.65	370.20	0.55	2	0.00	0.03	0.00	3
C22-660	370.20	370.80	0.60	7	0.03	0.02	0.00	10
C22-660	370.80	371.40	0.60	6	0.02	0.03	0.00	8
C22-660	371.40	372.10	0.70	4	0.00	0.04	0.17	12
C22-660	372.10	372.70	0.60	4	0.00	0.01	0.00	5
C22-660	372.70	373.50	0.80	4	0.01	0.01	0.01	5
C22-660	373.50	374.60	1.10	4	0.01	0.04	0.01	6
C22-660	374.60	375.75	1.15	7	0.01	0.03	0.01	9
C22-660	375.75	376.60	0.85	7	0.01	0.06	0.00	9
C22-660	376.60	377.60	1.00	6	0.00	0.02	0.02	7
C22-660	377.60	378.35	0.75	5	0.03	0.04	0.01	8
C22-660	378.35	379.35	1.00	3	0.02	0.03	0.00	6
C22-660	379.35	379.80	0.45	4	0.01	0.06	0.02	7
C22-660	379.80	380.15	0.35	4	0.01	0.02	0.02	6
C22-660	380.15	381.20	1.05	2	0.01	0.02	0.00	3
C22-660	381.20	381.65	0.45	2	0.03	0.01	0.03	6
C22-660	381.65	382.60	0.95	3	0.02	0.01	0.01	5
C22-660	382.60	383.50	0.90	2	0.01	0.01	0.01	3
C22-660	383.50	384.50	1.00	1	0.01	0.01	0.02	3
C22-660	384.50	385.70	1.20	5	0.00	0.02	0.02	7
C22-660	385.70	386.10	0.40	1	0.00	0.01	0.02	3
C22-660	386.10	386.50	0.40	1	0.00	0.01	0.02	2
C22-660	386.50	387.20	0.70	1	0.00	0.01	0.03	2
C22-660	387.20	387.85	0.65	2	0.01	0.02	0.02	4

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-660	387.85	388.20	0.35	5	0.08	0.04	0.01	12
C22-660	388.20	390.15	1.95	2	0.01	0.01	0.01	3
C22-660	390.15	390.45	0.30	2	0.02	0.01	0.01	4
C22-660	390.45	390.95	0.50	3	0.02	0.03	0.10	8
C22-660	390.95	392.00	1.05	2	0.02	0.01	0.00	3
C22-660	392.00	392.30	0.30	38	0.03	0.26	0.02	49
C22-660	392.30	392.80	0.50	4	0.04	0.01	0.01	8
C22-660	392.80	393.25	0.45	3	0.02	0.01	0.00	5
C22-660	393.25	393.70	0.45	4	0.10	0.01	0.00	12
C22-660	393.70	394.05	0.35	4	0.02	0.03	0.01	6
C22-660	394.05	394.40	0.35	4	0.01	0.03	0.01	6
C22-660	394.40	394.80	0.40	3	0.03	0.01	0.01	5
C22-660	394.80	395.15	0.35	1	0.02	0.00	0.01	3
C22-660	395.15	395.50	0.35	4	0.04	0.01	0.01	8
C22-660	395.50	396.40	0.90	10	0.05	0.10	0.07	20
C22-660	396.40	397.10	0.70	8	0.07	0.03	0.01	14
C22-660	397.10	398.10	1.00	9	0.03	0.05	0.06	15
C22-660	398.10	398.85	0.75	9	0.02	0.03	0.05	13
C22-660	398.85	399.40	0.55	3	0.02	0.02	0.01	6
C22-660	399.40	400.20	0.80	1	0.01	0.00	0.01	2
C22-660	400.20	400.50	0.30	10	0.11	0.02	0.02	19
C22-660	400.50	400.80	0.30	5	0.06	0.02	0.02	10
C22-660	400.80	401.30	0.50	6	0.10	0.02	0.05	15
C22-660	401.30	401.70	0.40	4	0.03	0.02	0.02	7
C22-660	401.70	402.00	0.30	6	0.03	0.06	0.08	13
C22-660	402.00	402.45	0.45	3	0.03	0.01	0.01	6
C22-660	402.45	402.75	0.30	2	0.02	0.01	0.01	4
C22-660	402.75	403.10	0.35	5	0.07	0.02	0.02	12
C22-660	403.10	404.10	1.00	9	0.03	0.02	0.02	12
C22-660	404.10	404.40	0.30	13	0.04	0.05	0.05	19
C22-660	404.40	404.75	0.35	11	0.03	0.06	0.08	18
C22-660	404.75	405.10	0.35	9	0.05	0.04	0.08	16
C22-660	405.10	405.80	0.70	9	0.10	0.04	0.03	19
C22-660	405.80	406.10	0.30	7	0.04	0.02	0.03	11
C22-660	406.10	406.40	0.30	6	0.03	0.02	0.02	9
C22-660	406.40	407.00	0.60	5	0.04	0.02	0.02	9
C22-660	407.00	407.50	0.50	3	0.03	0.01	0.01	6
C22-660	407.50	408.20	0.70	3	0.01	0.01	0.01	5
C22-660	408.20	408.75	0.55	7	0.02	0.02	0.01	10
C22-660	408.75	409.35	0.60	13	0.02	0.03	0.02	16
C22-660	409.35	409.65	0.30	2	0.01	0.01	0.01	3
C22-660	409.65	410.55	0.90	2	0.01	0.01	0.01	4
C22-660	410.55	411.00	0.45	3	0.02	0.01	0.02	5
C22-660	411.00	411.45	0.45	5	0.01	0.01	0.01	6
C22-660	411.45	412.10	0.65	4	0.01	0.01	0.02	6
C22-660	412.10	412.55	0.45	1	0.01	0.00	0.01	2
C22-660	412.55	413.10	0.55	4	0.01	0.01	0.04	6
C22-660	413.10	413.40	0.30	1	0.01	0.00	0.01	1
C22-660	413.40	414.45	1.05	2	0.01	0.00	0.01	4

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-660	414.45	415.20	0.75	6	0.02	0.01	0.03	9
C22-660	415.20	416.15	0.95	1	0.01	0.00	0.09	5
C22-660	416.15	417.00	0.85	3	0.01	0.00	0.38	18
C22-660	417.00	417.40	0.40	6	0.01	0.04	0.51	26
C22-660	417.40	417.70	0.30	10	0.02	0.04	0.02	13
C22-660	417.70	418.00	0.30	11	0.01	0.11	0.05	17
C22-660	418.00	418.40	0.40	6	0.02	0.02	0.03	9
C22-660	418.40	418.70	0.30	9	0.02	0.01	0.03	11
C22-660	418.70	419.00	0.30	9	0.03	0.02	0.72	39
C22-660	419.00	419.60	0.60	7	0.02	0.02	1.80	76
C22-660	419.60	420.15	0.55	5	0.03	0.01	1.15	50
C22-660	420.15	420.70	0.55	8	0.06	0.01	1.99	87
C22-660	420.70	421.70	1.00	31	0.03	0.07	0.53	55
C22-660	421.70	422.20	0.50	45	0.02	0.19	0.06	54
C22-660	422.20	423.95	1.75	7	0.04	0.02	0.01	11
C22-660	423.95	424.30	0.35	4	0.09	0.01	0.01	11
C22-660	424.30	425.30	1.00	4	0.05	0.01	0.01	8
C22-660	425.30	425.60	0.30	31	0.07	0.03	0.00	37
C22-660	425.60	425.90	0.30	4	0.11	0.01	0.01	13
C22-660	425.90	426.50	0.60	9	0.14	0.03	0.02	21
C22-660	426.50	426.95	0.45	22	0.35	0.03	0.02	48
C22-660	426.95	427.65	0.70	4	0.03	0.01	0.01	6
C22-660	427.65	428.85	1.20	5	0.03	0.01	0.01	7
C22-660	428.85	430.25	1.40	4	0.03	0.02	0.02	8
C22-660	430.25	430.80	0.55	6	0.02	0.01	0.02	9
C22-660	430.80	431.75	0.95	2	0.01	0.00	0.01	3
C22-660	431.75	432.75	1.00	2	0.01	0.00	0.01	3
C22-660	432.75	433.20	0.45	24	0.07	0.02	0.01	30
C22-660	433.20	433.95	0.75	1	0.01	0.00	0.00	2
C22-660	433.95	434.60	0.65	1	0.00	0.00	0.00	2
C22-660	434.60	435.60	1.00	2	0.01	0.01	0.01	3
C22-660	435.60	436.10	0.50	1	0.01	0.01	0.01	2
C22-660	436.10	437.35	1.25	1	0.01	0.00	0.01	2
C22-660	437.35	437.90	0.55	1	0.02	0.00	0.00	3
C22-660	437.90	438.30	0.40	1	0.01	0.01	0.00	2
C22-660	438.30	438.65	0.35	2	0.01	0.01	0.01	3
C22-660	438.65	439.35	0.70	2	0.04	0.00	0.00	6
C22-660	439.35	440.55	1.20	3	0.02	0.01	0.01	5
C22-660	440.55	441.35	0.80	15	0.08	0.04	0.01	22
C22-660	441.35	442.80	1.45	2	0.02	0.00	0.02	5
C22-660	442.80	443.95	1.15	2	0.02	0.00	0.05	5
C22-660	443.95	444.50	0.55	5	0.17	0.00	0.02	19
C22-660	444.50	445.10	0.60	5	0.08	0.00	0.04	12
C22-660	445.10	446.20	1.10	6	0.01	0.01	0.79	36
C22-660	446.20	446.50	0.30	6	0.01	0.02	1.52	64
C22-660	446.50	447.75	1.25	29	0.07	0.03	0.04	36
C22-660	447.75	448.75	1.00	11	0.05	0.01	1.09	56
C22-660	448.75	449.75	1.00	19	0.06	0.02	0.70	49
C22-660	449.75	450.85	1.10	9	0.04	0.01	0.01	12

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-660	450.85	451.80	0.95	5	0.04	0.01	0.04	9
C22-660	451.80	452.20	0.40	6	0.08	0.01	0.04	14
C22-660	452.20	453.20	1.00	4	0.02	0.00	0.09	9
C22-660	453.20	454.00	0.80	5	0.01	0.01	0.02	6
C22-660	454.00	455.55	1.55	8	0.02	0.01	0.02	11
C22-660	455.55	455.90	0.35	6	0.02	0.01	0.01	7
C22-660	455.90	457.10	1.20	10	0.02	0.01	0.01	13
C22-660	457.10	457.55	0.45	4	0.01	0.01	0.00	6
C22-660	457.55	458.50	0.95	2	0.01	0.01	0.01	4
C22-660	458.50	460.45	1.95	2	0.01	0.01	0.01	4
C22-660	460.45	460.85	0.40	1	0.01	0.00	0.00	2
C22-660	460.85	462.10	1.25	2	0.01	0.00	0.01	3
C22-660	462.10	463.05	0.95	2	0.01	0.00	0.00	3
C22-660	463.05	463.35	0.30	3	0.02	0.00	0.00	5
C22-660	463.35	464.40	1.05	3	0.01	0.01	0.01	5
C22-660	464.40	465.20	0.80	6	0.01	0.01	0.01	7
C22-660	465.20	466.05	0.85	9	0.02	0.04	0.03	13
C22-660	466.05	467.25	1.20	4	0.02	0.02	0.01	7
C22-660	467.25	468.35	1.10	10	0.02	0.01	0.00	12
C22-660	468.35	468.90	0.55	6	0.02	0.01	0.01	8
C22-660	468.90	469.45	0.55	2	0.01	0.01	0.00	2
C22-660	469.45	470.95	1.50	7	0.02	0.02	0.02	10
C22-660	470.95	471.55	0.60	18	0.05	0.02	0.01	23
C22-660	471.55	472.50	0.95	10	0.02	0.02	0.01	13
C22-660	472.50	474.00	1.50	10	0.01	0.01	0.00	11
C22-660	474.00	474.85	0.85	1	0.01	0.00	0.00	2
C22-660	474.85	475.60	0.75	1	0.01	0.00	0.01	2
C22-660	475.60	477.15	1.55	1	0.02	0.00	0.01	3
C22-660	477.15	478.50	1.35	1	0.01	0.00	0.01	2
C22-660	478.50	480.40	1.90	1	0.01	0.00	0.01	2
C22-660	480.40	480.70	0.30	16	0.01	0.01	0.01	18
C22-660	480.70	481.05	0.35	3	0.00	0.01	0.00	3
C22-660	481.05	482.70	1.65	5	0.04	0.01	0.00	8
C22-660	482.70	484.30	1.60	1	0.00	0.01	0.01	2
C22-660	484.30	484.60	0.30	3	0.03	0.02	0.01	6
C22-660	484.60	485.65	1.05	3	0.01	0.02	0.02	5
C22-660	485.65	486.25	0.60	11	0.01	0.02	0.02	13
C22-660	486.25	486.65	0.40	21	0.02	0.03	0.04	25
C22-660	486.65	487.80	1.15	20	0.01	0.01	0.05	22
C22-660	487.80	488.75	0.95	3	0.01	0.00	0.03	5
C22-660	488.75	489.55	0.80	8	0.01	0.00	0.03	10
C22-660	489.55	490.30	0.75	16	0.01	0.01	0.13	21
C22-660	490.30	492.05	1.75	41	0.01	0.01	0.03	43
C22-660	492.05	492.35	0.30	7	0.00	0.00	0.10	11
C22-660	492.35	493.45	1.10	9	0.04	0.00	0.32	24
C22-660	493.45	494.05	0.60	4	0.00	0.00	0.02	5
C22-660	494.05	495.20	1.15	6	0.00	0.00	0.04	7
C22-660	495.20	496.20	1.00	4	0.00	0.00	0.01	4
C22-660	496.20	496.80	0.60	1	0.00	0.00	0.01	2

Complete Assay Results For Cordero Drill Holes - November 21, 2022 Press Release

**Metal Prices used for AgEq calculation: \$22.00/oz Ag, \$1,600/oz Au, \$1.00/lb Pb, \$1.20/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C22-660	496.80	498.00	1.20	1	0.01	0.00	0.01	1
C22-660	498.00	498.90	0.90	0	0.01	0.00	0.00	1
C22-660	498.90	500.05	1.15	0	0.01	0.00	0.00	1
C22-660	500.05	501.00	0.95	1	0.01	0.00	0.00	2
C22-660	501.00	501.35	0.35	2	0.00	0.00	0.00	2
C22-660	501.35	502.20	0.85	0	0.00	0.00	0.00	1